Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5785 MHz

Vertical



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	5715.0000	25.00	40.02	65.02	115.40	-50.38	Peak	
2	5725.0000	23.66	40.05	63.71	128.20	-64.49	Peak	
3	5850.0000	23.31	40.34	63.65	128.20	-64.55	Peak	
4	5860.0000	23.15	40.37	63.52	115.40	-51.88	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5785 MHz

Vertical



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	11570.0000	48.86	0.47	49.33	74.00	-24.67	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5785 MHz

Horizontal



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	5715.0000	20.70	40.02	60.72	115.40	-54.68	Peak	
2	5725.0000	20.98	40.05	61.03	128.20	-67.17	Peak	
3	5850.0000	20.58	40.34	60.92	128.20	-67.28	Peak	
4 *	5860.0000	20.46	40.37	60.83	115.40	-54.57	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5785 MHz

Horizontal



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	11570.0000	47.86	0.47	48.33	74.00	-25.67	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5825 MHz

Vertical



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	5850.0000	31.13	40.34	71.47	128.20	-56.73	Peak	
2 *	5860.0000	26.27	40.37	66.64	115.40	-48.76	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5825 MHz

Vertical



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	11650.0000	49.54	0.48	50.02	74.00	-23.98	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5825 MHz

Horizontal



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	5850.0000	23.47	40.34	63.81	128.20	-64.39	Peak	
2 *	5860.0000	20.74	40.37	61.11	115.40	-54.29	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5825 MHz

Horizontal



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	11650.0000	47.82	0.48	48.30	74.00	-25.70	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5755 MHz

Vertical



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	5715.0000	39.14	40.02	79.16	115.40	-36.24	Peak	
2	5725.0000	42.58	40.05	82.63	128.20	-45.57	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5755 MHz

Vertical



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	11495.8000	51.68	0.47	52.15	74.00	-21.85	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5755 MHz

Horizontal



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	5715.0000	24.66	40.02	64.68	115.40	-50.72	Peak	
2	5725.0000	24.50	40.05	64.55	128.20	-63.65	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5755 MHz

Horizontal



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	11510.0000	48.58	0.47	49.05	74.00	-24.95	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5795 MHz

Vertical



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	5715.0000	27.71	40.02	67.73	115.40	-47.67	Peak	
2	5725.0000	29.12	40.05	69.17	128.20	-59.03	Peak	
3	5850.0000	32.66	40.34	73.00	128.20	-55.20	Peak	
4	5850.7200	38.83	40.34	79.17	126.56	-47.39	Peak	
5 *	5860.0000	30.64	40.37	71.01	115.40	-44.39	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5795 MHz

Vertical



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	11592.7000	49.53	0.47	50.00	74.00	-24.00	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5795 MHz

Horizontal



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	5715.0000	21.58	40.02	61.60	115.40	-53.80	Peak	
2	5725.0000	21.76	40.05	61.81	128.20	-66.39	Peak	
3	5850.0000	23.46	40.34	63.80	128.20	-64.40	Peak	
4 *	5860.0000	23.92	40.37	64.29	115.40	-51.11	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5795 MHz

Horizontal



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	11590.0000	48.46	0.47	48.93	74.00	-25.07	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80) Mode 5775 MHz

Vertical



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	5715.0000	34.91	40.02	74.93	115.40	-40.47	Peak	
2	5725.0000	34.77	40.05	74.82	128.20	-53.38	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80) Mode 5775 MHz

Vertical



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	11550.0000	49.21	0.47	49.68	74.00	-24.32	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80) Mode 5775 MHz

Horizontal



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	5715.0000	24.54	40.02	64.56	115.40	-50.84	Peak	
2	5725.0000	24.71	40.05	64.76	128.20	-63.44	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80) Mode 5775 MHz

Horizontal



No.	Freq.	Reading Level	Correct Factor	Measure ment	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	11550.0000	49.02	0.47	49.49	74.00	-24.51	Peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

APPENDIX E - BANDWIDTH

Non-Beamforming

Test Mode	UNII-1_TX A Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	21.65	17.20
40	5200	26.92	17.60
48	5240	21.71	17.40

CH36



CH40



CH48



Test Mode	UNII-2A_TX A Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
52	5260	21.61	17.20
60	5300	21.65	17.20
64	5320	21.80	17.30

CH52



CH60



CH64



Test Mode	UNII-2C_TX A Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
100	5500	21.65	17.20
116	5580	21.65	17.30
140	5700	21.71	17.20

CH100



CH116



CH140



Test Mode	UNII-3_TX A Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	16.35	500	Complies
157	5785	16.39	500	Complies
165	5825	16.35	500	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX A Mode

Channel	Frequency (MHz)	99 % Emission Bandwidth (MHz)
149	5745	26.20
157	5785	25.70
165	5825	26.90

CH149



CH157



CH165



Test Mode	UNII-1_TX AC (VHT20) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	21.89	18.20
40	5200	22.00	18.30
48	5240	22.05	18.20

CH36



CH40



CH48



Test Mode	UNII-1_TX AC (VHT40) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
38	5190	39.81	36.40
46	5230	39.90	36.40

CH38



CH46



Test Mode	UNII-1_TX AC (VHT80)

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
42	5210	82.80	76.00

CH42



Test Mode	UNII-2A_TX AC (VHT20) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
52	5260	22.01	18.20
60	5300	21.99	18.10
64	5320	21.90	18.10

CH52



CH60



CH64



Test Mode	UNII-2A_TX AC (VHT40) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
54	5270	40.00	36.40
62	5310	39.90	37.60

CH54



CH62



Test Mode	UNII-2A_TX AC (VHT80)

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
58	5290	82.80	76.00

CH58



Test Mode	UNII-2C_TX AC (VHT20) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
100	5500	22.00	18.20
116	5580	21.90	18.10
140	5700	21.91	18.20

CH100



CH116



CH140



Test Mode	UNII-2C_TX AC (VHT40) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
102	5510	40.01	37.60
110	5550	40.00	37.60
134	5670	40.00	37.60

CH102



CH110



CH134



Test Mode	UNII-2C_TX AC (VHT80)

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
106	5530	82.60	76.00
122	5610	82.20	76.00

CH106



CH122



Test Mode	UNII-3_TX AC (VHT20) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	17.65	500	Complies
157	5785	17.65	500	Complies
165	5825	17.65	500	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX AC (VHT20) Mode

Channel	Frequency (MHz)	99 % Emission Bandwidth (MHz)
149	5745	18.30
157	5785	18.40
165	5825	18.40

CH149



CH157



CH165



Test Mode	UNII-3_TX AC (VHT40) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
151	5755	37.80	500	Complies
159	5795	37.70	500	Complies

c



CH159



Test Mode	UNII-3_TX AC (VHT40) Mode

Channel	Frequency (MHz)	99 % Emission Bandwidth (MHz)
151	5755	38.40
159	5795	38.40

CH151



CH159



Test Mode	UNII-3_TX AC (VHT80)

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
155	5775	76.00	500	Complies

CH155



Test Mode	UNII-3_TX AC (VHT80)

Channel	Frequency (MHz)	99 % Emission Bandwidth (MHz)
155	5775	76.00

CH155



APPENDIX F - CONDUCTED OUTPUT POWER

For 1TX

Test Mode	UNII-1_TX A Mode

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.87	0.23	20.10	30.00	1.00	Complies
40	5200	23.12	0.23	23.35	30.00	1.00	Complies
48	5240	24.50	0.23	24.73	30.00	1.00	Complies

Test Mode	UNII-2A_TX A Mode

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.95	0.23	19.18	24.00	0.25	Complies
60	5300	18.99	0.23	19.22	24.00	0.25	Complies
64	5320	18.88	0.23	19.11	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	19.04	0.23	19.27	24.00	0.25	Complies
116	5580	19.05	0.23	19.28	24.00	0.25	Complies
140	5700	19.02	0.23	19.25	24.00	0.25	Complies

Test Mode	UNII-3_TX A Mode

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26.93	0.23	27.16	30.00	1.00	Complies
157	5785	26.78	0.23	27.01	30.00	1.00	Complies
165	5825	26.73	0.23	26.96	30.00	1.00	Complies

For 4TX
Non-Beamforming

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.97	0.76	17.73	26.98	0.50	Complies
40	5200	18.40	0.76	19.16	26.98	0.50	Complies
48	5240	18.29	0.76	19.05	26.98	0.50	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.02	0.76	16.78	26.98	0.50	Complies
40	5200	17.57	0.76	18.33	26.98	0.50	Complies
48	5240	17.09	0.76	17.85	26.98	0.50	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 3

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.95	0.76	18.71	26.98	0.50	Complies
40	5200	19.70	0.76	20.46	26.98	0.50	Complies
48	5240	19.33	0.76	20.09	26.98	0.50	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.30	0.76	18.06	26.98	0.50	Complies
40	5200	18.67	0.76	19.43	26.98	0.50	Complies
48	5240	18.62	0.76	19.38	26.98	0.50	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	23.89	26.98	0.50	Complies
40	5200	25.43	26.98	0.50	Complies
48	5240	25.18	26.98	0.50	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.26	1.33	16.59	26.98	0.50	Complies
46	5230	19.27	1.33	20.60	26.98	0.50	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.22	1.33	15.55	26.98	0.50	Complies
46	5230	18.28	1.33	19.61	26.98	0.50	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 3

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.31	1.33	16.64	26.98	0.50	Complies
46	5230	20.35	1.33	21.68	26.98	0.50	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.18	1.33	16.51	26.98	0.50	Complies
46	5230	19.34	1.33	20.67	26.98	0.50	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	22.36	26.98	0.50	Complies
46	5230	26.72	26.98	0.50	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.65	0.76	13.41	20.98	0.13	Complies
60	5300	12.58	0.76	13.34	20.98	0.13	Complies
64	5320	12.56	0.76	13.32	20.98	0.13	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.00	0.76	12.76	20.98	0.13	Complies
60	5300	11.72	0.76	12.48	20.98	0.13	Complies
64	5320	11.87	0.76	12.63	20.98	0.13	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 3

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.13	0.76	13.89	20.98	0.13	Complies
60	5300	12.72	0.76	13.48	20.98	0.13	Complies
64	5320	12.96	0.76	13.72	20.98	0.13	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.82	0.76	13.58	20.98	0.13	Complies
60	5300	12.53	0.76	13.29	20.98	0.13	Complies
64	5320	12.58	0.76	13.34	20.98	0.13	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	19.45	20.98	0.13	Complies
60	5300	19.18	20.98	0.13	Complies
64	5320	19.29	20.98	0.13	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.22	1.33	14.55	20.98	0.13	Complies
62	5310	13.00	1.33	14.33	20.98	0.13	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	12.13	1.33	13.46	20.98	0.13	Complies
62	5310	11.92	1.33	13.25	20.98	0.13	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 3

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.21	1.33	14.54	20.98	0.13	Complies
62	5310	12.97	1.33	14.30	20.98	0.13	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	12.98	1.33	14.31	20.98	0.13	Complies
62	5310	12.67	1.33	14.00	20.98	0.13	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.25	20.98	0.13	Complies
62	5310	20.01	20.98	0.13	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.85	0.76	13.61	20.98	0.13	Complies
116	5580	13.16	0.76	13.92	20.98	0.13	Complies
140	5700	12.80	0.76	13.56	20.98	0.13	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	11.95	0.76	12.71	20.98	0.13	Complies
116	5580	12.25	0.76	13.01	20.98	0.13	Complies
140	5700	12.04	0.76	12.80	20.98	0.13	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 3

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.29	0.76	14.05	20.98	0.13	Complies
116	5580	13.53	0.76	14.29	20.98	0.13	Complies
140	5700	13.36	0.76	14.12	20.98	0.13	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.04	0.76	13.80	20.98	0.13	Complies
116	5580	13.26	0.76	14.02	20.98	0.13	Complies
140	5700	12.83	0.76	13.59	20.98	0.13	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	19.59	20.98	0.13	Complies
116	5580	19.85	20.98	0.13	Complies
140	5700	19.56	20.98	0.13	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.40	1.33	14.73	20.98	0.13	Complies
110	5550	13.32	1.33	14.65	20.98	0.13	Complies
134	5670	13.04	1.33	14.37	20.98	0.13	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	12.41	1.33	13.74	20.98	0.13	Complies
110	5550	12.39	1.33	13.72	20.98	0.13	Complies
134	5670	12.11	1.33	13.44	20.98	0.13	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 3

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.63	1.33	14.96	20.98	0.13	Complies
110	5550	13.64	1.33	14.97	20.98	0.13	Complies
134	5670	13.37	1.33	14.70	20.98	0.13	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.19	1.33	14.52	20.98	0.13	Complies
110	5550	13.07	1.33	14.40	20.98	0.13	Complies
134	5670	12.84	1.33	14.17	20.98	0.13	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.53	20.98	0.13	Complies
110	5550	20.48	20.98	0.13	Complies
134	5670	20.21	20.98	0.13	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.78	0.76	20.54	26.98	0.50	Complies
157	5785	19.75	0.76	20.51	26.98	0.50	Complies
165	5825	19.73	0.76	20.49	26.98	0.50	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.03	0.76	19.79	26.98	0.50	Complies
157	5785	18.61	0.76	19.37	26.98	0.50	Complies
165	5825	18.62	0.76	19.38	26.98	0.50	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 3

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.56	0.76	21.32	26.98	0.50	Complies
157	5785	20.27	0.76	21.03	26.98	0.50	Complies
165	5825	20.55	0.76	21.31	26.98	0.50	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.98	0.76	20.74	26.98	0.50	Complies
157	5785	20.01	0.76	20.77	26.98	0.50	Complies
165	5825	19.90	0.76	20.66	26.98	0.50	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26.65	26.98	0.50	Complies
157	5785	26.48	26.98	0.50	Complies
165	5825	26.53	26.98	0.50	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.05	1.33	20.38	26.98	0.50	Complies
159	5795	19.08	1.33	20.41	26.98	0.50	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.67	1.33	19.00	26.98	0.50	Complies
159	5795	18.03	1.33	19.36	26.98	0.50	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 3

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.41	1.33	20.74	26.98	0.50	Complies
159	5795	19.59	1.33	20.92	26.98	0.50	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.32	1.33	20.65	26.98	0.50	Complies
159	5795	18.96	1.33	20.29	26.98	0.50	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26.26	26.98	0.50	Complies
159	5795	26.30	26.98	0.50	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.61	0.24	17.85	26.98	0.50	Complies
40	5200	19.22	0.24	19.46	26.98	0.50	Complies
48	5240	19.03	0.24	19.27	26.98	0.50	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.79	0.24	17.03	26.98	0.50	Complies
40	5200	18.28	0.24	18.52	26.98	0.50	Complies
48	5240	17.77	0.24	18.01	26.98	0.50	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.62	0.24	18.86	26.98	0.50	Complies
40	5200	20.49	0.24	20.73	26.98	0.50	Complies
48	5240	19.98	0.24	20.22	26.98	0.50	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.99	0.24	18.23	26.98	0.50	Complies
40	5200	19.45	0.24	19.69	26.98	0.50	Complies
48	5240	19.34	0.24	19.58	26.98	0.50	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	24.06	26.98	0.50	Complies
40	5200	25.69	26.98	0.50	Complies
48	5240	25.36	26.98	0.50	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.25	0.44	16.69	26.98	0.50	Complies
46	5230	20.38	0.44	20.82	26.98	0.50	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.28	0.44	15.72	26.98	0.50	Complies
46	5230	19.43	0.44	19.87	26.98	0.50	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.52	0.44	16.96	26.98	0.50	Complies
46	5230	21.42	0.44	21.86	26.98	0.50	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.18	0.44	16.62	26.98	0.50	Complies
46	5230	20.49	0.44	20.93	26.98	0.50	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	22.54	26.98	0.50	Complies
46	5230	26.95	26.98	0.50	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.86	0.88	14.74	26.98	0.50	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	12.99	0.88	13.87	26.98	0.50	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 3

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	14.82	0.88	15.70	26.98	0.50	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	14.12	0.88	15.00	26.98	0.50	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	20.90	26.98	0.50	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.36	0.24	13.60	20.98	0.13	Complies
60	5300	13.29	0.24	13.53	20.98	0.13	Complies
64	5320	13.31	0.24	13.55	20.98	0.13	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.67	0.24	12.91	20.98	0.13	Complies
60	5300	12.47	0.24	12.71	20.98	0.13	Complies
64	5320	12.34	0.24	12.58	20.98	0.13	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.75	0.24	13.99	20.98	0.13	Complies
60	5300	13.59	0.24	13.83	20.98	0.13	Complies
64	5320	13.71	0.24	13.95	20.98	0.13	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.47	0.24	13.71	20.98	0.13	Complies
60	5300	13.29	0.24	13.53	20.98	0.13	Complies
64	5320	13.32	0.24	13.56	20.98	0.13	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	19.59	20.98	0.13	Complies
60	5300	19.44	20.98	0.13	Complies
64	5320	19.46	20.98	0.13	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.12	0.44	14.56	20.98	0.13	Complies
62	5310	13.74	0.44	14.18	20.98	0.13	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.23	0.44	13.67	20.98	0.13	Complies
62	5310	13.06	0.44	13.50	20.98	0.13	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.42	0.44	14.86	20.98	0.13	Complies
62	5310	14.27	0.44	14.71	20.98	0.13	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.06	0.44	14.50	20.98	0.13	Complies
62	5310	13.84	0.44	14.28	20.98	0.13	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.44	20.98	0.13	Complies
62	5310	20.21	20.98	0.13	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	12.81	0.88	13.69	20.98	0.13	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	11.89	0.88	12.77	20.98	0.13	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 3

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.34	0.88	14.22	20.98	0.13	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	12.61	0.88	13.49	20.98	0.13	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	19.60	20.98	0.13	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.52	0.24	13.76	20.98	0.13	Complies
116	5580	13.83	0.24	14.07	20.98	0.13	Complies
140	5700	13.48	0.24	13.72	20.98	0.13	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.72	0.24	12.96	20.98	0.13	Complies
116	5580	12.96	0.24	13.20	20.98	0.13	Complies
140	5700	12.61	0.24	12.85	20.98	0.13	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.99	0.24	14.23	20.98	0.13	Complies
116	5580	14.21	0.24	14.45	20.98	0.13	Complies
140	5700	14.02	0.24	14.26	20.98	0.13	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.66	0.24	13.90	20.98	0.13	Complies
116	5580	14.01	0.24	14.25	20.98	0.13	Complies
140	5700	13.46	0.24	13.70	20.98	0.13	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	19.76	20.98	0.13	Complies
116	5580	20.04	20.98	0.13	Complies
140	5700	19.68	20.98	0.13	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.21	0.44	14.65	20.98	0.13	Complies
110	5550	14.17	0.44	14.61	20.98	0.13	Complies
134	5670	14.04	0.44	14.48	20.98	0.13	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.42	0.44	13.86	20.98	0.13	Complies
110	5550	13.39	0.44	13.83	20.98	0.13	Complies
134	5670	13.24	0.44	13.68	20.98	0.13	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.63	0.44	15.07	20.98	0.13	Complies
110	5550	14.61	0.44	15.05	20.98	0.13	Complies
134	5670	14.54	0.44	14.98	20.98	0.13	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.21	0.44	14.65	20.98	0.13	Complies
110	5550	14.15	0.44	14.59	20.98	0.13	Complies
134	5670	14.02	0.44	14.46	20.98	0.13	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.60	20.98	0.13	Complies
110	5550	20.56	20.98	0.13	Complies
134	5670	20.45	20.98	0.13	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	13.53	0.88	14.41	20.98	0.13	Complies
122	5610	13.78	0.88	14.66	20.98	0.13	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	12.92	0.88	13.80	20.98	0.13	Complies
122	5610	12.99	0.88	13.87	20.98	0.13	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 3

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.13	0.88	15.01	20.98	0.13	Complies
122	5610	14.38	0.88	15.26	20.98	0.13	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	13.84	0.88	14.72	20.98	0.13	Complies
122	5610	13.81	0.88	14.69	20.98	0.13	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	20.53	20.98	0.13	Complies
122	5610	20.67	20.98	0.13	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.43	0.24	20.67	26.98	0.50	Complies
157	5785	20.46	0.24	20.70	26.98	0.50	Complies
165	5825	20.36	0.24	20.60	26.98	0.50	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.52	0.24	19.76	26.98	0.50	Complies
157	5785	19.23	0.24	19.47	26.98	0.50	Complies
165	5825	19.33	0.24	19.57	26.98	0.50	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.19	0.24	21.43	26.98	0.50	Complies
157	5785	20.98	0.24	21.22	26.98	0.50	Complies
165	5825	21.15	0.24	21.39	26.98	0.50	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.56	0.24	20.80	26.98	0.50	Complies
157	5785	20.65	0.24	20.89	26.98	0.50	Complies
165	5825	20.51	0.24	20.75	26.98	0.50	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26.73	26.98	0.50	Complies
157	5785	26.64	26.98	0.50	Complies
165	5825	26.65	26.98	0.50	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.07	0.44	20.51	26.98	0.50	Complies
159	5795	20.08	0.44	20.52	26.98	0.50	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.97	0.44	19.41	26.98	0.50	Complies
159	5795	19.05	0.44	19.49	26.98	0.50	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.62	0.44	21.06	26.98	0.50	Complies
159	5795	20.69	0.44	21.13	26.98	0.50	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.39	0.44	20.83	26.98	0.50	Complies
159	5795	20.09	0.44	20.53	26.98	0.50	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26.52	26.98	0.50	Complies
159	5795	26.48	26.98	0.50	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.77	0.88	20.65	26.98	0.50	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	18.94	0.88	19.82	26.98	0.50	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 3

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.94	0.88	21.82	26.98	0.50	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.34	0.88	21.22	26.98	0.50	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	26.96	26.98	0.50	Complies

For 4TX
Beamforming

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.75	0.76	17.51	26.98	0.50	Complies
40	5200	18.25	0.76	19.01	26.98	0.50	Complies
48	5240	18.10	0.76	18.86	26.98	0.50	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.78	0.76	16.54	26.98	0.50	Complies
40	5200	17.31	0.76	18.07	26.98	0.50	Complies
48	5240	16.97	0.76	17.73	26.98	0.50	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 3

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.78	0.76	18.54	26.98	0.50	Complies
40	5200	19.48	0.76	20.24	26.98	0.50	Complies
48	5240	19.06	0.76	19.82	26.98	0.50	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.17	0.76	17.93	26.98	0.50	Complies
40	5200	18.51	0.76	19.27	26.98	0.50	Complies
48	5240	18.31	0.76	19.07	26.98	0.50	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	23.71	26.98	0.50	Complies
40	5200	25.23	26.98	0.50	Complies
48	5240	24.95	26.98	0.50	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.01	1.33	16.34	26.98	0.50	Complies
46	5230	19.14	1.33	20.47	26.98	0.50	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.00	1.33	15.33	26.98	0.50	Complies
46	5230	18.11	1.33	19.44	26.98	0.50	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 3

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.10	1.33	16.43	26.98	0.50	Complies
46	5230	20.23	1.33	21.56	26.98	0.50	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.00	1.33	16.33	26.98	0.50	Complies
46	5230	19.17	1.33	20.50	26.98	0.50	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	22.15	26.98	0.50	Complies
46	5230	26.57	26.98	0.50	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.44	0.76	13.20	20.98	0.13	Complies
60	5300	12.37	0.76	13.13	20.98	0.13	Complies
64	5320	12.34	0.76	13.10	20.98	0.13	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.81	0.76	12.57	20.98	0.13	Complies
60	5300	11.60	0.76	12.36	20.98	0.13	Complies
64	5320	11.69	0.76	12.45	20.98	0.13	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 3

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.98	0.76	13.74	20.98	0.13	Complies
60	5300	12.50	0.76	13.26	20.98	0.13	Complies
64	5320	12.80	0.76	13.56	20.98	0.13	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.64	0.76	13.40	20.98	0.13	Complies
60	5300	12.29	0.76	13.05	20.98	0.13	Complies
64	5320	12.49	0.76	13.25	20.98	0.13	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	19.27	20.98	0.13	Complies
60	5300	18.98	20.98	0.13	Complies
64	5320	19.13	20.98	0.13	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.06	1.33	14.39	20.98	0.13	Complies
62	5310	12.78	1.33	14.11	20.98	0.13	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	11.89	1.33	13.22	20.98	0.13	Complies
62	5310	11.66	1.33	12.99	20.98	0.13	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 3

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	12.99	1.33	14.32	20.98	0.13	Complies
62	5310	12.81	1.33	14.14	20.98	0.13	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	12.75	1.33	14.08	20.98	0.13	Complies
62	5310	12.49	1.33	13.82	20.98	0.13	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.04	20.98	0.13	Complies
62	5310	19.81	20.98	0.13	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.74	0.76	13.50	20.98	0.13	Complies
116	5580	12.95	0.76	13.71	20.98	0.13	Complies
140	5700	12.57	0.76	13.33	20.98	0.13	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	11.82	0.76	12.58	20.98	0.13	Complies
116	5580	11.97	0.76	12.73	20.98	0.13	Complies
140	5700	11.84	0.76	12.60	20.98	0.13	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 3

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.07	0.76	13.83	20.98	0.13	Complies
116	5580	13.30	0.76	14.06	20.98	0.13	Complies
140	5700	13.12	0.76	13.88	20.98	0.13	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.89	0.76	13.65	20.98	0.13	Complies
116	5580	13.02	0.76	13.78	20.98	0.13	Complies
140	5700	12.58	0.76	13.34	20.98	0.13	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	19.43	20.98	0.13	Complies
116	5580	19.62	20.98	0.13	Complies
140	5700	19.33	20.98	0.13	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.27	1.33	14.60	20.98	0.13	Complies
110	5550	13.02	1.33	14.35	20.98	0.13	Complies
134	5670	12.92	1.33	14.25	20.98	0.13	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	12.32	1.33	13.65	20.98	0.13	Complies
110	5550	12.16	1.33	13.49	20.98	0.13	Complies
134	5670	11.97	1.33	13.30	20.98	0.13	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 3

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.48	1.33	14.81	20.98	0.13	Complies
110	5550	13.40	1.33	14.73	20.98	0.13	Complies
134	5670	13.20	1.33	14.53	20.98	0.13	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	12.96	1.33	14.29	20.98	0.13	Complies
110	5550	12.91	1.33	14.24	20.98	0.13	Complies
134	5670	12.75	1.33	14.08	20.98	0.13	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.38	20.98	0.13	Complies
110	5550	20.24	20.98	0.13	Complies
134	5670	20.08	20.98	0.13	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.51	0.76	20.27	26.98	0.50	Complies
157	5785	19.65	0.76	20.41	26.98	0.50	Complies
165	5825	19.57	0.76	20.33	26.98	0.50	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.79	0.76	19.55	26.98	0.50	Complies
157	5785	18.40	0.76	19.16	26.98	0.50	Complies
165	5825	18.49	0.76	19.25	26.98	0.50	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 3

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.42	0.76	21.18	26.98	0.50	Complies
157	5785	20.07	0.76	20.83	26.98	0.50	Complies
165	5825	20.40	0.76	21.16	26.98	0.50	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.82	0.76	20.58	26.98	0.50	Complies
157	5785	19.89	0.76	20.65	26.98	0.50	Complies
165	5825	19.73	0.76	20.49	26.98	0.50	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26.45	26.98	0.50	Complies
157	5785	26.33	26.98	0.50	Complies
165	5825	26.38	26.98	0.50	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.87	1.33	20.20	26.98	0.50	Complies
159	5795	18.93	1.33	20.26	26.98	0.50	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.57	1.33	18.90	26.98	0.50	Complies
159	5795	17.96	1.33	19.29	26.98	0.50	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 3

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.21	1.33	20.54	26.98	0.50	Complies
159	5795	19.33	1.33	20.66	26.98	0.50	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.24	1.33	20.57	26.98	0.50	Complies
159	5795	18.75	1.33	20.08	26.98	0.50	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26.12	26.98	0.50	Complies
159	5795	26.12	26.98	0.50	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.46	0.24	17.70	26.98	0.50	Complies
40	5200	18.98	0.24	19.22	26.98	0.50	Complies
48	5240	18.85	0.24	19.09	26.98	0.50	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.59	0.24	16.83	26.98	0.50	Complies
40	5200	18.12	0.24	18.36	26.98	0.50	Complies
48	5240	17.61	0.24	17.85	26.98	0.50	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.45	0.24	18.69	26.98	0.50	Complies
40	5200	20.34	0.24	20.58	26.98	0.50	Complies
48	5240	19.89	0.24	20.13	26.98	0.50	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.82	0.24	18.06	26.98	0.50	Complies
40	5200	19.23	0.24	19.47	26.98	0.50	Complies
48	5240	19.25	0.24	19.49	26.98	0.50	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	23.89	26.98	0.50	Complies
40	5200	25.50	26.98	0.50	Complies
48	5240	25.24	26.98	0.50	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.94	0.44	16.38	26.98	0.50	Complies
46	5230	20.20	0.44	20.64	26.98	0.50	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.15	0.44	15.59	26.98	0.50	Complies
46	5230	19.20	0.44	19.64	26.98	0.50	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.30	0.44	16.74	26.98	0.50	Complies
46	5230	21.33	0.44	21.77	26.98	0.50	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.94	0.44	16.38	26.98	0.50	Complies
46	5230	20.25	0.44	20.69	26.98	0.50	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	22.32	26.98	0.50	Complies
46	5230	26.77	26.98	0.50	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.72	0.88	14.60	26.98	0.50	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	12.75	0.88	13.63	26.98	0.50	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 3

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	14.64	0.88	15.52	26.98	0.50	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	14.08	0.88	14.96	26.98	0.50	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	20.76	26.98	0.50	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.14	0.24	13.38	20.98	0.13	Complies
60	5300	13.11	0.24	13.35	20.98	0.13	Complies
64	5320	13.14	0.24	13.38	20.98	0.13	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.56	0.24	12.80	20.98	0.13	Complies
60	5300	12.25	0.24	12.49	20.98	0.13	Complies
64	5320	12.17	0.24	12.41	20.98	0.13	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.52	0.24	13.76	20.98	0.13	Complies
60	5300	13.38	0.24	13.62	20.98	0.13	Complies
64	5320	13.50	0.24	13.74	20.98	0.13	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.17	0.24	13.41	20.98	0.13	Complies
60	5300	13.15	0.24	13.39	20.98	0.13	Complies
64	5320	13.20	0.24	13.44	20.98	0.13	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	19.37	20.98	0.13	Complies
60	5300	19.26	20.98	0.13	Complies
64	5320	19.29	20.98	0.13	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.93	0.44	14.37	20.98	0.13	Complies
62	5310	13.66	0.44	14.10	20.98	0.13	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.15	0.44	13.59	20.98	0.13	Complies
62	5310	12.80	0.44	13.24	20.98	0.13	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.19	0.44	14.63	20.98	0.13	Complies
62	5310	14.08	0.44	14.52	20.98	0.13	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.97	0.44	14.41	20.98	0.13	Complies
62	5310	13.65	0.44	14.09	20.98	0.13	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.29	20.98	0.13	Complies
62	5310	20.03	20.98	0.13	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	12.69	0.88	13.57	20.98	0.13	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	11.62	0.88	12.50	20.98	0.13	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 3

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.19	0.88	14.07	20.98	0.13	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	12.44	0.88	13.32	20.98	0.13	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	19.43	20.98	0.13	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.28	0.24	13.52	20.98	0.13	Complies
116	5580	13.72	0.24	13.96	20.98	0.13	Complies
140	5700	13.26	0.24	13.50	20.98	0.13	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.63	0.24	12.87	20.98	0.13	Complies
116	5580	12.75	0.24	12.99	20.98	0.13	Complies
140	5700	12.54	0.24	12.78	20.98	0.13	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.86	0.24	14.10	20.98	0.13	Complies
116	5580	14.06	0.24	14.30	20.98	0.13	Complies
140	5700	13.80	0.24	14.04	20.98	0.13	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.49	0.24	13.73	20.98	0.13	Complies
116	5580	13.87	0.24	14.11	20.98	0.13	Complies
140	5700	13.32	0.24	13.56	20.98	0.13	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	19.60	20.98	0.13	Complies
116	5580	19.89	20.98	0.13	Complies
140	5700	19.51	20.98	0.13	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.03	0.44	14.47	20.98	0.13	Complies
110	5550	13.95	0.44	14.39	20.98	0.13	Complies
134	5670	13.88	0.44	14.32	20.98	0.13	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.33	0.44	13.77	20.98	0.13	Complies
110	5550	13.16	0.44	13.60	20.98	0.13	Complies
134	5670	13.06	0.44	13.50	20.98	0.13	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.54	0.44	14.98	20.98	0.13	Complies
110	5550	14.39	0.44	14.83	20.98	0.13	Complies
134	5670	14.40	0.44	14.84	20.98	0.13	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.00	0.44	14.44	20.98	0.13	Complies
110	5550	14.00	0.44	14.44	20.98	0.13	Complies
134	5670	13.83	0.44	14.27	20.98	0.13	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.46	20.98	0.13	Complies
110	5550	20.36	20.98	0.13	Complies
134	5670	20.28	20.98	0.13	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	13.29	0.88	14.17	20.98	0.13	Complies
122	5610	13.66	0.88	14.54	20.98	0.13	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	12.71	0.88	13.59	20.98	0.13	Complies
122	5610	12.77	0.88	13.65	20.98	0.13	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 3

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	13.87	0.88	14.75	20.98	0.13	Complies
122	5610	14.29	0.88	15.17	20.98	0.13	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	13.79	0.88	14.67	20.98	0.13	Complies
122	5610	13.66	0.88	14.54	20.98	0.13	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	20.34	20.98	0.13	Complies
122	5610	20.53	20.98	0.13	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.18	0.24	20.42	26.98	0.50	Complies
157	5785	20.32	0.24	20.56	26.98	0.50	Complies
165	5825	20.13	0.24	20.37	26.98	0.50	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.38	0.24	19.62	26.98	0.50	Complies
157	5785	19.11	0.24	19.35	26.98	0.50	Complies
165	5825	19.14	0.24	19.38	26.98	0.50	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.01	0.24	21.25	26.98	0.50	Complies
157	5785	20.73	0.24	20.97	26.98	0.50	Complies
165	5825	20.97	0.24	21.21	26.98	0.50	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.40	0.24	20.64	26.98	0.50	Complies
157	5785	20.47	0.24	20.71	26.98	0.50	Complies
165	5825	20.41	0.24	20.65	26.98	0.50	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26.54	26.98	0.50	Complies
157	5785	26.46	26.98	0.50	Complies
165	5825	26.47	26.98	0.50	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.97	0.44	20.41	26.98	0.50	Complies
159	5795	19.83	0.44	20.27	26.98	0.50	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.68	0.44	19.12	26.98	0.50	Complies
159	5795	18.81	0.44	19.25	26.98	0.50	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.58	0.44	21.02	26.98	0.50	Complies
159	5795	20.54	0.44	20.98	26.98	0.50	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.19	0.44	20.63	26.98	0.50	Complies
159	5795	19.95	0.44	20.39	26.98	0.50	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26.37	26.98	0.50	Complies
159	5795	26.29	26.98	0.50	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.53	0.88	20.41	26.98	0.50	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	18.77	0.88	19.65	26.98	0.50	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 3

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.76	0.88	21.64	26.98	0.50	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 4

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.20	0.88	21.08	26.98	0.50	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Total

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	26.78	26.98	0.50	Complies

APPENDIX G - POWER SPECTRAL DENSITY

For 1TX

Test Mode	UNII-1_TX A Mode

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	8.52	0.23	8.75	17.00	Complies
40	5200	11.53	0.23	11.76	17.00	Complies
48	5240	13.30	0.23	13.53	17.00	Complies

CH36



CH40



CH48



Test Mode	UNII-2A_TX A Mode

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.71	0.23	7.94	11.00	Complies
60	5300	7.67	0.23	7.90	11.00	Complies
64	5320	7.36	0.23	7.59	11.00	Complies

CH52



CH60



CH64



Test Mode	UNII-2C_TX A Mode

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.71	0.23	7.94	11.00	Complies
116	5580	7.52	0.23	7.75	11.00	Complies
140	5700	7.72	0.23	7.95	11.00	Complies

CH100



CH116



CH140



Test Mode	UNII-3_TX A Mode

Channel	Frequency (MHz)	Power Spectral Density (dBm/300 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	13.87	0.23	16.32	30.00	Complies
157	5785	14.07	0.23	16.52	30.00	Complies
165	5825	13.85	0.23	16.30	30.00	Complies

CH149



CH157



CH165



For 4TX
Non-Beamforming

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.75	0.24	6.99	13.98	Complies
40	5200	7.32	0.24	7.56	13.98	Complies
48	5240	7.57	0.24	7.81	13.98	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.20	0.24	5.44	13.98	Complies
40	5200	6.19	0.24	6.43	13.98	Complies
48	5240	6.53	0.24	6.77	13.98	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.92	0.24	7.16	13.98	Complies
40	5200	8.86	0.24	9.10	13.98	Complies
48	5240	8.46	0.24	8.70	13.98	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.91	0.24	6.15	13.98	Complies
40	5200	8.03	0.24	8.27	13.98	Complies
48	5240	7.79	0.24	8.03	13.98	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX AC (VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	12.51	13.98	Complies
40	5200	13.97	13.98	Complies
48	5240	13.90	13.98	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	1.93	0.44	2.37	13.98	Complies
46	5230	5.99	0.44	6.43	13.98	Complies

CH38



CH46



Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	0.35	0.44	0.79	13.98	Complies
46	5230	4.93	0.44	5.37	13.98	Complies

CH38



CH46



Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	2.55	0.44	2.99	13.98	Complies
46	5230	7.08	0.44	7.52	13.98	Complies

CH38



CH46



Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	1.74	0.44	2.18	13.98	Complies
46	5230	6.32	0.44	6.76	13.98	Complies

CH38



CH46



Test Mode	UNII-1_TX AC (VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	8.18	13.98	Complies
46	5230	12.61	13.98	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-3.06	0.88	-2.18	13.98	Complies

CH42



Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-3.90	0.88	-3.02	13.98	Complies

CH42



Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-2.22	0.88	-1.34	13.98	Complies

CH42



Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-2.88	0.88	-2.00	13.98	Complies

CH42



Test Mode	UNII-1_TX AC (VHT80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	3.93	13.98	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.57	0.24	1.81	7.98	Complies
60	5300	1.89	0.24	2.13	7.98	Complies
64	5320	1.74	0.24	1.98	7.98	Complies

CH52



CH60



CH64



Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.14	0.24	1.38	7.98	Complies
60	5300	1.14	0.24	1.38	7.98	Complies
64	5320	1.01	0.24	1.25	7.98	Complies

CH52



CH60



CH64



Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.58	0.24	1.82	7.98	Complies
60	5300	1.56	0.24	1.80	7.98	Complies
64	5320	1.76	0.24	2.00	7.98	Complies

CH52



CH60



CH64



Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.05	0.24	1.29	7.98	Complies
60	5300	1.29	0.24	1.53	7.98	Complies
64	5320	1.40	0.24	1.64	7.98	Complies

CH52



CH60



CH64



Test Mode	UNII-2A_TX AC (VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.60	7.98	Complies
60	5300	7.74	7.98	Complies
64	5320	7.75	7.98	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	1.24	0.44	1.68	7.98	Complies
62	5310	0.02	0.44	0.46	7.98	Complies

CH54



CH62



Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	0.20	0.44	0.64	7.98	Complies
62	5310	-0.63	0.44	-0.19	7.98	Complies

CH54



CH62



Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	2.24	0.44	2.68	7.98	Complies
62	5310	1.06	0.44	1.50	7.98	Complies

CH54



CH62



Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	1.72	0.44	2.16	7.98	Complies
62	5310	0.32	0.44	0.76	7.98	Complies

CH54



CH62



Test Mode	UNII-2A_TX AC (VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	7.87	7.98	Complies
62	5310	6.70	7.98	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-3.91	0.88	-3.03	7.98	Complies

CH58



Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-4.52	0.88	-3.64	7.98	Complies

CH58



Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-3.06	0.88	-2.18	7.98	Complies

CH58



Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-3.45	0.88	-2.57	7.98	Complies

CH58



Test Mode	UNII-2A_TX AC (VHT80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	3.20	7.98	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	1.85	0.24	2.09	7.98	Complies
116	5580	1.60	0.24	1.84	7.98	Complies
140	5700	1.90	0.24	2.14	7.98	Complies

CH100



CH116



CH140



Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.59	0.24	0.83	7.98	Complies
116	5580	0.89	0.24	1.13	7.98	Complies
140	5700	1.04	0.24	1.28	7.98	Complies

CH100



CH116



CH140



Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	2.25	0.24	2.49	7.98	Complies
116	5580	2.26	0.24	2.50	7.98	Complies
140	5700	2.22	0.24	2.46	7.98	Complies

CH100



CH116



CH140



Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	1.97	0.24	2.21	7.98	Complies
116	5580	1.88	0.24	2.12	7.98	Complies
140	5700	1.57	0.24	1.81	7.98	Complies

CH100



CH116



CH140



Test Mode	UNII-2C_TX AC (VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.97	7.98	Complies
116	5580	7.95	7.98	Complies
140	5700	7.96	7.98	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	1.31	0.44	1.75	7.98	Complies
110	5550	1.35	0.44	1.79	7.98	Complies
134	5670	1.51	0.44	1.95	7.98	Complies

CH102



CH110



CH134



Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	0.17	0.44	0.61	7.98	Complies
110	5550	0.35	0.44	0.79	7.98	Complies
134	5670	0.58	0.44	1.02	7.98	Complies

CH102



CH110



CH134



Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	2.15	0.44	2.59	7.98	Complies
110	5550	2.25	0.44	2.69	7.98	Complies
134	5670	2.09	0.44	2.53	7.98	Complies

CH102



CH110



CH134



Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	1.55	0.44	1.99	7.98	Complies
110	5550	1.35	0.44	1.79	7.98	Complies
134	5670	1.30	0.44	1.74	7.98	Complies

CH102



CH110



CH134



Test Mode	UNII-2C_TX AC (VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	7.81	7.98	Complies
110	5550	7.84	7.98	Complies
134	5670	7.86	7.98	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-3.41	0.88	-2.53	7.98	Complies
122	5610	-0.35	0.88	0.53	7.98	Complies

CH106



CH122



Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-3.96	0.88	-3.08	7.98	Complies
122	5610	-1.33	0.88	-0.45	7.98	Complies

CH106



CH122



Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-2.68	0.88	-1.80	7.98	Complies
122	5610	0.41	0.88	1.29	7.98	Complies

CH106



CH122



Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-3.11	0.88	-2.23	7.98	Complies
122	5610	-0.57	0.88	0.31	7.98	Complies

CH106



CH122



Test Mode	UNII-2C_TX AC (VHT80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	3.64	7.98	Complies
122	5610	6.49	7.98	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/300 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	10.19	0.24	12.65	26.98	Complies
157	5785	10.57	0.24	13.03	26.98	Complies
165	5825	10.76	0.24	13.22	26.98	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/300 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.83	0.24	12.29	26.98	Complies
157	5785	9.90	0.24	12.36	26.98	Complies
165	5825	10.47	0.24	12.93	26.98	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/300 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	11.20	0.24	13.66	26.98	Complies
157	5785	11.38	0.24	13.84	26.98	Complies
165	5825	11.13	0.24	13.59	26.98	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/300 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	10.78	0.24	13.24	26.98	Complies
157	5785	11.28	0.24	13.74	26.98	Complies
165	5825	11.28	0.24	13.74	26.98	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX AC (VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	19.01	26.98	Complies
157	5785	19.30	26.98	Complies
165	5825	19.40	26.98	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/300 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	6.99	0.44	9.65	26.98	Complies
159	5795	7.62	0.44	10.28	26.98	Complies

CH151



CH159



Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/300 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	6.55	0.44	9.21	26.98	Complies
159	5795	7.04	0.44	9.70	26.98	Complies

CH151



CH159



Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/300 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	8.59	0.44	11.25	26.98	Complies
159	5795	8.91	0.44	11.57	26.98	Complies

CH151



CH159



Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/300 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	7.36	0.44	10.02	26.98	Complies
159	5795	8.53	0.44	11.19	26.98	Complies

CH151



CH159



Test Mode	UNII-3_TX AC (VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	16.12	26.98	Complies
159	5795	16.77	26.98	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/300 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	0.29	0.88	3.39	26.98	Complies

CH155



Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/300 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-0.47	0.88	2.63	26.98	Complies

CH155



Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/300 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	1.71	0.88	4.81	26.98	Complies

CH155



Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/300 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	0.90	0.88	4.00	26.98	Complies

CH155



Test Mode	UNII-3_TX AC (VHT80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	9.80	26.98	Complies

End of Test Report