Test Mode	UNII-1_TX AX (HE80) Mode_Ant. 3

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	106/53	15.40	1.21	16.61	26.98	0.50	Complies
		106/56	15.82	1.21	17.03	26.98	0.50	Complies
		106/60	15.75	1.21	16.96	26.98	0.50	Complies
		242/61	15.17	1.21	16.38	26.98	0.50	Complies
		242/63	15.79	1.21	17.00	26.98	0.50	Complies
		242/64	15.50	1.21	16.71	26.98	0.50	Complies
		484/65	14.83	1.21	16.04	26.98	0.50	Complies
		484/66	14.96	1.21	16.17	26.98	0.50	Complies
		996/67	15.00	1.21	16.21	26.98	0.50	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_Ant. 4

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	106/53	14.71	1.21	15.92	26.98	0.50	Complies
		106/56	15.39	1.21	16.60	26.98	0.50	Complies
		106/60	15.38	1.21	16.59	26.98	0.50	Complies
		242/61	14.53	1.21	15.74	26.98	0.50	Complies
		242/63	15.74	1.21	16.95	26.98	0.50	Complies
		242/64	15.08	1.21	16.29	26.98	0.50	Complies
		484/65	14.06	1.21	15.27	26.98	0.50	Complies
		484/66	14.49	1.21	15.70	26.98	0.50	Complies
		996/67	14.37	1.21	15.58	26.98	0.50	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_Total

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	106/53	22.11	26.98	0.50	Complies
		106/56	22.45	26.98	0.50	Complies
		106/60	22.40	26.98	0.50	Complies
		242/61	21.85	26.98	0.50	Complies
		242/63	22.59	26.98	0.50	Complies
		242/64	22.10	26.98	0.50	Complies
		484/65	21.25	26.98	0.50	Complies
		484/66	21.54	26.98	0.50	Complies
		996/67	21.51	26.98	0.50	Complies

Test Mode	UNII-2A_TX AX (HE20) Mode_Ant. 1

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	52/37	6.64	0.84	7.48	20.98	0.13	Complies
		52/38	6.40	0.84	7.24	20.98	0.13	Complies
		52/40	6.15	0.84	6.99	20.98	0.13	Complies
		106/53	9.03	0.84	9.87	20.98	0.13	Complies
		106/54	8.81	0.84	9.65	20.98	0.13	Complies
		242/61	12.02	0.84	12.86	20.98	0.13	Complies
60	5300	52/37	6.34	0.84	7.18	20.98	0.13	Complies
		52/38	6.01	0.84	6.85	20.98	0.13	Complies
		52/40	5.89	0.84	6.73	20.98	0.13	Complies
		106/53	8.48	0.84	9.32	20.98	0.13	Complies
		106/54	8.53	0.84	9.37	20.98	0.13	Complies
		242/61	11.50	0.84	12.34	20.98	0.13	Complies
64	5320	52/37	5.94	0.84	6.78	20.98	0.13	Complies
		52/38	5.71	0.84	6.55	20.98	0.13	Complies
		52/40	5.98	0.84	6.82	20.98	0.13	Complies
		106/53	8.10	0.84	8.94	20.98	0.13	Complies
		106/54	8.06	0.84	8.90	20.98	0.13	Complies
		242/61	11.36	0.84	12.2	20.98	0.13	Complies

Test Mode	UNII-2A_TX AX (HE20) Mode_Ant. 2

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	52/37	6.62	0.84	7.46	20.98	0.13	Complies
		52/38	6.72	0.84	7.56	20.98	0.13	Complies
		52/40	6.76	0.84	7.60	20.98	0.13	Complies
		106/53	9.02	0.84	9.86	20.98	0.13	Complies
		106/54	8.95	0.84	9.79	20.98	0.13	Complies
		242/61	11.47	0.84	12.31	20.98	0.13	Complies
60	5300	52/37	6.67	0.84	7.51	20.98	0.13	Complies
		52/38	6.68	0.84	7.52	20.98	0.13	Complies
		52/40	6.58	0.84	7.42	20.98	0.13	Complies
		106/53	8.62	0.84	9.46	20.98	0.13	Complies
		106/54	8.59	0.84	9.43	20.98	0.13	Complies
		242/61	11.22	0.84	12.06	20.98	0.13	Complies
64	5320	52/37	6.64	0.84	7.48	20.98	0.13	Complies
		52/38	6.55	0.84	7.39	20.98	0.13	Complies
		52/40	6.59	0.84	7.43	20.98	0.13	Complies
		106/53	8.43	0.84	9.27	20.98	0.13	Complies
		106/54	8.45	0.84	9.29	20.98	0.13	Complies
		242/61	11.15	0.84	11.99	20.98	0.13	Complies

Test Mode	UNII-2A_TX AX (HE20) Mode_Ant. 3

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	52/37	6.20	0.84	7.04	20.98	0.13	Complies
		52/38	6.32	0.84	7.16	20.98	0.13	Complies
		52/40	6.09	0.84	6.93	20.98	0.13	Complies
		106/53	9.10	0.84	9.94	20.98	0.13	Complies
		106/54	8.98	0.84	9.82	20.98	0.13	Complies
		242/61	12.44	0.84	13.28	20.98	0.13	Complies
60	5300	52/37	6.19	0.84	7.03	20.98	0.13	Complies
		52/38	6.14	0.84	6.98	20.98	0.13	Complies
		52/40	5.98	0.84	6.82	20.98	0.13	Complies
		106/53	8.66	0.84	9.50	20.98	0.13	Complies
		106/54	8.53	0.84	9.37	20.98	0.13	Complies
		242/61	11.98	0.84	12.82	20.98	0.13	Complies
64	5320	52/37	6.06	0.84	6.90	20.98	0.13	Complies
		52/38	5.89	0.84	6.73	20.98	0.13	Complies
		52/40	5.99	0.84	6.83	20.98	0.13	Complies
		106/53	8.64	0.84	9.48	20.98	0.13	Complies
		106/54	8.47	0.84	9.31	20.98	0.13	Complies
		242/61	11.80	0.84	12.64	20.98	0.13	Complies

Test Mode	UNII-2A_TX AX (HE20) Mode_Ant. 4

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	52/37	7.11	0.84	7.95	20.98	0.13	Complies
		52/38	7.10	0.84	7.94	20.98	0.13	Complies
		52/40	7.06	0.84	7.90	20.98	0.13	Complies
		106/53	9.41	0.84	10.25	20.98	0.13	Complies
		106/54	9.31	0.84	10.15	20.98	0.13	Complies
		242/61	12.31	0.84	13.15	20.98	0.13	Complies
60	5300	52/37	6.92	0.84	7.76	20.98	0.13	Complies
		52/38	7.01	0.84	7.85	20.98	0.13	Complies
		52/40	6.93	0.84	7.77	20.98	0.13	Complies
		106/53	8.78	0.84	9.62	20.98	0.13	Complies
		106/54	8.79	0.84	9.63	20.98	0.13	Complies
		242/61	11.11	0.84	11.95	20.98	0.13	Complies
64	5320	52/37	6.56	0.84	7.40	20.98	0.13	Complies
		52/38	6.72	0.84	7.56	20.98	0.13	Complies
		52/40	6.97	0.84	7.81	20.98	0.13	Complies
		106/53	8.92	0.84	9.76	20.98	0.13	Complies
		106/54	8.94	0.84	9.78	20.98	0.13	Complies
		242/61	11.78	0.84	12.62	20.98	0.13	Complies

Test Mode	UNII-2A_TX AX (HE20) Mode_Total

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	52/37	13.51	20.98	0.13	Complies
		52/38	13.51	20.98	0.13	Complies
		52/40	13.39	20.98	0.13	Complies
		106/53	16.00	20.98	0.13	Complies
		106/54	15.88	20.98	0.13	Complies
		242/61	18.94	20.98	0.13	Complies
60	5300	52/37	13.40	20.98	0.13	Complies
		52/38	13.34	20.98	0.13	Complies
		52/40	13.23	20.98	0.13	Complies
		106/53	15.50	20.98	0.13	Complies
		106/54	15.47	20.98	0.13	Complies
		242/61	18.33	20.98	0.13	Complies
64	5320	52/37	13.17	20.98	0.13	Complies
		52/38	13.10	20.98	0.13	Complies
		52/40	13.26	20.98	0.13	Complies
		106/53	15.39	20.98	0.13	Complies
		106/54	15.35	20.98	0.13	Complies
		242/61	18.39	20.98	0.13	Complies

Test Mode	UNII-2A_TX AX (HE40) Mode_Ant. 1

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	52/37	6.17	1.08	7.25	20.98	0.13	Complies
		52/40	5.90	1.08	6.98	20.98	0.13	Complies
		52/44	5.50	1.08	6.58	20.98	0.13	Complies
		106/53	9.22	1.08	10.30	20.98	0.13	Complies
		106/54	8.60	1.08	9.68	20.98	0.13	Complies
		106/56	8.50	1.08	9.58	20.98	0.13	Complies
		242/61	12.90	1.08	13.98	20.98	0.13	Complies
		242/62	12.13	1.08	13.21	20.98	0.13	Complies
		484/65	14.00	1.08	15.08	20.98	0.13	Complies
62	5310	52/37	5.39	1.08	6.47	20.98	0.13	Complies
		52/40	5.45	1.08	6.53	20.98	0.13	Complies
		52/44	5.80	1.08	6.88	20.98	0.13	Complies
		106/53	8.99	1.08	10.07	20.98	0.13	Complies
		106/54	8.69	1.08	9.77	20.98	0.13	Complies
		106/56	8.11	1.08	9.19	20.98	0.13	Complies
		242/61	12.01	1.08	13.09	20.98	0.13	Complies
		242/62	11.92	1.08	13.00	20.98	0.13	Complies
		484/65	12.14	1.08	13.22	20.98	0.13	Complies

Test Mode	UNII-2A_TX AX (HE40) Mode_Ant. 2

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	52/37	6.19	1.08	7.27	20.98	0.13	Complies
		52/40	6.25	1.08	7.33	20.98	0.13	Complies
		52/44	5.83	1.08	6.91	20.98	0.13	Complies
		106/53	8.74	1.08	9.82	20.98	0.13	Complies
		106/54	8.48	1.08	9.56	20.98	0.13	Complies
		106/56	8.23	1.08	9.31	20.98	0.13	Complies
		242/61	12.33	1.08	13.41	20.98	0.13	Complies
		242/62	11.47	1.08	12.55	20.98	0.13	Complies
		484/65	13.03	1.08	14.11	20.98	0.13	Complies
62	5310	52/37	5.97	1.08	7.05	20.98	0.13	Complies
		52/40	6.27	1.08	7.35	20.98	0.13	Complies
		52/44	6.09	1.08	7.17	20.98	0.13	Complies
		106/53	8.72	1.08	9.80	20.98	0.13	Complies
		106/54	8.53	1.08	9.61	20.98	0.13	Complies
		106/56	8.33	1.08	9.41	20.98	0.13	Complies
		242/61	11.69	1.08	12.77	20.98	0.13	Complies
		242/62	11.74	1.08	12.82	20.98	0.13	Complies
		484/65	11.87	1.08	12.95	20.98	0.13	Complies

Test Mode	UNII-2A_TX AX (HE40) Mode_Ant. 3

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	52/37	6.96	1.08	8.04	20.98	0.13	Complies
		52/40	6.91	1.08	7.99	20.98	0.13	Complies
		52/44	6.54	1.08	7.62	20.98	0.13	Complies
		106/53	9.82	1.08	10.90	20.98	0.13	Complies
		106/54	9.35	1.08	10.43	20.98	0.13	Complies
		106/56	8.95	1.08	10.03	20.98	0.13	Complies
		242/61	13.57	1.08	14.65	20.98	0.13	Complies
		242/62	12.57	1.08	13.65	20.98	0.13	Complies
		484/65	14.13	1.08	15.21	20.98	0.13	Complies
62	5310	52/37	6.27	1.08	7.35	20.98	0.13	Complies
		52/40	6.52	1.08	7.60	20.98	0.13	Complies
		52/44	6.43	1.08	7.51	20.98	0.13	Complies
		106/53	8.49	1.08	9.57	20.98	0.13	Complies
		106/54	9.47	1.08	10.55	20.98	0.13	Complies
		106/56	8.90	1.08	9.98	20.98	0.13	Complies
		242/61	12.60	1.08	13.68	20.98	0.13	Complies
		242/62	12.58	1.08	13.66	20.98	0.13	Complies
		484/65	13.00	1.08	14.08	20.98	0.13	Complies

Test Mode	UNII-2A_TX AX (HE40) Mode_Ant. 4

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	52/37	6.31	1.08	7.39	20.98	0.13	Complies
		52/40	6.04	1.08	7.12	20.98	0.13	Complies
		52/44	5.71	1.08	6.79	20.98	0.13	Complies
		106/53	9.15	1.08	10.23	20.98	0.13	Complies
		106/54	8.70	1.08	9.78	20.98	0.13	Complies
		106/56	8.23	1.08	9.31	20.98	0.13	Complies
		242/61	12.94	1.08	14.02	20.98	0.13	Complies
		242/62	12.11	1.08	13.19	20.98	0.13	Complies
		484/65	14.05	1.08	15.13	20.98	0.13	Complies
62	5310	52/37	5.39	1.08	6.47	20.98	0.13	Complies
		52/40	5.70	1.08	6.78	20.98	0.13	Complies
		52/44	4.76	1.08	5.84	20.98	0.13	Complies
		106/53	8.87	1.08	9.95	20.98	0.13	Complies
		106/54	8.36	1.08	9.44	20.98	0.13	Complies
		106/56	8.37	1.08	9.45	20.98	0.13	Complies
		242/61	11.96	1.08	13.04	20.98	0.13	Complies
		242/62	12.06	1.08	13.14	20.98	0.13	Complies
		484/65	12.30	1.08	13.38	20.98	0.13	Complies

Test Mode	UNII-2A_TX AX (HE40) Mode_Total

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	52/37	13.52	20.98	0.13	Complies
		52/40	13.39	20.98	0.13	Complies
		52/44	13.01	20.98	0.13	Complies
		106/53	16.35	20.98	0.13	Complies
		106/54	15.90	20.98	0.13	Complies
		106/56	15.59	20.98	0.13	Complies
		242/61	20.06	20.98	0.13	Complies
		242/62	19.19	20.98	0.13	Complies
		484/65	20.92	20.98	0.13	Complies
62	5310	52/37	12.87	20.98	0.13	Complies
		52/40	13.11	20.98	0.13	Complies
		52/44	12.91	20.98	0.13	Complies
		106/53	15.87	20.98	0.13	Complies
		106/54	15.88	20.98	0.13	Complies
		106/56	15.54	20.98	0.13	Complies
		242/61	19.18	20.98	0.13	Complies
		242/62	19.19	20.98	0.13	Complies
		484/65	19.45	20.98	0.13	Complies

Test Mode	UNII-2A_TX AX (HE80) Mode_Ant. 1

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	106/53	9.57	1.21	10.78	20.98	0.13	Complies
		106/56	9.17	1.21	10.38	20.98	0.13	Complies
		106/60	8.85	1.21	10.06	20.98	0.13	Complies
		242/61	13.46	1.21	14.67	20.98	0.13	Complies
		242/63	12.90	1.21	14.11	20.98	0.13	Complies
		242/64	12.40	1.21	13.61	20.98	0.13	Complies
		484/65	13.34	1.21	14.55	20.98	0.13	Complies
		484/66	13.44	1.21	14.65	20.98	0.13	Complies
		996/67	12.98	1.21	14.19	20.98	0.13	Complies

Test Mode	UNII-2A_TX AX (HE80) Mode_Ant. 2

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	106/53	8.69	1.21	9.90	20.98	0.13	Complies
		106/56	8.65	1.21	9.86	20.98	0.13	Complies
		106/60	8.64	1.21	9.85	20.98	0.13	Complies
		242/61	12.71	1.21	13.92	20.98	0.13	Complies
		242/63	12.27	1.21	13.48	20.98	0.13	Complies
		242/64	12.04	1.21	13.25	20.98	0.13	Complies
		484/65	12.57	1.21	13.78	20.98	0.13	Complies
		484/66	12.69	1.21	13.90	20.98	0.13	Complies
		996/67	12.32	1.21	13.53	20.98	0.13	Complies

Test Mode	UNII-2A_TX AX (HE80) Mode_Ant. 3

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	106/53	9.84	1.21	11.05	20.98	0.13	Complies
		106/56	9.69	1.21	10.9	20.98	0.13	Complies
		106/60	9.59	1.21	10.8	20.98	0.13	Complies
		242/61	13.76	1.21	14.97	20.98	0.13	Complies
		242/63	13.16	1.21	14.37	20.98	0.13	Complies
		242/64	12.78	1.21	13.99	20.98	0.13	Complies
		484/65	12.48	1.21	13.69	20.98	0.13	Complies
		484/66	13.95	1.21	15.16	20.98	0.13	Complies
		996/67	13.54	1.21	14.75	20.98	0.13	Complies

Test Mode	UNII-2A_TX AX (HE80) Mode_Ant. 4

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	106/53	9.03	1.21	10.24	20.98	0.13	Complies
		106/56	8.96	1.21	10.17	20.98	0.13	Complies
		106/60	9.36	1.21	10.57	20.98	0.13	Complies
		242/61	13.49	1.21	14.70	20.98	0.13	Complies
		242/63	12.80	1.21	14.01	20.98	0.13	Complies
		242/64	12.68	1.21	13.89	20.98	0.13	Complies
		484/65	13.37	1.21	14.58	20.98	0.13	Complies
		484/66	13.59	1.21	14.80	20.98	0.13	Complies
		996/67	13.09	1.21	14.30	20.98	0.13	Complies

Test Mode	UNII-2A_TX AX (HE80) Mode_Total

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	106/53	16.53	20.98	0.13	Complies
		106/56	16.36	20.98	0.13	Complies
		106/60	16.35	20.98	0.13	Complies
		242/61	20.60	20.98	0.13	Complies
		242/63	20.02	20.98	0.13	Complies
		242/64	19.71	20.98	0.13	Complies
		484/65	20.19	20.98	0.13	Complies
		484/66	20.67	20.98	0.13	Complies
		996/67	20.23	20.98	0.13	Complies

Test Mode	UNII-2A_TX AX (HE160) Mode_Ant. 1

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	242/61	12.34	1.02	13.36	20.98	0.13	Complies
		242/64	13.56	1.02	14.58	20.98	0.13	Complies
		242/S64	12.37	1.02	13.39	20.98	0.13	Complies
		484/65	12.75	1.02	13.77	20.98	0.13	Complies
		484/66	13.65	1.02	14.67	20.98	0.13	Complies
		484/S66	12.57	1.02	13.59	20.98	0.13	Complies
		996/67	12.88	1.02	13.90	20.98	0.13	Complies
		996/S67	12.87	1.02	13.89	20.98	0.13	Complies
		996*2/S68	14.56	1.02	15.58	20.98	0.13	Complies

Test Mode	UNII-2A_TX AX (HE160) Mode_Ant. 2

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	242/61	11.70	1.02	12.72	20.98	0.13	Complies
		242/64	13.09	1.02	14.11	20.98	0.13	Complies
		242/S64	12.14	1.02	13.16	20.98	0.13	Complies
		484/65	12.22	1.02	13.24	20.98	0.13	Complies
		484/66	13.13	1.02	14.15	20.98	0.13	Complies
		484/S66	12.57	1.02	13.59	20.98	0.13	Complies
		996/67	12.47	1.02	13.49	20.98	0.13	Complies
		996/S67	12.67	1.02	13.69	20.98	0.13	Complies
		996*2/S68	14.29	1.02	15.31	20.98	0.13	Complies

Test Mode	UNII-2A_TX AX (HE160) Mode_Ant. 3

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	242/61	11.52	1.02	12.54	20.98	0.13	Complies
		242/64	11.86	1.02	12.88	20.98	0.13	Complies
		242/S64	10.46	1.02	11.48	20.98	0.13	Complies
		484/65	10.89	1.02	11.91	20.98	0.13	Complies
		484/66	11.79	1.02	12.81	20.98	0.13	Complies
		484/S66	10.58	1.02	11.60	20.98	0.13	Complies
		996/67	11.14	1.02	12.16	20.98	0.13	Complies
		996/S67	11.17	1.02	12.19	20.98	0.13	Complies
		996*2/S68	12.21	1.02	13.23	20.98	0.13	Complies

Test Mode	UNII-2A_TX AX (HE160) Mode_Ant. 4

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	242/61	11.47	1.02	12.49	20.98	0.13	Complies
		242/64	13.07	1.02	14.09	20.98	0.13	Complies
		242/S64	12.30	1.02	13.32	20.98	0.13	Complies
		484/65	11.92	1.02	12.94	20.98	0.13	Complies
		484/66	12.93	1.02	13.95	20.98	0.13	Complies
		484/S66	12.59	1.02	13.61	20.98	0.13	Complies
		996/67	12.29	1.02	13.31	20.98	0.13	Complies
		996/S67	12.77	1.02	13.79	20.98	0.13	Complies
		996*2/S68	14.03	1.02	15.05	20.98	0.13	Complies

Test Mode	UNII-2A_TX AX (HE160) Mode_Total

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	242/61	18.81	20.98	0.13	Complies
		242/64	19.98	20.98	0.13	Complies
		242/S64	18.93	20.98	0.13	Complies
		484/65	19.04	20.98	0.13	Complies
		484/66	19.97	20.98	0.13	Complies
		484/S66	19.20	20.98	0.13	Complies
		996/67	19.28	20.98	0.13	Complies
		996/S67	19.46	20.98	0.13	Complies
		996*2/S68	20.91	20.98	0.13	Complies

Test Mode	UNII-2C_TX AX (HE20) Mode_Ant. 1

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	52/37	5.00	0.84	5.84	20.98	0.13	Complies
		52/38	5.09	0.84	5.93	20.98	0.13	Complies
		52/40	4.86	0.84	5.70	20.98	0.13	Complies
		106/53	7.50	0.84	8.34	20.98	0.13	Complies
		106/54	7.41	0.84	8.25	20.98	0.13	Complies
		242/61	10.69	0.84	11.53	20.98	0.13	Complies
116	5580	52/37	5.03	0.84	5.87	20.98	0.13	Complies
		52/38	5.15	0.84	5.99	20.98	0.13	Complies
		52/40	4.76	0.84	5.60	20.98	0.13	Complies
		106/53	7.37	0.84	8.21	20.98	0.13	Complies
		106/54	7.24	0.84	8.08	20.98	0.13	Complies
		242/61	10.51	0.84	11.35	20.98	0.13	Complies
140	5700	52/37	5.21	0.84	6.05	20.98	0.13	Complies
		52/38	5.21	0.84	6.05	20.98	0.13	Complies
		52/40	4.93	0.84	5.77	20.98	0.13	Complies
		106/53	7.62	0.84	8.46	20.98	0.13	Complies
		106/54	7.30	0.84	8.14	20.98	0.13	Complies
		242/61	10.31	0.84	11.15	20.98	0.13	Complies

Test Mode	UNII-2C_TX AX (HE20) Mode_Ant. 2

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	52/37	5.67	0.84	6.51	20.98	0.13	Complies
		52/38	5.90	0.84	6.74	20.98	0.13	Complies
		52/40	5.72	0.84	6.56	20.98	0.13	Complies
		106/53	7.53	0.84	8.37	20.98	0.13	Complies
		106/54	7.62	0.84	8.46	20.98	0.13	Complies
		242/61	10.32	0.84	11.16	20.98	0.13	Complies
116	5580	52/37	5.32	0.84	6.16	20.98	0.13	Complies
		52/38	5.68	0.84	6.52	20.98	0.13	Complies
		52/40	5.53	0.84	6.37	20.98	0.13	Complies
		106/53	7.41	0.84	8.25	20.98	0.13	Complies
		106/54	7.50	0.84	8.34	20.98	0.13	Complies
		242/61	10.01	0.84	10.85	20.98	0.13	Complies
140	5700	52/37	5.40	0.84	6.24	20.98	0.13	Complies
		52/38	5.29	0.84	6.13	20.98	0.13	Complies
		52/40	4.77	0.84	5.61	20.98	0.13	Complies
		106/53	7.45	0.84	8.29	20.98	0.13	Complies
		106/54	7.23	0.84	8.07	20.98	0.13	Complies
		242/61	9.73	0.84	10.57	20.98	0.13	Complies

Test Mode	UNII-2C_TX AX (HE20) Mode_Ant. 3

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	52/37	5.94	0.84	6.78	20.98	0.13	Complies
		52/38	6.24	0.84	7.08	20.98	0.13	Complies
		52/40	5.99	0.84	6.83	20.98	0.13	Complies
		106/53	8.20	0.84	9.04	20.98	0.13	Complies
		106/54	8.33	0.84	9.17	20.98	0.13	Complies
		242/61	11.50	0.84	12.34	20.98	0.13	Complies
116	5580	52/37	5.70	0.84	6.54	20.98	0.13	Complies
		52/38	5.94	0.84	6.78	20.98	0.13	Complies
		52/40	5.98	0.84	6.82	20.98	0.13	Complies
		106/53	8.02	0.84	8.86	20.98	0.13	Complies
		106/54	8.09	0.84	8.93	20.98	0.13	Complies
		242/61	11.14	0.84	11.98	20.98	0.13	Complies
140	5700	52/37	5.85	0.84	6.69	20.98	0.13	Complies
		52/38	5.67	0.84	6.51	20.98	0.13	Complies
		52/40	5.42	0.84	6.26	20.98	0.13	Complies
		106/53	8.32	0.84	9.16	20.98	0.13	Complies
		106/54	7.99	0.84	8.83	20.98	0.13	Complies
		242/61	10.94	0.84	11.78	20.98	0.13	Complies

Test Mode	UNII-2C_TX AX (HE20) Mode_Ant. 4

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	52/37	5.67	0.84	6.51	20.98	0.13	Complies
		52/38	5.21	0.84	6.05	20.98	0.13	Complies
		52/40	5.61	0.84	6.45	20.98	0.13	Complies
		106/53	7.75	0.84	8.59	20.98	0.13	Complies
		106/54	7.81	0.84	8.65	20.98	0.13	Complies
		242/61	11.26	0.84	12.10	20.98	0.13	Complies
116	5580	52/37	5.28	0.84	6.12	20.98	0.13	Complies
		52/38	5.54	0.84	6.38	20.98	0.13	Complies
		52/40	5.44	0.84	6.28	20.98	0.13	Complies
		106/53	7.73	0.84	8.57	20.98	0.13	Complies
		106/54	7.70	0.84	8.54	20.98	0.13	Complies
		242/61	10.81	0.84	11.65	20.98	0.13	Complies
140	5700	52/37	5.43	0.84	6.27	20.98	0.13	Complies
		52/38	5.22	0.84	6.06	20.98	0.13	Complies
		52/40	5.20	0.84	6.04	20.98	0.13	Complies
		106/53	7.71	0.84	8.55	20.98	0.13	Complies
		106/54	7.65	0.84	8.49	20.98	0.13	Complies
		242/61	10.41	0.84	11.25	20.98	0.13	Complies

Test Mode	UNII-2C_TX AX (HE20) Mode_Total

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	52/37	12.44	20.98	0.13	Complies
		52/38	12.50	20.98	0.13	Complies
		52/40	12.43	20.98	0.13	Complies
		106/53	14.61	20.98	0.13	Complies
		106/54	14.67	20.98	0.13	Complies
		242/61	17.83	20.98	0.13	Complies
116	5580	52/37	12.20	20.98	0.13	Complies
		52/38	12.45	20.98	0.13	Complies
		52/40	12.31	20.98	0.13	Complies
		106/53	14.50	20.98	0.13	Complies
		106/54	14.50	20.98	0.13	Complies
		242/61	17.50	20.98	0.13	Complies
140	5700	52/37	12.34	20.98	0.13	Complies
		52/38	12.21	20.98	0.13	Complies
		52/40	11.95	20.98	0.13	Complies
		106/53	14.65	20.98	0.13	Complies
		106/54	14.41	20.98	0.13	Complies
		242/61	17.23	20.98	0.13	Complies

Test Mode	UNII-2C_TX AX (HE40) Mode_Ant. 1

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	52/37	5.06	1.08	6.14	20.98	0.13	Complies
		52/40	4.71	1.08	5.79	20.98	0.13	Complies
		52/44	4.99	1.08	6.07	20.98	0.13	Complies
		106/53	8.24	1.08	9.32	20.98	0.13	Complies
		106/54	7.69	1.08	8.77	20.98	0.13	Complies
		106/56	7.70	1.08	8.78	20.98	0.13	Complies
		242/61	11.50	1.08	12.58	20.98	0.13	Complies
		242/62	10.84	1.08	11.92	20.98	0.13	Complies
		484/65	13.70	1.08	14.78	20.98	0.13	Complies
110	5550	52/37	4.99	1.08	6.07	20.98	0.13	Complies
		52/40	4.89	1.08	5.97	20.98	0.13	Complies
		52/44	5.04	1.08	6.12	20.98	0.13	Complies
		106/53	7.88	1.08	8.96	20.98	0.13	Complies
		106/54	7.46	1.08	8.54	20.98	0.13	Complies
		106/56	7.71	1.08	8.79	20.98	0.13	Complies
		242/61	12.10	1.08	13.18	20.98	0.13	Complies
		242/62	11.06	1.08	12.14	20.98	0.13	Complies
		484/65	13.45	1.08	14.53	20.98	0.13	Complies
134	5670	52/37	5.38	1.08	6.46	20.98	0.13	Complies
		52/40	5.61	1.08	6.69	20.98	0.13	Complies
		52/44	5.07	1.08	6.15	20.98	0.13	Complies
		106/53	8.03	1.08	9.11	20.98	0.13	Complies
		106/54	8.18	1.08	9.26	20.98	0.13	Complies
		106/56	7.43	1.08	8.51	20.98	0.13	Complies
		242/61	11.56	1.08	12.64	20.98	0.13	Complies
		242/62	10.27	1.08	11.35	20.98	0.13	Complies
		484/65	12.70	1.08	13.78	20.98	0.13	Complies

Test Mode	UNII-2C_TX AX (HE40) Mode_Ant. 2

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	52/37	5.03	1.08	6.11	20.98	0.13	Complies
		52/40	5.28	1.08	6.36	20.98	0.13	Complies
		52/44	5.14	1.08	6.22	20.98	0.13	Complies
		106/53	8.04	1.08	9.12	20.98	0.13	Complies
		106/54	7.79	1.08	8.87	20.98	0.13	Complies
		106/56	7.83	1.08	8.91	20.98	0.13	Complies
		242/61	11.04	1.08	12.12	20.98	0.13	Complies
		242/62	10.45	1.08	11.53	20.98	0.13	Complies
		484/65	13.03	1.08	14.11	20.98	0.13	Complies
110	5550	52/37	4.97	1.08	6.05	20.98	0.13	Complies
		52/40	5.09	1.08	6.17	20.98	0.13	Complies
		52/44	5.22	1.08	6.30	20.98	0.13	Complies
		106/53	8.52	1.08	9.60	20.98	0.13	Complies
		106/54	7.39	1.08	8.47	20.98	0.13	Complies
		106/56	7.54	1.08	8.62	20.98	0.13	Complies
		242/61	11.13	1.08	12.21	20.98	0.13	Complies
		242/62	10.47	1.08	11.55	20.98	0.13	Complies
		484/65	12.79	1.08	13.87	20.98	0.13	Complies
134	5670	52/37	5.20	1.08	6.28	20.98	0.13	Complies
		52/40	5.07	1.08	6.15	20.98	0.13	Complies
		52/44	4.76	1.08	5.84	20.98	0.13	Complies
		106/53	7.59	1.08	8.67	20.98	0.13	Complies
		106/54	7.47	1.08	8.55	20.98	0.13	Complies
		106/56	7.10	1.08	8.18	20.98	0.13	Complies
		242/61	10.76	1.08	11.84	20.98	0.13	Complies
		242/62	9.39	1.08	10.47	20.98	0.13	Complies
		484/65	12.01	1.08	13.09	20.98	0.13	Complies

Test Mode	UNII-2C_TX AX (HE40) Mode_Ant. 3

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	52/37	5.66	1.08	6.74	20.98	0.13	Complies
		52/40	5.99	1.08	7.07	20.98	0.13	Complies
		52/44	5.68	1.08	6.76	20.98	0.13	Complies
		106/53	9.08	1.08	10.16	20.98	0.13	Complies
		106/54	8.64	1.08	9.72	20.98	0.13	Complies
		106/56	8.55	1.08	9.63	20.98	0.13	Complies
		242/61	12.22	1.08	13.30	20.98	0.13	Complies
		242/62	11.52	1.08	12.60	20.98	0.13	Complies
		484/65	14.21	1.08	15.29	20.98	0.13	Complies
110	5550	52/37	5.47	1.08	6.55	20.98	0.13	Complies
		52/40	5.75	1.08	6.83	20.98	0.13	Complies
		52/44	5.84	1.08	6.92	20.98	0.13	Complies
		106/53	7.62	1.08	8.70	20.98	0.13	Complies
		106/54	8.00	1.08	9.08	20.98	0.13	Complies
		106/56	8.25	1.08	9.33	20.98	0.13	Complies
		242/61	12.27	1.08	13.35	20.98	0.13	Complies
		242/62	11.47	1.08	12.55	20.98	0.13	Complies
		484/65	14.28	1.08	15.36	20.98	0.13	Complies
134	5670	52/37	5.84	1.08	6.92	20.98	0.13	Complies
		52/40	6.04	1.08	7.12	20.98	0.13	Complies
		52/44	5.55	1.08	6.63	20.98	0.13	Complies
		106/53	8.59	1.08	9.67	20.98	0.13	Complies
		106/54	8.85	1.08	9.93	20.98	0.13	Complies
		106/56	8.21	1.08	9.29	20.98	0.13	Complies
		242/61	11.98	1.08	13.06	20.98	0.13	Complies
		242/62	10.76	1.08	11.84	20.98	0.13	Complies
		484/65	13.42	1.08	14.50	20.98	0.13	Complies

Test Mode	UNII-2C_TX AX (HE40) Mode_Ant. 4

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	52/37	5.12	1.08	6.20	20.98	0.13	Complies
		52/40	5.39	1.08	6.47	20.98	0.13	Complies
		52/44	5.42	1.08	6.50	20.98	0.13	Complies
		106/53	8.60	1.08	9.68	20.98	0.13	Complies
		106/54	7.99	1.08	9.07	20.98	0.13	Complies
		106/56	8.00	1.08	9.08	20.98	0.13	Complies
		242/61	12.00	1.08	13.08	20.98	0.13	Complies
		242/62	10.88	1.08	11.96	20.98	0.13	Complies
		484/65	14.19	1.08	15.27	20.98	0.13	Complies
110	5550	52/37	4.85	1.08	5.93	20.98	0.13	Complies
		52/40	5.11	1.08	6.19	20.98	0.13	Complies
		52/44	5.30	1.08	6.38	20.98	0.13	Complies
		106/53	8.11	1.08	9.19	20.98	0.13	Complies
		106/54	7.47	1.08	8.55	20.98	0.13	Complies
		106/56	7.86	1.08	8.94	20.98	0.13	Complies
		242/61	11.81	1.08	12.89	20.98	0.13	Complies
		242/62	10.85	1.08	11.93	20.98	0.13	Complies
		484/65	13.73	1.08	14.81	20.98	0.13	Complies
134	5670	52/37	5.15	1.08	6.23	20.98	0.13	Complies
		52/40	5.35	1.08	6.43	20.98	0.13	Complies
		52/44	5.49	1.08	6.57	20.98	0.13	Complies
		106/53	7.58	1.08	8.66	20.98	0.13	Complies
		106/54	8.20	1.08	9.28	20.98	0.13	Complies
		106/56	7.84	1.08	8.92	20.98	0.13	Complies
		242/61	11.23	1.08	12.31	20.98	0.13	Complies
		242/62	10.35	1.08	11.43	20.98	0.13	Complies
		484/65	12.75	1.08	13.83	20.98	0.13	Complies

Test Mode	UNII-2C_TX AX (HE40) Mode_Total

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	52/37	12.32	20.98	0.13	Complies
		52/40	12.47	20.98	0.13	Complies
		52/44	12.42	20.98	0.13	Complies
		106/53	15.61	20.98	0.13	Complies
		106/54	15.14	20.98	0.13	Complies
		106/56	15.13	20.98	0.13	Complies
		242/61	18.81	20.98	0.13	Complies
		242/62	18.04	20.98	0.13	Complies
		484/65	20.91	20.98	0.13	Complies
110	5550	52/37	12.18	20.98	0.13	Complies
		52/40	12.32	20.98	0.13	Complies
		52/44	12.46	20.98	0.13	Complies
		106/53	15.14	20.98	0.13	Complies
		106/54	14.69	20.98	0.13	Complies
		106/56	14.95	20.98	0.13	Complies
		242/61	18.95	20.98	0.13	Complies
		242/62	18.08	20.98	0.13	Complies
		484/65	20.70	20.98	0.13	Complies
134	5670	52/37	12.50	20.98	0.13	Complies
		52/40	12.63	20.98	0.13	Complies
		52/44	12.33	20.98	0.13	Complies
		106/53	15.07	20.98	0.13	Complies
		106/54	15.30	20.98	0.13	Complies
		106/56	14.76	20.98	0.13	Complies
		242/61	18.51	20.98	0.13	Complies
		242/62	17.32	20.98	0.13	Complies
		484/65	19.85	20.98	0.13	Complies

Test Mode	UNII-2C_TX AX (HE80) Mode_Ant. 1

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	106/53	8.34	1.21	9.55	20.98	0.13	Complies
		106/56	8.34	1.21	9.55	20.98	0.13	Complies
		106/60	8.56	1.21	9.77	20.98	0.13	Complies
		242/61	11.62	1.21	12.83	20.98	0.13	Complies
		242/63	11.51	1.21	12.72	20.98	0.13	Complies
		242/64	11.64	1.21	12.85	20.98	0.13	Complies
		484/65	13.51	1.21	14.72	20.98	0.13	Complies
		484/66	13.50	1.21	14.71	20.98	0.13	Complies
		996/67	13.30	1.21	14.51	20.98	0.13	Complies
122	5610	106/53	8.91	1.21	10.12	20.98	0.13	Complies
		106/56	8.58	1.21	9.79	20.98	0.13	Complies
		106/60	8.43	1.21	9.64	20.98	0.13	Complies
		242/61	11.86	1.21	13.07	20.98	0.13	Complies
		242/63	11.54	1.21	12.75	20.98	0.13	Complies
		242/64	11.28	1.21	12.49	20.98	0.13	Complies
		484/65	13.64	1.21	14.85	20.98	0.13	Complies
		484/66	13.60	1.21	14.81	20.98	0.13	Complies
		996/67	13.68	1.21	14.89	20.98	0.13	Complies

Test Mode	UNII-2C_TX AX (HE80) Mode_Ant. 2

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	106/53	7.67	1.21	8.88	20.98	0.13	Complies
		106/56	7.60	1.21	8.81	20.98	0.13	Complies
		106/60	7.93	1.21	9.14	20.98	0.13	Complies
		242/61	11.24	1.21	12.45	20.98	0.13	Complies
		242/63	11.06	1.21	12.27	20.98	0.13	Complies
		242/64	11.37	1.21	12.58	20.98	0.13	Complies
		484/65	13.02	1.21	14.23	20.98	0.13	Complies
		484/66	13.05	1.21	14.26	20.98	0.13	Complies
		996/67	13.14	1.21	14.35	20.98	0.13	Complies
122	5610	106/53	8.23	1.21	9.44	20.98	0.13	Complies
		106/56	7.82	1.21	9.03	20.98	0.13	Complies
		106/60	7.33	1.21	8.54	20.98	0.13	Complies
		242/61	11.34	1.21	12.55	20.98	0.13	Complies
		242/63	10.91	1.21	12.12	20.98	0.13	Complies
		242/64	10.95	1.21	12.16	20.98	0.13	Complies
		484/65	13.11	1.21	14.32	20.98	0.13	Complies
		484/66	12.83	1.21	14.04	20.98	0.13	Complies
		996/67	13.03	1.21	14.24	20.98	0.13	Complies

Test Mode	UNII-2C_TX AX (HE80) Mode_Ant. 3

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	106/53	8.93	1.21	10.14	20.98	0.13	Complies
		106/56	8.73	1.21	9.94	20.98	0.13	Complies
		106/60	9.31	1.21	10.52	20.98	0.13	Complies
		242/61	12.56	1.21	13.77	20.98	0.13	Complies
		242/63	11.98	1.21	13.19	20.98	0.13	Complies
		242/64	12.60	1.21	13.81	20.98	0.13	Complies
		484/65	14.37	1.21	15.58	20.98	0.13	Complies
		484/66	14.41	1.21	15.62	20.98	0.13	Complies
		996/67	14.30	1.21	15.51	20.98	0.13	Complies
122	5610	106/53	9.25	1.21	10.46	20.98	0.13	Complies
		106/56	9.19	1.21	10.40	20.98	0.13	Complies
		106/60	9.32	1.21	10.53	20.98	0.13	Complies
		242/61	12.45	1.21	13.66	20.98	0.13	Complies
		242/63	11.95	1.21	13.16	20.98	0.13	Complies
		242/64	12.44	1.21	13.65	20.98	0.13	Complies
		484/65	14.45	1.21	15.66	20.98	0.13	Complies
		484/66	14.55	1.21	15.76	20.98	0.13	Complies
		996/67	14.52	1.21	15.73	20.98	0.13	Complies

Test Mode	UNII-2C_TX AX (HE80) Mode_Ant. 4

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	106/53	8.64	1.21	9.85	20.98	0.13	Complies
		106/56	8.23	1.21	9.44	20.98	0.13	Complies
		106/60	8.33	1.21	9.54	20.98	0.13	Complies
		242/61	12.22	1.21	13.43	20.98	0.13	Complies
		242/63	11.82	1.21	13.03	20.98	0.13	Complies
		242/64	11.89	1.21	13.10	20.98	0.13	Complies
		484/65	13.87	1.21	15.08	20.98	0.13	Complies
		484/66	13.61	1.21	14.82	20.98	0.13	Complies
		996/67	13.79	1.21	15.00	20.98	0.13	Complies
122	5610	106/53	8.74	1.21	9.95	20.98	0.13	Complies
		106/56	8.37	1.21	9.58	20.98	0.13	Complies
		106/60	8.66	1.21	9.87	20.98	0.13	Complies
		242/61	11.94	1.21	13.15	20.98	0.13	Complies
		242/63	11.50	1.21	12.71	20.98	0.13	Complies
		242/64	11.83	1.21	13.04	20.98	0.13	Complies
		484/65	13.53	1.21	14.74	20.98	0.13	Complies
		484/66	13.59	1.21	14.80	20.98	0.13	Complies
		996/67	13.58	1.21	14.79	20.98	0.13	Complies

Test Mode	UNII-2C_TX AX (HE80) Mode_Total

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	106/53	15.65	20.98	0.13	Complies
		106/56	15.47	20.98	0.13	Complies
		106/60	15.79	20.98	0.13	Complies
		242/61	19.17	20.98	0.13	Complies
		242/63	18.83	20.98	0.13	Complies
		242/64	19.13	20.98	0.13	Complies
		484/65	20.95	20.98	0.13	Complies
		484/66	20.90	20.98	0.13	Complies
		996/67	20.88	20.98	0.13	Complies
122	5610	106/53	16.03	20.98	0.13	Complies
		106/56	15.75	20.98	0.13	Complies
		106/60	15.72	20.98	0.13	Complies
		242/61	19.14	20.98	0.13	Complies
		242/63	18.72	20.98	0.13	Complies
		242/64	18.89	20.98	0.13	Complies
		484/65	20.94	20.98	0.13	Complies
		484/66	20.91	20.98	0.13	Complies
		996/67	20.96	20.98	0.13	Complies

Test Mode	UNII-3_TX AX (HE20) Mode_Ant. 1

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	52/37	19.58	0.84	20.42	26.98	0.50	Complies
		52/38	19.63	0.84	20.47	26.98	0.50	Complies
		52/40	19.44	0.84	20.28	26.98	0.50	Complies
		106/53	20.02	0.84	20.86	26.98	0.50	Complies
		106/54	19.98	0.84	20.82	26.98	0.50	Complies
		242/61	19.50	0.84	20.34	26.98	0.50	Complies
157	5785	52/37	19.76	0.84	20.60	26.98	0.50	Complies
		52/38	19.84	0.84	20.68	26.98	0.50	Complies
		52/40	19.45	0.84	20.29	26.98	0.50	Complies
		106/53	20.09	0.84	20.93	26.98	0.50	Complies
		106/54	19.93	0.84	20.77	26.98	0.50	Complies
		242/61	19.83	0.84	20.67	26.98	0.50	Complies
165	5825	52/37	19.84	0.84	20.68	26.98	0.50	Complies
		52/38	20.11	0.84	20.95	26.98	0.50	Complies
		52/40	19.82	0.84	20.66	26.98	0.50	Complies
		106/53	20.04	0.84	20.88	26.98	0.50	Complies
		106/54	19.79	0.84	20.63	26.98	0.50	Complies
		242/61	19.74	0.84	20.58	26.98	0.50	Complies

Test Mode	UNII-3_TX AX (HE20) Mode_Ant. 2

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	52/37	18.78	0.84	19.62	26.98	0.50	Complies
		52/38	18.79	0.84	19.63	26.98	0.50	Complies
		52/40	18.41	0.84	19.25	26.98	0.50	Complies
		106/53	18.90	0.84	19.74	26.98	0.50	Complies
		106/54	18.72	0.84	19.56	26.98	0.50	Complies
		242/61	18.44	0.84	19.28	26.98	0.50	Complies
157	5785	52/37	19.13	0.84	19.97	26.98	0.50	Complies
		52/38	19.04	0.84	19.88	26.98	0.50	Complies
		52/40	18.41	0.84	19.25	26.98	0.50	Complies
		106/53	19.08	0.84	19.92	26.98	0.50	Complies
		106/54	18.79	0.84	19.63	26.98	0.50	Complies
		242/61	18.60	0.84	19.44	26.98	0.50	Complies
165	5825	52/37	18.94	0.84	19.78	26.98	0.50	Complies
		52/38	19.13	0.84	19.97	26.98	0.50	Complies
		52/40	18.76	0.84	19.6	26.98	0.50	Complies
		106/53	18.89	0.84	19.73	26.98	0.50	Complies
		106/54	18.80	0.84	19.64	26.98	0.50	Complies
		242/61	18.76	0.84	19.60	26.98	0.50	Complies

Test Mode	UNII-3_TX AX (HE20) Mode_Ant. 3

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	52/37	20.26	0.84	21.10	26.98	0.50	Complies
		52/38	20.41	0.84	21.25	26.98	0.50	Complies
		52/40	19.78	0.84	20.62	26.98	0.50	Complies
		106/53	20.63	0.84	21.47	26.98	0.50	Complies
		106/54	20.44	0.84	21.28	26.98	0.50	Complies
		242/61	20.15	0.84	20.99	26.98	0.50	Complies
157	5785	52/37	20.53	0.84	21.37	26.98	0.50	Complies
		52/38	20.73	0.84	21.57	26.98	0.50	Complies
		52/40	20.01	0.84	20.85	26.98	0.50	Complies
		106/53	20.73	0.84	21.57	26.98	0.50	Complies
		106/54	20.56	0.84	21.40	26.98	0.50	Complies
		242/61	20.35	0.84	21.19	26.98	0.50	Complies
165	5825	52/37	20.56	0.84	21.40	26.98	0.50	Complies
		52/38	20.63	0.84	21.47	26.98	0.50	Complies
		52/40	20.32	0.84	21.16	26.98	0.50	Complies
		106/53	20.71	0.84	21.55	26.98	0.50	Complies
		106/54	20.42	0.84	21.26	26.98	0.50	Complies
		242/61	20.47	0.84	21.31	26.98	0.50	Complies

Test Mode	UNII-3_TX AX (HE20) Mode_Ant. 4

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	52/37	19.68	0.84	20.52	26.98	0.50	Complies
		52/38	19.92	0.84	20.76	26.98	0.50	Complies
		52/40	19.85	0.84	20.69	26.98	0.50	Complies
		106/53	20.20	0.84	21.04	26.98	0.50	Complies
		106/54	20.07	0.84	20.91	26.98	0.50	Complies
		242/61	19.68	0.84	20.52	26.98	0.50	Complies
157	5785	52/37	19.93	0.84	20.77	26.98	0.50	Complies
		52/38	18.26	0.84	19.10	26.98	0.50	Complies
		52/40	19.89	0.84	20.73	26.98	0.50	Complies
		106/53	20.23	0.84	21.07	26.98	0.50	Complies
		106/54	20.22	0.84	21.06	26.98	0.50	Complies
		242/61	20.04	0.84	20.88	26.98	0.50	Complies
165	5825	52/37	20.08	0.84	20.92	26.98	0.50	Complies
		52/38	20.35	0.84	21.19	26.98	0.50	Complies
		52/40	20.14	0.84	20.98	26.98	0.50	Complies
		106/53	20.06	0.84	20.90	26.98	0.50	Complies
		106/54	20.19	0.84	21.03	26.98	0.50	Complies
		242/61	20.11	0.84	20.95	26.98	0.50	Complies

Test Mode	UNII-3_TX AX (HE20) Mode_Total

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	52/37	26.47	26.98	0.50	Complies
		52/38	26.59	26.98	0.50	Complies
		52/40	26.27	26.98	0.50	Complies
		106/53	26.84	26.98	0.50	Complies
		106/54	26.71	26.98	0.50	Complies
		242/61	26.35	26.98	0.50	Complies
157	5785	52/37	26.73	26.98	0.50	Complies
		52/38	26.43	26.98	0.50	Complies
		52/40	26.34	26.98	0.50	Complies
		106/53	26.93	26.98	0.50	Complies
		106/54	26.78	26.98	0.50	Complies
		242/61	26.61	26.98	0.50	Complies
165	5825	52/37	26.75	26.98	0.50	Complies
		52/38	26.95	26.98	0.50	Complies
		52/40	26.66	26.98	0.50	Complies
		106/53	26.83	26.98	0.50	Complies
		106/54	26.70	26.98	0.50	Complies
		242/61	26.68	26.98	0.50	Complies

Test Mode	UNII-3_TX AX (HE40) Mode_Ant. 1

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	52/37	19.48	1.08	20.56	26.98	0.50	Complies
		52/40	19.62	1.08	20.70	26.98	0.50	Complies
		52/44	18.90	1.08	19.98	26.98	0.50	Complies
		106/53	19.44	1.08	20.52	26.98	0.50	Complies
		106/54	19.65	1.08	20.73	26.98	0.50	Complies
		106/56	19.33	1.08	20.41	26.98	0.50	Complies
		242/61	19.91	1.08	20.99	26.98	0.50	Complies
		242/62	19.53	1.08	20.61	26.98	0.50	Complies
		484/65	19.31	1.08	20.39	26.98	0.50	Complies
159	5795	52/37	19.81	1.08	20.89	26.98	0.50	Complies
		52/40	19.59	1.08	20.67	26.98	0.50	Complies
		52/44	19.17	1.08	20.25	26.98	0.50	Complies
		106/53	19.76	1.08	20.84	26.98	0.50	Complies
		106/54	19.94	1.08	21.02	26.98	0.50	Complies
		106/56	19.28	1.08	20.36	26.98	0.50	Complies
		242/61	19.94	1.08	21.02	26.98	0.50	Complies
		242/62	19.50	1.08	20.58	26.98	0.50	Complies
		484/65	19.40	1.08	20.48	26.98	0.50	Complies

Test Mode	UNII-3_TX AX (HE40) Mode_Ant. 2

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	52/37	18.51	1.08	19.59	26.98	0.50	Complies
		52/40	18.86	1.08	19.94	26.98	0.50	Complies
		52/44	18.06	1.08	19.14	26.98	0.50	Complies
		106/53	18.51	1.08	19.59	26.98	0.50	Complies
		106/54	18.91	1.08	19.99	26.98	0.50	Complies
		106/56	18.32	1.08	19.40	26.98	0.50	Complies
		242/61	18.81	1.08	19.89	26.98	0.50	Complies
		242/62	18.58	1.08	19.66	26.98	0.50	Complies
		484/65	18.31	1.08	19.39	26.98	0.50	Complies
159	5795	52/37	18.99	1.08	20.07	26.98	0.50	Complies
		52/40	19.04	1.08	20.12	26.98	0.50	Complies
		52/44	18.52	1.08	19.60	26.98	0.50	Complies
		106/53	18.81	1.08	19.89	26.98	0.50	Complies
		106/54	18.86	1.08	19.94	26.98	0.50	Complies
		106/56	18.32	1.08	19.40	26.98	0.50	Complies
		242/61	18.92	1.08	20.00	26.98	0.50	Complies
		242/62	18.41	1.08	19.49	26.98	0.50	Complies
		484/65	18.38	1.08	19.46	26.98	0.50	Complies

Test Mode	UNII-3_TX AX (HE40) Mode_Ant. 3

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	52/37	20.10	1.08	21.18	26.98	0.50	Complies
		52/40	20.38	1.08	21.46	26.98	0.50	Complies
		52/44	19.84	1.08	20.92	26.98	0.50	Complies
		106/53	20.34	1.08	21.42	26.98	0.50	Complies
		106/54	20.64	1.08	21.72	26.98	0.50	Complies
		106/56	20.00	1.08	21.08	26.98	0.50	Complies
		242/61	20.58	1.08	21.66	26.98	0.50	Complies
		242/62	20.03	1.08	21.11	26.98	0.50	Complies
		484/65	20.02	1.08	21.10	26.98	0.50	Complies
159	5795	52/37	20.39	1.08	21.47	26.98	0.50	Complies
		52/40	20.62	1.08	21.70	26.98	0.50	Complies
		52/44	19.92	1.08	21.00	26.98	0.50	Complies
		106/53	20.57	1.08	21.65	26.98	0.50	Complies
		106/54	20.57	1.08	21.65	26.98	0.50	Complies
		106/56	19.86	1.08	20.94	26.98	0.50	Complies
		242/61	20.59	1.08	21.67	26.98	0.50	Complies
		242/62	20.07	1.08	21.15	26.98	0.50	Complies
		484/65	20.20	1.08	21.28	26.98	0.50	Complies

Test Mode	UNII-3_TX AX (HE40) Mode_Ant. 4

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	52/37	19.36	1.08	20.44	26.98	0.50	Complies
		52/40	19.82	1.08	20.9	26.98	0.50	Complies
		52/44	19.60	1.08	20.68	26.98	0.50	Complies
		106/53	19.32	1.08	20.40	26.98	0.50	Complies
		106/54	20.07	1.08	21.15	26.98	0.50	Complies
		106/56	19.91	1.08	20.99	26.98	0.50	Complies
		242/61	19.96	1.08	21.04	26.98	0.50	Complies
		242/62	19.91	1.08	20.99	26.98	0.50	Complies
		484/65	19.58	1.08	20.66	26.98	0.50	Complies
159	5795	52/37	19.72	1.08	20.80	26.98	0.50	Complies
		52/40	20.06	1.08	21.14	26.98	0.50	Complies
		52/44	19.84	1.08	20.92	26.98	0.50	Complies
		106/53	19.61	1.08	20.69	26.98	0.50	Complies
		106/54	19.93	1.08	21.01	26.98	0.50	Complies
		106/56	19.93	1.08	21.01	26.98	0.50	Complies
		242/61	19.80	1.08	20.88	26.98	0.50	Complies
		242/62	19.96	1.08	21.04	26.98	0.50	Complies
		484/65	19.65	1.08	20.73	26.98	0.50	Complies

Test Mode	UNII-3_TX AX (HE40) Mode_Total

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	52/37	26.50	26.98	0.50	Complies
		52/40	26.80	26.98	0.50	Complies
		52/44	26.25	26.98	0.50	Complies
		106/53	26.55	26.98	0.50	Complies
		106/54	26.96	26.98	0.50	Complies
		106/56	26.54	26.98	0.50	Complies
		242/61	26.96	26.98	0.50	Complies
		242/62	26.65	26.98	0.50	Complies
		484/65	26.45	26.98	0.50	Complies
159	5795	52/37	26.86	26.98	0.50	Complies
		52/40	26.97	26.98	0.50	Complies
		52/44	26.50	26.98	0.50	Complies
		106/53	26.83	26.98	0.50	Complies
		106/54	26.97	26.98	0.50	Complies
		106/56	26.49	26.98	0.50	Complies
		242/61	26.95	26.98	0.50	Complies
		242/62	26.63	26.98	0.50	Complies
		484/65	26.56	26.98	0.50	Complies

Test Mode	UNII-3_TX AX (HE80) Mode_Ant. 1

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	106/53	17.04	1.21	18.25	26.98	0.50	Complies
		106/56	17.88	1.21	19.09	26.98	0.50	Complies
		106/60	17.02	1.21	18.23	26.98	0.50	Complies
		242/61	17.70	1.21	18.91	26.98	0.50	Complies
		242/63	17.61	1.21	18.82	26.98	0.50	Complies
		242/64	17.13	1.21	18.34	26.98	0.50	Complies
		484/65	17.04	1.21	18.25	26.98	0.50	Complies
		484/66	17.10	1.21	18.31	26.98	0.50	Complies
		996/67	18.92	1.21	20.13	26.98	0.50	Complies

Test Mode	UNII-3_TX AX (HE80) Mode_Ant. 2

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	106/53	18.22	1.21	19.43	26.98	0.50	Complies
		106/56	18.76	1.21	19.97	26.98	0.50	Complies
		106/60	16.26	1.21	17.47	26.98	0.50	Complies
		242/61	18.64	1.21	19.85	26.98	0.50	Complies
		242/63	16.73	1.21	17.94	26.98	0.50	Complies
		242/64	17.59	1.21	18.80	26.98	0.50	Complies
		484/65	18.17	1.21	19.38	26.98	0.50	Complies
		484/66	17.68	1.21	18.89	26.98	0.50	Complies
		996/67	19.13	1.21	20.34	26.98	0.50	Complies

Test Mode	UNII-3_TX AX (HE80) Mode_Ant. 3

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	106/53	17.80	1.21	19.01	26.98	0.50	Complies
		106/56	18.69	1.21	19.90	26.98	0.50	Complies
		106/60	19.07	1.21	20.28	26.98	0.50	Complies
		242/61	20.51	1.21	21.72	26.98	0.50	Complies
		242/63	18.45	1.21	19.66	26.98	0.50	Complies
		242/64	17.95	1.21	19.16	26.98	0.50	Complies
		484/65	19.85	1.21	21.06	26.98	0.50	Complies
		484/66	19.35	1.21	20.56	26.98	0.50	Complies
		996/67	21.27	1.21	22.48	26.98	0.50	Complies

Test Mode	UNII-3_TX AX (HE80) Mode_Ant. 4

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	106/53	19.00	1.21	20.21	26.98	0.50	Complies
		106/56	18.45	1.21	19.66	26.98	0.50	Complies
		106/60	18.29	1.21	19.50	26.98	0.50	Complies
		242/61	17.43	1.21	18.64	26.98	0.50	Complies
		242/63	17.87	1.21	19.08	26.98	0.50	Complies
		242/64	18.24	1.21	19.45	26.98	0.50	Complies
		484/65	17.47	1.21	18.68	26.98	0.50	Complies
		484/66	17.72	1.21	18.93	26.98	0.50	Complies
		996/67	19.13	1.21	20.34	26.98	0.50	Complies

Test Mode	UNII-3_TX AX (HE80) Mode_Total

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	106/53	25.30	26.98	0.50	Complies
		106/56	25.69	26.98	0.50	Complies
		106/60	25.02	26.98	0.50	Complies
		242/61	25.98	26.98	0.50	Complies
		242/63	24.94	26.98	0.50	Complies
		242/64	24.97	26.98	0.50	Complies
		484/65	25.50	26.98	0.50	Complies
		484/66	25.28	26.98	0.50	Complies
		996/67	26.95	26.98	0.50	Complies

Beamforming

Test Mode	UNII-1_TX AX (HE20) Mode_Ant. 1

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	52/37	12.35	0.84	13.19	26.98	0.50	Complies
		52/38	11.73	0.84	12.57	26.98	0.50	Complies
		52/40	11.95	0.84	12.79	26.98	0.50	Complies
		106/53	14.21	0.84	15.05	26.98	0.50	Complies
		106/54	14.51	0.84	15.35	26.98	0.50	Complies
		242/61	14.79	0.84	15.63	26.98	0.50	Complies
40	5200	52/37	12.16	0.84	13.00	26.98	0.50	Complies
		52/38	12.15	0.84	12.99	26.98	0.50	Complies
		52/40	11.95	0.84	12.79	26.98	0.50	Complies
		106/53	14.28	0.84	15.12	26.98	0.50	Complies
		106/54	14.56	0.84	15.40	26.98	0.50	Complies
		242/61	17.31	0.84	18.15	26.98	0.50	Complies
48	5240	52/37	12.12	0.84	12.96	26.98	0.50	Complies
		52/38	11.76	0.84	12.60	26.98	0.50	Complies
		52/40	11.64	0.84	12.48	26.98	0.50	Complies
		106/53	14.50	0.84	15.34	26.98	0.50	Complies
		106/54	14.40	0.84	15.24	26.98	0.50	Complies
		242/61	17.86	0.84	18.70	26.98	0.50	Complies

Test Mode	UNII-1_TX AX (HE20) Mode_Ant. 2

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	52/37	11.86	0.84	12.70	26.98	0.50	Complies
		52/38	11.39	0.84	12.23	26.98	0.50	Complies
		52/40	11.63	0.84	12.47	26.98	0.50	Complies
		106/53	13.36	0.84	14.2	26.98	0.50	Complies
		106/54	13.65	0.84	14.49	26.98	0.50	Complies
		242/61	13.79	0.84	14.63	26.98	0.50	Complies
40	5200	52/37	11.92	0.84	12.76	26.98	0.50	Complies
		52/38	11.53	0.84	12.37	26.98	0.50	Complies
		52/40	11.73	0.84	12.57	26.98	0.50	Complies
		106/53	13.56	0.84	14.40	26.98	0.50	Complies
		106/54	13.65	0.84	14.49	26.98	0.50	Complies
		242/61	16.50	0.84	17.34	26.98	0.50	Complies
48	5240	52/37	11.90	0.84	12.74	26.98	0.50	Complies
		52/38	11.50	0.84	12.34	26.98	0.50	Complies
		52/40	11.72	0.84	12.56	26.98	0.50	Complies
		106/53	13.63	0.84	14.47	26.98	0.50	Complies
		106/54	13.70	0.84	14.54	26.98	0.50	Complies
		242/61	16.65	0.84	17.49	26.98	0.50	Complies

Test Mode	UNII-1_TX AX (HE20) Mode_Ant. 3

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	52/37	13.32	0.84	14.16	26.98	0.50	Complies
		52/38	12.27	0.84	13.11	26.98	0.50	Complies
		52/40	12.70	0.84	13.54	26.98	0.50	Complies
		106/53	15.15	0.84	15.99	26.98	0.50	Complies
		106/54	14.93	0.84	15.77	26.98	0.50	Complies
		242/61	15.47	0.84	16.31	26.98	0.50	Complies
40	5200	52/37	12.72	0.84	13.56	26.98	0.50	Complies
		52/38	12.41	0.84	13.25	26.98	0.50	Complies
		52/40	12.35	0.84	13.19	26.98	0.50	Complies
		106/53	14.83	0.84	15.67	26.98	0.50	Complies
		106/54	15.06	0.84	15.90	26.98	0.50	Complies
		242/61	18.37	0.84	19.21	26.98	0.50	Complies
48	5240	52/37	12.98	0.84	13.82	26.98	0.50	Complies
		52/38	12.42	0.84	13.26	26.98	0.50	Complies
		52/40	12.48	0.84	13.32	26.98	0.50	Complies
		106/53	14.68	0.84	15.52	26.98	0.50	Complies
		106/54	15.06	0.84	15.90	26.98	0.50	Complies
		242/61	18.32	0.84	19.16	26.98	0.50	Complies

Test Mode	UNII-1_TX AX (HE20) Mode_Ant. 4

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	52/37	12.65	0.84	13.49	26.98	0.50	Complies
		52/38	12.11	0.84	12.95	26.98	0.50	Complies
		52/40	12.21	0.84	13.05	26.98	0.50	Complies
		106/53	14.24	0.84	15.08	26.98	0.50	Complies
		106/54	14.49	0.84	15.33	26.98	0.50	Complies
		242/61	15.20	0.84	16.04	26.98	0.50	Complies
40	5200	52/37	12.44	0.84	13.28	26.98	0.50	Complies
		52/38	12.08	0.84	12.92	26.98	0.50	Complies
		52/40	12.14	0.84	12.98	26.98	0.50	Complies
		106/53	14.36	0.84	15.20	26.98	0.50	Complies
		106/54	14.51	0.84	15.35	26.98	0.50	Complies
		242/61	17.66	0.84	18.50	26.98	0.50	Complies
48	5240	52/37	12.53	0.84	13.37	26.98	0.50	Complies
		52/38	12.50	0.84	13.34	26.98	0.50	Complies
		52/40	12.49	0.84	13.33	26.98	0.50	Complies
		106/53	14.69	0.84	15.53	26.98	0.50	Complies
		106/54	14.46	0.84	15.30	26.98	0.50	Complies
		242/61	17.67	0.84	18.51	26.98	0.50	Complies

Test Mode	UNII-1_TX AX (HE20) Mode_Total

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	52/37	19.44	26.98	0.50	Complies
		52/38	18.75	26.98	0.50	Complies
		52/40	19.00	26.98	0.50	Complies
		106/53	21.15	26.98	0.50	Complies
		106/54	21.28	26.98	0.50	Complies
		242/61	21.72	26.98	0.50	Complies
40	5200	52/37	19.18	26.98	0.50	Complies
		52/38	18.91	26.98	0.50	Complies
		52/40	18.91	26.98	0.50	Complies
		106/53	21.14	26.98	0.50	Complies
		106/54	21.33	26.98	0.50	Complies
		242/61	24.37	26.98	0.50	Complies
48	5240	52/37	19.26	26.98	0.50	Complies
		52/38	18.93	26.98	0.50	Complies
		52/40	18.96	26.98	0.50	Complies
		106/53	21.26	26.98	0.50	Complies
		106/54	21.29	26.98	0.50	Complies
		242/61	24.53	26.98	0.50	Complies

Test Mode	UNII-1_TX AX (HE40) Mode_Ant. 1

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	52/37	11.95	1.08	13.03	26.98	0.50	Complies
		52/40	11.96	1.08	13.04	26.98	0.50	Complies
		52/44	11.93	1.08	13.01	26.98	0.50	Complies
		106/53	14.80	1.08	15.88	26.98	0.50	Complies
		106/54	14.51	1.08	15.59	26.98	0.50	Complies
		106/56	14.35	1.08	15.43	26.98	0.50	Complies
		242/61	17.33	1.08	18.41	26.98	0.50	Complies
		242/62	17.14	1.08	18.22	26.98	0.50	Complies
		484/65	15.05	1.08	16.13	26.98	0.50	Complies
46	5230	52/37	12.37	1.08	13.45	26.98	0.50	Complies
		52/40	12.29	1.08	13.37	26.98	0.50	Complies
		52/44	12.28	1.08	13.36	26.98	0.50	Complies
		106/53	15.47	1.08	16.55	26.98	0.50	Complies
		106/54	14.86	1.08	15.94	26.98	0.50	Complies
		106/56	14.46	1.08	15.54	26.98	0.50	Complies
		242/61	17.94	1.08	19.02	26.98	0.50	Complies
		242/62	17.59	1.08	18.67	26.98	0.50	Complies
		484/65	16.34	1.08	17.42	26.98	0.50	Complies

Test Mode	UNII-1_TX AX (HE40) Mode_Ant. 2

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	52/37	11.49	1.08	12.57	26.98	0.50	Complies
		52/40	11.18	1.08	12.26	26.98	0.50	Complies
		52/44	11.48	1.08	12.56	26.98	0.50	Complies
		106/53	13.65	1.08	14.73	26.98	0.50	Complies
		106/54	13.30	1.08	14.38	26.98	0.50	Complies
		106/56	13.35	1.08	14.43	26.98	0.50	Complies
		242/61	16.01	1.08	17.09	26.98	0.50	Complies
		242/62	15.91	1.08	16.99	26.98	0.50	Complies
		484/65	13.86	1.08	14.94	26.98	0.50	Complies
46	5230	52/37	11.63	1.08	12.71	26.98	0.50	Complies
		52/40	11.65	1.08	12.73	26.98	0.50	Complies
		52/44	11.88	1.08	12.96	26.98	0.50	Complies
		106/53	14.20	1.08	15.28	26.98	0.50	Complies
		106/54	14.17	1.08	15.25	26.98	0.50	Complies
		106/56	13.69	1.08	14.77	26.98	0.50	Complies
		242/61	17.02	1.08	18.10	26.98	0.50	Complies
		242/62	16.64	1.08	17.72	26.98	0.50	Complies
		484/65	15.48	1.08	16.56	26.98	0.50	Complies

Test Mode	UNII-1_TX AX (HE40) Mode_Ant. 3

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	52/37	12.22	1.08	13.30	26.98	0.50	Complies
		52/40	12.34	1.08	13.42	26.98	0.50	Complies
		52/44	12.23	1.08	13.31	26.98	0.50	Complies
		106/53	15.49	1.08	16.57	26.98	0.50	Complies
		106/54	14.56	1.08	15.64	26.98	0.50	Complies
		106/56	14.65	1.08	15.73	26.98	0.50	Complies
		242/61	17.69	1.08	18.77	26.98	0.50	Complies
		242/62	17.65	1.08	18.73	26.98	0.50	Complies
		484/65	15.40	1.08	16.48	26.98	0.50	Complies
46	5230	52/37	12.62	1.08	13.70	26.98	0.50	Complies
		52/40	12.52	1.08	13.60	26.98	0.50	Complies
		52/44	12.89	1.08	13.97	26.98	0.50	Complies
		106/53	15.95	1.08	17.03	26.98	0.50	Complies
		106/54	15.47	1.08	16.55	26.98	0.50	Complies
		106/56	15.03	1.08	16.11	26.98	0.50	Complies
		242/61	18.49	1.08	19.57	26.98	0.50	Complies
		242/62	18.55	1.08	19.63	26.98	0.50	Complies
		484/65	16.44	1.08	17.52	26.98	0.50	Complies

Test Mode	UNII-1_TX AX (HE40) Mode_Ant. 4

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	52/37	12.07	1.08	13.15	26.98	0.50	Complies
		52/40	12.03	1.08	13.11	26.98	0.50	Complies
		52/44	12.35	1.08	13.43	26.98	0.50	Complies
		106/53	14.70	1.08	15.78	26.98	0.50	Complies
		106/54	14.31	1.08	15.39	26.98	0.50	Complies
		106/56	14.35	1.08	15.43	26.98	0.50	Complies
		242/61	17.34	1.08	18.42	26.98	0.50	Complies
		242/62	17.32	1.08	18.40	26.98	0.50	Complies
		484/65	15.09	1.08	16.17	26.98	0.50	Complies
46	5230	52/37	12.03	1.08	13.11	26.98	0.50	Complies
		52/40	12.06	1.08	13.14	26.98	0.50	Complies
		52/44	12.67	1.08	13.75	26.98	0.50	Complies
		106/53	15.24	1.08	16.32	26.98	0.50	Complies
		106/54	15.02	1.08	16.10	26.98	0.50	Complies
		106/56	14.57	1.08	15.65	26.98	0.50	Complies
		242/61	18.51	1.08	19.59	26.98	0.50	Complies
		242/62	18.02	1.08	19.10	26.98	0.50	Complies
		484/65	15.92	1.08	17.00	26.98	0.50	Complies

Test Mode	UNII-1_TX AX (HE40) Mode_Total

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	52/37	19.04	26.98	0.50	Complies
		52/40	19.00	26.98	0.50	Complies
		52/44	19.11	26.98	0.50	Complies
		106/53	21.81	26.98	0.50	Complies
		106/54	21.30	26.98	0.50	Complies
		106/56	21.30	26.98	0.50	Complies
		242/61	24.24	26.98	0.50	Complies
		242/62	24.15	26.98	0.50	Complies
		484/65	21.99	26.98	0.50	Complies
46	5230	52/37	19.28	26.98	0.50	Complies
		52/40	19.24	26.98	0.50	Complies
		52/44	19.55	26.98	0.50	Complies
		106/53	22.36	26.98	0.50	Complies
		106/54	22.00	26.98	0.50	Complies
		106/56	21.56	26.98	0.50	Complies
		242/61	25.13	26.98	0.50	Complies
		242/62	24.85	26.98	0.50	Complies
		484/65	23.16	26.98	0.50	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_Ant. 1

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	106/53	14.86	1.21	16.07	26.98	0.50	Complies
		106/56	14.70	1.21	15.91	26.98	0.50	Complies
		106/60	14.80	1.21	16.01	26.98	0.50	Complies
		242/61	14.43	1.21	15.64	26.98	0.50	Complies
		242/63	14.59	1.21	15.80	26.98	0.50	Complies
		242/64	14.56	1.21	15.77	26.98	0.50	Complies
		484/65	13.73	1.21	14.94	26.98	0.50	Complies
		484/66	13.82	1.21	15.03	26.98	0.50	Complies
		996/67	13.89	1.21	15.10	26.98	0.50	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_Ant. 2

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	106/53	14.00	1.21	15.21	26.98	0.50	Complies
		106/56	14.07	1.21	15.28	26.98	0.50	Complies
		106/60	13.84	1.21	15.05	26.98	0.50	Complies
		242/61	13.72	1.21	14.93	26.98	0.50	Complies
		242/63	14.45	1.21	15.66	26.98	0.50	Complies
		242/64	13.68	1.21	14.89	26.98	0.50	Complies
		484/65	12.68	1.21	13.89	26.98	0.50	Complies
		484/66	13.14	1.21	14.35	26.98	0.50	Complies
		996/67	13.22	1.21	14.43	26.98	0.50	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_Ant. 3

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	106/53	15.14	1.21	16.35	26.98	0.50	Complies
		106/56	15.58	1.21	16.79	26.98	0.50	Complies
		106/60	15.55	1.21	16.76	26.98	0.50	Complies
		242/61	14.74	1.21	15.95	26.98	0.50	Complies
		242/63	15.59	1.21	16.80	26.98	0.50	Complies
		242/64	15.27	1.21	16.48	26.98	0.50	Complies
		484/65	14.43	1.21	15.64	26.98	0.50	Complies
		484/66	14.71	1.21	15.92	26.98	0.50	Complies
		996/67	14.72	1.21	15.93	26.98	0.50	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_Ant. 4

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	106/53	14.43	1.21	15.64	26.98	0.50	Complies
		106/56	14.97	1.21	16.18	26.98	0.50	Complies
		106/60	14.95	1.21	16.16	26.98	0.50	Complies
		242/61	14.30	1.21	15.51	26.98	0.50	Complies
		242/63	15.33	1.21	16.54	26.98	0.50	Complies
		242/64	14.76	1.21	15.97	26.98	0.50	Complies
		484/65	13.68	1.21	14.89	26.98	0.50	Complies
		484/66	14.16	1.21	15.37	26.98	0.50	Complies
		996/67	14.01	1.21	15.22	26.98	0.50	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_Total

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	106/53	21.86	26.98	0.50	Complies
		106/56	22.09	26.98	0.50	Complies
		106/60	22.06	26.98	0.50	Complies
		242/61	21.54	26.98	0.50	Complies
		242/63	22.24	26.98	0.50	Complies
		242/64	21.83	26.98	0.50	Complies
		484/65	20.90	26.98	0.50	Complies
		484/66	21.22	26.98	0.50	Complies
		996/67	21.22	26.98	0.50	Complies

Test Mode	UNII-2A_TX AX (HE20) Mode_Ant. 1

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	52/37	6.27	0.84	7.11	20.98	0.13	Complies
		52/38	6.19	0.84	7.03	20.98	0.13	Complies
		52/40	5.73	0.84	6.57	20.98	0.13	Complies
		106/53	8.82	0.84	9.66	20.98	0.13	Complies
		106/54	8.40	0.84	9.24	20.98	0.13	Complies
		242/61	11.73	0.84	12.57	20.98	0.13	Complies
60	5300	52/37	5.96	0.84	6.80	20.98	0.13	Complies
		52/38	5.61	0.84	6.45	20.98	0.13	Complies
		52/40	5.59	0.84	6.43	20.98	0.13	Complies
		106/53	8.21	0.84	9.05	20.98	0.13	Complies
		106/54	8.16	0.84	9.00	20.98	0.13	Complies
		242/61	11.17	0.84	12.01	20.98	0.13	Complies
64	5320	52/37	5.55	0.84	6.39	20.98	0.13	Complies
		52/38	5.43	0.84	6.27	20.98	0.13	Complies
		52/40	5.74	0.84	6.58	20.98	0.13	Complies
		106/53	7.89	0.84	8.73	20.98	0.13	Complies
		106/54	7.69	0.84	8.53	20.98	0.13	Complies
		242/61	10.98	0.84	11.82	20.98	0.13	Complies

Test Mode	UNII-2A_TX AX (HE20) Mode_Ant. 2

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	52/37	6.38	0.84	7.22	20.98	0.13	Complies
		52/38	6.40	0.84	7.24	20.98	0.13	Complies
		52/40	6.48	0.84	7.32	20.98	0.13	Complies
		106/53	8.62	0.84	9.46	20.98	0.13	Complies
		106/54	8.51	0.84	9.35	20.98	0.13	Complies
		242/61	11.21	0.84	12.05	20.98	0.13	Complies
60	5300	52/37	6.24	0.84	7.08	20.98	0.13	Complies
		52/38	6.38	0.84	7.22	20.98	0.13	Complies
		52/40	6.18	0.84	7.02	20.98	0.13	Complies
		106/53	8.38	0.84	9.22	20.98	0.13	Complies
		106/54	8.22	0.84	9.06	20.98	0.13	Complies
		242/61	10.92	0.84	11.76	20.98	0.13	Complies
64	5320	52/37	6.44	0.84	7.28	20.98	0.13	Complies
		52/38	6.26	0.84	7.10	20.98	0.13	Complies
		52/40	6.38	0.84	7.22	20.98	0.13	Complies
		106/53	8.19	0.84	9.03	20.98	0.13	Complies
		106/54	8.01	0.84	8.85	20.98	0.13	Complies
		242/61	10.84	0.84	11.68	20.98	0.13	Complies

Test Mode	UNII-2A_TX AX (HE20) Mode_Ant. 3

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	52/37	5.77	0.84	6.61	20.98	0.13	Complies
		52/38	6.10	0.84	6.94	20.98	0.13	Complies
		52/40	5.67	0.84	6.51	20.98	0.13	Complies
		106/53	8.76	0.84	9.60	20.98	0.13	Complies
		106/54	8.76	0.84	9.60	20.98	0.13	Complies
		242/61	12.11	0.84	12.95	20.98	0.13	Complies
60	5300	52/37	5.83	0.84	6.67	20.98	0.13	Complies
		52/38	5.79	0.84	6.63	20.98	0.13	Complies
		52/40	5.63	0.84	6.47	20.98	0.13	Complies
		106/53	8.44	0.84	9.28	20.98	0.13	Complies
		106/54	8.25	0.84	9.09	20.98	0.13	Complies
		242/61	11.74	0.84	12.58	20.98	0.13	Complies
64	5320	52/37	5.73	0.84	6.57	20.98	0.13	Complies
		52/38	5.61	0.84	6.45	20.98	0.13	Complies
		52/40	5.72	0.84	6.56	20.98	0.13	Complies
		106/53	8.44	0.84	9.28	20.98	0.13	Complies
		106/54	8.10	0.84	8.94	20.98	0.13	Complies
		242/61	11.40	0.84	12.24	20.98	0.13	Complies

Test Mode	UNII-2A_TX AX (HE20) Mode_Ant. 4

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	52/37	6.72	0.84	7.56	20.98	0.13	Complies
		52/38	6.80	0.84	7.64	20.98	0.13	Complies
		52/40	6.75	0.84	7.59	20.98	0.13	Complies
		106/53	9.09	0.84	9.93	20.98	0.13	Complies
		106/54	9.10	0.84	9.94	20.98	0.13	Complies
		242/61	12.06	0.84	12.90	20.98	0.13	Complies
60	5300	52/37	6.71	0.84	7.55	20.98	0.13	Complies
		52/38	6.78	0.84	7.62	20.98	0.13	Complies
		52/40	6.49	0.84	7.33	20.98	0.13	Complies
		106/53	8.56	0.84	9.40	20.98	0.13	Complies
		106/54	8.45	0.84	9.29	20.98	0.13	Complies
		242/61	10.81	0.84	11.65	20.98	0.13	Complies
64	5320	52/37	6.35	0.84	7.19	20.98	0.13	Complies
		52/38	6.47	0.84	7.31	20.98	0.13	Complies
		52/40	6.54	0.84	7.38	20.98	0.13	Complies
		106/53	8.55	0.84	9.39	20.98	0.13	Complies
		106/54	8.67	0.84	9.51	20.98	0.13	Complies
		242/61	11.46	0.84	12.30	20.98	0.13	Complies

Test Mode	UNII-2A_TX AX (HE20) Mode_Total

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	52/37	13.16	20.98	0.13	Complies
		52/38	13.24	20.98	0.13	Complies
		52/40	13.04	20.98	0.13	Complies
		106/53	15.69	20.98	0.13	Complies
		106/54	15.56	20.98	0.13	Complies
		242/61	18.65	20.98	0.13	Complies
60	5300	52/37	13.06	20.98	0.13	Complies
		52/38	13.03	20.98	0.13	Complies
		52/40	12.85	20.98	0.13	Complies
		106/53	15.26	20.98	0.13	Complies
		106/54	15.13	20.98	0.13	Complies
		242/61	18.04	20.98	0.13	Complies
64	5320	52/37	12.89	20.98	0.13	Complies
		52/38	12.82	20.98	0.13	Complies
		52/40	12.97	20.98	0.13	Complies
		106/53	15.14	20.98	0.13	Complies
		106/54	14.99	20.98	0.13	Complies
		242/61	18.04	20.98	0.13	Complies

Test Mode	UNII-2A_TX AX (HE40) Mode_Ant. 1

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	52/37	5.94	1.08	7.02	20.98	0.13	Complies
		52/40	5.62	1.08	6.70	20.98	0.13	Complies
		52/44	5.14	1.08	6.22	20.98	0.13	Complies
		106/53	9.00	1.08	10.08	20.98	0.13	Complies
		106/54	8.38	1.08	9.46	20.98	0.13	Complies
		106/56	8.19	1.08	9.27	20.98	0.13	Complies
		242/61	12.67	1.08	13.75	20.98	0.13	Complies
		242/62	11.78	1.08	12.86	20.98	0.13	Complies
		484/65	13.72	1.08	14.80	20.98	0.13	Complies
62	5310	52/37	4.99	1.08	6.07	20.98	0.13	Complies
		52/40	5.03	1.08	6.11	20.98	0.13	Complies
		52/44	5.44	1.08	6.52	20.98	0.13	Complies
		106/53	8.59	1.08	9.67	20.98	0.13	Complies
		106/54	8.31	1.08	9.39	20.98	0.13	Complies
		106/56	7.86	1.08	8.94	20.98	0.13	Complies
		242/61	11.80	1.08	12.88	20.98	0.13	Complies
		242/62	11.67	1.08	12.75	20.98	0.13	Complies
		484/65	11.71	1.08	12.79	20.98	0.13	Complies

Test Mode	UNII-2A_TX AX (HE40) Mode_Ant. 2

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	52/37	5.79	1.08	6.87	20.98	0.13	Complies
		52/40	5.86	1.08	6.94	20.98	0.13	Complies
		52/44	5.48	1.08	6.56	20.98	0.13	Complies
		106/53	8.53	1.08	9.61	20.98	0.13	Complies
		106/54	8.06	1.08	9.14	20.98	0.13	Complies
		106/56	7.79	1.08	8.87	20.98	0.13	Complies
		242/61	12.02	1.08	13.10	20.98	0.13	Complies
		242/62	11.12	1.08	12.20	20.98	0.13	Complies
		484/65	12.65	1.08	13.73	20.98	0.13	Complies
62	5310	52/37	5.53	1.08	6.61	20.98	0.13	Complies
		52/40	5.99	1.08	7.07	20.98	0.13	Complies
		52/44	5.74	1.08	6.82	20.98	0.13	Complies
		106/53	8.35	1.08	9.43	20.98	0.13	Complies
		106/54	8.30	1.08	9.38	20.98	0.13	Complies
		106/56	8.01	1.08	9.09	20.98	0.13	Complies
		242/61	11.32	1.08	12.40	20.98	0.13	Complies
		242/62	11.34	1.08	12.42	20.98	0.13	Complies
		484/65	11.56	1.08	12.64	20.98	0.13	Complies

Test Mode	UNII-2A_TX AX (HE40) Mode_Ant. 3

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	52/37	6.65	1.08	7.73	20.98	0.13	Complies
		52/40	6.54	1.08	7.62	20.98	0.13	Complies
		52/44	6.12	1.08	7.20	20.98	0.13	Complies
		106/53	9.62	1.08	10.70	20.98	0.13	Complies
		106/54	9.15	1.08	10.23	20.98	0.13	Complies
		106/56	8.66	1.08	9.74	20.98	0.13	Complies
		242/61	13.36	1.08	14.44	20.98	0.13	Complies
		242/62	12.21	1.08	13.29	20.98	0.13	Complies
		484/65	13.81	1.08	14.89	20.98	0.13	Complies
62	5310	52/37	5.95	1.08	7.03	20.98	0.13	Complies
		52/40	6.30	1.08	7.38	20.98	0.13	Complies
		52/44	6.05	1.08	7.13	20.98	0.13	Complies
		106/53	8.15	1.08	9.23	20.98	0.13	Complies
		106/54	9.05	1.08	10.13	20.98	0.13	Complies
		106/56	8.45	1.08	9.53	20.98	0.13	Complies
		242/61	12.22	1.08	13.30	20.98	0.13	Complies
		242/62	12.36	1.08	13.44	20.98	0.13	Complies
		484/65	12.68	1.08	13.76	20.98	0.13	Complies

Test Mode	UNII-2A_TX AX (HE40) Mode_Ant. 4

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	52/37	5.97	1.08	7.05	20.98	0.13	Complies
		52/40	5.70	1.08	6.78	20.98	0.13	Complies
		52/44	5.34	1.08	6.42	20.98	0.13	Complies
		106/53	8.89	1.08	9.97	20.98	0.13	Complies
		106/54	8.27	1.08	9.35	20.98	0.13	Complies
		106/56	7.84	1.08	8.92	20.98	0.13	Complies
		242/61	12.72	1.08	13.80	20.98	0.13	Complies
		242/62	11.76	1.08	12.84	20.98	0.13	Complies
		484/65	13.65	1.08	14.73	20.98	0.13	Complies
62	5310	52/37	5.02	1.08	6.10	20.98	0.13	Complies
		52/40	5.34	1.08	6.42	20.98	0.13	Complies
		52/44	4.43	1.08	5.51	20.98	0.13	Complies
		106/53	8.59	1.08	9.67	20.98	0.13	Complies
		106/54	8.03	1.08	9.11	20.98	0.13	Complies
		106/56	8.01	1.08	9.09	20.98	0.13	Complies
		242/61	11.67	1.08	12.75	20.98	0.13	Complies
		242/62	11.82	1.08	12.90	20.98	0.13	Complies
		484/65	11.91	1.08	12.99	20.98	0.13	Complies

Test Mode	UNII-1_TX AX (HE40) Mode_Total

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	52/37	13.20	20.98	0.13	Complies
		52/40	13.05	20.98	0.13	Complies
		52/44	12.64	20.98	0.13	Complies
		106/53	16.13	20.98	0.13	Complies
		106/54	15.58	20.98	0.13	Complies
		106/56	15.23	20.98	0.13	Complies
		242/61	19.82	20.98	0.13	Complies
		242/62	18.83	20.98	0.13	Complies
		484/65	20.58	20.98	0.13	Complies
62	5310	52/37	12.49	20.98	0.13	Complies
		52/40	12.79	20.98	0.13	Complies
		52/44	12.56	20.98	0.13	Complies
		106/53	15.52	20.98	0.13	Complies
		106/54	15.54	20.98	0.13	Complies
		106/56	15.19	20.98	0.13	Complies
		242/61	18.86	20.98	0.13	Complies
		242/62	18.91	20.98	0.13	Complies
		484/65	19.09	20.98	0.13	Complies

Test Mode	UNII-2A_TX AX (HE80) Mode_Ant. 1

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	106/53	9.20	1.21	10.41	20.98	0.13	Complies
		106/56	8.77	1.21	9.98	20.98	0.13	Complies
		106/60	8.40	1.21	9.61	20.98	0.13	Complies
		242/61	13.11	1.21	14.32	20.98	0.13	Complies
		242/63	12.51	1.21	13.72	20.98	0.13	Complies
		242/64	12.19	1.21	13.40	20.98	0.13	Complies
		484/65	12.99	1.21	14.20	20.98	0.13	Complies
		484/66	13.02	1.21	14.23	20.98	0.13	Complies
		996/67	12.54	1.21	13.75	20.98	0.13	Complies

Test Mode	UNII-2A_TX AX (HE80) Mode_Ant. 2

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	106/53	8.31	1.21	9.52	20.98	0.13	Complies
		106/56	8.28	1.21	9.49	20.98	0.13	Complies
		106/60	8.23	1.21	9.44	20.98	0.13	Complies
		242/61	12.42	1.21	13.63	20.98	0.13	Complies
		242/63	11.84	1.21	13.05	20.98	0.13	Complies
		242/64	11.62	1.21	12.83	20.98	0.13	Complies
		484/65	12.35	1.21	13.56	20.98	0.13	Complies
		484/66	12.36	1.21	13.57	20.98	0.13	Complies
		996/67	11.97	1.21	13.18	20.98	0.13	Complies

Test Mode	UNII-2A_TX AX (HE80) Mode_Ant. 3

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	106/53	9.39	1.21	10.60	20.98	0.13	Complies
		106/56	9.38	1.21	10.59	20.98	0.13	Complies
		106/60	9.30	1.21	10.51	20.98	0.13	Complies
		242/61	13.48	1.21	14.69	20.98	0.13	Complies
		242/63	12.93	1.21	14.14	20.98	0.13	Complies
		242/64	12.37	1.21	13.58	20.98	0.13	Complies
		484/65	12.14	1.21	13.35	20.98	0.13	Complies
		484/66	13.57	1.21	14.78	20.98	0.13	Complies
		996/67	13.33	1.21	14.54	20.98	0.13	Complies

Test Mode	UNII-2A_TX AX (HE80) Mode_Ant. 4

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	106/53	8.60	1.21	9.81	20.98	0.13	Complies
		106/56	8.68	1.21	9.89	20.98	0.13	Complies
		106/60	9.13	1.21	10.34	20.98	0.13	Complies
		242/61	13.09	1.21	14.30	20.98	0.13	Complies
		242/63	12.56	1.21	13.77	20.98	0.13	Complies
		242/64	12.37	1.21	13.58	20.98	0.13	Complies
		484/65	12.97	1.21	14.18	20.98	0.13	Complies
		484/66	13.36	1.21	14.57	20.98	0.13	Complies
		996/67	12.69	1.21	13.90	20.98	0.13	Complies

Test Mode	UNII-2A_TX AX (HE80) Mode_Total

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	106/53	16.12	20.98	0.13	Complies
		106/56	16.02	20.98	0.13	Complies
		106/60	16.02	20.98	0.13	Complies
		242/61	20.27	20.98	0.13	Complies
		242/63	19.71	20.98	0.13	Complies
		242/64	19.38	20.98	0.13	Complies
		484/65	19.86	20.98	0.13	Complies
		484/66	20.33	20.98	0.13	Complies
		996/67	19.89	20.98	0.13	Complies

Test Mode	UNII-2A_TX AX (HE160) Mode_Ant. 1

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	242/61	11.98	1.02	13.00	23.00	0.20	Complies
		242/64	13.17	1.02	14.19	23.00	0.20	Complies
		242/S64	12.13	1.02	13.15	23.00	0.20	Complies
		484/65	12.48	1.02	13.50	23.00	0.20	Complies
		484/66	13.38	1.02	14.40	23.00	0.20	Complies
		484/S66	12.18	1.02	13.20	23.00	0.20	Complies
		996/67	12.54	1.02	13.56	23.00	0.20	Complies
		996/S67	12.58	1.02	13.60	23.00	0.20	Complies
		996*2/S68	14.15	1.02	15.17	23.00	0.20	Complies

Test Mode	UNII-2A_TX AX (HE160) Mode_Ant. 2

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	242/61	11.31	1.02	12.33	23.00	0.20	Complies
		242/64	12.75	1.02	13.77	23.00	0.20	Complies
		242/S64	11.72	1.02	12.74	23.00	0.20	Complies
		484/65	11.84	1.02	12.86	23.00	0.20	Complies
		484/66	12.72	1.02	13.74	23.00	0.20	Complies
		484/S66	12.29	1.02	13.31	23.00	0.20	Complies
		996/67	12.25	1.02	13.27	23.00	0.20	Complies
		996/S67	12.32	1.02	13.34	23.00	0.20	Complies
		996*2/S68	14.04	1.02	15.06	23.00	0.20	Complies

Test Mode	UNII-2A_TX AX (HE160) Mode_Ant. 3

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	242/61	11.29	1.02	12.31	23.00	0.20	Complies
		242/64	11.64	1.02	12.66	23.00	0.20	Complies
		242/S64	10.22	1.02	11.24	23.00	0.20	Complies
		484/65	10.46	1.02	11.48	23.00	0.20	Complies
		484/66	11.46	1.02	12.48	23.00	0.20	Complies
		484/S66	10.28	1.02	11.30	23.00	0.20	Complies
		996/67	10.80	1.02	11.82	23.00	0.20	Complies
		996/S67	10.74	1.02	11.76	23.00	0.20	Complies
		996*2/S68	11.83	1.02	12.85	23.00	0.20	Complies

Test Mode	UNII-2A_TX AX (HE160) Mode_Ant. 4

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	242/61	11.19	1.02	12.21	23.00	0.20	Complies
		242/64	12.85	1.02	13.87	23.00	0.20	Complies
		242/S64	12.09	1.02	13.11	23.00	0.20	Complies
		484/65	11.58	1.02	12.60	23.00	0.20	Complies
		484/66	12.57	1.02	13.59	23.00	0.20	Complies
		484/S66	12.17	1.02	13.19	23.00	0.20	Complies
		996/67	11.99	1.02	13.01	23.00	0.20	Complies
		996/S67	12.47	1.02	13.49	23.00	0.20	Complies
		996*2/S68	13.7	1.02	14.72	23.00	0.20	Complies

Test Mode	UNII-2A_TX AX (HE160) Mode_Total

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	242/61	18.50	24.00	0.25	Complies
		242/64	19.68	24.00	0.25	Complies
		242/S64	18.65	24.00	0.25	Complies
		484/65	18.69	24.00	0.25	Complies
		484/66	19.63	24.00	0.25	Complies
		484/S66	18.85	24.00	0.25	Complies
		996/67	18.99	24.00	0.25	Complies
		996/S67	19.13	24.00	0.25	Complies
		996*2/S68	20.57	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX (HE20) Mode_Ant. 1

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	52/37	4.76	0.84	5.60	20.98	0.13	Complies
		52/38	4.64	0.84	5.48	20.98	0.13	Complies
		52/40	4.56	0.84	5.40	20.98	0.13	Complies
		106/53	7.22	0.84	8.06	20.98	0.13	Complies
		106/54	7.21	0.84	8.05	20.98	0.13	Complies
		242/61	10.36	0.84	11.2	20.98	0.13	Complies
116	5580	52/37	4.67	0.84	5.51	20.98	0.13	Complies
		52/38	4.91	0.84	5.75	20.98	0.13	Complies
		52/40	4.40	0.84	5.24	20.98	0.13	Complies
		106/53	6.96	0.84	7.80	20.98	0.13	Complies
		106/54	6.88	0.84	7.72	20.98	0.13	Complies
		242/61	10.23	0.84	11.07	20.98	0.13	Complies
140	5700	52/37	4.87	0.84	5.71	20.98	0.13	Complies
		52/38	4.94	0.84	5.78	20.98	0.13	Complies
		52/40	4.52	0.84	5.36	20.98	0.13	Complies
		106/53	7.31	0.84	8.15	20.98	0.13	Complies
		106/54	6.88	0.84	7.72	20.98	0.13	Complies
		242/61	10.01	0.84	10.85	20.98	0.13	Complies

Test Mode	UNII-2C_TX AX (HE20) Mode_Ant. 2

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	52/37	5.26	0.84	6.10	20.98	0.13	Complies
		52/38	5.55	0.84	6.39	20.98	0.13	Complies
		52/40	5.51	0.84	6.35	20.98	0.13	Complies
		106/53	7.10	0.84	7.94	20.98	0.13	Complies
		106/54	7.33	0.84	8.17	20.98	0.13	Complies
		242/61	9.89	0.84	10.73	20.98	0.13	Complies
116	5580	52/37	5.03	0.84	5.87	20.98	0.13	Complies
		52/38	5.45	0.84	6.29	20.98	0.13	Complies
		52/40	5.23	0.84	6.07	20.98	0.13	Complies
		106/53	7.05	0.84	7.89	20.98	0.13	Complies
		106/54	7.27	0.84	8.11	20.98	0.13	Complies
		242/61	9.56	0.84	10.40	20.98	0.13	Complies
140	5700	52/37	5.00	0.84	5.84	20.98	0.13	Complies
		52/38	4.89	0.84	5.73	20.98	0.13	Complies
		52/40	4.38	0.84	5.22	20.98	0.13	Complies
		106/53	7.21	0.84	8.05	20.98	0.13	Complies
		106/54	6.80	0.84	7.64	20.98	0.13	Complies
		242/61	9.29	0.84	10.13	20.98	0.13	Complies

Test Mode	UNII-2C_TX AX (HE20) Mode_Ant. 3

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	52/37	5.56	0.84	6.40	20.98	0.13	Complies
		52/38	6.00	0.84	6.84	20.98	0.13	Complies
		52/40	5.78	0.84	6.62	20.98	0.13	Complies
		106/53	7.88	0.84	8.72	20.98	0.13	Complies
		106/54	8.01	0.84	8.85	20.98	0.13	Complies
		242/61	11.15	0.84	11.99	20.98	0.13	Complies
116	5580	52/37	5.31	0.84	6.15	20.98	0.13	Complies
		52/38	5.68	0.84	6.52	20.98	0.13	Complies
		52/40	5.57	0.84	6.41	20.98	0.13	Complies
		106/53	7.61	0.84	8.45	20.98	0.13	Complies
		106/54	7.82	0.84	8.66	20.98	0.13	Complies
		242/61	10.94	0.84	11.78	20.98	0.13	Complies
140	5700	52/37	5.62	0.84	6.46	20.98	0.13	Complies
		52/38	5.25	0.84	6.09	20.98	0.13	Complies
		52/40	5.11	0.84	5.95	20.98	0.13	Complies
		106/53	8.01	0.84	8.85	20.98	0.13	Complies
		106/54	7.77	0.84	8.61	20.98	0.13	Complies
		242/61	10.61	0.84	11.45	20.98	0.13	Complies

Test Mode	UNII-2C_TX AX (HE20) Mode_Ant. 4

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	52/37	5.46	0.84	6.30	20.98	0.13	Complies
		52/38	4.84	0.84	5.68	20.98	0.13	Complies
		52/40	5.26	0.84	6.10	20.98	0.13	Complies
		106/53	7.38	0.84	8.22	20.98	0.13	Complies
		106/54	7.42	0.84	8.26	20.98	0.13	Complies
		242/61	10.92	0.84	11.76	20.98	0.13	Complies
116	5580	52/37	4.83	0.84	5.67	20.98	0.13	Complies
		52/38	5.16	0.84	6.00	20.98	0.13	Complies
		52/40	5.24	0.84	6.08	20.98	0.13	Complies
		106/53	7.43	0.84	8.27	20.98	0.13	Complies
		106/54	7.39	0.84	8.23	20.98	0.13	Complies
		242/61	10.60	0.84	11.44	20.98	0.13	Complies
140	5700	52/37	5.05	0.84	5.89	20.98	0.13	Complies
		52/38	4.84	0.84	5.68	20.98	0.13	Complies
		52/40	4.95	0.84	5.79	20.98	0.13	Complies
		106/53	7.50	0.84	8.34	20.98	0.13	Complies
		106/54	7.28	0.84	8.12	20.98	0.13	Complies
		242/61	10.21	0.84	11.05	20.98	0.13	Complies

Test Mode	UNII-2C_TX AX (HE20) Mode_Total

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	52/37	12.13	20.98	0.13	Complies
		52/38	12.15	20.98	0.13	Complies
		52/40	12.16	20.98	0.13	Complies
		106/53	14.27	20.98	0.13	Complies
		106/54	14.36	20.98	0.13	Complies
		242/61	17.47	20.98	0.13	Complies
116	5580	52/37	11.83	20.98	0.13	Complies
		52/38	12.17	20.98	0.13	Complies
		52/40	11.99	20.98	0.13	Complies
		106/53	14.13	20.98	0.13	Complies
		106/54	14.21	20.98	0.13	Complies
		242/61	17.22	20.98	0.13	Complies
140	5700	52/37	12.01	20.98	0.13	Complies
		52/38	11.84	20.98	0.13	Complies
		52/40	11.61	20.98	0.13	Complies
		106/53	14.38	20.98	0.13	Complies
		106/54	14.06	20.98	0.13	Complies
		242/61	16.92	20.98	0.13	Complies

Test Mode	UNII-2C_TX AX (HE40) Mode_Ant. 1

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	52/37	4.62	1.08	5.70	20.98	0.13	Complies
		52/40	4.40	1.08	5.48	20.98	0.13	Complies
		52/44	4.72	1.08	5.80	20.98	0.13	Complies
		106/53	7.85	1.08	8.93	20.98	0.13	Complies
		106/54	7.27	1.08	8.35	20.98	0.13	Complies
		106/56	7.31	1.08	8.39	20.98	0.13	Complies
		242/61	11.08	1.08	12.16	20.98	0.13	Complies
		242/62	10.56	1.08	11.64	20.98	0.13	Complies
		484/65	13.38	1.08	14.46	20.98	0.13	Complies
110	5550	52/37	4.63	1.08	5.71	20.98	0.13	Complies
		52/40	4.49	1.08	5.57	20.98	0.13	Complies
		52/44	4.82	1.08	5.90	20.98	0.13	Complies
		106/53	7.58	1.08	8.66	20.98	0.13	Complies
		106/54	7.04	1.08	8.12	20.98	0.13	Complies
		106/56	7.48	1.08	8.56	20.98	0.13	Complies
		242/61	11.68	1.08	12.76	20.98	0.13	Complies
		242/62	10.69	1.08	11.77	20.98	0.13	Complies
		484/65	13.15	1.08	14.23	20.98	0.13	Complies
134	5670	52/37	5.10	1.08	6.18	20.98	0.13	Complies
		52/40	5.41	1.08	6.49	20.98	0.13	Complies
		52/44	4.63	1.08	5.71	20.98	0.13	Complies
		106/53	7.73	1.08	8.81	20.98	0.13	Complies
		106/54	7.95	1.08	9.03	20.98	0.13	Complies
		106/56	7.17	1.08	8.25	20.98	0.13	Complies
		242/61	11.14	1.08	12.22	20.98	0.13	Complies
		242/62	9.92	1.08	11.00	20.98	0.13	Complies
		484/65	12.42	1.08	13.50	20.98	0.13	Complies

Test Mode	UNII-2C_TX AX (HE40) Mode_Ant. 2

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	52/37	4.71	1.08	5.79	20.98	0.13	Complies
		52/40	4.95	1.08	6.03	20.98	0.13	Complies
		52/44	4.89	1.08	5.97	20.98	0.13	Complies
		106/53	7.63	1.08	8.71	20.98	0.13	Complies
		106/54	7.50	1.08	8.58	20.98	0.13	Complies
		106/56	7.59	1.08	8.67	20.98	0.13	Complies
		242/61	10.83	1.08	11.91	20.98	0.13	Complies
		242/62	10.10	1.08	11.18	20.98	0.13	Complies
		484/65	12.62	1.08	13.70	20.98	0.13	Complies
110	5550	52/37	4.55	1.08	5.63	20.98	0.13	Complies
		52/40	4.74	1.08	5.82	20.98	0.13	Complies
		52/44	5.00	1.08	6.08	20.98	0.13	Complies
		106/53	8.24	1.08	9.32	20.98	0.13	Complies
		106/54	7.12	1.08	8.20	20.98	0.13	Complies
		106/56	7.34	1.08	8.42	20.98	0.13	Complies
		242/61	10.87	1.08	11.95	20.98	0.13	Complies
		242/62	10.12	1.08	11.20	20.98	0.13	Complies
		484/65	12.55	1.08	13.63	20.98	0.13	Complies
134	5670	52/37	4.96	1.08	6.04	20.98	0.13	Complies
		52/40	4.83	1.08	5.91	20.98	0.13	Complies
		52/44	4.35	1.08	5.43	20.98	0.13	Complies
		106/53	7.29	1.08	8.37	20.98	0.13	Complies
		106/54	7.13	1.08	8.21	20.98	0.13	Complies
		106/56	6.89	1.08	7.97	20.98	0.13	Complies
		242/61	10.46	1.08	11.54	20.98	0.13	Complies
		242/62	8.94	1.08	10.02	20.98	0.13	Complies
		484/65	11.80	1.08	12.88	20.98	0.13	Complies

Test Mode	UNII-2C_TX AX (HE40) Mode_Ant. 3

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	52/37	5.31	1.08	6.39	20.98	0.13	Complies
		52/40	5.60	1.08	6.68	20.98	0.13	Complies
		52/44	5.40	1.08	6.48	20.98	0.13	Complies
		106/53	8.77	1.08	9.85	20.98	0.13	Complies
		106/54	8.27	1.08	9.35	20.98	0.13	Complies
		106/56	8.24	1.08	9.32	20.98	0.13	Complies
		242/61	11.99	1.08	13.07	20.98	0.13	Complies
		242/62	11.24	1.08	12.32	20.98	0.13	Complies
		484/65	13.83	1.08	14.91	20.98	0.13	Complies
110	5550	52/37	5.21	1.08	6.29	20.98	0.13	Complies
		52/40	5.35	1.08	6.43	20.98	0.13	Complies
		52/44	5.57	1.08	6.65	20.98	0.13	Complies
		106/53	7.20	1.08	8.28	20.98	0.13	Complies
		106/54	7.79	1.08	8.87	20.98	0.13	Complies
		106/56	7.85	1.08	8.93	20.98	0.13	Complies
		242/61	11.98	1.08	13.06	20.98	0.13	Complies
		242/62	11.22	1.08	12.30	20.98	0.13	Complies
		484/65	13.96	1.08	15.04	20.98	0.13	Complies
134	5670	52/37	5.40	1.08	6.48	20.98	0.13	Complies
		52/40	5.76	1.08	6.84	20.98	0.13	Complies
		52/44	5.27	1.08	6.35	20.98	0.13	Complies
		106/53	8.34	1.08	9.42	20.98	0.13	Complies
		106/54	8.58	1.08	9.66	20.98	0.13	Complies
		106/56	7.76	1.08	8.84	20.98	0.13	Complies
		242/61	11.66	1.08	12.74	20.98	0.13	Complies
		242/62	10.55	1.08	11.63	20.98	0.13	Complies
		484/65	13.20	1.08	14.28	20.98	0.13	Complies

Test Mode	UNII-2C_TX AX (HE40) Mode_Ant. 4

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	52/37	4.73	1.08	5.81	20.98	0.13	Complies
		52/40	5.00	1.08	6.08	20.98	0.13	Complies
		52/44	5.11	1.08	6.19	20.98	0.13	Complies
		106/53	8.30	1.08	9.38	20.98	0.13	Complies
		106/54	7.68	1.08	8.76	20.98	0.13	Complies
		106/56	7.59	1.08	8.67	20.98	0.13	Complies
		242/61	11.71	1.08	12.79	20.98	0.13	Complies
		242/62	10.57	1.08	11.65	20.98	0.13	Complies
		484/65	13.92	1.08	15.00	20.98	0.13	Complies
110	5550	52/37	4.65	1.08	5.73	20.98	0.13	Complies
		52/40	4.72	1.08	5.80	20.98	0.13	Complies
		52/44	4.92	1.08	6.00	20.98	0.13	Complies
		106/53	7.80	1.08	8.88	20.98	0.13	Complies
		106/54	7.03	1.08	8.11	20.98	0.13	Complies
		106/56	7.46	1.08	8.54	20.98	0.13	Complies
		242/61	11.47	1.08	12.55	20.98	0.13	Complies
		242/62	10.47	1.08	11.55	20.98	0.13	Complies
		484/65	13.43	1.08	14.51	20.98	0.13	Complies
134	5670	52/37	4.81	1.08	5.89	20.98	0.13	Complies
		52/40	4.92	1.08	6.00	20.98	0.13	Complies
		52/44	5.10	1.08	6.18	20.98	0.13	Complies
		106/53	7.25	1.08	8.33	20.98	0.13	Complies
		106/54	7.77	1.08	8.85	20.98	0.13	Complies
		106/56	7.51	1.08	8.59	20.98	0.13	Complies
		242/61	10.93	1.08	12.01	20.98	0.13	Complies
		242/62	10.06	1.08	11.14	20.98	0.13	Complies
		484/65	12.46	1.08	13.54	20.98	0.13	Complies

Test Mode	UNII-2C_TX AX (HE40) Mode_Total

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	52/37	11.95	20.98	0.13	Complies
		52/40	12.11	20.98	0.13	Complies
		52/44	12.14	20.98	0.13	Complies
		106/53	15.26	20.98	0.13	Complies
		106/54	14.80	20.98	0.13	Complies
		106/56	14.80	20.98	0.13	Complies
		242/61	18.53	20.98	0.13	Complies
		242/62	17.74	20.98	0.13	Complies
		484/65	20.57	20.98	0.13	Complies
110	5550	52/37	11.87	20.98	0.13	Complies
		52/40	11.94	20.98	0.13	Complies
		52/44	12.19	20.98	0.13	Complies
		106/53	14.82	20.98	0.13	Complies
		106/54	14.36	20.98	0.13	Complies
		106/56	14.64	20.98	0.13	Complies
		242/61	18.62	20.98	0.13	Complies
		242/62	17.74	20.98	0.13	Complies
		484/65	20.40	20.98	0.13	Complies
134	5670	52/37	12.17	20.98	0.13	Complies
		52/40	12.35	20.98	0.13	Complies
		52/44	11.95	20.98	0.13	Complies
		106/53	14.77	20.98	0.13	Complies
		106/54	14.99	20.98	0.13	Complies
		106/56	14.44	20.98	0.13	Complies
		242/61	18.17	20.98	0.13	Complies
		242/62	17.01	20.98	0.13	Complies
		484/65	19.60	20.98	0.13	Complies

Test Mode	UNII-2C_TX AX (HE80) Mode_Ant. 1

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	106/53	7.91	1.21	9.12	20.98	0.13	Complies
		106/56	8.08	1.21	9.29	20.98	0.13	Complies
		106/60	8.34	1.21	9.55	20.98	0.13	Complies
		242/61	11.35	1.21	12.56	20.98	0.13	Complies
		242/63	11.21	1.21	12.42	20.98	0.13	Complies
		242/64	11.25	1.21	12.46	20.98	0.13	Complies
		484/65	13.29	1.21	14.50	20.98	0.13	Complies
		484/66	13.12	1.21	14.33	20.98	0.13	Complies
		996/67	13.03	1.21	14.24	20.98	0.13	Complies
122	5610	106/53	8.54	1.21	9.75	20.98	0.13	Complies
		106/56	8.16	1.21	9.37	20.98	0.13	Complies
		106/60	8.05	1.21	9.26	20.98	0.13	Complies
		242/61	11.59	1.21	12.80	20.98	0.13	Complies
		242/63	11.15	1.21	12.36	20.98	0.13	Complies
		242/64	10.92	1.21	12.13	20.98	0.13	Complies
		484/65	13.29	1.21	14.50	20.98	0.13	Complies
		484/66	13.18	1.21	14.39	20.98	0.13	Complies
		996/67	13.44	1.21	14.65	20.98	0.13	Complies

Test Mode	UNII-2C_TX AX (HE80) Mode_Ant. 2

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	106/53	7.36	1.21	8.57	20.98	0.13	Complies
		106/56	7.34	1.21	8.55	20.98	0.13	Complies
		106/60	7.64	1.21	8.85	20.98	0.13	Complies
		242/61	11.03	1.21	12.24	20.98	0.13	Complies
		242/63	10.70	1.21	11.91	20.98	0.13	Complies
		242/64	11.11	1.21	12.32	20.98	0.13	Complies
		484/65	12.81	1.21	14.02	20.98	0.13	Complies
		484/66	12.70	1.21	13.91	20.98	0.13	Complies
		996/67	12.73	1.21	13.94	20.98	0.13	Complies
122	5610	106/53	7.79	1.21	9.00	20.98	0.13	Complies
		106/56	7.55	1.21	8.76	20.98	0.13	Complies
		106/60	7.09	1.21	8.30	20.98	0.13	Complies
		242/61	10.98	1.21	12.19	20.98	0.13	Complies
		242/63	10.57	1.21	11.78	20.98	0.13	Complies
		242/64	10.74	1.21	11.95	20.98	0.13	Complies
		484/65	12.66	1.21	13.87	20.98	0.13	Complies
		484/66	12.56	1.21	13.77	20.98	0.13	Complies
		996/67	12.66	1.21	13.87	20.98	0.13	Complies

Test Mode	UNII-2C_TX AX (HE80) Mode_Ant. 3

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	106/53	8.61	1.21	9.82	20.98	0.13	Complies
		106/56	8.41	1.21	9.62	20.98	0.13	Complies
		106/60	8.92	1.21	10.13	20.98	0.13	Complies
		242/61	12.33	1.21	13.54	20.98	0.13	Complies
		242/63	11.62	1.21	12.83	20.98	0.13	Complies
		242/64	12.25	1.21	13.46	20.98	0.13	Complies
		484/65	14.15	1.21	15.36	20.98	0.13	Complies
		484/66	14.05	1.21	15.26	20.98	0.13	Complies
		996/67	14.06	1.21	15.27	20.98	0.13	Complies
122	5610	106/53	8.95	1.21	10.16	20.98	0.13	Complies
		106/56	8.98	1.21	10.19	20.98	0.13	Complies
		106/60	9.06	1.21	10.27	20.98	0.13	Complies
		242/61	12.10	1.21	13.31	20.98	0.13	Complies
		242/63	11.66	1.21	12.87	20.98	0.13	Complies
		242/64	12.03	1.21	13.24	20.98	0.13	Complies
		484/65	14.17	1.21	15.38	20.98	0.13	Complies
		484/66	14.32	1.21	15.53	20.98	0.13	Complies
		996/67	14.10	1.21	15.31	20.98	0.13	Complies

Test Mode	UNII-2C_TX AX (HE80) Mode_Ant. 4

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	106/53	8.41	1.21	9.62	20.98	0.13	Complies
		106/56	8.00	1.21	9.21	20.98	0.13	Complies
		106/60	8.09	1.21	9.30	20.98	0.13	Complies
		242/61	11.94	1.21	13.15	20.98	0.13	Complies
		242/63	11.55	1.21	12.76	20.98	0.13	Complies
		242/64	11.68	1.21	12.89	20.98	0.13	Complies
		484/65	13.66	1.21	14.87	20.98	0.13	Complies
		484/66	13.25	1.21	14.46	20.98	0.13	Complies
		996/67	13.44	1.21	14.65	20.98	0.13	Complies
122	5610	106/53	8.48	1.21	9.69	20.98	0.13	Complies
		106/56	7.93	1.21	9.14	20.98	0.13	Complies
		106/60	8.38	1.21	9.59	20.98	0.13	Complies
		242/61	11.56	1.21	12.77	20.98	0.13	Complies
		242/63	11.29	1.21	12.50	20.98	0.13	Complies
		242/64	11.49	1.21	12.70	20.98	0.13	Complies
		484/65	13.16	1.21	14.37	20.98	0.13	Complies
		484/66	13.24	1.21	14.45	20.98	0.13	Complies
		996/67	13.22	1.21	14.43	20.98	0.13	Complies

Test Mode	UNII-2C_TX AX (HE80) Mode_Total

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	106/53	15.33	20.98	0.13	Complies
		106/56	15.20	20.98	0.13	Complies
		106/60	15.50	20.98	0.13	Complies
		242/61	18.92	20.98	0.13	Complies
		242/63	18.51	20.98	0.13	Complies
		242/64	18.82	20.98	0.13	Complies
		484/65	20.73	20.98	0.13	Complies
		484/66	20.54	20.98	0.13	Complies
		996/67	20.57	20.98	0.13	Complies
122	5610	106/53	15.69	20.98	0.13	Complies
		106/56	15.41	20.98	0.13	Complies
		106/60	15.43	20.98	0.13	Complies
		242/61	18.80	20.98	0.13	Complies
		242/63	18.41	20.98	0.13	Complies
		242/64	18.55	20.98	0.13	Complies
		484/65	20.58	20.98	0.13	Complies
		484/66	20.60	20.98	0.13	Complies
		996/67	20.61	20.98	0.13	Complies

Test Mode	UNII-3_TX AX (HE20) Mode_Ant. 1

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	52/37	19.29	0.84	20.13	26.98	0.50	Complies
		52/38	19.27	0.84	20.11	26.98	0.50	Complies
		52/40	19.20	0.84	20.04	26.98	0.50	Complies
		106/53	19.67	0.84	20.51	26.98	0.50	Complies
		106/54	19.57	0.84	20.41	26.98	0.50	Complies
		242/61	19.18	0.84	20.02	26.98	0.50	Complies
157	5785	52/37	19.38	0.84	20.22	26.98	0.50	Complies
		52/38	19.59	0.84	20.43	26.98	0.50	Complies
		52/40	19.02	0.84	19.86	26.98	0.50	Complies
		106/53	19.78	0.84	20.62	26.98	0.50	Complies
		106/54	19.53	0.84	20.37	26.98	0.50	Complies
		242/61	19.44	0.84	20.28	26.98	0.50	Complies
165	5825	52/37	19.63	0.84	20.47	26.98	0.50	Complies
		52/38	19.76	0.84	20.60	26.98	0.50	Complies
		52/40	19.40	0.84	20.24	26.98	0.50	Complies
		106/53	19.74	0.84	20.58	26.98	0.50	Complies
		106/54	19.39	0.84	20.23	26.98	0.50	Complies
		242/61	19.35	0.84	20.19	26.98	0.50	Complies

Test Mode	UNII-3_TX AX (HE20) Mode_Ant. 2

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	52/37	18.41	0.84	19.25	26.98	0.50	Complies
		52/38	18.45	0.84	19.29	26.98	0.50	Complies
		52/40	18.06	0.84	18.90	26.98	0.50	Complies
		106/53	18.50	0.84	19.34	26.98	0.50	Complies
		106/54	18.48	0.84	19.32	26.98	0.50	Complies
		242/61	18.05	0.84	18.89	26.98	0.50	Complies
157	5785	52/37	18.91	0.84	19.75	26.98	0.50	Complies
		52/38	18.78	0.84	19.62	26.98	0.50	Complies
		52/40	17.96	0.84	18.80	26.98	0.50	Complies
		106/53	18.74	0.84	19.58	26.98	0.50	Complies
		106/54	18.45	0.84	19.29	26.98	0.50	Complies
		242/61	18.24	0.84	19.08	26.98	0.50	Complies
165	5825	52/37	18.62	0.84	19.46	26.98	0.50	Complies
		52/38	18.83	0.84	19.67	26.98	0.50	Complies
		52/40	18.46	0.84	19.30	26.98	0.50	Complies
		106/53	18.58	0.84	19.42	26.98	0.50	Complies
		106/54	18.36	0.84	19.20	26.98	0.50	Complies
		242/61	18.35	0.84	19.19	26.98	0.50	Complies

Test Mode	UNII-3_TX AX (HE20) Mode_Ant. 3

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	52/37	19.90	0.84	20.74	26.98	0.50	Complies
		52/38	20.14	0.84	20.98	26.98	0.50	Complies
		52/40	19.55	0.84	20.39	26.98	0.50	Complies
		106/53	20.28	0.84	21.12	26.98	0.50	Complies
		106/54	20.07	0.84	20.91	26.98	0.50	Complies
		242/61	19.74	0.84	20.58	26.98	0.50	Complies
157	5785	52/37	20.24	0.84	21.08	26.98	0.50	Complies
		52/38	20.43	0.84	21.27	26.98	0.50	Complies
		52/40	19.66	0.84	20.50	26.98	0.50	Complies
		106/53	20.36	0.84	21.20	26.98	0.50	Complies
		106/54	20.25	0.84	21.09	26.98	0.50	Complies
		242/61	19.95	0.84	20.79	26.98	0.50	Complies
165	5825	52/37	20.36	0.84	21.20	26.98	0.50	Complies
		52/38	20.18	0.84	21.02	26.98	0.50	Complies
		52/40	20.00	0.84	20.84	26.98	0.50	Complies
		106/53	20.34	0.84	21.18	26.98	0.50	Complies
		106/54	19.99	0.84	20.83	26.98	0.50	Complies
		242/61	20.16	0.84	21.00	26.98	0.50	Complies

Test Mode	UNII-3_TX AX (HE20) Mode_Ant. 4

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	52/37	19.25	0.84	20.09	26.98	0.50	Complies
		52/38	19.65	0.84	20.49	26.98	0.50	Complies
		52/40	19.49	0.84	20.33	26.98	0.50	Complies
		106/53	19.99	0.84	20.83	26.98	0.50	Complies
		106/54	19.86	0.84	20.70	26.98	0.50	Complies
		242/61	19.37	0.84	20.21	26.98	0.50	Complies
157	5785	52/37	19.70	0.84	20.54	26.98	0.50	Complies
		52/38	17.93	0.84	18.77	26.98	0.50	Complies
		52/40	19.57	0.84	20.41	26.98	0.50	Complies
		106/53	19.88	0.84	20.72	26.98	0.50	Complies
		106/54	19.95	0.84	20.79	26.98	0.50	Complies
		242/61	19.73	0.84	20.57	26.98	0.50	Complies
165	5825	52/37	19.85	0.84	20.69	26.98	0.50	Complies
		52/38	19.93	0.84	20.77	26.98	0.50	Complies
		52/40	19.82	0.84	20.66	26.98	0.50	Complies
		106/53	19.66	0.84	20.50	26.98	0.50	Complies
		106/54	19.80	0.84	20.64	26.98	0.50	Complies
		242/61	19.83	0.84	20.67	26.98	0.50	Complies

Test Mode	UNII-3_TX AX (HE20) Mode_Total

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	52/37	26.10	26.98	0.50	Complies
		52/38	26.28	26.98	0.50	Complies
		52/40	25.98	26.98	0.50	Complies
		106/53	26.52	26.98	0.50	Complies
		106/54	26.40	26.98	0.50	Complies
		242/61	25.99	26.98	0.50	Complies
157	5785	52/37	26.44	26.98	0.50	Complies
		52/38	26.14	26.98	0.50	Complies
		52/40	25.96	26.98	0.50	Complies
		106/53	26.59	26.98	0.50	Complies
		106/54	26.46	26.98	0.50	Complies
		242/61	26.25	26.98	0.50	Complies
165	5825	52/37	26.52	26.98	0.50	Complies
		52/38	26.56	26.98	0.50	Complies
		52/40	26.32	26.98	0.50	Complies
		106/53	26.49	26.98	0.50	Complies
		106/54	26.29	26.98	0.50	Complies
		242/61	26.33	26.98	0.50	Complies

Test Mode	UNII-3_TX AX (HE40) Mode_Ant. 1

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	52/37	19.22	1.08	20.30	26.98	0.50	Complies
		52/40	19.17	1.08	20.25	26.98	0.50	Complies
		52/44	18.46	1.08	19.54	26.98	0.50	Complies
		106/53	19.10	1.08	20.18	26.98	0.50	Complies
		106/54	19.38	1.08	20.46	26.98	0.50	Complies
		106/56	19.06	1.08	20.14	26.98	0.50	Complies
		242/61	19.51	1.08	20.59	26.98	0.50	Complies
		242/62	19.27	1.08	20.35	26.98	0.50	Complies
		484/65	19.08	1.08	20.16	26.98	0.50	Complies
159	5795	52/37	19.36	1.08	20.44	26.98	0.50	Complies
		52/40	19.24	1.08	20.32	26.98	0.50	Complies
		52/44	18.72	1.08	19.80	26.98	0.50	Complies
		106/53	19.40	1.08	20.48	26.98	0.50	Complies
		106/54	19.65	1.08	20.73	26.98	0.50	Complies
		106/56	18.84	1.08	19.92	26.98	0.50	Complies
		242/61	19.63	1.08	20.71	26.98	0.50	Complies
		242/62	19.12	1.08	20.20	26.98	0.50	Complies
		484/65	19.14	1.08	20.22	26.98	0.50	Complies

Test Mode	UNII-3_TX AX (HE40) Mode_Ant. 2

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	52/37	18.23	1.08	19.31	26.98	0.50	Complies
		52/40	18.52	1.08	19.60	26.98	0.50	Complies
		52/44	17.80	1.08	18.88	26.98	0.50	Complies
		106/53	18.20	1.08	19.28	26.98	0.50	Complies
		106/54	18.48	1.08	19.56	26.98	0.50	Complies
		106/56	18.01	1.08	19.09	26.98	0.50	Complies
		242/61	18.46	1.08	19.54	26.98	0.50	Complies
		242/62	18.26	1.08	19.34	26.98	0.50	Complies
		484/65	17.90	1.08	18.98	26.98	0.50	Complies
159	5795	52/37	18.78	1.08	19.86	26.98	0.50	Complies
		52/40	18.83	1.08	19.91	26.98	0.50	Complies
		52/44	18.25	1.08	19.33	26.98	0.50	Complies
		106/53	18.48	1.08	19.56	26.98	0.50	Complies
		106/54	18.60	1.08	19.68	26.98	0.50	Complies
		106/56	18.00	1.08	19.08	26.98	0.50	Complies
		242/61	18.66	1.08	19.74	26.98	0.50	Complies
		242/62	18.14	1.08	19.22	26.98	0.50	Complies
		484/65	18.13	1.08	19.21	26.98	0.50	Complies

Test Mode	UNII-3_TX AX (HE40) Mode_Ant. 3

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	52/37	19.68	1.08	20.76	26.98	0.50	Complies
		52/40	20.08	1.08	21.16	26.98	0.50	Complies
		52/44	19.53	1.08	20.61	26.98	0.50	Complies
		106/53	19.92	1.08	21.00	26.98	0.50	Complies
		106/54	20.30	1.08	21.38	26.98	0.50	Complies
		106/56	19.76	1.08	20.84	26.98	0.50	Complies
		242/61	20.19	1.08	21.27	26.98	0.50	Complies
		242/62	19.71	1.08	20.79	26.98	0.50	Complies
		484/65	19.66	1.08	20.74	26.98	0.50	Complies
159	5795	52/37	19.94	1.08	21.02	26.98	0.50	Complies
		52/40	20.31	1.08	21.39	26.98	0.50	Complies
		52/44	19.50	1.08	20.58	26.98	0.50	Complies
		106/53	20.14	1.08	21.22	26.98	0.50	Complies
		106/54	20.34	1.08	21.42	26.98	0.50	Complies
		106/56	19.65	1.08	20.73	26.98	0.50	Complies
		242/61	20.31	1.08	21.39	26.98	0.50	Complies
		242/62	19.78	1.08	20.86	26.98	0.50	Complies
		484/65	19.78	1.08	20.86	26.98	0.50	Complies

Test Mode	UNII-3_TX AX (HE40) Mode_Ant. 4

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	52/37	19.15	1.08	20.23	26.98	0.50	Complies
		52/40	19.50	1.08	20.58	26.98	0.50	Complies
		52/44	19.17	1.08	20.25	26.98	0.50	Complies
		106/53	18.98	1.08	20.06	26.98	0.50	Complies
		106/54	19.76	1.08	20.84	26.98	0.50	Complies
		106/56	19.53	1.08	20.61	26.98	0.50	Complies
		242/61	19.64	1.08	20.72	26.98	0.50	Complies
		242/62	19.50	1.08	20.58	26.98	0.50	Complies
		484/65	19.13	1.08	20.21	26.98	0.50	Complies
159	5795	52/37	19.38	1.08	20.46	26.98	0.50	Complies
		52/40	19.71	1.08	20.79	26.98	0.50	Complies
		52/44	19.54	1.08	20.62	26.98	0.50	Complies
		106/53	19.33	1.08	20.41	26.98	0.50	Complies
		106/54	19.70	1.08	20.78	26.98	0.50	Complies
		106/56	19.63	1.08	20.71	26.98	0.50	Complies
		242/61	19.47	1.08	20.55	26.98	0.50	Complies
		242/62	19.67	1.08	20.75	26.98	0.50	Complies
		484/65	19.33	1.08	20.41	26.98	0.50	Complies

Test Mode	UNII-3_TX AX (HE40) Mode_Total

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	52/37	26.20	26.98	0.50	Complies
		52/40	26.45	26.98	0.50	Complies
		52/44	25.89	26.98	0.50	Complies
		106/53	26.19	26.98	0.50	Complies
		106/54	26.63	26.98	0.50	Complies
		106/56	26.24	26.98	0.50	Complies
		242/61	26.59	26.98	0.50	Complies
		242/62	26.32	26.98	0.50	Complies
		484/65	26.09	26.98	0.50	Complies
159	5795	52/37	26.48	26.98	0.50	Complies
		52/40	26.66	26.98	0.50	Complies
		52/44	26.14	26.98	0.50	Complies
		106/53	26.48	26.98	0.50	Complies
		106/54	26.72	26.98	0.50	Complies
		106/56	26.18	26.98	0.50	Complies
		242/61	26.66	26.98	0.50	Complies
		242/62	26.32	26.98	0.50	Complies
		484/65	26.24	26.98	0.50	Complies

Test Mode	UNII-3_TX AX (HE80) Mode_Ant. 1

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	106/53	16.67	1.21	17.88	26.98	0.50	Complies
		106/56	17.67	1.21	18.88	26.98	0.50	Complies
		106/60	16.75	1.21	17.96	26.98	0.50	Complies
		242/61	17.29	1.21	18.50	26.98	0.50	Complies
		242/63	17.17	1.21	18.38	26.98	0.50	Complies
		242/64	16.89	1.21	18.10	26.98	0.50	Complies
		484/65	16.76	1.21	17.97	26.98	0.50	Complies
		484/66	16.71	1.21	17.92	26.98	0.50	Complies
		996/67	18.60	1.21	19.81	26.98	0.50	Complies

Test Mode	UNII-3_TX AX (HE80) Mode_Ant. 2

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	106/53	18.01	1.21	19.22	26.98	0.50	Complies
		106/56	18.43	1.21	19.64	26.98	0.50	Complies
		106/60	15.81	1.21	17.02	26.98	0.50	Complies
		242/61	18.38	1.21	19.59	26.98	0.50	Complies
		242/63	16.36	1.21	17.57	26.98	0.50	Complies
		242/64	17.30	1.21	18.51	26.98	0.50	Complies
		484/65	17.92	1.21	19.13	26.98	0.50	Complies
		484/66	17.47	1.21	18.68	26.98	0.50	Complies
		996/67	18.75	1.21	19.96	26.98	0.50	Complies

Test Mode	UNII-3_TX AX (HE80) Mode_Ant. 3

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	106/53	17.45	1.21	18.66	26.98	0.50	Complies
		106/56	18.34	1.21	19.55	26.98	0.50	Complies
		106/60	18.81	1.21	20.02	26.98	0.50	Complies
		242/61	20.29	1.21	21.50	26.98	0.50	Complies
		242/63	18.15	1.21	19.36	26.98	0.50	Complies
		242/64	17.72	1.21	18.93	26.98	0.50	Complies
		484/65	19.58	1.21	20.79	26.98	0.50	Complies
		484/66	19.15	1.21	20.36	26.98	0.50	Complies
		996/67	21.06	1.21	22.27	26.98	0.50	Complies

Test Mode	UNII-3_TX AX (HE80) Mode_Ant. 4

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	106/53	18.64	1.21	19.85	26.98	0.50	Complies
		106/56	18.02	1.21	19.23	26.98	0.50	Complies
		106/60	17.92	1.21	19.13	26.98	0.50	Complies
		242/61	17.21	1.21	18.42	26.98	0.50	Complies
		242/63	17.45	1.21	18.66	26.98	0.50	Complies
		242/64	17.87	1.21	19.08	26.98	0.50	Complies
		484/65	17.13	1.21	18.34	26.98	0.50	Complies
		484/66	17.45	1.21	18.66	26.98	0.50	Complies
		996/67	18.93	1.21	20.14	26.98	0.50	Complies

Test Mode	UNII-3_TX AX (HE80) Mode_Total

Channel	Frequency (MHz)	RU configuration	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	106/53	24.98	26.98	0.50	Complies
		106/56	25.35	26.98	0.50	Complies
		106/60	24.70	26.98	0.50	Complies
		242/61	25.71	26.98	0.50	Complies
		242/63	24.56	26.98	0.50	Complies
		242/64	24.69	26.98	0.50	Complies
		484/65	25.22	26.98	0.50	Complies
		484/66	25.02	26.98	0.50	Complies
		996/67	26.69	26.98	0.50	Complies

APPENDIX F - POWER SPECTRAL DENSITY

Non-Beamforming

Test Mode	UNII-1_TX AX (HE20) Mode_ Ant. 1	RU configuration	52/37

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.54	0.84	8.38	13.98	Complies
40	5200	7.29	0.84	8.13	13.98	Complies
48	5240	7.41	0.84	8.25	13.98	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX AX (HE20) Mode_ Ant. 2	RU configuration	52/37

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.39	0.84	8.23	13.98	Complies
40	5200	6.98	0.84	7.82	13.98	Complies
48	5240	7.22	0.84	8.06	13.98	Complies

CH36

CH40



CH48

Test Mode	UNII-1_TX AX (HE20) Mode_ Ant. 3	RU configuration	52/37

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.70	0.84	6.54	13.98	Complies
40	5200	5.43	0.84	6.27	13.98	Complies
48	5240	5.59	0.84	6.43	13.98	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX AX (HE20) Mode_ Ant. 4	RU configuration	52/37

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.39	0.84	8.23	13.98	Complies
40	5200	7.24	0.84	8.08	13.98	Complies
48	5240	7.41	0.84	8.25	13.98	Complies

CH36



CH40



CH48

Test Mode	UNII-1_TX AX (HE20) Mode_ Total	RU configuration	52/37

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.93	13.98	Complies
40	5200	13.66	13.98	Complies
48	5240	13.83	13.98	Complies

Test Mode	UNII-1_TX AX (HE20) Mode_ Ant. 1	RU configuration	106/54

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.56	0.84	8.40	13.98	Complies
40	5200	7.17	0.84	8.01	13.98	Complies
48	5240	7.58	0.84	8.42	13.98	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX AX (HE20) Mode_ Ant. 2	RU configuration	106/54

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.14	0.84	7.98	13.98	Complies
40	5200	6.82	0.84	7.66	13.98	Complies
48	5240	6.99	0.84	7.83	13.98	Complies

CH36



CH40



CH48

Test Mode	UNII-1_TX AX (HE20) Mode_ Ant. 3	RU configuration	106/54

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.67	0.84	6.51	13.98	Complies
40	5200	5.40	0.84	6.24	13.98	Complies
48	5240	5.49	0.84	6.33	13.98	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX AX (HE20) Mode_ Ant. 4	RU configuration	106/54

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.04	0.84	7.88	13.98	Complies
40	5200	6.70	0.84	7.54	13.98	Complies
48	5240	7.27	0.84	8.11	13.98	Complies

CH36

CH40

CH48



Test Mode	UNII-1_TX AX (HE20) Mode_ Total	RU configuration	106/54

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.77	13.98	Complies
40	5200	13.43	13.98	Complies
48	5240	13.76	13.98	Complies

Test Mode	UNII-1_TX AX (HE20) Mode_ Ant. 1	RU configuration	242/61

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.66	0.84	8.50	13.98	Complies
40	5200	7.41	0.84	8.25	13.98	Complies
48	5240	7.47	0.84	8.31	13.98	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX AX (HE20) Mode_ Ant. 2	RU configuration	242/61

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.07	0.84	7.91	13.98	Complies
40	5200	7.07	0.84	7.91	13.98	Complies
48	5240	7.19	0.84	8.03	13.98	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX AX (HE20) Mode_ Ant. 3	RU configuration	242/61

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.70	0.84	6.54	13.98	Complies
40	5200	5.43	0.84	6.27	13.98	Complies
48	5240	5.64	0.84	6.48	13.98	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX AX (HE20) Mode_ Ant. 4	RU configuration	242/61

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.34	0.84	8.18	13.98	Complies
40	5200	7.13	0.84	7.97	13.98	Complies
48	5240	7.35	0.84	8.19	13.98	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX AX (HE20) Mode_ Total	RU configuration	242/61

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.86	13.98	Complies
40	5200	13.69	13.98	Complies
48	5240	13.83	13.98	Complies

Test Mode	UNII-1_TX AX (HE40) Mode_ Ant. 1	RU configuration	52/44

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	7.19	1.08	8.27	13.98	Complies
46	5230	5.18	1.08	6.26	13.98	Complies

CH38



CH46



Test Mode	UNII-1_TX AX (HE40) Mode_ Ant. 2	RU configuration	52/44

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	7.00	1.08	8.08	13.98	Complies
46	5230	4.84	1.08	5.92	13.98	Complies

CH38



CH46



Test Mode	UNII-1_TX AX (HE40) Mode_ Ant. 3	RU configuration	52/44

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	5.36	1.08	6.44	13.98	Complies
46	5230	5.51	1.08	6.59	13.98	Complies

CH38



CH46



Test Mode	UNII-1_TX AX (HE40) Mode_ Ant. 4	RU configuration	52/44

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.97	1.08	8.05	13.98	Complies
46	5230	5.55	1.08	6.63	13.98	Complies

CH38



CH46



Test Mode	UNII-1_TX AX (HE40) Mode_ Total	RU configuration	52/44

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	13.79	13.98	Complies
46	5230	12.38	13.98	Complies

Test Mode	UNII-1_TX AX (HE40) Mode_ Ant. 1	RU configuration	106/53

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	7.70	1.08	8.78	13.98	Complies
46	5230	7.35	1.08	8.43	13.98	Complies

CH38



CH46



Test Mode	UNII-1_TX AX (HE40) Mode_ Ant. 2	RU configuration	106/53

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.93	1.08	8.01	13.98	Complies
46	5230	6.86	1.08	7.94	13.98	Complies

CH38



CH46



Test Mode	UNII-1_TX AX (HE40) Mode_ Ant. 3	RU configuration	106/53

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	5.34	1.08	6.42	13.98	Complies
46	5230	5.53	1.08	6.61	13.98	Complies

CH38



CH46



Test Mode	UNII-1_TX AX (HE40) Mode_ Ant. 4	RU configuration	106/53

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.74	1.08	7.82	13.98	Complies
46	5230	6.75	1.08	7.83	13.98	Complies

CH38



CH46



Test Mode	UNII-1_TX AX (HE40) Mode_ Total	RU configuration	106/53

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	13.86	13.98	Complies
46	5230	13.77	13.98	Complies

Test Mode	UNII-1_TX AX (HE40) Mode_ Ant. 1	RU configuration	242/61

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.59	1.08	7.67	13.98	Complies
46	5230	7.40	1.08	8.48	13.98	Complies

CH38



CH46



Test Mode	UNII-1_TX AX (HE40) Mode_ Ant. 2	RU configuration	242/61

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	5.88	1.08	6.96	13.98	Complies
46	5230	7.04	1.08	8.12	13.98	Complies

CH38



CH46



Test Mode	UNII-1_TX AX (HE40) Mode_ Ant. 3	RU configuration	242/61

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	4.49	1.08	5.57	13.98	Complies
46	5230	5.52	1.08	6.60	13.98	Complies

CH38



CH46



Test Mode	UNII-1_TX AX (HE40) Mode_ Ant. 4	RU configuration	242/61

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.38	1.08	7.46	13.98	Complies
46	5230	6.97	1.08	8.05	13.98	Complies

CH38



CH46



Test Mode	UNII-1_TX AX (HE40) Mode_ Total	RU configuration	242/61

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	13.01	13.98	Complies
46	5230	13.89	13.98	Complies

Test Mode	UNII-1_TX AX (HE40) Mode_ Ant. 1	RU configuration	484/65

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	0.15	1.08	1.23	13.98	Complies
46	5230	4.22	1.08	5.3	13.98	Complies

CH38



CH46



Test Mode	UNII-1_TX AX (HE40) Mode_ Ant. 2	RU configuration	484/65

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	0.01	1.08	1.09	13.98	Complies
46	5230	3.70	1.08	4.78	13.98	Complies

CH38



CH46



Test Mode	UNII-1_TX AX (HE40) Mode_ Ant. 3	RU configuration	484/65

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-1.98	1.08	-0.9	13.98	Complies
46	5230	1.61	1.08	2.69	13.98	Complies

CH38



CH46



Test Mode	UNII-1_TX AX (HE40) Mode_ Ant. 4	RU configuration	484/65

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-0.37	1.08	0.71	13.98	Complies
46	5230	3.35	1.08	4.43	13.98	Complies

CH38



CH46



Test Mode	UNII-1_TX AX (HE40) Mode_ Total	RU configuration	484/65

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.63	13.98	Complies
46	5230	10.42	13.98	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_ Ant. 1	RU configuration	106/56

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	7.20	1.21	8.41	13.98	Complies

CH42



Test Mode	UNII-1_TX AX (HE80) Mode_ Ant. 2	RU configuration	106/56

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	6.74	1.21	7.95	13.98	Complies

CH42



Test Mode	UNII-1_TX AX (HE80) Mode_ Ant. 3	RU configuration	106/56

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	4.81	1.21	6.02	13.98	Complies

CH42



Test Mode	UNII-1_TX AX (HE80) Mode_ Ant. 4	RU configuration	106/56

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	6.58	1.21	7.79	13.98	Complies

CH42



Test Mode	UNII-1_TX AX (HE80) Mode_ Total	RU configuration	106/56

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	13.65	13.98	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_ Ant. 1	RU configuration	242/63

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	1.38	1.21	2.59	13.98	Complies

CH42



Test Mode	UNII-1_TX AX (HE80) Mode_ Ant. 2	RU configuration	242/63

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	0.38	1.21	1.59	13.98	Complies

CH42



Test Mode	UNII-1_TX AX (HE80) Mode_ Ant. 3	RU configuration	242/63

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	1.70	1.21	2.91	13.98	Complies

CH42



Test Mode	UNII-1_TX AX (HE80) Mode_ Ant. 4	RU configuration	242/63

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	1.42	1.21	2.63	13.98	Complies

CH42



Test Mode	UNII-1_TX AX (HE80) Mode_ Total	RU configuration	242/63

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	8.48	13.98	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_ Ant. 1	RU configuration	484/66

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-2.86	1.21	-1.65	13.98	Complies

CH42



Test Mode	UNII-1_TX AX (HE80) Mode_ Ant. 2	RU configuration	484/66

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-3.53	1.21	-2.32	13.98	Complies

CH42



Test Mode	UNII-1_TX AX (HE80) Mode_ Ant. 3	RU configuration	484/66

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-1.64	1.21	-0.43	13.98	Complies

CH42



Test Mode	UNII-1_TX AX (HE80) Mode_ Ant. 4	RU configuration	484/66

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-2.52	1.21	-1.31	13.98	Complies

CH42



Test Mode	UNII-1_TX AX (HE80) Mode_ Total	RU configuration	484/66

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	4.64	13.98	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_ Ant. 1	RU configuration	996/67

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-1.62	1.21	-0.41	13.98	Complies

CH42



Test Mode	UNII-1_TX AX (HE80) Mode_ Ant. 2	RU configuration	996/67

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-2.08	1.21	-0.87	13.98	Complies

CH42



Test Mode	UNII-1_TX AX (HE80) Mode_ Ant. 3	RU configuration	996/67

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-3.73	1.21	-2.52	13.98	Complies

CH42



Test Mode	UNII-1_TX AX (HE80) Mode_ Ant. 4	RU configuration	996/67

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-1.92	1.21	-0.71	13.98	Complies

CH42



Test Mode	UNII-1_TX AX (HE80) Mode_ Total	RU configuration	996/67

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	4.96	13.98	Complies

Test Mode	UNII-2A_TX AX (HE20) Mode_ Ant. 1	RU configuration	52/37

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.19	0.84	2.03	7.98	Complies
60	5300	1.06	0.84	1.90	7.98	Complies
64	5320	1.08	0.84	1.92	7.98	Complies

CH52



CH60



CH64



Test Mode	UNII-2A_TX AX (HE20) Mode_ Ant. 2	RU configuration	52/37

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.46	0.84	2.30	7.98	Complies
60	5300	1.62	0.84	2.46	7.98	Complies
64	5320	1.69	0.84	2.53	7.98	Complies

CH52



CH60

CH64



Test Mode	UNII-2A_TX AX (HE20) Mode_ Ant. 3	RU configuration	52/37

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-0.17	0.84	0.67	7.98	Complies
60	5300	-0.24	0.84	0.60	7.98	Complies
64	5320	-0.27	0.84	0.57	7.98	Complies

CH52



CH60



CH64



Test Mode	UNII-2A_TX AX (HE20) Mode_ Ant. 4	RU configuration	52/37

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	0.87	0.84	1.71	7.98	Complies
60	5300	1.15	0.84	1.99	7.98	Complies
64	5320	1.19	0.84	2.03	7.98	Complies

CH52



CH60



CH64



Test Mode	UNII-2A_TX AX (HE20) Mode_ Total	RU configuration	52/37

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.74	7.98	Complies
60	5300	7.81	7.98	Complies
64	5320	7.84	7.98	Complies

Test Mode	UNII-2A_TX AX (HE20) Mode_ Ant. 1	RU configuration	106/53

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.31	0.84	2.15	7.98	Complies
60	5300	1.03	0.84	1.87	7.98	Complies
64	5320	0.90	0.84	1.74	7.98	Complies

CH52



CH60



CH64



Test Mode	UNII-2A_TX AX (HE20) Mode_ Ant. 2	RU configuration	106/53

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.60	0.84	2.44	7.98	Complies
60	5300	1.39	0.84	2.23	7.98	Complies
64	5320	1.39	0.84	2.23	7.98	Complies

CH52



CH60



CH64



Test Mode	UNII-2A_TX AX (HE20) Mode_ Ant. 3	RU configuration	106/53

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-0.04	0.84	0.80	7.98	Complies
60	5300	-0.25	0.84	0.59	7.98	Complies
64	5320	-0.36	0.84	0.48	7.98	Complies

CH52



CH60



CH64



Test Mode	UNII-2A_TX AX (HE20) Mode_ Ant. 4	RU configuration	106/53

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.07	0.84	1.91	7.98	Complies
60	5300	0.89	0.84	1.73	7.98	Complies
64	5320	0.90	0.84	1.74	7.98	Complies

CH52



CH60



CH64

Test Mode	UNII-2A_TX AX (HE20) Mode_ Total	RU configuration	106/53

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.89	7.98	Complies
60	5300	7.67	7.98	Complies
64	5320	7.61	7.98	Complies

Test Mode	UNII-2A_TX AX (HE20) Mode_ Ant. 1	RU configuration	242/61

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.40	0.84	2.24	7.98	Complies
60	5300	1.27	0.84	2.11	7.98	Complies
64	5320	1.04	0.84	1.88	7.98	Complies

CH52



CH60



CH64



Test Mode	UNII-2A_TX AX (HE20) Mode_ Ant. 2	RU configuration	242/61

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.29	0.84	2.13	7.98	Complies
60	5300	1.23	0.84	2.07	7.98	Complies
64	5320	1.44	0.84	2.28	7.98	Complies

CH52



CH60



CH64



Test Mode	UNII-2A_TX AX (HE20) Mode_ Ant. 3	RU configuration	242/61

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-0.17	0.84	0.67	7.98	Complies
60	5300	-0.04	0.84	0.80	7.98	Complies
64	5320	-0.29	0.84	0.55	7.98	Complies

CH52



CH60



CH64



Test Mode	UNII-2A_TX AX (HE20) Mode_ Ant. 4	RU configuration	242/61

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	0.91	0.84	1.75	7.98	Complies
60	5300	0.96	0.84	1.80	7.98	Complies
64	5320	0.99	0.84	1.83	7.98	Complies

CH52



CH60



CH64



Test Mode	UNII-2A_TX AX (HE20) Mode_ Total	RU configuration	242/61

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.76	7.98	Complies
60	5300	7.75	7.98	Complies
64	5320	7.70	7.98	Complies

Test Mode	UNII-2A_TX AX (HE40) Mode_ Ant. 1	RU configuration	52/37

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	1.40	1.08	2.48	7.98	Complies
62	5310	1.07	1.08	2.15	7.98	Complies

CH54



CH62

Test Mode	UNII-2A_TX AX (HE40) Mode_ Ant. 2	RU configuration	52/37

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	1.11	1.08	2.19	7.98	Complies
62	5310	0.83	1.08	1.91	7.98	Complies

CH54



CH62

Test Mode	UNII-2A_TX AX (HE40) Mode_ Ant. 3	RU configuration	52/37

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-0.14	1.08	0.94	7.98	Complies
62	5310	-0.39	1.08	0.69	7.98	Complies

CH54



CH62



Test Mode	UNII-2A_TX AX (HE40) Mode_ Ant. 4	RU configuration	52/37

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	0.75	1.08	1.83	7.98	Complies
62	5310	0.60	1.08	1.68	7.98	Complies

CH54



CH62



Test Mode	UNII-2A_TX AX (HE40) Mode_ Total	RU configuration	52/37

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	7.92	7.98	Complies
62	5310	7.66	7.98	Complies

Test Mode	UNII-2A_TX AX (HE40) Mode_ Ant. 1	RU configuration	106/53

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	1.89	1.08	2.97	7.98	Complies
62	5310	1.74	1.08	2.82	7.98	Complies

CH54



CH62



Test Mode	UNII-2A_TX AX (HE40) Mode_ Ant. 2	RU configuration	106/53

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	0.89	1.08	1.97	7.98	Complies
62	5310	1.18	1.08	2.26	7.98	Complies

CH54



CH62



Test Mode	UNII-2A_TX AX (HE40) Mode_ Ant. 3	RU configuration	106/53

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-0.38	1.08	0.70	7.98	Complies
62	5310	-0.30	1.08	0.78	7.98	Complies

CH54



CH62



Test Mode	UNII-2A_TX AX (HE40) Mode_ Ant. 4	RU configuration	106/53

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	0.67	1.08	1.75	7.98	Complies
62	5310	0.46	1.08	1.54	7.98	Complies

CH54



CH62



Test Mode	UNII-2A_TX AX (HE40) Mode_ Total	RU configuration	106/53

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	7.94	7.98	Complies
62	5310	7.94	7.98	Complies