





Test Mode	UNII-2A_TX AX (HE40) Mode_ Ant. 1	RU configuration	242/61
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	1.22	1.08	2.30	7.98	Complies
62	5310	1.41	1.08	2.49	7.98	Complies




Test Mode	UNII-2A_TX AX (HE40) Mode_ Ant. 2	RU configuration	242/61
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	1.27	1.08	2.35	7.98	Complies
62	5310	0.88	1.08	1.96	7.98	Complies




Test Mode	UNII-2A_TX AX (HE40) Mode_ Ant. 3	RU configuration	242/61
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-0.39	1.08	0.69	7.98	Complies
62	5310	-0.69	1.08	0.39	7.98	Complies



Test Mode	UNII-2A_TX AX (HE40) Mode_ Ant. 4	RU configuration	242/61
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	0.78	1.08	1.86	7.98	Complies
62	5310	0.56	1.08	1.64	7.98	Complies





Test Mode	UNII-2A_TX AX (HE40) Mode_ Total	RU configuration	242/61
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	7.87	7.98	Complies
62	5310	7.71	7.98	Complies



Test Mode	UNII-2A_TX AX (HE40) Mode_ Ant. 1	RU configuration	484/65
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	1.38	1.08	2.46	7.98	Complies
62	5310	-2.27	1.08	-1.19	7.98	Complies




Test Mode	UNII-2A_TX AX (HE40) Mode_ Ant. 2	RU configuration	484/65
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	1.22	1.08	2.30	7.98	Complies
62	5310	-2.71	1.08	-1.63	7.98	Complies




Test Mode	UNII-2A_TX AX (HE40) Mode_ Ant. 3	RU configuration	484/65
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-0.84	1.08	0.24	7.98	Complies
62	5310	-4.35	1.08	-3.27	7.98	Complies



Test Mode	UNII-2A_TX AX (HE40) Mode_ Ant. 4	RU configuration	484/65
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	1.08	1.08	2.16	7.98	Complies
62	5310	-2.67	1.08	-1.59	7.98	Complies




Test Mode	UNII-2A_TX AX (HE40) Mode_ Total	RU configuration	484/65
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	7.90	7.98	Complies
62	5310	4.17	7.98	Complies


Test Mode	UNII-2A_TX AX (HE80) Mode_ Ant. 1	RU configuration	106/53
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	1.64	1.21	2.85	7.98	Complies




Test Mode	UNII-2A_TX AX (HE80) Mode_ Ant. 2	RU configuration	106/53
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	0.42	1.21	1.63	13.98	Complies




Test Mode	UNII-2A_TX AX (HE80) Mode_ Ant. 3	RU configuration	106/53
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-0.34	1.21	0.87	7.98	Complies



Test Mode	UNII-2A_TX AX (HE80) Mode_ Ant. 4	RU configuration	106/53
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	0.04	1.21	1.25	7.98	Complies




Test Mode	UNII-2A_TX AX (HE80) Mode_ Total	RU configuration	106/53
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	7.73	7.98	Complies


Test Mode	UNII-2A_TX AX (HE80) Mode_ Ant. 1	RU configuration	242/61
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	1.12	1.21	2.33	7.98	Complies




Test Mode	UNII-2A_TX AX (HE80) Mode_ Ant. 2	RU configuration	242/61
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	0.88	1.21	2.09	7.98	Complies




Test Mode	UNII-2A_TX AX (HE80) Mode_ Ant. 3	RU configuration	242/61
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-0.64	1.21	0.57	7.98	Complies



Test Mode	UNII-2A_TX AX (HE80) Mode_ Ant. 4	RU configuration	242/61
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	0.78	1.21	1.99	7.98	Complies




Test Mode	UNII-2A_TX AX (HE80) Mode_ Total	RU configuration	242/61
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	7.81	7.98	Complies




Test Mode	UNII-2A_TX AX (HE80) Mode_ Ant. 1	RU configuration	484/66
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	0.24	1.21	1.45	7.98	Complies




Test Mode	UNII-2A_TX AX (HE80) Mode_ Ant. 2	RU configuration	484/66
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-0.44	1.21	0.77	7.98	Complies




Test Mode	UNII-2A_TX AX (HE80) Mode_ Ant. 3	RU configuration	484/66
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-2.14	1.21	-0.93	7.98	Complies



Test Mode	UNII-2A_TX AX (HE80) Mode_ Ant. 4	RU configuration	484/66
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-0.57	1.21	0.64	7.98	Complies




Test Mode	UNII-2A_TX AX (HE80) Mode_ Total	RU configuration	484/66
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	6.58	7.98	Complies


Test Mode	UNII-2A_TX AX (HE80) Mode_ Ant. 1	RU configuration	996/67
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-2.54	1.21	-1.33	7.98	Complies




Test Mode	UNII-2A_TX AX (HE80) Mode_ Ant. 2	RU configuration	996/67
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-3.12	1.21	-1.91	7.98	Complies




Test Mode	UNII-2A_TX AX (HE80) Mode_ Ant. 3	RU configuration	996/67
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-5.03	1.21	-3.82	7.98	Complies



Test Mode	UNII-2A_TX AX (HE80) Mode_ Ant. 4	RU configuration	996/67
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-3.23	1.21	-2.02	7.98	Complies




Test Mode	UNII-2A_TX AX (HE80) Mode_ Total	RU configuration	996/67
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	3.84	7.98	Complies


Test Mode	UNII-2A_TX AX (HE160) Mode_ Ant. 1	RU configuration	242/64
-----------	------------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-3.48	1.02	-2.46	7.98	Complies




Test Mode	UNII-2A_TX AX (HE160) Mode_ Ant. 2	RU configuration	242/64
-----------	------------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-2.93	1.02	-1.91	7.98	Complies




Test Mode	UNII-2A_TX AX (HE160) Mode_ Ant. 3	RU configuration	242/64
-----------	------------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-3.87	1.02	-2.85	7.98	Complies



Test Mode	UNII-2A_TX AX (HE160) Mode_ Ant. 4	RU configuration	242/64
-----------	------------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-2.86	1.02	-1.84	7.98	Complies




Test Mode	UNII-2A_TX AX (HE160) Mode_ Total	RU configuration	242/64
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	12.80	7.98	Complies


Test Mode	UNII-2A_TX AX (HE160) Mode_ Ant. 1	RU configuration	484/66
-----------	------------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-5.45	1.02	-4.43	7.98	Complies




Test Mode	UNII-2A_TX AX (HE160) Mode_ Ant. 2	RU configuration	484/66
-----------	------------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-5.75	1.02	-4.73	7.98	Complies




Test Mode	UNII-2A_TX AX (HE160) Mode_ Ant. 3	RU configuration	484/66
-----------	------------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-6.76	1.02	-5.74	7.98	Complies



Test Mode	UNII-2A_TX AX (HE160) Mode_ Ant. 4	RU configuration	484/66
-----------	------------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-5.49	1.02		7.98	Complies




Test Mode	UNII-2A_TX AX (HE160) Mode_ Total	RU configuration	484/66
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	10.23	7.98	Complies




Test Mode	UNII-2A_TX AX (HE160) Mode_ Ant. 1	RU configuration	996/S67
-----------	------------------------------------	------------------	---------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-8.24	1.02	-7.22	7.98	Complies




Test Mode	UNII-2A_TX AX (HE160) Mode_ Ant. 2	RU configuration	996/S67
-----------	------------------------------------	------------------	---------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-10.80	1.02	-9.78	7.98	Complies




Test Mode	UNII-2A_TX AX (HE160) Mode_ Ant. 3	RU configuration	996/S67
-----------	------------------------------------	------------------	---------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-9.75	1.02	-8.73	7.98	Complies



Test Mode	UNII-2A_TX AX (HE160) Mode_ Ant. 4	RU configuration	996/S67
-----------	------------------------------------	------------------	---------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-8.26	1.02	-7.24	7.98	Complies




Test Mode	UNII-2A_TX AX (HE80) Mode_ Total	RU configuration	996/S67
-----------	----------------------------------	------------------	---------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	6.93	7.98	Complies


Test Mode	UNII-2A_TX AX (HE160) Mode_ Ant. 1	RU configuration	996/S68
-----------	------------------------------------	------------------	---------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-7.86	1.02	-6.84	7.98	Complies




Test Mode	UNII-2A_TX AX (HE160) Mode_ Ant. 2	RU configuration	996/S68
-----------	------------------------------------	------------------	---------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-8.49	1.02	-7.47	7.98	Complies




Test Mode	UNII-2A_TX AX (HE160) Mode_ Ant. 3	RU configuration	996/S68
-----------	------------------------------------	------------------	---------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-9.69	1.02	-8.67	7.98	Complies



Test Mode	UNII-2A_TX AX (HE160) Mode_ Ant. 4	RU configuration	996/S68
-----------	------------------------------------	------------------	---------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-7.87	1.02	-6.85	7.98	Complies




Test Mode	UNII-2A_TX AX (HE160) Mode_ Total	RU configuration	996/S68
-----------	-----------------------------------	------------------	---------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	7.65	7.98	Complies


Test Mode	UNII-2C_TX AX (HE20) Mode_ Ant. 1	RU configuration	52/38
-----------	-----------------------------------	------------------	-------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	1.67	0.84	2.51	7.98	Complies
116	5580	1.25	0.84	2.09	7.98	Complies
140	5700	1.61	0.84	2.45	7.98	Complies




Test Mode	UNII-2C_TX AX (HE20) Mode_ Ant. 2	RU configuration	52/38
-----------	-----------------------------------	------------------	-------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.82	0.84	1.66	7.98	Complies
116	5580	0.84	0.84	1.68	7.98	Complies
140	5700	1.21	0.84	2.05	7.98	Complies




Test Mode	UNII-2C_TX AX (HE20) Mode_ Ant. 3	RU configuration	52/38
-----------	-----------------------------------	------------------	-------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-0.24	0.84	0.60	7.98	Complies
116	5580	-0.33	0.84	0.51	7.98	Complies
140	5700	0.14	0.84	0.98	7.98	Complies



Test Mode	UNII-2C_TX AX (HE20) Mode_ Ant. 4	RU configuration	52/38
-----------	-----------------------------------	------------------	-------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.54	0.84	1.38	7.98	Complies
116	5580	0.64	0.84	1.48	7.98	Complies
140	5700	1.06	0.84	1.90	7.98	Complies



Test Mode	UNII-2C_TX AX (HE20) Mode_ Total	RU configuration	52/38
-----------	----------------------------------	------------------	-------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.61	7.98	Complies
116	5580	7.50	7.98	Complies
140	5700	7.90	7.98	Complies


Test Mode	UNII-2C_TX AX (HE20) Mode_ Ant. 1	RU configuration	106/54
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	1.01	0.84	1.85	7.98	Complies
116	5580	1.16	0.84	2.00	7.98	Complies
140	5700	1.63	0.84	2.47	7.98	Complies






Test Mode	UNII-2C_TX AX (HE20) Mode_ Ant. 2	RU configuration	106/54
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.70	0.84	1.54	7.98	Complies
116	5580	0.65	0.84	1.49	7.98	Complies
140	5700	1.05	0.84	1.89	7.98	Complies






Test Mode	UNII-2C_TX AX (HE20) Mode_ Ant. 3	RU configuration	106/54
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-0.61	0.84	0.23	7.98	Complies
116	5580	-0.34	0.84	0.50	7.98	Complies
140	5700	-0.20	0.84	0.64	7.98	Complies



Test Mode	UNII-2C_TX AX (HE20) Mode_ Ant. 4	RU configuration	106/54
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.65	0.84	1.49	7.98	Complies
116	5580	0.89	0.84	1.73	7.98	Complies
140	5700	0.58	0.84	1.42	7.98	Complies




Test Mode	UNII-2C_TX AX (HE20) Mode_ Total	RU configuration	106/54
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.34	7.98	Complies
116	5580	7.49	7.98	Complies
140	5700	7.68	7.98	Complies




Test Mode	UNII-2C_TX AX (HE20) Mode_ Ant. 1	RU configuration	242/61
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	1.83	0.84	2.67	7.98	Complies
116	5580	1.56	0.84	2.40	7.98	Complies
140	5700	1.61	0.84	2.45	7.98	Complies






Test Mode	UNII-2C_TX AX (HE20) Mode_ Ant. 2	RU configuration	242/61
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.83	0.84	1.67	7.98	Complies
116	5580	1.00	0.84	1.84	7.98	Complies
140	5700	0.56	0.84	1.40	7.98	Complies






Test Mode	UNII-2C_TX AX (HE20) Mode_ Ant. 3	RU configuration	242/61
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-0.24	0.84	0.60	7.98	Complies
116	5580	-0.40	0.84	0.44	7.98	Complies
140	5700	-0.68	0.84	0.16	7.98	Complies



Test Mode	UNII-2C_TX AX (HE20) Mode_ Ant. 4	RU configuration	242/61
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.89	0.84	1.73	7.98	Complies
116	5580	0.95	0.84	1.79	7.98	Complies
140	5700	0.90	0.84	1.74	7.98	Complies






Test Mode	UNII-2C_TX AX (HE20) Mode_ Total	RU configuration	242/61
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.75	7.98	Complies
116	5580	7.70	7.98	Complies
140	5700	7.53	7.98	Complies




Test Mode	UNII-2C_TX AX (HE40) Mode_ Ant. 1	RU configuration	52/40
-----------	-----------------------------------	------------------	-------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	1.20	1.08	2.28	7.98	Complies
110	5550	1.35	1.08	2.43	7.98	Complies
134	5670	1.11	1.08	2.19	7.98	Complies






Test Mode	UNII-2C_TX AX (HE40) Mode_ Ant. 2	RU configuration	52/40
-----------	-----------------------------------	------------------	-------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	0.52	1.08	1.60	7.98	Complies
110	5550	0.37	1.08	1.45	7.98	Complies
134	5670	0.95	1.08	2.03	7.98	Complies






Test Mode	UNII-2C_TX AX (HE40) Mode_ Ant. 3	RU configuration	52/40
-----------	-----------------------------------	------------------	-------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-0.72	1.08	0.36	7.98	Complies
110	5550	-0.85	1.08	0.23	7.98	Complies
134	5670	-0.19	1.08	0.89	7.98	Complies



Test Mode	UNII-2C_TX AX (HE40) Mode_ Ant. 4	RU configuration	52/40
-----------	-----------------------------------	------------------	-------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	0.42	1.08	1.50	7.98	Complies
110	5550	0.27	1.08	1.35	7.98	Complies
134	5670	0.92	1.08	2.00	7.98	Complies






Test Mode	UNII-2C_TX AX (HE40) Mode_ Total	RU configuration	52/40
-----------	----------------------------------	------------------	-------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	7.51	7.98	Complies
110	5550	7.45	7.98	Complies
134	5670	7.83	7.98	Complies




Test Mode	UNII-2C_TX AX (HE40) Mode_ Ant. 1	RU configuration	106/53
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	1.63	1.08	2.71	7.98	Complies
110	5550	1.68	1.08	2.76	7.98	Complies
134	5670	1.52	1.08	2.60	7.98	Complies




Test Mode	UNII-2C_TX AX (HE40) Mode_ Ant. 2	RU configuration	106/53
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	0.58	1.08	1.66	7.98	Complies
110	5550	0.43	1.08	1.51	7.98	Complies
134	5670	0.82	1.08	1.90	7.98	Complies




Test Mode	UNII-2C_TX AX (HE40) Mode_ Ant. 3	RU configuration	106/53
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-0.52	1.08	0.56	7.98	Complies
110	5550	-0.90	1.08	0.18	7.98	Complies
134	5670	-0.74	1.08	0.34	7.98	Complies



Test Mode	UNII-2C_TX AX (HE40) Mode_ Ant. 4	RU configuration	106/53
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	0.90	1.08	1.98	7.98	Complies
110	5550	0.78	1.08	1.86	7.98	Complies
134	5670	0.27	1.08	1.35	7.98	Complies




Test Mode	UNII-2C_TX AX (HE40) Mode_ Total	RU configuration	106/53
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	7.81	7.98	Complies
110	5550	7.69	7.98	Complies
134	5670	7.64	7.98	Complies


Test Mode	UNII-2C_TX AX (HE40) Mode_ Ant. 1	RU configuration	242/61
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	1.84	1.08	2.92	7.98	Complies
110	5550	1.74	1.08	2.82	7.98	Complies
134	5670	1.49	1.08	2.57	7.98	Complies






Test Mode	UNII-2C_TX AX (HE40) Mode_ Ant. 2	RU configuration	242/61
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	1.05	1.08	2.13	7.98	Complies
110	5550	0.82	1.08	1.90	7.98	Complies
134	5670	0.59	1.08	1.67	7.98	Complies






Test Mode	UNII-2C_TX AX (HE40) Mode_ Ant. 3	RU configuration	242/61
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-0.81	1.08	0.27	7.98	Complies
110	5550	-0.80	1.08	0.28	7.98	Complies
134	5670	-0.56	1.08	0.52	7.98	Complies



Test Mode	UNII-2C_TX AX (HE40) Mode_ Ant. 4	RU configuration	242/61
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	0.69	1.08	1.77	7.98	Complies
110	5550	0.57	1.08	1.65	7.98	Complies
134	5670	0.35	1.08	1.43	7.98	Complies






Test Mode	UNII-2C_TX AX (HE40) Mode_ Total	RU configuration	242/61
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	7.89	7.98	Complies
110	5550	7.77	7.98	Complies
134	5670	7.63	7.98	Complies






Test Mode	UNII-2C_TX AX (HE40) Mode_ Ant. 1	RU configuration	484/65
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	1.30	1.08	2.38	7.98	Complies
110	5550	1.34	1.08	2.42	7.98	Complies
134	5670	1.39	1.08	2.47	7.98	Complies






Test Mode	UNII-2C_TX AX (HE40) Mode_ Ant. 2	RU configuration	484/65
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	0.37	1.08	1.45	7.98	Complies
110	5550	0.70	1.08	1.78	7.98	Complies
134	5670	0.32	1.08	1.40	7.98	Complies






Test Mode	UNII-2C_TX AX (HE40) Mode_ Ant. 3	RU configuration	484/65
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-1.33	1.08	-0.25	7.98	Complies
110	5550	-0.86	1.08	0.22	7.98	Complies
134	5670	-0.81	1.08	0.27	7.98	Complies



Test Mode	UNII-2C_TX AX (HE40) Mode_ Ant. 4	RU configuration	484/65
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	0.62	1.08	1.70	7.98	Complies
110	5550	0.88	1.08	1.96	7.98	Complies
134	5670	0.43	1.08	1.51	7.98	Complies





Test Mode	UNII-2C_TX AX (HE40) Mode_ Total	RU configuration	484/65
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	7.44	7.98	Complies
110	5550	7.69	7.98	Complies
134	5670	7.50	7.98	Complies



Test Mode	UNII-2C_TX AX (HE80) Mode_ Ant. 1	RU configuration	106/60
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	1.19	1.21	2.40	7.98	Complies
122	5610	1.01	1.21	2.22	7.98	Complies





Test Mode	UNII-2C_TX AX (HE80) Mode_ Ant. 2	RU configuration	106/60
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	0.56	1.21	1.77	7.98	Complies
122	5610	-0.03	1.21	1.18	7.98	Complies



Test Mode	UNII-2C_TX AX (HE80) Mode_ Ant. 3	RU configuration	106/60
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-1.41	1.21	-0.20	7.98	Complies
122	5610	-0.39	1.21	0.82	7.98	Complies





Date: 12.MAR.2020 17:08:09

Date: 12.MAR.2020 17:12:29

Test Mode	UNII-2C_TX AX (HE80) Mode_ Ant. 4	RU configuration	106/60
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	0.23	1.21	1.44	7.98	Complies
122	5610	0.32	1.21	1.53	7.98	Complies



Date: 12.MAR.2020 17:08:58



Date: 12.MAR.2020 17:12:56

Test Mode	UNII-2C_TX AX (HE80) Mode_ Total	RU configuration	106/60
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	7.47	7.98	Complies
122	5610	7.49	7.98	Complies



Test Mode	UNII-2C_TX AX (HE80) Mode_ Ant. 1	RU configuration	242/61
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	1.15	1.21	2.36	7.98	Complies
122	5610	1.71	1.21	2.92	7.98	Complies





Test Mode	UNII-2C_TX AX (HE80) Mode_ Ant. 2	RU configuration	242/61
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	0.91	1.21	2.12	7.98	Complies
122	5610	0.63	1.21	1.84	7.98	Complies





Test Mode	UNII-2C_TX AX (HE80) Mode_ Ant. 3	RU configuration	242/61
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-1.40	1.21	-0.19	7.98	Complies
122	5610	-1.33	1.21	-0.12	7.98	Complies



Test Mode	UNII-2C_TX AX (HE80) Mode_ Ant. 4	RU configuration	242/61
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	0.57	1.21	1.78	7.98	Complies
122	5610	0.20	1.21	1.41	7.98	Complies





Test Mode	UNII-2C_TX AX (HE80) Mode_ Total	RU configuration	242/61
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	7.64	7.98	Complies
122	5610	7.66	7.98	Complies



Test Mode	UNII-2C_TX AX (HE80) Mode_ Ant. 1	RU configuration	484/65
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	1.26	1.21	2.47	7.98	Complies
122	5610	1.14	1.21	2.35	7.98	Complies




Test Mode	UNII-2C_TX AX (HE80) Mode_ Ant. 2	RU configuration	484/65
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	1.02	1.21	2.23	7.98	Complies
122	5610	0.50	1.21	1.71	7.98	Complies




Test Mode	UNII-2C_TX AX (HE80) Mode_ Ant. 3	RU configuration	484/65
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-1.63	1.21	-0.42	7.98	Complies
122	5610	-1.60	1.21	-0.39	7.98	Complies



Test Mode	UNII-2C_TX AX (HE80) Mode_ Ant. 4	RU configuration	484/65
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	0.69	1.21	1.9	7.98	Complies
122	5610	0.07	1.21	1.28	7.98	Complies



Test Mode	UNII-2C_TX AX (HE80) Mode_ Total	RU configuration	484/65
-----------	----------------------------------	------------------	--------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	7.70	7.98	Complies
122	5610	7.37	7.98	Complies



Test Mode	UNII-2C_TX AX (HE80) Mode_ Ant. 1	RU configuration	996/67
-----------	-----------------------------------	------------------	--------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-1.18	1.21	0.03	7.98	Complies
122	5610	-0.66	1.21	0.55	7.98	Complies

**CH106**



Date: 13.MAR.2020 20:09:25

**CH122**




Date: 12.MAR.2020 09:20:19

Test Mode	UNII-2C_TX AX (HE80) Mode_ Ant. 2	RU configuration	996/67
-----------	-----------------------------------	------------------	--------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-1.91	1.21	-0.70	7.98	Complies
122	5610	-1.67	1.21	-0.46	7.98	Complies

**CH106**



Date: 13.MAR.2020 20:09:49


**CH122**



Date: 12.MAR.2020 09:21:41


Test Mode	UNII-2C_TX AX (HE80) Mode_ Ant. 3	RU configuration	996/67
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-3.69	1.21	-2.48	7.98	Complies
122	5610	-3.08	1.21	-1.87	7.98	Complies



Test Mode	UNII-2C_TX AX (HE80) Mode_ Ant. 4	RU configuration	996/67
-----------	-----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-2.23	1.21	-1.02	7.98	Complies
122	5610	-1.93	1.21	-0.72	7.98	Complies






Test Mode	UNII-2C_TX AX (HE80) Mode_ Total	RU configuration	996/67
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	5.07	7.98	Complies
122	5610	5.48	7.98	Complies




Test Mode	UNII-3_TX AX (HE20) Mode_ Ant. 1	RU configuration	52/38
-----------	----------------------------------	------------------	-------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	14.05	0.84	14.89	26.98	Complies
157	5785	14.08	0.84	14.92	26.98	Complies
165	5825	14.48	0.84	15.32	26.98	Complies




Test Mode	UNII-3_TX AX (HE20) Mode_ Ant. 2	RU configuration	52/38
-----------	----------------------------------	------------------	-------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	13.50	0.84	14.34	26.98	Complies
157	5785	13.55	0.84	14.39	26.98	Complies
165	5825	13.84	0.84	14.68	26.98	Complies




Test Mode	UNII-3_TX AX (HE20) Mode_ Ant. 3	RU configuration	52/38
-----------	----------------------------------	------------------	-------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	11.87	0.84	12.71	26.98	Complies
157	5785	11.80	0.84	12.64	26.98	Complies
165	5825	12.34	0.84	13.18	26.98	Complies



Test Mode	UNII-3_TX AX (HE20) Mode_ Ant. 4	RU configuration	52/38
-----------	----------------------------------	------------------	-------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	13.40	0.84	14.24	26.98	Complies
157	5785	13.67	0.84	14.51	26.98	Complies
165	5825	14.11	0.84	14.95	26.98	Complies





Test Mode	UNII-3_TX AX (HE20) Mode_ Total	RU configuration	52/38
-----------	---------------------------------	------------------	-------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/MHz)	Result
149	5745	20.14	26.98	Complies
157	5785	20.22	26.98	Complies
165	5825	20.62	26.98	Complies




Test Mode	UNII-3_TX AX (HE20) Mode_ Ant. 1	RU configuration	106/53
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	11.77	0.84	12.61	26.98	Complies
157	5785	12.10	0.84	12.94	26.98	Complies
165	5825	12.43	0.84	13.27	26.98	Complies






Test Mode	UNII-3_TX AX (HE20) Mode_ Ant. 2	RU configuration	106/53
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	11.31	0.84	12.15	26.98	Complies
157	5785	11.60	0.84	12.44	26.98	Complies
165	5825	11.93	0.84	12.77	26.98	Complies






Test Mode	UNII-3_TX AX (HE20) Mode_ Ant. 3	RU configuration	106/53
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.46	0.84	10.30	26.98	Complies
157	5785	10.06	0.84	10.90	26.98	Complies
165	5825	10.11	0.84	10.95	26.98	Complies



Test Mode	UNII-3_TX AX (HE20) Mode_ Ant. 4	RU configuration	106/53
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	11.15	0.84	11.99	26.98	Complies
157	5785	11.72	0.84	12.56	26.98	Complies
165	5825	10.04	0.84	10.88	26.98	Complies




Test Mode	UNII-3_TX AX (HE20) Mode_ Total	RU configuration	106/53
-----------	---------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/MHz)	Result
149	5745	17.87	26.98	Complies
157	5785	18.30	26.98	Complies
165	5825	18.12	26.98	Complies


Test Mode	UNII-3_TX AX (HE20) Mode_ Ant. 1	RU configuration	242/61
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.12	0.84	8.96	26.98	Complies
157	5785	8.29	0.84	9.13	26.98	Complies
165	5825	8.45	0.84	9.29	26.98	Complies




Test Mode	UNII-3_TX AX (HE20) Mode_ Ant. 2	RU configuration	242/61
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	7.78	0.84	8.62	26.98	Complies
157	5785	8.02	0.84	8.86	26.98	Complies
165	5825	8.20	0.84	9.04	26.98	Complies




Test Mode	UNII-3_TX AX (HE20) Mode_ Ant. 3	RU configuration	242/61
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	5.88	0.84	6.72	26.98	Complies
157	5785	6.12	0.84	6.96	26.98	Complies
165	5825	6.28	0.84	7.12	26.98	Complies



Test Mode	UNII-3_TX AX (HE20) Mode_ Ant. 4	RU configuration	242/61
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	7.55	0.84	8.39	26.98	Complies
157	5785	7.79	0.84	8.63	26.98	Complies
165	5825	8.00	0.84	8.84	26.98	Complies




Test Mode	UNII-3_TX AX (HE20) Mode_ Total	RU configuration	242/61
-----------	---------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/MHz)	Result
149	5745	14.27	26.98	Complies
157	5785	14.49	26.98	Complies
165	5825	14.67	26.98	Complies



Test Mode	UNII-3_TX AX (HE40) Mode_ Ant. 1	RU configuration	52/40
-----------	----------------------------------	------------------	-------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	13.89	1.08	14.97	26.98	Complies
159	5795	13.87	1.08	14.95	26.98	Complies




Date: 13.MAR.2020 10:21:23

Date: 13.MAR.2020 10:26:44

Test Mode	UNII-3_TX AX (HE40) Mode_ Ant. 2	RU configuration	52/40
-----------	----------------------------------	------------------	-------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	13.30	1.08	14.38	26.98	Complies
159	5795	13.25	1.08	14.33	26.98	Complies




Date: 13.MAR.2020 10:21:51

Date: 13.MAR.2020 10:25:39

Test Mode	UNII-3_TX AX (HE40) Mode_ Ant. 3	RU configuration	52/40
-----------	----------------------------------	------------------	-------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	11.34	1.08	12.42	26.98	Complies
159	5795	11.59	1.08	12.67	26.98	Complies



Date: 13.MAR.2020 10:22:22 Date: 13.MAR.2020 10:25:00

Test Mode	UNII-3_TX AX (HE40) Mode_ Ant. 4	RU configuration	52/40
-----------	----------------------------------	------------------	-------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	13.10	1.08	14.18	26.98	Complies
159	5795	13.26	1.08	14.34	26.98	Complies




Date: 13.MAR.2020 10:23:49 Date: 13.MAR.2020 10:24:29

Test Mode	UNII-3_TX AX (HE40) Mode_ Total	RU configuration	52/40
-----------	---------------------------------	------------------	-------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	20.10	26.98	Complies
159	5795	20.17	26.98	Complies

Test Mode	UNII-3_TX AX (HE40) Mode_ Ant. 1	RU configuration	106/54
-----------	----------------------------------	------------------	--------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	11.19	1.08	12.27	26.98	Complies
159	5795	11.77	1.08	12.85	26.98	Complies



Date: 13.MAR.2020 11:14:45 Date: 13.MAR.2020 11:19:24

Test Mode	UNII-3_TX AX (HE40) Mode_ Ant. 2	RU configuration	106/54
-----------	----------------------------------	------------------	--------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	10.66	1.08	11.74	26.98	Complies
159	5795	11.19	1.08	12.27	26.98	Complies



Date: 13.MAR.2020 11:15:24 Date: 13.MAR.2020 11:18:57


Test Mode	UNII-3_TX AX (HE40) Mode_ Ant. 3	RU configuration	106/54
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	8.95	1.08	10.03	26.98	Complies
159	5795	9.45	1.08	10.53	26.98	Complies



Test Mode	UNII-3_TX AX (HE40) Mode_ Ant. 4	RU configuration	106/54
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	10.60	1.08	11.68	26.98	Complies
159	5795	10.92	1.08	12.00	26.98	Complies




Test Mode	UNII-3_TX AX (HE40) Mode_ Total	RU configuration	106/54
-----------	---------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	17.53	26.98	Complies
159	5795	18.01	26.98	Complies

Test Mode	UNII-3_TX AX (HE40) Mode_ Ant. 1	RU configuration	242/61
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	7.52	1.08	8.6	26.98	Complies
159	5795	7.95	1.08	9.03	26.98	Complies




Date: 12.MAR.2020 19:41:34

Date: 12.MAR.2020 19:51:11

Test Mode	UNII-3_TX AX (HE40) Mode_ Ant. 2	RU configuration	242/61
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	7.18	1.08	8.26	26.98	Complies
159	5795	7.47	1.08	8.55	26.98	Complies




Date: 12.MAR.2020 19:44:11

Date: 12.MAR.2020 19:50:46


Test Mode	UNII-3_TX AX (HE40) Mode_ Ant. 3	RU configuration	242/61
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	5.78	1.08	6.86	26.98	Complies
159	5795	6.00	1.08	7.08	26.98	Complies



Test Mode	UNII-3_TX AX (HE40) Mode_ Ant. 4	RU configuration	242/61
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	7.20	1.08	8.28	26.98	Complies
159	5795	7.39	1.08	8.47	26.98	Complies




Test Mode	UNII-3_TX AX (HE40) Mode_ Total	RU configuration	242/61
-----------	---------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/MHz)	Result
151	5755	14.07	26.98	Complies
159	5795	14.36	26.98	Complies


Test Mode	UNII-3_TX AX (HE40) Mode_ Ant. 1	RU configuration	484/65
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	3.08	1.08	4.16	26.98	Complies
159	5795	3.41	1.08	4.49	26.98	Complies




Test Mode	UNII-3_TX AX (HE40) Mode_ Ant. 2	RU configuration	484/65
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	2.70	1.08	3.78	26.98	Complies
159	5795	3.06	1.08	4.14	26.98	Complies




Test Mode	UNII-3_TX AX (HE40) Mode_ Ant. 3	RU configuration	484/65
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	1.09	1.08	2.17	26.98	Complies
159	5795	1.13	1.08	2.21	26.98	Complies



Test Mode	UNII-3_TX AX (HE40) Mode_ Ant. 4	RU configuration	484/65
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	2.58	1.08	3.66	26.98	Complies
159	5795	2.70	1.08	3.78	26.98	Complies




Test Mode	UNII-3_TX AX (HE40) Mode_ Total	RU configuration	484/65
-----------	---------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/MHz)	Result
151	5755	9.52	26.98	Complies
159	5795	9.76	26.98	Complies




Test Mode	UNII-3_TX AX (HE80) Mode_ Ant. 1	RU configuration	106/56
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	10.08	1.21	11.29	26.98	Complies




Test Mode	UNII-3_TX AX (HE80) Mode_ Ant. 2	RU configuration	106/56
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	9.90	1.21	11.11	26.98	Complies




Test Mode	UNII-3_TX AX (HE80) Mode_ Ant. 3	RU configuration	106/56
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	8.17	1.21	9.38	26.98	Complies



Test Mode	UNII-3_TX AX (HE80) Mode_ Ant. 4	RU configuration	106/56
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	9.75	1.21	10.96	26.98	Complies




Test Mode	UNII-3_TX AX (HE80) Mode_ Total	RU configuration	106/56
-----------	---------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/MHz)	Result
155	5775	16.77	26.98	Complies

Test Mode	UNII-3_TX AX (HE80) Mode_ Ant. 1	RU configuration	242/61
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	5.97	1.21	7.18	26.98	Complies

### CH155




Date: 13.MAR.2020 21:00:39

Test Mode	UNII-3_TX AX (HE80) Mode_ Ant. 2	RU configuration	242/61
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	5.30	1.21	6.51	26.98	Complies


### CH155



Date: 13.MAR.2020 21:01:22


Test Mode	UNII-3_TX AX (HE80) Mode_ Ant. 3	RU configuration	242/61
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.62	1.21	3.83	26.98	Complies



Test Mode	UNII-3_TX AX (HE80) Mode_ Ant. 4	RU configuration	242/61
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	4.37	1.21	5.58	26.98	Complies




Test Mode	UNII-3_TX AX (HE80) Mode_ Total	RU configuration	242/61
-----------	---------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/MHz)	Result
155	5775	11.96	26.98	Complies


Test Mode	UNII-3_TX AX (HE80) Mode_ Ant. 1	RU configuration	484/65
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.85	1.21	4.06	26.98	Complies




Test Mode	UNII-3_TX AX (HE80) Mode_ Ant. 2	RU configuration	484/65
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.45	1.21	3.66	26.98	Complies




Test Mode	UNII-3_TX AX (HE80) Mode_ Ant. 3	RU configuration	484/65
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	0.07	1.21	1.28	26.98	Complies



Test Mode	UNII-3_TX AX (HE80) Mode_ Ant. 4	RU configuration	484/65
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	1.93	1.21	3.14	26.98	Complies




Test Mode	UNII-3_TX AX (HE80) Mode_ Total	RU configuration	484/65
-----------	---------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/MHz)	Result
155	5775	9.17	26.98	Complies


Test Mode	UNII-3_TX AX (HE80) Mode_ Ant. 1	RU configuration	996/67
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.34	1.21	3.55	26.98	Complies




Test Mode	UNII-3_TX AX (HE80) Mode_ Ant. 2	RU configuration	996/67
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.08	1.21	3.29	26.98	Complies




Test Mode	UNII-3_TX AX (HE80) Mode_ Ant. 3	RU configuration	996/67
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-0.09	1.21	1.12	26.98	Complies



Test Mode	UNII-3_TX AX (HE80) Mode_ Ant. 4	RU configuration	996/67
-----------	----------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	1.55	1.21	2.76	26.98	Complies



Test Mode	UNII-3_TX AX (HE80) Mode_ Total	RU configuration	996/67
-----------	---------------------------------	------------------	--------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/MHz)	Result
155	5775	8.79	26.98	Complies

**End of Test Report**