


Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ac VHT20 / 5180MHz	Temp/Hum	24.5(°C)/ 56%RH
Test Item	Harmonic	Test Date	April 25, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
10360.000	Peak	31.18	17.72	48.90	68.20	-19.30
15540.000	Peak	29.62	24.85	54.46	74.00	-19.54
15540.000	Average	19.08	24.85	43.93	54.00	-10.07
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ac VHT20 / 5220MHz	Temp/Hum	24.5(°C)/ 56%RH
Test Item	Harmonic	Test Date	April 25, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBUV/m)	Limit @3m (dBUV/m)	Margin (dB)
10440.000	Peak	32.08	17.90	49.99	68.20	-18.21
15660.000	Peak	31.38	25.15	56.53	74.00	-17.47
15660.000	Average	20.29	25.15	45.44	54.00	-8.56
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ac VHT20 / 5220MHz	Temp/Hum	24.5(°C) / 56%RH
Test Item	Harmonic	Test Date	April 25, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBUV/m)	Limit @3m (dBUV/m)	Margin (dB)
10440.000	Peak	31.17	17.90	49.08	68.20	-19.12
15660.000	Peak	31.26	25.15	56.40	74.00	-17.60
15660.000	Average	20.16	25.15	45.31	54.00	-8.69
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ac VHT20 / 5240MHz	Temp/Hum	24.5(°C) / 56%RH
Test Item	Harmonic	Test Date	April 25, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
10480.000	Peak	30.10	18.05	48.15	68.20	-20.05
15720.000	Peak	29.93	25.55	55.48	74.00	-18.52
15720.000	Average	20.38	25.55	45.93	54.00	-8.07
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ac VHT20 / 5240MHz	Temp/Hum	24.5(°C) / 56%RH
Test Item	Harmonic	Test Date	April 25, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBUV)	Factor (dB)	Actual FS (dBUV/m)	Limit @3m (dBUV/m)	Margin (dB)
10480.000	Peak	30.22	18.05	48.27	68.20	-19.93
15720.000	Peak	30.51	25.55	56.06	74.00	-17.94
15720.000	Average	20.43	25.55	45.98	54.00	-8.02
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ac VHT40 / 5190MHz	Temp/Hum	23.4(°C)/ 60%RH
Test Item	Harmonic	Test Date	April 26, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBµV)	Factor (dB)	Actual FS (dBUV/m)	Limit @3m (dBUV/m)	Margin (dB)
10380.000	Peak	32.55	17.76	50.31	68.20	-17.89
15570.000	Peak	32.11	24.85	56.97	74.00	-17.03
15570.000	Average	20.31	24.85	45.16	54.00	-8.84
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ac VHT40 / 5190MHz	Temp/Hum	23.4(°C) / 60%RH
Test Item	Harmonic	Test Date	April 26, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBUV/m)	Limit @3m (dBUV/m)	Margin (dB)
10380.000	Peak	32.31	17.76	50.07	68.20	-18.13
15570.000	Peak	32.18	24.85	57.03	74.00	-16.97
15570.000	Average	20.29	24.85	45.14	54.00	-8.86
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ac VHT40 / 5230MHz	Temp/Hum	23.4(°C)/ 60%RH
Test Item	Harmonic	Test Date	April 26, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBUV/m)	Limit @3m (dBUV/m)	Margin (dB)
10460.000	Peak	31.95	17.97	49.92	68.20	-18.28
15690.000	Peak	31.20	25.38	56.58	74.00	-17.42
15690.000	Average	20.37	25.38	45.75	54.00	-8.25
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ac VHT40 / 5230MHz	Temp/Hum	23.4(°C)/ 60%RH
Test Item	Harmonic	Test Date	April 26, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
10460.000	Peak	30.63	17.97	48.60	68.20	-19.60
15690.000	Peak	29.83	25.38	55.21	74.00	-18.79
15690.000	Average	20.29	25.38	45.67	54.00	-8.33
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ac VHT80 / 5210MHz	Temp/Hum	23.4(°C) / 60%RH
Test Item	Harmonic	Test Date	April 26, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBUV/m)	Limit @3m (dBUV/m)	Margin (dB)
10420.000	Peak	31.02	17.85	48.87	68.20	-19.33
15630.000	Peak	30.23	25.00	55.23	74.00	-18.77
15630.000	Average	21.34	25.00	46.34	54.00	-7.66
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Test Mode	IEEE 802.11ac VHT80 / 5210MHz	Temp/Hum	23.4(°C) / 60%RH
Test Item	Harmonic	Test Date	April 26, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBUV/m)	Limit @3m (dBUV/m)	Margin (dB)
10420.000	Peak	31.36	17.85	49.22	68.20	-18.98
15630.000	Peak	30.27	25.00	55.27	74.00	-18.73
15630.000	Average	21.22	25.00	46.22	54.00	-7.78
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Test Mode	IEEE 802.11ax HE20 / 5180MHz	Temp/Hum	23.4(°C) / 60%RH
Test Item	Harmonic	Test Date	April 26, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
10360.000	Peak	30.52	17.72	48.24	68.20	-19.96
15540.000	Peak	29.49	24.85	54.33	74.00	-19.67
15540.000	Average	20.22	24.85	45.07	54.00	-8.93
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ax HE20 / 5180MHz_	Temp/Hum	23.4(°C)/ 60%RH
Test Item	Harmonic	Test Date	April 26, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBµV)	Factor (dB)	Actual FS (dBµV/m)	Limit @3m (dBµV/m)	Margin (dB)
10360.000	Peak	30.88	17.72	48.60	68.20	-19.60
15540.000	Peak	30.55	24.85	55.40	74.00	-18.60
15540.000	Average	20.18	24.85	45.03	54.00	-8.97
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ax HE20 / 5220MHz	Temp/Hum	23.4(°C)/ 60%RH
Test Item	Harmonic	Test Date	April 26, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
10440.000	Peak	30.33	17.90	48.24	68.20	-19.96
15660.000	Peak	29.20	25.15	54.35	74.00	-19.65
15660.000	Average	20.34	25.15	45.49	54.00	-8.51
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ax HE20 / 5220MHz	Temp/Hum	23.4(°C) / 60%RH
Test Item	Harmonic	Test Date	April 26, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBUV/m)	Limit @3m (dBUV/m)	Margin (dB)
10440.000	Peak	31.02	17.90	48.92	68.20	-19.28
15660.000	Peak	31.20	25.15	56.35	74.00	-17.65
15660.000	Average	20.24	25.15	45.39	54.00	-8.61
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ax HE20 / 5240MHz	Temp/Hum	23.4(°C) / 60%RH
Test Item	Harmonic	Test Date	April 26, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBUV/m)	Limit @3m (dBUV/m)	Margin (dB)
10480.000	Peak	30.19	18.05	48.24	68.20	-19.96
15720.000	Peak	29.70	25.55	55.26	74.00	-18.74
15720.000	Average	21.12	25.55	46.67	54.00	-7.33
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ax HE20 / 5240MHz_	Temp/Hum	23.4(°C)/ 60%RH
Test Item	Harmonic	Test Date	April 26, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBUV/m)	Limit @3m (dBUV/m)	Margin (dB)
10480.000	Peak	30.92	18.05	48.97	68.20	-19.23
15720.000	Peak	30.80	25.55	56.35	74.00	-17.65
15720.000	Average	21.32	25.55	46.87	54.00	-7.13
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ax HE40 / 5190MHz	Temp/Hum	24.3(°C) / 55%RH
Test Item	Harmonic	Test Date	April 27, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
10380.000	Peak	30.35	17.76	48.11	68.20	-20.09
15570.000	Peak	29.07	24.85	53.92	74.00	-20.08
15570.000	Average	20.80	24.85	45.65	54.00	-8.35
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ax HE40 / 5190MHz	Temp/Hum	24.3(°C) / 55%RH
Test Item	Harmonic	Test Date	April 27, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBUV)	Factor (dB)	Actual FS (dBUV/m)	Limit @3m (dBUV/m)	Margin (dB)
10380.000	Peak	30.83	17.76	48.59	68.20	-19.61
15570.000	Peak	29.45	24.85	54.31	74.00	-19.69
15570.000	Average	20.84	24.85	45.69	54.00	-8.31
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ax HE40 / 5230MHz	Temp/Hum	24.3(°C) / 55%RH
Test Item	Harmonic	Test Date	April 27, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
10460.000	Peak	30.22	17.97	48.19	68.20	-20.01
15690.000	Peak	29.78	25.38	55.16	74.00	-18.84
15690.000	Average	21.22	25.38	46.60	54.00	-7.40
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Test Mode	IEEE 802.11ax HE40 / 5230MHz	Temp/Hum	24.3(°C)/ 55%RH
Test Item	Harmonic	Test Date	April 27, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBUV/m)	Limit @3m (dBUV/m)	Margin (dB)
10460.000	Peak	32.20	17.97	50.17	68.20	-18.03
15690.000	Peak	30.57	25.38	55.95	74.00	-18.05
15690.000	Average	21.11	25.38	46.49	54.00	-7.51
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ax HE80 / 5210MHz	Temp/Hum	24.3(°C) / 55%RH
Test Item	Harmonic	Test Date	April 27, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBUV)	Factor (dB)	Actual FS (dBUV/m)	Limit @3m (dBUV/m)	Margin (dB)
10420.000	Peak	30.93	17.85	48.78	68.20	-19.42
15630.000	Peak	30.55	25.00	55.55	74.00	-18.45
15630.000	Average	22.54	25.00	47.54	54.00	-6.46
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ax HE80 / 5210MHz	Temp/Hum	24.3(°C) / 55%RH
Test Item	Harmonic	Test Date	April 27, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		



Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
10420.000	Peak	30.82	17.85	48.68	68.20	-19.52
15630.000	Peak	30.66	25.00	55.66	74.00	-18.34
15630.000	Average	22.63	25.00	47.63	54.00	-6.37
N/A						


Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Data for UNII-2a

Test Mode	IEEE 802.11ac VHT20 / 5260 MHz	Temp/Hum	24.5(°C)/ 56%RH
Test Item	Harmonic	Test Date	April 25, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
10520.000	Peak	30.87	18.16	49.03	68.20	-19.17
15780.000	Peak	29.86	25.80	55.66	74.00	-18.34
15780.000	Average	20.84	25.80	46.64	54.00	-7.36
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ac VHT20 / 5260 MHz	Temp/Hum	24.5(°C)/ 56%RH
Test Item	Harmonic	Test Date	April 25, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBUV/m)	Limit @3m (dBUV/m)	Margin (dB)
10520.000	Peak	30.56	18.16	48.72	68.20	-19.48
15780.000	Peak	29.95	25.80	55.76	74.00	-18.24
15780.000	Average	20.97	25.80	46.77	54.00	-7.23
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ac VHT20 / 5300MHz	Temp/Hum	24.5(°C)/ 56%RH
Test Item	Harmonic	Test Date	April 25, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBUV/m)	Limit @3m (dBUV/m)	Margin (dB)
10600.000	Peak	30.71	18.20	48.91	68.20	-19.29
15900.000	Peak	30.34	26.46	56.80	74.00	-17.20
15900.000	Average	21.13	26.46	47.59	54.00	-6.41
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ac VHT20 / 5300MHz	Temp/Hum	24.5(°C) / 56%RH
Test Item	Harmonic	Test Date	April 25, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBUV/m)	Limit @3m (dBUV/m)	Margin (dB)
10600.000	Peak	30.38	18.20	48.58	68.20	-19.62
15900.000	Peak	30.45	26.46	56.91	74.00	-17.09
15900.000	Average	21.08	26.46	47.54	54.00	-6.46
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ac VHT20 / 5320 MHz	Temp/Hum	24.5(°C) / 56%RH
Test Item	Harmonic	Test Date	April 25, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
10640.000	Peak	30.55	18.37	48.91	74.00	-25.09
10640.000	Average	21.49	18.37	39.86	54.00	-14.14
15960.000	Peak	29.96	26.84	56.80	74.00	-17.20
15960.000	Average	20.84	26.84	47.68	54.00	-6.32

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ac VHT20 / 5320 MHz	Temp/Hum	24.5(°C) / 56%RH
Test Item	Harmonic	Test Date	April 25, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
10640.000	Peak	30.23	18.37	48.60	74.00	-25.40
10640.000	Average	21.46	18.37	39.83	54.00	-14.17
15960.000	Peak	30.07	26.84	56.91	74.00	-17.09
15960.000	Average	20.11	26.84	46.95	54.00	-7.05

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ac VHT40 / 5270 MHz	Temp/Hum	23.4(°C) / 60%RH
Test Item	Harmonic	Test Date	April 26, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
10540.000	Peak	31.51	18.19	49.70	68.20	-18.50
15810.000	Peak	30.49	25.92	56.40	74.00	-17.60
15810.000	Average	21.65	25.92	47.57	54.00	-6.43
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ac VHT40 / 5270 MHz	Temp/Hum	23.4(°C) / 60%RH
Test Item	Harmonic	Test Date	April 26, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
10540.000	Peak	31.14	18.19	49.33	68.20	-18.87
15810.000	Peak	30.64	25.92	56.56	74.00	-17.44
15810.000	Average	21.43	25.92	47.35	54.00	-6.65
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ac VHT40 / 5310 MHz	Temp/Hum	23.4(°C)/ 60%RH
Test Item	Harmonic	Test Date	April 26, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dB μ V)	Factor (dB)	Actual FS (dB μ V/m)	Limit @3m (dB μ V/m)	Margin (dB)
10620.000	Peak	30.79	18.28	49.07	74.00	-24.93
15930.000	Peak	30.50	26.63	57.14	74.00	-16.86
15930.000	Average	21.12	26.63	47.75	54.00	-6.25
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ac VHT40 / 5310 MHz	Temp/Hum	23.4(°C)/ 60%RH
Test Item	Harmonic	Test Date	April 26, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBUV/m)	Limit @3m (dBUV/m)	Margin (dB)
10620.000	Peak	31.28	18.28	49.56	74.00	-24.44
15930.000	Peak	30.04	26.63	56.67	74.00	-17.33
15930.000	Average	21.24	26.63	47.87	54.00	-6.13
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ac VHT80 / 5290 MHz	Temp/Hum	23.4(°C) / 60%RH
Test Item	Harmonic	Test Date	April 26, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBµV)	Factor (dB)	Actual FS (dBµV/m)	Limit @3m (dBµV/m)	Margin (dB)
10580.000	Peak	31.29	18.20	49.49	68.20	-18.71
15870.000	Peak	31.05	26.23	57.28	74.00	-16.72
15870.000	Average	21.34	26.23	47.57	54.00	-6.43
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Test Mode	IEEE 802.11ac VHT80 / 5290 MHz	Temp/Hum	23.4(°C) / 60%RH
Test Item	Harmonic	Test Date	April 26, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBUV/m)	Limit @3m (dBUV/m)	Margin (dB)
10580.000	Peak	31.92	18.20	50.12	68.20	-18.08
15870.000	Peak	31.90	26.23	58.13	74.00	-15.87
15870.000	Average	21.19	26.23	47.42	54.00	-6.58
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ax HE20 / 5260 MHz	Temp/Hum	23.4(°C) / 60%RH
Test Item	Harmonic	Test Date	April 26, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBµV)	Factor (dB)	Actual FS (dBµV/m)	Limit @3m (dBµV/m)	Margin (dB)
10520.000	Peak	29.71	18.16	47.86	68.20	-20.34
15780.000	Peak	31.36	25.80	57.16	74.00	-16.84
15780.000	Average	21.42	25.80	47.22	54.00	-6.78
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ax HE20 / 5260 MHz	Temp/Hum	23.4(°C) / 60%RH
Test Item	Harmonic	Test Date	April 26, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBUV/m)	Limit @3m (dBUV/m)	Margin (dB)
10520.000	Peak	30.81	18.16	48.97	68.20	-19.23
15780.000	Peak	30.81	25.80	56.62	74.00	-17.38
15780.000	Average	21.27	25.80	47.07	54.00	-6.93
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ax HE20 / 5300 MHz	Temp/Hum	23.4(°C) / 60%RH
Test Item	Harmonic	Test Date	April 26, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
10600.000	Peak	30.16	18.20	48.36	68.20	-19.84
15900.000	Peak	29.66	26.46	56.12	74.00	-17.88
15900.000	Average	20.68	26.46	47.14	54.00	-6.86
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ax HE20 / 5300 MHz	Temp/Hum	23.4(°C)/ 60%RH
Test Item	Harmonic	Test Date	April 26, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBUV)	Factor (dB)	Actual FS (dBUV/m)	Limit @3m (dBUV/m)	Margin (dB)
10600.000	Peak	31.32	18.20	49.52	68.20	-18.68
15900.000	Peak	30.72	26.46	57.18	74.00	-16.82
15900.000	Average	20.78	26.46	47.24	54.00	-6.76
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ax HE20 / 5320 MHz	Temp/Hum	23.4(°C)/ 60%RH
Test Item	Harmonic	Test Date	April 26, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
10640.000	Peak	30.00	18.37	48.36	74.00	-25.64
10640.000	Average	21.60	18.37	39.97	54.00	-14.03
15960.000	Peak	29.44	26.84	56.29	74.00	-17.71
15960.000	Average	21.18	26.84	48.02	54.00	-5.98

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ax HE20 / 5320 MHz	Temp/Hum	23.4(°C) / 60%RH
Test Item	Harmonic	Test Date	April 26, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
10640.000	Peak	31.15	18.37	49.52	74.00	-24.48
10640.000	Average	21.68	18.37	40.05	54.00	-13.95
15960.000	Peak	30.40	26.84	57.24	74.00	-16.76
15960.000	Average	21.22	26.84	48.06	54.00	-5.94

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ax HE40 / 5270 MHz	Temp/Hum	24.3(°C) / 55%RH
Test Item	Harmonic	Test Date	April 27, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
10540.000	Peak	30.00	18.19	48.19	68.20	-20.01
15810.000	Peak	30.40	25.92	56.32	74.00	-17.68
15810.000	Average	21.43	25.92	47.35	54.00	-6.65
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ax HE40 / 5270 MHz	Temp/Hum	24.3(°C) / 55%RH
Test Item	Harmonic	Test Date	April 27, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
10540.000	Peak	31.98	18.19	50.17	68.20	-18.03
15810.000	Peak	30.99	25.92	56.91	74.00	-17.09
15810.000	Average	20.89	25.92	46.81	54.00	-7.19
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ax HE40 / 5310 MHz	Temp/Hum	24.3(°C) / 55%RH
Test Item	Harmonic	Test Date	April 27, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
10620.000	Peak	30.85	18.28	49.13	74.00	-24.87
10620.000	Average	22.36	18.28	40.64	54.00	-13.36
15930.000	Peak	29.46	26.63	56.09	74.00	-17.91
15930.000	Average	21.70	26.63	48.33	54.00	-5.67

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ax HE40 / 5310 MHz	Temp/Hum	24.3(°C) / 55%RH
Test Item	Harmonic	Test Date	April 27, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
10620.000	Peak	31.38	18.28	49.67	74.00	-24.33
10620.000	Average	22.19	18.28	40.47	54.00	-13.53
15930.000	Peak	30.56	26.63	57.19	74.00	-16.81
15930.000	Average	21.35	26.63	47.98	54.00	-6.02

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ax HE80 / 5290 MHz	Temp/Hum	24.3(°C) / 55%RH
Test Item	Harmonic	Test Date	April 27, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBUV)	Factor (dB)	Actual FS (dBUV/m)	Limit @3m (dBUV/m)	Margin (dB)
10580.000	Peak	31.14	18.20	49.34	68.20	-18.86
15870.000	Peak	30.97	26.23	57.20	74.00	-16.80
15870.000	Average	22.38	26.23	48.61	54.00	-5.39
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Test Mode	IEEE 802.11ax HE80 / 5290 MHz	Temp/Hum	24.3(°C) / 55%RH
Test Item	Harmonic	Test Date	April 27, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		



Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBUV/m)	Limit @3m (dBUV/m)	Margin (dB)
10580.000	Peak	31.62	18.20	49.82	68.20	-18.38
15870.000	Peak	30.50	26.23	56.72	74.00	-17.28
15870.000	Average	21.97	26.23	48.20	54.00	-5.80
N/A						


Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Data for UNII-2c

Test Mode	IEEE 802.11ac VHT20 / 5500 MHz	Temp/Hum	24.5(°C)/ 56%RH
Test Item	Harmonic	Test Date	April 25, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11000.000	Peak	30.69	19.04	49.73	74.00	-24.27
11000.000	Average	21.32	19.04	40.36	54.00	-13.64
16500.000	Peak	28.70	29.02	57.72	68.20	-10.48
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ac VHT20 / 5500 MHz	Temp/Hum	24.5(°C) / 56%RH
Test Item	Harmonic	Test Date	April 25, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11000.000	Peak	31.08	19.04	50.12	74.00	-23.88
11000.000	Average	21.18	19.04	40.22	54.00	-13.78
16500.000	Peak	29.42	29.02	58.44	68.20	-9.76
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ac VHT20 / 5580 MHz	Temp/Hum	24.5(°C)/ 56%RH
Test Item	Harmonic	Test Date	April 25, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11160.000	Peak	30.04	19.22	49.27	74.00	-24.73
11160.000	Average	21.37	19.22	40.59	54.00	-13.41
16740.000	Peak	30.01	30.21	60.23	68.20	-7.97
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ac VHT20 / 5580 MHz	Temp/Hum	24.5(°C) / 56%RH
Test Item	Harmonic	Test Date	April 25, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11160.000	Peak	30.63	19.22	49.85	74.00	-24.15
11160.000	Average	21.46	19.22	40.68	54.00	-13.32
16740.000	Peak	29.45	30.21	59.66	68.20	-8.54
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ac VHT20 / 5700 MHz	Temp/Hum	24.5(°C) / 56%RH
Test Item	Harmonic	Test Date	April 25, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11400.000	Peak	29.61	19.58	49.19	74.00	-24.81
11400.000	Average	20.66	19.58	40.24	54.00	-13.76
17100.000	Peak	29.66	31.23	60.89	68.20	-7.31
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ac VHT20 / 5700 MHz	Temp/Hum	24.5(°C) / 56%RH
Test Item	Harmonic	Test Date	April 25, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11400.000	Peak	29.41	19.58	48.99	74.00	-25.01
11400.000	Average	20.20	19.58	39.78	54.00	-14.22
17100.000	Peak	28.86	31.23	60.09	68.20	-8.11
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ac VHT20 / 5720 MHz	Temp/Hum	24.5(°C) / 56%RH
Test Item	Harmonic	Test Date	April 25, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11440.000	Peak	29.89	19.63	49.52	74.00	-24.48
11440.000	Average	20.58	19.63	40.21	54.00	-13.79
17160.000	Peak	29.52	30.57	60.09	68.20	-8.11
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ac VHT20 / 5720 MHz	Temp/Hum	24.5(°C) / 56%RH
Test Item	Harmonic	Test Date	April 25, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11440.000	Peak	29.91	19.63	49.54	74.00	-24.46
11440.000	Average	21.12	19.63	40.75	54.00	-13.25
17160.000	Peak	30.44	30.57	61.01	68.20	-7.19
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Test Mode	IEEE 802.11ac VHT40 / 5510 MHz	Temp/Hum	23.4(°C) / 60%RH
Test Item	Harmonic	Test Date	April 26, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11020.000	Peak	31.24	19.00	50.24	74.00	-23.76
11020.000	Average	21.80	19.00	40.80	54.00	-13.20
16530.000	Peak	30.33	28.97	59.29	68.20	-8.91
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ac VHT40 / 5510 MHz	Temp/Hum	23.4(°C) / 60%RH
Test Item	Harmonic	Test Date	April 26, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11020.000	Peak	32.61	19.00	51.61	74.00	-22.39
11020.000	Average	22.12	19.00	41.12	54.00	-12.88
16530.000	Peak	30.14	28.97	59.11	68.20	-9.09
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ac VHT40 / 5550 MHz	Temp/Hum	23.4(°C)/ 60%RH
Test Item	Harmonic	Test Date	April 26, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11100.000	Peak	31.13	19.11	50.24	74.00	-23.76
11100.000	Average	21.75	19.11	40.86	54.00	-13.14
16650.000	Peak	30.54	29.28	59.82	68.20	-8.38
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ac VHT40 / 5550 MHz	Temp/Hum	23.4(°C)/ 60%RH
Test Item	Harmonic	Test Date	April 26, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11100.000	Peak	31.42	19.11	50.53	74.00	-23.47
11100.000	Average	21.37	19.11	40.48	54.00	-13.52
16650.000	Peak	30.47	29.28	59.75	68.20	-8.45
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ac VHT40 / 5670 MHz	Temp/Hum	23.4(°C)/ 60%RH
Test Item	Harmonic	Test Date	April 26, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBUV/m)	Limit @3m (dBUV/m)	Margin (dB)
11340.000	Peak	30.10	19.44	49.54	74.00	-24.46
11340.000	Average	21.25	19.44	40.69	54.00	-13.31
17010.000	Peak	29.05	31.48	60.53	68.20	-7.67
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ac VHT40 / 5670 MHz	Temp/Hum	23.4(°C)/ 60%RH
Test Item	Harmonic	Test Date	April 26, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11340.000	Peak	30.46	19.44	49.90	74.00	-24.10
11340.000	Average	21.32	19.44	40.76	54.00	-13.24
17010.000	Peak	29.64	31.48	61.11	68.20	-7.09
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ac VHT40 / 5710 MHz	Temp/Hum	23.4(°C) / 60%RH
Test Item	Harmonic	Test Date	April 26, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBUV)	Factor (dB)	Actual FS (dBUV/m)	Limit @3m (dBUV/m)	Margin (dB)
11420.000	Peak	29.71	19.60	49.32	74.00	-24.68
11420.000	Average	21.23	19.60	40.83	54.00	-13.17
17130.000	Peak	29.56	30.88	60.43	68.20	-7.77
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ac VHT40 / 5710 MHz	Temp/Hum	23.4(°C)/ 60%RH
Test Item	Harmonic	Test Date	April 26, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11420.000	Peak	29.85	19.60	49.46	74.00	-24.54
11420.000	Average	21.34	19.60	40.94	54.00	-13.06
17130.000	Peak	29.66	30.88	60.54	68.20	-7.66
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ac VHT80 / 5530 MHz	Temp/Hum	23.4(°C) / 60%RH
Test Item	Harmonic	Test Date	April 26, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11060.000	Peak	32.06	18.97	51.03	74.00	-22.97
11060.000	Average	22.55	18.97	41.52	54.00	-12.48
16590.000	Peak	30.41	28.94	59.35	68.20	-8.85
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ac VHT80 / 5530 MHz	Temp/Hum	23.4(°C) / 60%RH
Test Item	Harmonic	Test Date	April 26, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11060.000	Peak	31.61	18.97	50.59	74.00	-23.41
11060.000	Average	22.49	18.97	41.46	54.00	-12.54
16590.000	Peak	30.68	28.94	59.61	68.20	-8.59
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ac VHT80 / 5690 MHz	Temp/Hum	23.4(°C) / 60%RH
Test Item	Harmonic	Test Date	April 26, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11380.000	Peak	30.48	19.53	50.01	74.00	-23.99
11380.000	Average	22.16	19.53	41.69	54.00	-12.31
17070.000	Peak	29.16	31.30	60.45	68.20	-7.75
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ac VHT80 / 5690 MHz	Temp/Hum	23.4(°C) / 60%RH
Test Item	Harmonic	Test Date	April 26, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11380.000	Peak	31.71	19.53	51.24	74.00	-22.76
11380.000	Average	21.65	19.53	41.18	54.00	-12.82
17070.000	Peak	31.14	31.30	62.43	68.20	-5.77
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ax HE20 / 5500 MHz	Temp/Hum	23.4(°C) / 60%RH
Test Item	Harmonic	Test Date	April 26, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11000.000	Peak	29.87	19.04	48.91	74.00	-25.09
11000.000	Average	21.43	19.04	40.47	54.00	-13.53
16500.000	Peak	29.08	29.02	58.10	68.20	-10.10
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ax HE20 / 5500 MHz	Temp/Hum	23.4(°C) / 60%RH
Test Item	Harmonic	Test Date	April 26, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11000.000	Peak	30.97	19.04	50.01	74.00	-23.99
11000.000	Average	21.37	19.04	40.41	54.00	-13.59
16500.000	Peak	28.75	29.02	57.77	68.20	-10.43
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ax HE20 / 5580 MHz	Temp/Hum	23.4(°C)/ 60%RH
Test Item	Harmonic	Test Date	April 26, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11160.000	Peak	29.77	19.22	48.99	74.00	-25.01
11160.000	Average	21.48	19.22	40.70	54.00	-13.30
16740.000	Peak	28.71	30.21	58.92	68.20	-9.28
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ax HE20 / 5580 MHz	Temp/Hum	23.4(°C) / 60%RH
Test Item	Harmonic	Test Date	April 26, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11160.000	Peak	30.65	19.22	49.87	74.00	-24.13
11160.000	Average	21.32	19.22	40.54	54.00	-13.46
16740.000	Peak	30.17	30.21	60.38	68.20	-7.82
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ax HE20 / 5700 MHz	Temp/Hum	23.4(°C) / 60%RH
Test Item	Harmonic	Test Date	April 26, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11400.000	Peak	29.18	19.58	48.76	74.00	-25.24
11400.000	Average	20.74	19.58	40.32	54.00	-13.68
17100.000	Peak	28.93	31.23	60.16	68.20	-8.04
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ax HE20 / 5700 MHz	Temp/Hum	23.4(°C) / 60%RH
Test Item	Harmonic	Test Date	April 26, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11400.000	Peak	29.94	19.58	49.52	74.00	-24.48
11400.000	Average	20.86	19.58	40.44	54.00	-13.56
17100.000	Peak	29.77	31.23	61.00	68.20	-7.20
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ax HE20 / 5720 MHz_	Temp/Hum	23.4(°C)/ 60%RH
Test Item	Harmonic	Test Date	April 26, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBµV)	Factor (dB)	Actual FS (dBµV/m)	Limit @3m (dBµV/m)	Margin (dB)
11440.000	Peak	29.59	19.63	49.22	74.00	-24.78
11440.000	Average	20.90	19.63	40.53	54.00	-13.47
17160.000	Peak	29.59	30.57	60.16	68.20	-8.04
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ax HE20 / 5720 MHz_	Temp/Hum	23.4(°C)/ 60%RH
Test Item	Harmonic	Test Date	April 26, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11440.000	Peak	30.92	19.63	50.54	74.00	-23.46
11440.000	Average	21.11	19.63	40.74	54.00	-13.26
17160.000	Peak	30.24	30.57	60.81	68.20	-7.39
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ax HE40 / 5510 MHz_	Temp/Hum	24.3(°C)/ 55%RH
Test Item	Harmonic	Test Date	April 27, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11020.000	Peak	29.82	19.00	48.82	74.00	-25.18
11020.000	Average	22.01	19.00	41.01	54.00	-12.99
16530.000	Peak	28.93	28.97	57.90	68.20	-10.30
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ax HE40 / 5510 MHz_	Temp/Hum	24.3(°C) / 55%RH
Test Item	Harmonic	Test Date	April 27, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11020.000	Peak	31.04	19.00	50.04	74.00	-23.96
11020.000	Average	22.12	19.00	41.12	54.00	-12.88
16530.000	Peak	29.50	28.97	58.47	68.20	-9.73
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ax HE40 / 5550 MHz	Temp/Hum	24.3(°C) / 55%RH
Test Item	Harmonic	Test Date	April 27, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11100.000	Peak	29.98	19.11	49.09	74.00	-24.91
11100.000	Average	21.99	19.11	41.10	54.00	-12.90
16650.000	Peak	30.28	29.28	59.56	68.20	-8.64
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ax HE40 / 5550 MHz	Temp/Hum	24.3(°C) / 55%RH
Test Item	Harmonic	Test Date	April 27, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11100.000	Peak	30.71	19.11	49.82	74.00	-24.18
11100.000	Average	21.92	19.11	41.03	54.00	-12.97
16650.000	Peak	29.89	29.28	59.17	68.20	-9.03
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ax HE40 / 5670 MHz_	Temp/Hum	24.3(°C)/ 55%RH
Test Item	Harmonic	Test Date	April 27, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11340.000	Peak	30.31	19.44	49.75	74.00	-24.25
11340.000	Average	22.15	19.44	41.59	54.00	-12.41
17010.000	Peak	28.81	31.48	60.29	68.20	-7.91
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ax HE40 / 5670 MHz	Temp/Hum	24.3(°C) / 55%RH
Test Item	Harmonic	Test Date	April 27, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11340.000	Peak	29.74	19.44	49.18	74.00	-24.82
11340.000	Average	21.27	19.44	40.71	54.00	-13.29
17010.000	Peak	28.82	31.48	60.30	68.20	-7.90
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ax HE40 / 5710 MHz_	Temp/Hum	24.3(°C) / 55%RH
Test Item	Harmonic	Test Date	April 27, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11420.000	Peak	30.15	19.60	49.75	74.00	-24.25
11420.000	Average	21.32	19.60	40.92	54.00	-13.08
17130.000	Peak	29.60	30.88	60.47	68.20	-7.73
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ax HE40 / 5710 MHz	Temp/Hum	24.3(°C) / 55%RH
Test Item	Harmonic	Test Date	April 27, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11420.000	Peak	30.35	19.60	49.95	74.00	-24.05
11420.000	Average	21.63	19.60	41.23	54.00	-12.77
17130.000	Peak	29.32	30.88	60.19	68.20	-8.01
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ax HE80 / 5530 MHz	Temp/Hum	24.3(°C) / 55%RH
Test Item	Harmonic	Test Date	April 27, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11060.000	Peak	31.45	18.97	50.43	74.00	-23.57
11060.000	Average	23.43	18.97	42.40	54.00	-11.60
16590.000	Peak	29.91	28.94	58.84	68.20	-9.36
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ax HE80 / 5530 MHz	Temp/Hum	24.3(°C) / 55%RH
Test Item	Harmonic	Test Date	April 27, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBUV)	Factor (dB)	Actual FS (dBUV/m)	Limit @3m (dBUV/m)	Margin (dB)
11060.000	Peak	31.15	18.97	50.13	74.00	-23.87
11060.000	Average	23.29	18.97	42.26	54.00	-11.74
16590.000	Peak	29.70	28.94	58.64	68.20	-9.56
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ax HE80 / 5690 MHz	Temp/Hum	24.3(°C) / 55%RH
Test Item	Harmonic	Test Date	April 27, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11380.000	Peak	30.78	19.53	50.31	74.00	-23.69
11380.000	Average	22.83	19.53	42.36	54.00	-11.64
17070.000	Peak	29.62	31.30	60.91	68.20	-7.29
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ax HE80 / 5690 MHz	Temp/Hum	24.3(°C)/ 55%RH
Test Item	Harmonic	Test Date	April 27, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		



Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBUV)	Factor (dB)	Actual FS (dBUV/m)	Limit @3m (dBUV/m)	Margin (dB)
11380.000	Peak	29.89	19.53	49.42	74.00	-24.58
11380.000	Average	22.70	19.53	42.23	54.00	-11.77
17070.000	Peak	29.57	31.30	60.86	68.20	-7.34
N/A						


Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Data for UNII-3

Test Mode	IEEE 802.11ac VHT20 / 5745 MHz	Temp/Hum	24.5(°C)/ 56%RH
Test Item	Harmonic	Test Date	April 25, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11490.000	Peak	30.66	19.70	50.36	74.00	-23.64
11490.000	Average	20.66	19.70	40.36	54.00	-13.64
17235.000	Peak	29.86	30.01	59.87	68.20	-8.33
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ac VHT20 / 5745 MHz	Temp/Hum	24.5(°C) / 56%RH
Test Item	Harmonic	Test Date	April 25, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11490.000	Peak	29.84	19.70	49.54	74.00	-24.46
11490.000	Average	20.84	19.70	40.54	54.00	-13.46
17235.000	Peak	31.00	30.01	61.01	68.20	-7.19
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ac VHT20 / 5785 MHz	Temp/Hum	24.5(°C) / 56%RH
Test Item	Harmonic	Test Date	April 25, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11570.000	Peak	30.53	19.83	50.36	74.00	-23.64
11570.000	Average	20.89	19.83	40.72	54.00	-13.28
17355.000	Peak	29.91	29.33	59.25	68.20	-8.95
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ac VHT20 / 5785 MHz	Temp/Hum	24.5(°C) / 56%RH
Test Item	Harmonic	Test Date	April 25, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11570.000	Peak	29.58	19.83	49.41	74.00	-24.59
11570.000	Average	20.74	19.83	40.57	54.00	-13.43
17355.000	Peak	29.16	29.33	58.50	68.20	-9.70
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000111KR

Test Mode	IEEE 802.11ac VHT20 / 5825 MHz	Temp/Hum	24.5(°C)/ 56%RH
Test Item	Harmonic	Test Date	April 25, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		



Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11650.000	Peak	28.75	19.90	48.65	74.00	-25.35
11650.000	Average	20.49	19.90	40.39	54.00	-13.61
17475.000	Peak	29.48	29.11	58.59	68.20	-9.61
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.