

Appendix A. Test Data

Duty cycle						
Band	Frequency (MHz)	on time (ms)	on+off time (ms)	Duty cycle (%)	Duty Factor (dB)	1/T Minimum VBW (kHz)
802.11a	5955	1.989	1.996	99.65	0.02	0.50
802.11n_20	5955	10.000	10.000	100.00	0.00	0.10
802.11n_40	5965	10.000	10.000	100.00	0.00	0.10
802.11ac_20	5955	10.000	10.000	100.00	0.00	0.10
802.11ac_40	5965	10.000	10.000	100.00	0.00	0.10
802.11ac_80	5985	10.000	10.000	100.00	0.00	0.10
802.11ac_160	6025	10.000	10.000	100.00	0.00	0.10
802.11ax_20	5955	10.000	10.000	100.00	0.00	0.10
802.11ax_40	5965	10.000	10.000	100.00	0.00	0.10
802.11ax_80	5985	10.000	10.000	100.00	0.00	0.10
802.11ax_160	6025	10.000	10.000	100.00	0.00	0.10
802.11be_20	5955	10.000	10.000	100.00	0.00	0.10
802.11be_40	5965	10.000	10.000	100.00	0.00	0.10
802.11be_80	5985	10.000	10.000	100.00	0.00	0.10
802.11be_160	6025	10.000	10.000	100.00	0.00	0.10
802.11be_320	6105	10.000	10.000	100.00	0.00	0.10

RF power setting in Test SW

Mode	CH	Frequency (MHz)	Ant-0	Ant-1	Ant-2	Ant-3	Test SW Version
802.11a	1	5955	12.5	12.5	-	-	QSPR 6.00.00134.4
	45	6175	11	11	-	-	
	93	6415	12	12	-	-	
	97	6435	12	12	-	-	
	105	6475	12	12	-	-	
	113	6515	12	12	-	-	
	117	6535	12.5	12.5	-	-	
	149	6695	14	14	-	-	
	181	6855	13	13	-	-	
	185	6875	13	13	-	-	
	189	6895	13.5	13.5	-	-	
	209	6995	14	14	-	-	
802.11n HT20	1	5955	13	13	-	-	QSPR 6.00.00134.4
	45	6175	11.5	11.5	-	-	
	93	6415	12.5	12.5	-	-	
	97	6435	12	12	-	-	
	105	6475	12	12	-	-	
	113	6515	12.5	12.5	-	-	
	117	6535	13	13	-	-	
	149	6695	14	14	-	-	
	181	6855	13	13	-	-	
	185	6875	13	13	-	-	
	189	6895	13.5	13.5	-	-	
	209	6995	14	14	-	-	
802.11n HT40	3	5965	16	16	-	-	QSPR 6.00.00134.4
	43	6165	14.5	14.5	-	-	
	91	6405	14.5	14.5	-	-	
	99	6445	14	14	-	-	
	107	6485	14	14	-	-	
	115	6525	15	15	-	-	
	123	6565	16	16	-	-	
	147	6685	17.5	17.5	-	-	
	179	6845	18.5	18.5	-	-	
	187	6885	19	19	-	-	
	195	6925	19.5	19.5	-	-	
	211	7005	18.5	18.5	-	-	
	227	7085	16.5	16.5	-	-	

Mode	CH	Frequency (MHz)	Ant-0	Ant-1	Ant-2	Ant-3	Test SW Version
802.11ac VHT20	1	5955	13	13	-	-	QSPR 6.00.00134.4
	45	6175	11.5	11.5	-	-	
	93	6415	12.5	12.5	-	-	
	97	6435	12	12	-	-	
	105	6475	12	12	-	-	
	113	6515	12.5	12.5	-	-	
	117	6535	13	13	-	-	
	149	6695	14	14	-	-	
	181	6855	13	13	-	-	
	185	6875	13	13	-	-	
	189	6895	13.5	13.5	-	-	
	209	6995	14	14	-	-	
	233	7115	13.5	13.5	-	-	
802.11ac VHT40	3	5965	16	16	-	-	QSPR 6.00.00134.4
	43	6165	14.5	14.5	-	-	
	91	6405	14.5	14.5	-	-	
	99	6445	14	14	-	-	
	107	6485	14	14	-	-	
	115	6525	15	15	-	-	
	123	6565	16	16	-	-	
	147	6685	17.5	17.5	-	-	
	179	6845	18.5	18.5	-	-	
	187	6885	19	19	-	-	
	195	6925	19.5	19.5	-	-	
	211	7005	18.5	18.5	-	-	
	227	7085	16.5	16.5	-	-	
802.11ac VHT80	7	5985	19	19	-	-	QSPR 6.00.00134.4
	39	6145	17.5	17.5	-	-	
	87	6385	17.5	17.5	-	-	
	103	6465	16	16	-	-	
	119	6545	18	18	-	-	
	135	6625	20	20	-	-	
	151	6705	20.5	20.5	-	-	
	167	6785	21	21	-	-	
	183	6865	22	22	-	-	
	199	6945	22	22	-	-	
802.11ac VHT160	215	7025	21	21	-	-	QSPR 6.00.00134.4
	15	6025	22.5	22.5	-	-	
	47	6185	23	23	-	-	
	79	6345	23.5	23.5	-	-	
	111	6505	21	21	-	-	
	143	6665	23	23	-	-	
	175	6825	23	23	-	-	
	207	6985	21.5	21.5	-	-	

Mode	CH	Frequency (MHz)	Ant-0	Ant-1	Ant-2	Ant-3	Test SW Version
802.11ax HE20	1	5955	13	13	-	-	QSPR 6.00.00134.4
	45	6175	11.5	11.5	-	-	
	93	6415	12.5	12.5	-	-	
	97	6435	12	12	-	-	
	105	6475	12	12	-	-	
	113	6515	12.5	12.5	-	-	
	117	6535	13	13	-	-	
	149	6695	14	14	-	-	
	181	6855	13	13	-	-	
	185	6875	13	13	-	-	
	189	6895	13.5	13.5	-	-	
	209	6995	14	14	-	-	
	233	7115	13.5	13.5	-	-	
802.11ax HE40	3	5965	16	16	-	-	QSPR 6.00.00134.4
	43	6165	14.5	14.5	-	-	
	91	6405	14.5	14.5	-	-	
	99	6445	14	14	-	-	
	107	6485	14	14	-	-	
	115	6525	15	15	-	-	
	123	6565	16	16	-	-	
	147	6685	17.5	17.5	-	-	
	179	6845	18.5	18.5	-	-	
	187	6885	19	19	-	-	
	195	6925	19.5	19.5	-	-	
	211	7005	18.5	18.5	-	-	
	227	7085	16.5	16.5	-	-	
802.11ax HE80	7	5985	19	19	-	-	QSPR 6.00.00134.4
	39	6145	17.5	17.5	-	-	
	87	6385	17.5	17.5	-	-	
	103	6465	16	16	-	-	
	119	6545	18	18	-	-	
	135	6625	20	20	-	-	
	151	6705	20.5	20.5	-	-	
	167	6785	21	21	-	-	
	183	6865	22	22	-	-	
	199	6945	22	22	-	-	
802.11ax HE160	215	7025	21	21	-	-	QSPR 6.00.00134.4
	15	6025	22.5	22.5	-	-	
	47	6185	23	23	-	-	
	79	6345	23.5	23.5	-	-	
	111	6505	21	21	-	-	
	143	6665	23	23	-	-	
	175	6825	23	23	-	-	
	207	6985	21.5	21.5	-	-	

Mode	CH	Frequency (MHz)	Ant-0	Ant-1	Ant-2	Ant-3	Test SW Version
802.11be EHT20	1	5955	13	13	-	-	QSPR 6.00.00134.4
	45	6175	11.5	11.5	-	-	
	93	6415	12.5	12.5	-	-	
	97	6435	12	12	-	-	
	105	6475	12	12	-	-	
	113	6515	12.5	12.5	-	-	
	117	6535	13	13	-	-	
	149	6695	14	14	-	-	
	181	6855	13	13	-	-	
	185	6875	13	13	-	-	
	189	6895	13.5	13.5	-	-	
	209	6995	14	14	-	-	
802.11be EHT40	233	7115	13.5	13.5	-	-	
	3	5965	16	16	-	-	QSPR 6.00.00134.4
	43	6165	14.5	14.5	-	-	
	91	6405	14.5	14.5	-	-	
	99	6445	14	14	-	-	
	107	6485	14	14	-	-	
	115	6525	15	15	-	-	
	123	6565	16	16	-	-	
	147	6685	17.5	17.5	-	-	
	179	6845	18.5	18.5	-	-	
	187	6885	19	19	-	-	
	195	6925	19.5	19.5	-	-	
802.11be EHT80	211	7005	18.5	18.5	-	-	
	227	7085	16.5	16.5	-	-	
	7	5985	19	19	-	-	QSPR 6.00.00134.4
	39	6145	17.5	17.5	-	-	
	87	6385	17.5	17.5	-	-	
	103	6465	16	16	-	-	
	119	6545	18	18	-	-	
	135	6625	20	20	-	-	
	151	6705	20.5	20.5	-	-	
	167	6785	21	21	-	-	
802.11be EHT160	183	6865	22.5	22.5	-	-	
	199	6945	22	22	-	-	QSPR 6.00.00134.4
	215	7025	21	21	-	-	
	15	6025	23	23	-	-	
	47	6185	23	23	-	-	
802.11be EHT320	79	6345	23.5	23.5	-	-	QSPR 6.00.00134.4
	111	6505	21	21	-	-	
	143	6665	23	23	-	-	
	31	6105	22.5	22.5	-	-	
	95	6425	22	22	-	-	
802.11be EHT320	159	6745	22.5	22.5	-	-	QSPR 6.00.00134.4
	63	6265	23.5	23.5	-	-	
	127	6585	23	23	-	-	
	191	6905	22.5	22.5	-	-	

Maximum Conducted Output Power Measurement

Band	CH	Freq. (MHz)	Measurement							
			Ant-0	Ant-1	Total	Duty Factor (dB)	Directional Gain(dBi)	EIRP (dBm)	EIRP (mW)	Limit (dBm/MHz)
			dBm/MHz	dBm/MHz	dBm/MHz					
802.11a	1	5955	11.96	11.90	14.96	0.02	4.51	19.47	0.0885	30
	45	6175	9.99	10.12	13.09	0.02	4.51	17.60	0.0575	30
	93	6415	12.10	11.31	14.75	0.02	4.51	19.26	0.0843	30
	97	6435	11.31	11.07	14.22	0.02	4.80	19.02	0.0798	30
	105	6475	11.18	11.03	14.14	0.02	4.80	18.94	0.0783	30
	113	6515	11.19	11.09	14.17	0.02	4.80	18.97	0.0789	30
	117	6535	11.53	11.57	14.58	0.02	5.15	19.73	0.0940	30
	149	6695	12.50	12.69	15.63	0.02	5.15	20.78	0.1197	30
	181	6855	11.78	11.86	14.85	0.02	5.15	20.00	0.1000	30
	185	6875	12.02	11.93	15.01	0.02	5.15	20.16	0.1038	30
	189	6895	12.47	12.52	15.53	0.02	5.46	20.99	0.1256	30
	209	6995	12.93	12.69	15.84	0.02	5.46	21.30	0.1349	30
	233	7115	11.48	11.33	14.44	0.02	5.46	19.90	0.0977	30
802.11n HT20	1	5955	12.10	12.28	15.20	0.00	4.51	19.71	0.0935	30
	45	6175	10.26	10.12	13.20	0.00	4.51	17.71	0.0590	30
	93	6415	12.19	11.75	14.99	0.00	4.51	19.50	0.0891	30
	97	6435	11.13	11.09	14.12	0.00	4.80	18.92	0.0780	30
	105	6475	10.81	11.21	14.02	0.00	4.80	18.82	0.0762	30
	113	6515	11.79	11.71	14.76	0.00	4.80	19.56	0.0904	30
	117	6535	11.58	11.81	14.71	0.00	5.15	19.86	0.0968	30
	149	6695	12.20	12.65	15.44	0.00	5.15	20.59	0.1146	30
	181	6855	11.77	11.76	14.78	0.00	5.15	19.93	0.0984	30
	185	6875	11.65	12.30	15.00	0.00	5.15	20.15	0.1035	30
	189	6895	12.32	12.29	15.32	0.00	5.46	20.78	0.1197	30
	209	6995	12.59	12.66	15.64	0.00	5.46	21.10	0.1288	30
	233	7115	11.80	11.81	14.82	0.00	5.46	20.28	0.1067	30
802.11n HT40	3	5965	15.13	15.04	18.10	0.00	4.51	22.61	0.1824	30
	43	6165	13.33	13.22	16.29	0.00	4.51	20.80	0.1202	30
	91	6405	14.04	13.43	16.76	0.00	4.51	21.27	0.1340	30
	99	6445	13.24	13.03	16.15	0.00	4.80	20.95	0.1245	30
	107	6485	13.24	13.06	16.16	0.00	4.80	20.96	0.1247	30
	115	6525	14.03	13.85	16.95	0.00	4.80	21.75	0.1496	30
	123	6565	14.93	15.00	17.98	0.00	5.15	23.13	0.2056	30
	147	6685	16.94	16.20	19.60	0.00	5.15	24.75	0.2985	30
	179	6845	16.78	17.07	19.94	0.00	5.15	25.09	0.3228	30
	187	6885	17.61	17.54	20.59	0.00	5.15	25.74	0.3750	30
	195	6925	17.66	18.00	20.84	0.00	5.46	26.30	0.4266	30
	211	7005	16.65	17.00	19.84	0.00	5.46	25.30	0.3388	30
	227	7085	14.41	15.04	17.75	0.00	5.46	23.21	0.2094	30

Band	CH	Freq. (MHz)	Measurement							
			Ant-0	Ant-1	Total	Duty Factor (dB)	Directional Gain(dBi)	EIRP (dBm)	EIRP (mW)	Limit (dBm/MHz)
			dBm/MHz	dBm/MHz	dBm/MHz					
802.11ac VHT20	1	5955	12.03	12.38	15.22	0.00	4.51	19.73	0.0940	30
	45	6175	10.31	10.19	13.26	0.00	4.51	17.77	0.0598	30
	93	6415	12.28	11.69	15.01	0.00	4.51	19.52	0.0895	30
	97	6435	11.14	11.11	14.14	0.00	4.80	18.94	0.0783	30
	105	6475	10.84	11.27	14.07	0.00	4.80	18.87	0.0771	30
	113	6515	11.74	11.76	14.76	0.00	4.80	19.56	0.0904	30
	117	6535	11.89	11.81	14.86	0.00	5.15	20.01	0.1002	30
	149	6695	12.19	12.74	15.48	0.00	5.15	20.63	0.1156	30
	181	6855	11.74	11.90	14.83	0.00	5.15	19.98	0.0995	30
	185	6875	11.67	12.34	15.03	0.00	5.15	20.18	0.1042	30
	189	6895	12.40	12.35	15.39	0.00	5.46	20.85	0.1216	30
	209	6995	12.78	12.63	15.72	0.00	5.46	21.18	0.1312	30
802.11ac VHT40	233	7115	11.82	11.86	14.85	0.00	5.46	20.31	0.1074	30
	3	5965	15.18	15.23	18.22	0.00	4.51	22.73	0.1875	30
	43	6165	13.43	13.44	16.45	0.00	4.51	20.96	0.1247	30
	91	6405	13.83	13.70	16.78	0.00	4.51	21.29	0.1346	30
	99	6445	13.31	13.16	16.25	0.00	4.80	21.05	0.1274	30
	107	6485	13.21	13.11	16.17	0.00	4.80	20.97	0.1250	30
	115	6525	14.17	14.00	17.10	0.00	4.80	21.90	0.1549	30
	123	6565	14.91	15.04	17.99	0.00	5.15	23.14	0.2061	30
	147	6685	17.00	16.25	19.65	0.00	5.15	24.80	0.3020	30
	179	6845	16.87	17.09	19.99	0.00	5.15	25.14	0.3266	30
	187	6885	17.67	17.61	20.65	0.00	5.46	26.11	0.4083	30
	195	6925	17.64	18.04	20.85	0.00	5.46	26.31	0.4276	30
802.11ac VHT80	211	7005	16.63	17.28	19.98	0.00	5.46	25.44	0.3499	30
	227	7085	14.50	15.05	17.79	0.00	5.46	23.25	0.2113	30
	7	5985	17.51	17.66	20.60	0.00	4.51	25.11	0.3243	30
	39	6145	16.07	16.20	19.15	0.00	4.51	23.66	0.2323	30
	87	6385	16.47	16.21	19.35	0.00	4.51	23.86	0.2432	30
	103	6465	15.10	15.07	18.10	0.00	4.80	22.90	0.1950	30
	119	6545	16.60	16.50	19.56	0.00	5.15	24.71	0.2958	30
	135	6625	19.11	19.09	22.11	0.00	5.15	27.26	0.5321	30
	151	6705	18.18	18.19	21.20	0.00	5.15	26.35	0.4315	30
	167	6785	18.91	18.67	21.80	0.00	5.15	26.95	0.4955	30
	183	6865	20.22	20.15	23.20	0.00	5.15	28.35	0.6839	30
	199	6945	20.36	20.13	23.26	0.00	5.46	28.72	0.7447	30
802.11ac VHT160	215	7025	19.26	19.50	22.39	0.00	5.46	27.85	0.6095	30
	15	6025	20.74	21.11	23.94	0.00	4.51	28.45	0.6998	30
	47	6185	21.30	20.95	24.14	0.00	4.51	28.65	0.7328	30
	79	6345	21.73	21.87	24.81	0.00	4.51	29.32	0.8551	30
	111	6505	19.66	19.30	22.49	0.00	4.80	27.29	0.5358	30
	143	6665	22.03	21.44	24.76	0.00	5.15	29.91	0.9795	30
	175	6825	21.02	21.12	24.08	0.00	5.15	29.23	0.8375	30
802.11ac VHT160	207	6985	19.95	20.91	23.47	0.00	5.46	28.93	0.7816	30

Band	CH	Freq. (MHz)	Measurement							
			Ant-0	Ant-1	Total	Duty Factor (dB)	Directional Gain(dBi)	EIRP (dBm)	EIRP (mW)	Limit (dBm/MHz)
			dBm/MHz	dBm/MHz	dBm/MHz					
802.11ax HE20	1	5955	12.32	12.53	15.44	0.00	4.51	19.95	0.0989	30
	45	6175	10.64	10.45	13.56	0.00	4.51	18.07	0.0641	30
	93	6415	12.19	11.86	15.04	0.00	4.51	19.55	0.0902	30
	97	6435	11.58	11.12	14.37	0.00	4.80	19.17	0.0826	30
	105	6475	11.15	11.23	14.20	0.00	4.80	19.00	0.0794	30
	113	6515	11.93	11.85	14.90	0.00	4.80	19.70	0.0933	30
	117	6535	11.91	12.07	15.00	0.00	5.15	20.15	0.1035	30
	149	6695	12.40	12.71	15.57	0.00	5.15	20.72	0.1180	30
	181	6855	12.11	11.93	15.03	0.00	5.15	20.18	0.1042	30
	185	6875	12.05	12.43	15.25	0.00	5.15	20.40	0.1096	30
	189	6895	12.55	12.73	15.65	0.00	5.46	21.11	0.1291	30
	209	6995	12.71	13.42	16.09	0.00	5.46	21.55	0.1429	30
	233	7115	12.16	12.35	15.27	0.00	5.46	20.73	0.1183	30
802.11ax HE40	3	5965	15.07	15.20	18.15	0.00	4.51	22.66	0.1845	30
	43	6165	13.40	13.53	16.48	0.00	4.51	20.99	0.1256	30
	91	6405	14.00	13.57	16.80	0.00	4.51	21.31	0.1352	30
	99	6445	13.29	13.11	16.21	0.00	4.80	21.01	0.1262	30
	107	6485	13.23	12.96	16.11	0.00	4.80	20.91	0.1233	30
	115	6525	14.03	13.93	16.99	0.00	4.80	21.79	0.1510	30
	123	6565	14.92	15.09	18.02	0.00	5.15	23.17	0.2075	30
	147	6685	17.10	16.24	19.70	0.00	5.15	24.85	0.3055	30
	179	6845	17.01	17.13	20.08	0.00	5.15	25.23	0.3334	30
	187	6885	17.76	17.56	20.67	0.00	5.46	26.13	0.4102	30
	195	6925	17.82	17.95	20.90	0.00	5.46	26.36	0.4325	30
	211	7005	16.72	17.20	19.98	0.00	5.46	25.44	0.3499	30
	227	7085	14.46	14.92	17.71	0.00	5.46	23.17	0.2075	30
802.11ax HE80	7	5985	17.86	17.57	20.73	0.00	4.51	25.24	0.3342	30
	39	6145	15.98	16.33	19.17	0.00	4.51	23.68	0.2333	30
	87	6385	16.50	16.21	19.37	0.00	4.51	23.88	0.2443	30
	103	6465	15.13	15.07	18.11	0.00	4.80	22.91	0.1954	30
	119	6545	16.65	16.60	19.64	0.00	5.15	24.79	0.3013	30
	135	6625	19.00	19.12	22.07	0.00	5.15	27.22	0.5272	30
	151	6705	18.24	18.37	21.32	0.00	5.15	26.47	0.4436	30
	167	6785	18.90	18.71	21.82	0.00	5.15	26.97	0.4977	30
	183	6865	20.26	20.21	23.25	0.00	5.15	28.40	0.6918	30
	199	6945	20.46	20.12	23.30	0.00	5.46	28.76	0.7516	30
	215	7025	19.31	19.50	22.42	0.00	5.46	27.88	0.6138	30
802.11ax HE160	15	6025	20.78	20.11	23.47	0.00	4.51	27.98	0.6281	30
	47	6185	21.17	21.10	24.15	0.00	4.51	28.66	0.7345	30
	79	6345	21.89	21.86	24.89	0.00	4.51	29.40	0.8710	30
	111	6505	19.49	19.31	22.41	0.00	4.80	27.21	0.5260	30
	143	6665	22.02	21.37	24.72	0.00	5.15	29.87	0.9705	30
	175	6825	21.18	21.00	24.10	0.00	5.15	29.25	0.8414	30
	207	6985	19.95	20.85	23.43	0.00	5.46	28.89	0.7745	30

Band	CH	Freq. (MHz)	Measurement							
			Ant-0	Ant-1	Total	Duty Factor (dB)	Directional Gain(dBi)	EIRP (dBm)	EIRP (mW)	Limit (dBm/MHz)
			dBm/MHz	dBm/MHz	dBm/MHz					
802.11be EHT20	1	5955	12.39	12.52	15.47	4.51	4.51	19.98	0.0995	30
	45	6175	10.67	10.50	13.60	4.51	4.51	18.11	0.0647	30
	93	6415	12.30	11.96	15.14	4.51	4.51	19.65	0.0923	30
	97	6435	11.58	11.19	14.40	4.80	4.80	19.20	0.0832	30
	105	6475	11.14	11.27	14.22	4.80	4.80	19.02	0.0798	30
	113	6515	11.99	11.94	14.98	4.80	4.80	19.78	0.0951	30
	117	6535	11.96	12.15	15.07	5.15	5.15	20.22	0.1052	30
	149	6695	12.43	12.73	15.59	5.15	5.15	20.74	0.1186	30
	181	6855	12.06	12.05	15.07	5.15	5.15	20.22	0.1052	30
	185	6875	12.00	12.54	15.29	5.15	5.15	20.44	0.1107	30
	189	6895	12.65	12.82	15.75	5.46	5.46	21.21	0.1321	30
	209	6995	12.79	13.38	16.11	5.46	5.46	21.57	0.1435	30
	233	7115	12.20	12.41	15.32	5.46	5.46	20.78	0.1197	30
802.11be EHT40	3	5965	15.25	15.40	18.34	4.51	4.51	22.85	0.1928	30
	43	6165	13.53	13.48	16.52	4.51	4.51	21.03	0.1268	30
	91	6405	14.01	13.57	16.81	4.51	4.51	21.32	0.1355	30
	99	6445	13.42	13.15	16.30	4.80	4.80	21.10	0.1288	30
	107	6485	13.35	12.98	16.18	4.80	4.80	20.98	0.1253	30
	115	6525	14.16	14.04	17.11	4.80	4.80	21.91	0.1552	30
	123	6565	14.84	15.20	18.03	5.15	5.15	23.18	0.2080	30
	147	6685	17.13	16.34	19.76	5.15	5.15	24.91	0.3097	30
	179	6845	17.07	17.19	20.14	5.15	5.15	25.29	0.3381	30
	187	6885	17.84	17.78	20.82	5.46	5.46	26.28	0.4246	30
	195	6925	17.69	18.14	20.93	5.46	5.46	26.39	0.4355	30
	211	7005	16.71	17.30	20.03	5.46	5.46	25.49	0.3540	30
	227	7085	14.48	15.13	17.83	5.46	5.46	23.29	0.2133	30
802.11be EHT80	7	5985	17.70	17.78	20.75	4.51	4.51	25.26	0.3357	30
	39	6145	16.31	16.71	19.52	4.51	4.51	24.03	0.2529	30
	87	6385	16.53	16.57	19.56	4.51	4.51	24.07	0.2553	30
	103	6465	15.17	15.10	18.15	4.80	4.80	22.95	0.1972	30
	119	6545	16.70	16.57	19.65	5.15	5.15	24.80	0.3020	30
	135	6625	19.07	19.08	22.09	5.15	5.15	27.24	0.5297	30
	151	6705	18.37	18.31	21.35	5.15	5.15	26.50	0.4467	30
	167	6785	18.96	18.84	21.91	5.15	5.15	27.06	0.5082	30
	183	6865	20.88	20.84	23.87	5.15	5.15	29.02	0.7980	30
	199	6945	20.62	20.01	23.34	5.46	5.46	28.80	0.7586	30
	215	7025	19.29	19.62	22.47	5.46	5.46	27.93	0.6209	30
802.11be EHT160	15	6025	21.41	21.72	24.58	4.51	4.51	29.09	0.8110	30
	47	6185	21.28	21.08	24.19	4.51	4.51	28.70	0.7413	30
	79	6345	21.87	21.91	24.90	4.51	4.51	29.41	0.8730	30
	111	6505	19.62	19.53	22.59	4.51	4.51	27.10	0.5129	30
	143	6665	22.12	21.45	24.81	4.51	4.51	29.32	0.8551	30
	175	6825	21.13	21.09	24.12	4.51	4.51	28.63	0.7295	30
	207	6985	19.97	20.90	23.47	4.51	4.51	27.98	0.6281	30
802.11be EHT320	31	6105	21.51	21.39	24.46	4.51	4.51	28.97	0.7889	30
	95	6425	20.98	20.40	23.71	4.51	4.51	28.22	0.6637	30
	159	6745	20.52	20.53	23.54	4.51	4.51	28.05	0.6383	30
	63	6265	21.76	21.57	24.68	4.80	4.80	29.48	0.8872	30
	127	6585	21.33	21.64	24.50	4.80	4.80	29.30	0.8511	30
	191	6905	21.01	20.52	23.78	5.15	5.15	28.93	0.7816	30

Power Spectral Density Measurement					
Band	CH	Freq. (MHz)	Measurement		
			Directional Gain(dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)
802.11a	1	5955	4.51	4.70	5.00
	45	6175	4.51	4.52	5.00
	93	6415	4.51	4.80	5.00
	97	6435	4.80	4.76	5.00
	105	6475	4.80	4.95	5.00
	113	6515	4.80	4.65	5.00
	117	6535	5.15	4.57	5.00
	149	6695	5.15	4.84	5.00
	181	6855	5.15	4.68	5.00
	185	6875	5.15	4.76	5.00
	189	6895	5.46	4.94	5.00
	209	6995	5.46	4.90	5.00
	233	7115	5.46	4.60	5.00

Band	CH	Freq. (MHz)	Measurement		
			Directional Gain(dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)
802.11be EHT20	1	5955	4.51	4.54	5.00
	45	6175	4.51	4.55	5.00
	93	6415	4.51	4.70	5.00
	97	6435	4.80	4.55	5.00
	105	6475	4.80	4.91	5.00
	113	6515	4.80	4.58	5.00
	117	6535	5.15	4.63	5.00
	149	6695	5.15	4.91	5.00
	181	6855	5.15	4.91	5.00
	185	6875	5.15	4.65	5.00
	189	6895	5.46	4.72	5.00
	209	6995	5.46	4.69	5.00
	233	7115	5.46	4.78	5.00
802.11be EHT40	3	5965	4.51	4.72	5.00
	43	6165	4.51	4.63	5.00
	91	6405	4.51	4.77	5.00
	99	6445	4.80	4.95	5.00
	107	6485	4.80	4.83	5.00
	115	6525	4.80	4.82	5.00
	123	6565	5.15	4.71	5.00
	147	6685	5.15	4.99	5.00
	179	6845	5.15	4.61	5.00
	187	6885	5.46	4.74	5.00
	195	6925	5.46	4.95	5.00
	211	7005	5.46	4.92	5.00
	227	7085	5.46	4.94	5.00
802.11be EHT80	7	5985	4.51	4.73	5.00
	39	6145	4.51	4.82	5.00
	87	6385	4.51	4.55	5.00
	103	6465	4.80	4.32	5.00
	119	6545	5.15	4.65	5.00
	135	6625	5.15	4.73	5.00
	151	6705	5.15	4.86	5.00
	167	6785	5.15	4.58	5.00
	183	6865	5.15	4.84	5.00
	199	6945	5.46	4.40	5.00
	215	7025	5.46	4.45	5.00
802.11ax HE160	15	6025	4.51	4.89	5.00
	47	6185	4.51	4.93	5.00
	79	6345	4.51	4.35	5.00
	111	6505	4.80	4.87	5.00
	143	6665	5.15	3.65	5.00
	175	6825	5.15	2.75	5.00
	207	6985	5.46	3.45	5.00
802.11be EHT320	31	6105	4.51	3.94	5.00
	95	6425	4.51	4.19	5.00
	159	6745	4.51	1.10	5.00
	63	6265	4.80	3.45	5.00
	127	6585	4.80	4.64	5.00
	191	6905	5.15	0.49	5.00

RF power setting in Test SW (Beamforming on)

Mode	CH	Frequency (MHz)	Ant-0	Ant-1	Ant-2	Ant-3	Test SW Version
802.11n HT20	1	5955	16	16	-	-	QSPR 6.00.00134.4
	45	6175	14	14	-	-	
	93	6415	16	16	-	-	
	97	6435	15	15	-	-	
	105	6475	15	15	-	-	
	113	6515	15	15	-	-	
	117	6535	15	15	-	-	
	149	6695	16	16	-	-	
	181	6855	15	15	-	-	
	185	6875	16	16	-	-	
	189	6895	16	16	-	-	
	209	6995	16	16	-	-	
802.11n HT40	233	7115	15	15	-	-	QSPR 6.00.00134.4
	3	5965	18	18	-	-	
	43	6165	17	17	-	-	
	91	6405	17	17	-	-	
	99	6445	17	17	-	-	
	107	6485	17	17	-	-	
	115	6525	17	17	-	-	
	123	6565	18	18	-	-	
	147	6685	19	19	-	-	
	179	6845	19	19	-	-	
	187	6885	20	20	-	-	
	195	6925	20	20	-	-	
	211	7005	19	19	-	-	
	227	7085	18	18	-	-	

Mode	CH	Frequency (MHz)	Ant-0	Ant-1	Ant-2	Ant-3	Test SW Version
802.11ac VHT20	1	5955	16	16	-	-	QSPR 6.00.00134.4
	45	6175	14	14	-	-	
	93	6415	16	16	-	-	
	97	6435	14	14	-	-	
	105	6475	14	14	-	-	
	113	6515	15	15	-	-	
	117	6535	15	15	-	-	
	149	6695	16	16	-	-	
	181	6855	15	15	-	-	
	185	6875	16	16	-	-	
	189	6895	16	16	-	-	
	209	6995	16	16	-	-	
	233	7115	15	15	-	-	
802.11ac VHT40	3	5965	18	18	-	-	QSPR 6.00.00134.4
	43	6165	17	17	-	-	
	91	6405	17	17	-	-	
	99	6445	16	16	-	-	
	107	6485	16	16	-	-	
	115	6525	17	17	-	-	
	123	6565	18	18	-	-	
	147	6685	19	19	-	-	
	179	6845	19	19	-	-	
	187	6885	20	20	-	-	
	195	6925	20	20	-	-	
	211	7005	19	19	-	-	
	227	7085	18	18	-	-	
802.11ac VHT80	7	5985	20	20	-	-	QSPR 6.00.00134.4
	39	6145	19	19	-	-	
	87	6385	19	19	-	-	
	103	6465	18	18	-	-	
	119	6545	19	19	-	-	
	135	6625	21	21	-	-	
	151	6705	20	20	-	-	
	167	6785	20	20	-	-	
	183	6865	22	22	-	-	
	199	6945	22	22	-	-	
802.11ac VHT160	215	7025	21	21	-	-	QSPR 6.00.00134.4
	15	6025	22	22	-	-	
	47	6185	22	22	-	-	
	79	6345	22	22	-	-	
	111	6505	21	21	-	-	
	143	6665	22	22	-	-	
	175	6825	22	22	-	-	
	207	6985	22	22	-	-	

Mode	CH	Frequency (MHz)	Ant-0	Ant-1	Ant-2	Ant-3	Test SW Version
802.11ax HE20	1	5955	16	16	-	-	QSPR 6.00.00134.4
	45	6175	14	14	-	-	
	93	6415	16	16	-	-	
	97	6435	15	15	-	-	
	105	6475	15	15	-	-	
	113	6515	16	16	-	-	
	117	6535	16	16	-	-	
	149	6695	16	16	-	-	
	181	6855	16	16	-	-	
	185	6875	16	16	-	-	
	189	6895	16	16	-	-	
	209	6995	17	17	-	-	
	233	7115	16	16	-	-	
802.11ax HE40	3	5965	18	18	-	-	QSPR 6.00.00134.4
	43	6165	17	17	-	-	
	91	6405	17	17	-	-	
	99	6445	17	17	-	-	
	107	6485	17	17	-	-	
	115	6525	17	17	-	-	
	123	6565	18	18	-	-	
	147	6685	19	19	-	-	
	179	6845	19	19	-	-	
	187	6885	20	20	-	-	
	195	6925	20	20	-	-	
	211	7005	19	19	-	-	
	227	7085	18	18	-	-	
802.11ax HE80	7	5985	20	20	-	-	QSPR 6.00.00134.4
	39	6145	19	19	-	-	
	87	6385	19	19	-	-	
	103	6465	18	18	-	-	
	119	6545	19	19	-	-	
	135	6625	21	21	-	-	
	151	6705	21	21	-	-	
	167	6785	21	21	-	-	
	183	6865	22	22	-	-	
	199	6945	21	21	-	-	
802.11ax HE160	215	7025	22	22	-	-	QSPR 6.00.00134.4
	15	6025	22	22	-	-	
	47	6185	23	23	-	-	
	79	6345	23	23	-	-	
	111	6505	21	21	-	-	
	143	6665	23	23	-	-	
	175	6825	23	23	-	-	
	207	6985	23	23	-	-	

Mode	CH	Frequency (MHz)	Ant-0	Ant-1	Ant-2	Ant-3	Test SW Version
802.11be EHT20	1	5955	16	16	-	-	QSPR 6.00.00134.4
	45	6175	14	14	-	-	
	93	6415	16	16	-	-	
	97	6435	15	15	-	-	
	105	6475	15	15	-	-	
	113	6515	16	16	-	-	
	117	6535	16	16	-	-	
	149	6695	16	16	-	-	
	181	6855	16	16	-	-	
	185	6875	16	16	-	-	
	189	6895	16	16	-	-	
	209	6995	17	17	-	-	
	233	7115	16	16	-	-	
802.11be EHT40	3	5965	18	18	-	-	QSPR 6.00.00134.4
	43	6165	17	17	-	-	
	91	6405	17	17	-	-	
	99	6445	17	17	-	-	
	107	6485	17	17	-	-	
	115	6525	17	17	-	-	
	123	6565	18	18	-	-	
	147	6685	19	19	-	-	
	179	6845	19	19	-	-	
	187	6885	20	20	-	-	
	195	6925	20	20	-	-	
	211	7005	19	19	-	-	
	227	7085	18	18	-	-	
802.11be EHT80	7	5985	20	20	-	-	QSPR 6.00.00134.4
	39	6145	19	19	-	-	
	87	6385	19	19	-	-	
	103	6465	18	18	-	-	
	119	6545	19	19	-	-	
	135	6625	21	21	-	-	
	151	6705	21	21	-	-	
	167	6785	21	21	-	-	
	183	6865	22	22	-	-	
	199	6945	21	21	-	-	
802.11be EHT160	215	7025	22	22	-	-	QSPR 6.00.00134.4
	15	6025	22	22	-	-	
	47	6185	23	23	-	-	
	79	6345	23	23	-	-	
	111	6505	21	21	-	-	
802.11be EHT320	143	6665	23	23	-	-	QSPR 6.00.00134.4
	31	6105	23	23	-	-	
	95	6425	22	22	-	-	
	159	6745	22	22	-	-	
	63	6265	23	23	-	-	
	127	6585	23	23	-	-	
	191	6905	22	22	-	-	QSPR 6.00.00134.4

Maximum Conducted Output Power Measurement (Beamforming on)										
Band	CH	Freq. (MHz)	Measurement							
			Ant-0	Ant-1	Total	Duty Factor (dB)	Directional Gain(dBi)	EIRP (dBm)	EIRP (mW)	Limit (dBm/MHz)
			dBm/MHz	dBm/MHz	dBm/MHz					
802.11n HT20	1	5955	11.82	12.10	14.97	0.00	4.51	19.48	0.0887	30
	45	6175	10.09	9.89	13.00	0.00	4.51	17.51	0.0564	30
	93	6415	11.98	11.45	14.73	0.00	4.51	19.24	0.0839	30
	97	6435	10.90	11.01	13.97	0.00	4.80	18.77	0.0753	30
	105	6475	10.64	10.96	13.81	0.00	4.80	18.61	0.0726	30
	113	6515	11.54	11.46	14.51	0.00	4.80	19.31	0.0853	30
	117	6535	11.39	11.60	14.51	0.00	5.15	19.66	0.0925	30
	149	6695	11.99	12.35	15.18	0.00	5.15	20.33	0.1079	30
	181	6855	11.56	11.46	14.52	0.00	5.15	19.67	0.0927	30
	185	6875	11.45	12.04	14.77	0.00	5.15	19.92	0.0982	30
	189	6895	12.14	12.00	15.08	0.00	5.46	20.54	0.1132	30
	209	6995	12.38	12.37	15.39	0.00	5.46	20.85	0.1216	30
	233	7115	11.56	11.70	14.64	0.00	5.46	20.10	0.1023	30
802.11n HT40	3	5965	14.84	14.85	17.86	0.00	4.51	22.37	0.1726	30
	43	6165	13.22	12.99	16.12	0.00	4.51	20.63	0.1156	30
	91	6405	13.82	13.20	16.53	0.00	4.51	21.04	0.1271	30
	99	6445	13.04	12.89	15.98	0.00	4.80	20.78	0.1197	30
	107	6485	13.01	12.76	15.90	0.00	4.80	20.70	0.1175	30
	115	6525	13.93	13.58	16.77	0.00	4.80	21.57	0.1435	30
	123	6565	14.61	14.74	17.69	0.00	5.15	22.84	0.1923	30
	147	6685	16.81	16.07	19.47	0.00	5.15	24.62	0.2897	30
	179	6845	16.61	16.85	19.74	0.00	5.15	24.89	0.3083	30
	187	6885	17.40	17.25	20.34	0.00	5.46	25.80	0.3802	30
	195	6925	17.37	17.87	20.64	0.00	5.46	26.10	0.4074	30
	211	7005	16.52	16.82	19.68	0.00	5.46	25.14	0.3266	30
	227	7085	14.18	14.80	17.51	0.00	5.46	22.97	0.1982	30

Band	CH	Freq. (MHz)	Measurement							
			Ant-0	Ant-1	Total	Duty Factor (dB)	Directional Gain(dBi)	EIRP (dBm)	EIRP (mW)	Limit (dBm/MHz)
802.11ac VHT20	1	5955	11.86	12.09	14.99	0.00	4.51	19.50	0.0891	30
	45	6175	10.17	10.01	13.10	0.00	4.51	17.61	0.0577	30
	93	6415	12.11	11.49	14.82	0.00	4.51	19.33	0.0857	30
	97	6435	11.01	10.96	14.00	0.00	4.80	18.80	0.0759	30
	105	6475	10.69	11.06	13.89	0.00	4.80	18.69	0.0740	30
	113	6515	11.51	11.53	14.53	0.00	4.80	19.33	0.0857	30
	117	6535	11.66	11.70	14.69	0.00	5.15	19.84	0.0964	30
	149	6695	11.89	12.54	15.24	0.00	5.15	20.39	0.1094	30
	181	6855	11.46	11.71	14.60	0.00	5.15	19.75	0.0944	30
	185	6875	11.41	12.15	14.81	0.00	5.15	19.96	0.0991	30
	189	6895	12.27	12.17	15.23	0.00	5.46	20.69	0.1172	30
	209	6995	12.57	12.38	15.49	0.00	5.46	20.95	0.1245	30
	233	7115	11.69	11.66	14.69	0.00	5.46	20.15	0.1035	30
802.11ac VHT40	3	5965	14.92	15.08	18.01	0.00	4.51	22.52	0.1786	30
	43	6165	13.28	13.17	16.24	0.00	4.51	20.75	0.1189	30
	91	6405	13.73	13.46	16.61	0.00	4.51	21.12	0.1294	30
	99	6445	13.11	12.91	16.02	0.00	4.80	20.82	0.1208	30
	107	6485	12.94	12.85	15.91	0.00	4.80	20.71	0.1178	30
	115	6525	14.01	13.75	16.89	0.00	4.80	21.69	0.1476	30
	123	6565	14.79	14.72	17.77	0.00	5.15	22.92	0.1959	30
	147	6685	16.90	15.98	19.47	0.00	5.15	24.62	0.2897	30
	179	6845	16.65	16.85	19.76	0.00	5.15	24.91	0.3097	30
	187	6885	17.54	17.33	20.45	0.00	5.46	25.91	0.3899	30
	195	6925	17.50	17.86	20.69	0.00	5.46	26.15	0.4121	30
	211	7005	16.49	17.11	19.82	0.00	5.46	25.28	0.3373	30
	227	7085	14.29	14.89	17.61	0.00	5.46	23.07	0.2028	30
802.11ac VHT80	7	5985	17.36	17.49	20.44	0.00	4.51	24.95	0.3126	30
	39	6145	15.93	15.94	18.95	0.00	4.51	23.46	0.2218	30
	87	6385	16.32	16.01	19.18	0.00	4.51	23.69	0.2339	30
	103	6465	14.92	14.82	17.88	0.00	4.80	22.68	0.1854	30
	119	6545	16.49	16.22	19.37	0.00	5.15	24.52	0.2831	30
	135	6625	18.92	18.84	21.89	0.00	5.15	27.04	0.5058	30
	151	6705	17.97	17.94	20.97	0.00	5.15	26.12	0.4093	30
	167	6785	18.65	18.37	21.52	0.00	5.15	26.67	0.4645	30
	183	6865	20.05	19.96	23.02	0.00	5.15	28.17	0.6561	30
	199	6945	20.15	19.83	23.00	0.00	5.46	28.46	0.7015	30
802.11ac VHT160	215	7025	18.96	19.36	22.17	0.00	5.46	27.63	0.5794	30
	15	6025	20.47	20.82	23.66	0.00	4.51	28.17	0.6561	30
	47	6185	21.08	20.82	23.96	0.00	4.51	28.47	0.7031	30
	79	6345	21.49	21.66	24.59	0.00	4.51	29.10	0.8128	30
	111	6505	19.44	19.06	22.26	0.00	4.80	27.06	0.5082	30
	143	6665	21.84	21.33	24.60	0.00	5.15	29.75	0.9441	30
	175	6825	20.89	20.84	23.88	0.00	5.15	29.03	0.7998	30
	207	6985	20.99	20.73	23.87	0.00	5.46	29.33	0.8570	30

Band	CH	Freq. (MHz)	Measurement							
			Ant-0	Ant-1	Total	Duty Factor (dB)	Directional Gain(dBi)	EIRP (dBm)	EIRP (mW)	Limit (dBm/MHz)
802.11ax HE20	1	5955	12.22	12.32	15.28	0.00	4.51	19.79	0.0953	30
	45	6175	10.53	10.33	13.44	0.00	4.51	17.95	0.0624	30
	93	6415	11.93	11.70	14.83	0.00	4.51	19.34	0.0859	30
	97	6435	11.42	10.90	14.18	0.00	4.80	18.98	0.0791	30
	105	6475	11.00	11.11	14.07	0.00	4.80	18.87	0.0771	30
	113	6515	11.70	11.69	14.71	0.00	4.80	19.51	0.0893	30
	117	6535	11.64	11.88	14.77	0.00	5.15	19.92	0.0982	30
	149	6695	12.15	12.48	15.33	0.00	5.15	20.48	0.1117	30
	181	6855	11.85	11.68	14.78	0.00	5.15	19.93	0.0984	30
	185	6875	11.94	12.24	15.10	0.00	5.15	20.25	0.1059	30
	189	6895	12.30	12.53	15.43	0.00	5.46	20.89	0.1227	30
	209	6995	12.45	13.22	15.86	0.00	5.46	21.32	0.1355	30
	233	7115	11.87	12.08	14.99	0.00	5.46	20.45	0.1109	30
802.11ax HE40	3	5965	14.94	15.01	17.99	0.00	4.51	22.50	0.1778	30
	43	6165	13.11	13.24	16.19	0.00	4.51	20.70	0.1175	30
	91	6405	13.85	13.32	16.60	0.00	4.51	21.11	0.1291	30
	99	6445	13.02	12.82	15.93	0.00	4.80	20.73	0.1183	30
	107	6485	13.12	12.82	15.98	0.00	4.80	20.78	0.1197	30
	115	6525	13.84	13.70	16.78	0.00	4.80	21.58	0.1439	30
	123	6565	14.65	14.87	17.77	0.00	5.15	22.92	0.1959	30
	147	6685	16.96	15.99	19.51	0.00	5.15	24.66	0.2924	30
	179	6845	16.86	16.88	19.88	0.00	5.15	25.03	0.3184	30
	187	6885	17.66	17.32	20.50	0.00	5.46	25.96	0.3945	30
	195	6925	17.64	17.69	20.68	0.00	5.46	26.14	0.4111	30
	211	7005	16.52	17.03	19.79	0.00	5.46	25.25	0.3350	30
	227	7085	14.28	14.75	17.53	0.00	5.46	22.99	0.1991	30
802.11ax HE80	7	5985	17.62	17.47	20.56	0.00	4.51	25.07	0.3214	30
	39	6145	15.80	16.13	18.98	0.00	4.51	23.49	0.2234	30
	87	6385	16.26	16.06	19.17	0.00	4.51	23.68	0.2333	30
	103	6465	14.85	14.96	17.92	0.00	4.80	22.72	0.1871	30
	119	6545	16.55	16.30	19.44	0.00	5.15	24.59	0.2877	30
	135	6625	18.72	19.01	21.88	0.00	5.15	27.03	0.5047	30
	151	6705	17.97	18.17	21.08	0.00	5.15	26.23	0.4198	30
	167	6785	18.70	18.57	21.65	0.00	5.15	26.80	0.4786	30
	183	6865	20.05	20.01	23.04	0.00	5.15	28.19	0.6592	30
	199	6945	20.21	19.96	23.10	0.00	5.46	28.56	0.7178	30
802.11ax HE160	215	7025	19.14	19.39	22.28	0.00	5.46	27.74	0.5943	30
	15	6025	20.68	19.99	23.24	0.00	4.51	27.75	0.5957	30
	47	6185	20.92	20.82	23.94	0.00	4.51	28.45	0.6998	30
	79	6345	21.66	21.68	24.68	0.00	4.51	29.19	0.8299	30
	111	6505	19.39	19.03	22.22	0.00	4.80	27.02	0.5035	30
	143	6665	21.87	21.16	24.46	0.00	5.15	29.61	0.9141	30
	175	6825	21.04	20.90	23.98	0.00	5.15	29.13	0.8185	30
	207	6985	20.96	20.61	23.80	0.00	5.46	29.26	0.8433	30

Band	CH	Freq. (MHz)	Measurement							
			Ant-0	Ant-1	Total	Duty Factor (dB)	Directional Gain(dBi)	EIRP (dBm)	EIRP (mW)	Limit (dBm/MHz)
802.11be EHT20	1	5955	12.27	12.35	15.32	0.00	4.51	19.83	0.0962	30
	45	6175	10.53	10.32	13.48	0.00	4.51	17.99	0.0630	30
	93	6415	12.17	11.77	14.88	0.00	4.51	19.39	0.0869	30
	97	6435	11.48	11.05	14.16	0.00	4.80	18.96	0.0787	30
	105	6475	10.97	11.06	13.98	0.00	4.80	18.78	0.0755	30
	113	6515	11.74	11.65	14.75	0.00	4.80	19.55	0.0902	30
	117	6535	11.73	11.90	14.87	0.00	5.15	20.02	0.1005	30
	149	6695	12.24	12.43	15.43	0.00	5.15	20.58	0.1143	30
	181	6855	11.92	11.92	14.89	0.00	5.15	20.04	0.1009	30
	185	6875	11.71	12.32	15.04	0.00	5.15	20.19	0.1045	30
	189	6895	12.39	12.65	15.50	0.00	5.46	20.96	0.1247	30
	209	6995	12.56	13.25	15.90	0.00	5.46	21.36	0.1368	30
	233	7115	12.06	12.26	15.16	0.00	5.46	20.62	0.1153	30
802.11be EHT40	3	5965	15.15	15.17	18.13	0.00	4.51	22.64	0.1837	30
	43	6165	13.28	13.32	16.35	0.00	4.51	20.86	0.1219	30
	91	6405	13.78	13.35	16.58	0.00	4.51	21.09	0.1285	30
	99	6445	13.28	13.00	16.08	0.00	4.80	20.88	0.1225	30
	107	6485	13.14	12.88	15.95	0.00	4.80	20.75	0.1189	30
	115	6525	14.05	13.82	17.00	0.00	4.80	21.80	0.1514	30
	123	6565	14.66	14.95	17.91	0.00	5.15	23.06	0.2023	30
	147	6685	16.83	16.06	19.62	0.00	5.15	24.77	0.2999	30
	179	6845	16.78	16.96	19.99	0.00	5.15	25.14	0.3266	30
	187	6885	17.57	17.63	20.61	0.00	5.46	26.07	0.4046	30
	195	6925	17.47	17.98	20.66	0.00	5.46	26.12	0.4093	30
	211	7005	16.45	17.19	19.81	0.00	5.46	25.27	0.3365	30
	227	7085	14.37	14.85	17.57	0.00	5.46	23.03	0.2009	30
802.11be EHT80	7	5985	6.70	7.01	20.61	0.00	4.51	25.12	0.3251	30
	39	6145	6.89	6.91	19.32	0.00	4.51	23.83	0.2415	30
	87	6385	6.88	6.87	19.42	0.00	4.51	23.93	0.2472	30
	103	6465	6.71	7.00	17.89	0.00	4.80	22.69	0.1858	30
	119	6545	6.84	6.70	19.42	0.00	5.15	24.57	0.2864	30
	135	6625	6.79	6.98	21.93	0.00	5.15	27.08	0.5105	30
	151	6705	6.71	6.65	21.24	0.00	5.15	26.39	0.4355	30
	167	6785	6.57	6.72	21.68	0.00	5.15	26.83	0.4819	30
	183	6865	6.74	6.88	23.71	0.00	5.15	28.86	0.7691	30
	199	6945	6.77	6.70	23.18	0.00	5.46	28.64	0.7311	30
	215	7025	6.53	6.95	22.21	0.00	5.46	27.67	0.5848	30
	15	6025	21.17	21.50	24.33	0.00	4.51	28.84	0.7656	30
	47	6185	21.07	20.94	24.03	0.00	4.51	28.54	0.7145	30
802.11be EHT160	79	6345	21.71	21.71	24.73	0.00	4.51	29.24	0.8395	30
	111	6505	19.51	19.29	22.38	0.00	4.80	27.18	0.5224	30
	143	6665	21.96	21.21	24.64	0.00	5.15	29.79	0.9528	30
	175	6825	21.02	20.81	23.96	0.00	5.15	29.11	0.8147	30
	207	6985	21.26	21.00	24.10	0.00	5.46	29.56	0.9036	30
	31	6105	21.24	21.16	24.21	0.00	4.51	28.72	0.7447	30
802.11be EHT320	95	6425	20.73	20.29	23.52	0.00	4.51	28.03	0.6353	30
	159	6745	20.42	20.29	23.25	0.00	4.51	27.76	0.5970	30
	63	6265	21.49	21.31	24.45	0.00	4.80	29.25	0.8414	30
	127	6585	21.21	21.42	24.28	0.00	4.80	29.08	0.8091	30
	191	6905	20.77	20.39	23.56	0.00	5.15	28.71	0.7430	30