


Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ax HE40 / 5755MHz	Temp/Hum	21.3(°C)/ 59%RH
Test Item	Harmonic	Test Date	March 1, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11510.000	Peak	35.11	19.73	54.84	74.00	-19.16
11510.000	Average	24.87	19.73	44.60	54.00	-9.40
17265.000	Peak	33.05	29.80	62.85	68.20	-5.35
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Test Mode	IEEE 802.11ax HE40 / 5755MHz	Temp/Hum	21.3(°C) / 59%RH
Test Item	Harmonic	Test Date	March 1, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11510.000	Peak	30.33	19.73	50.06	74.00	-23.94
11510.000	Average	19.47	19.73	39.20	54.00	-14.80
17265.000	Peak	31.93	29.80	61.73	68.20	-6.47
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ax HE40 / 5795MHz	Temp/Hum	21.3(°C)/ 59%RH
Test Item	Harmonic	Test Date	March 1, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11590.000	Peak	36.25	19.86	56.11	74.00	-17.89
11590.000	Average	24.45	19.86	44.31	54.00	-9.69
17385.000	Peak	31.16	29.24	60.40	68.20	-7.80
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ax HE40 / 5795MHz	Temp/Hum	21.3(°C) / 59%RH
Test Item	Harmonic	Test Date	March 1, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11590.000	Peak	29.24	19.86	49.10	74.00	-24.90
11590.000	Average	20.61	19.86	40.47	54.00	-13.53
17385.000	Peak	31.23	29.24	60.46	68.20	-7.74
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ax HE80 / 5775 MHz	Temp/Hum	21.3(°C) / 59%RH
Test Item	Harmonic	Test Date	March 1, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11550.000	Peak	29.70	19.80	49.50	74.00	-24.50
11550.000	Average	20.48	19.80	40.28	54.00	-13.72
17325.000	Peak	30.86	29.48	60.34	68.20	-7.86
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ax HE80 / 5775MHz	Temp/Hum	21.3(°C) / 59%RH
Test Item	Harmonic	Test Date	March 1, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		



Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11550.000	Peak	29.25	19.80	49.05	74.00	-24.95
11550.000	Average	19.24	19.80	39.04	54.00	-14.96
17325.000	Peak	31.12	29.48	60.60	68.20	-7.60
N/A						

Remark:


1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

BFM ON

Above 1G
Test Data for UNII-1

Test Mode	IEEE 802.11ac VHT20 / 5180MHz	Temp/Hum	19.9(°C)/ 61%RH
Test Item	Harmonic	Test Date	April 3, 2022
Polarize	Vertical	Test Engineer	Czerny Lin
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBµV)	Factor (dB)	Actual FS (dBµV/m)	Limit @3m (dBµV/m)	Margin (dB)
10360.000	Peak	30.52	17.72	48.24	68.20	-19.96
15540.000	Peak	32.54	24.85	57.38	74.00	-16.62
15540.000	Average	24.97	24.85	49.82	54.00	-4.18
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ac VHT20 / 5180MHz	Temp/Hum	19.9(°C)/ 61%RH
Test Item	Harmonic	Test Date	April 3, 2022
Polarize	Horizontal	Test Engineer	Czerny Lin
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
10360.000	Peak	31.24	17.72	48.96	68.20	-19.24
15540.000	Peak	32.63	24.85	57.48	74.00	-16.52
15540.000	Average	24.50	24.85	49.35	54.00	-4.65
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ac VHT20 / 5220MHz	Temp/Hum	21.1(°C)/ 51%RH
Test Item	Harmonic	Test Date	April 8, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBUV/m)	Limit @3m (dBUV/m)	Margin (dB)
10440.000	Peak	31.83	17.90	49.74	68.20	-18.46
15660.000	Peak	32.55	25.15	57.70	74.00	-16.30
15660.000	Average	24.14	25.15	49.29	54.00	-4.71
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Test Mode	IEEE 802.11ac VHT20 / 5220MHz	Temp/Hum	21.1(°C)/ 51%RH
Test Item	Harmonic	Test Date	April 8, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBUV/m)	Limit @3m (dBUV/m)	Margin (dB)
10440.000	Peak	31.04	17.90	48.94	68.20	-19.26
15660.000	Peak	32.63	25.15	57.78	74.00	-16.22
15660.000	Average	24.30	25.15	49.45	54.00	-4.55
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ac VHT20 / 5240MHz	Temp/Hum	21.1(°C)/ 51%RH
Test Item	Harmonic	Test Date	April 8, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBUV/m)	Limit @3m (dBUV/m)	Margin (dB)
10480.000	Peak	30.58	18.05	48.63	68.20	-19.57
15720.000	Peak	31.78	25.55	57.33	74.00	-16.67
15720.000	Average	23.78	25.55	49.33	54.00	-4.67
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Test Mode	IEEE 802.11ac VHT20 / 5240MHz	Temp/Hum	21.1(°C)/ 51%RH
Test Item	Harmonic	Test Date	April 8, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBUV)	Factor (dB)	Actual FS (dBUV/m)	Limit @3m (dBUV/m)	Margin (dB)
10480.000	Peak	32.10	18.05	50.15	68.20	-18.05
15720.000	Peak	33.36	25.55	58.91	74.00	-15.09
15720.000	Average	23.57	25.55	49.12	54.00	-4.88
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Test Mode	IEEE 802.11ac VHT40 / 5190MHz	Temp/Hum	19.9(°C) / 61%RH
Test Item	Harmonic	Test Date	April 3, 2022
Polarize	Vertical	Test Engineer	Czerny Lin
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBUV)	Factor (dB)	Actual FS (dBUV/m)	Limit @3m (dBUV/m)	Margin (dB)
10380.000	Peak	31.21	17.76	48.97	68.20	-19.23
15570.000	Peak	32.54	24.85	57.40	74.00	-16.60
15570.000	Average	24.88	24.85	49.73	54.00	-4.27
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Test Mode	IEEE 802.11ac VHT40 / 5190MHz	Temp/Hum	19.9(°C)/ 61%RH
Test Item	Harmonic	Test Date	April 3, 2022
Polarize	Horizontal	Test Engineer	Czerny Lin
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBµV)	Factor (dB)	Actual FS (dBµV/m)	Limit @3m (dBµV/m)	Margin (dB)
10380.000	Peak	31.66	17.76	49.42	68.20	-18.78
15570.000	Peak	32.16	24.85	57.01	74.00	-16.99
15570.000	Average	24.85	24.85	49.70	54.00	-4.30
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ac VHT40 / 5230MHz	Temp/Hum	21.1(°C)/ 51%RH
Test Item	Harmonic	Test Date	April 8, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
10460.000	Peak	31.58	17.97	49.55	68.20	-18.65
15690.000	Peak	32.96	25.38	58.34	74.00	-15.66
15690.000	Average	24.36	25.38	49.74	54.00	-4.26
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Test Mode	IEEE 802.11ac VHT40 / 5230MHz	Temp/Hum	21.1(°C)/ 51%RH
Test Item	Harmonic	Test Date	April 8, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBUV)	Factor (dB)	Actual FS (dBUV/m)	Limit @3m (dBUV/m)	Margin (dB)
10460.000	Peak	28.84	17.97	46.81	68.20	-21.39
15690.000	Peak	30.99	25.38	56.37	74.00	-17.63
15690.000	Average	24.55	25.38	49.93	54.00	-4.07
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ac VHT80 / 5210MHz	Temp/Hum	19.9(°C) / 61%RH
Test Item	Harmonic	Test Date	April 3, 2022
Polarize	Vertical	Test Engineer	Czerny Lin
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
10420.000	Peak	31.04	17.85	48.89	68.20	-19.31
15630.000	Peak	33.42	25.00	58.41	74.00	-15.59
15630.000	Average	24.83	25.00	49.83	54.00	-4.17
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Test Mode	IEEE 802.11ac VHT80 / 5210MHz	Temp/Hum	19.9(°C)/ 61%RH
Test Item	Harmonic	Test Date	April 3, 2022
Polarize	Horizontal	Test Engineer	Czerny Lin
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBUV/m)	Limit @3m (dBUV/m)	Margin (dB)
10420.000	Peak	31.61	17.85	49.46	68.20	-18.74
15630.000	Peak	33.19	25.00	58.18	74.00	-15.82
15630.000	Average	24.71	25.00	49.71	54.00	-4.29
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Test Mode	IEEE 802.11ax HE20 / 5180MHz	Temp/Hum	19.9(°C)/ 61%RH
Test Item	Harmonic	Test Date	April 3, 2022
Polarize	Vertical	Test Engineer	Czerny Lin
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBµV)	Factor (dB)	Actual FS (dBUV/m)	Limit @3m (dBUV/m)	Margin (dB)
10360.000	Peak	30.77	17.72	48.49	68.20	-19.71
15540.000	Peak	33.23	24.85	58.08	74.00	-15.92
15540.000	Average	25.13	24.85	49.98	54.00	-4.02
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ax HE20 / 5180MHz_	Temp/Hum	19.9(°C)/ 61%RH
Test Item	Harmonic	Test Date	April 3, 2022
Polarize	Horizontal	Test Engineer	Czerny Lin
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBµV)	Factor (dB)	Actual FS (dBµV/m)	Limit @3m (dBµV/m)	Margin (dB)
10360.000	Peak	31.44	17.72	49.16	68.20	-19.04
15540.000	Peak	33.51	24.85	58.35	74.00	-15.65
15540.000	Average	25.14	24.85	49.99	54.00	-4.01
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Test Mode	IEEE 802.11ax HE20 / 5220MHz	Temp/Hum	21.1(°C)/ 51%RH
Test Item	Harmonic	Test Date	April 8, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
10440.000	Peak	30.98	17.90	48.88	68.20	-19.32
15660.000	Peak	33.28	25.15	58.42	74.00	-15.58
15660.000	Average	23.34	25.15	48.49	54.00	-5.51
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Test Mode	IEEE 802.11ax HE20 / 5220MHz	Temp/Hum	21.1(°C)/ 51%RH
Test Item	Harmonic	Test Date	April 8, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBUV/m)	Limit @3m (dBUV/m)	Margin (dB)
10440.000	Peak	30.63	17.90	48.53	68.20	-19.67
15660.000	Peak	30.84	25.15	55.99	74.00	-18.01
15660.000	Average	23.27	25.15	48.42	54.00	-5.58
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ax HE20 / 5240MHz	Temp/Hum	21.1(°C)/ 51%RH
Test Item	Harmonic	Test Date	April 8, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBUV/m)	Limit @3m (dBUV/m)	Margin (dB)
10480.000	Peak	30.75	18.05	48.80	68.20	-19.40
15720.000	Peak	31.07	25.55	56.62	74.00	-17.38
15720.000	Average	24.32	25.55	49.87	54.00	-4.13
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ax HE20 / 5240MHz_	Temp/Hum	21.1(°C)/ 51%RH
Test Item	Harmonic	Test Date	April 8, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
10480.000	Peak	30.37	18.05	48.42	68.20	-19.78
15720.000	Peak	31.41	25.55	56.96	74.00	-17.04
15720.000	Average	24.13	25.55	49.68	54.00	-4.32
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ax HE40 / 5190MHz	Temp/Hum	19.9(°C) / 61%RH
Test Item	Harmonic	Test Date	April 3, 2022
Polarize	Vertical	Test Engineer	Czerny Lin
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBUV)	Factor (dB)	Actual FS (dBUV/m)	Limit @3m (dBUV/m)	Margin (dB)
10380.000	Peak	30.90	17.76	48.66	68.20	-19.54
15570.000	Peak	34.28	24.85	59.13	74.00	-14.87
15570.000	Average	25.82	24.85	50.67	54.00	-3.33
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ax HE40 / 5190MHz	Temp/Hum	19.9(°C)/ 61%RH
Test Item	Harmonic	Test Date	April 3, 2022
Polarize	Horizontal	Test Engineer	Czerny Lin
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBUV/m)	Limit @3m (dBUV/m)	Margin (dB)
10380.000	Peak	30.69	17.76	48.45	68.20	-19.75
15570.000	Peak	34.34	24.85	59.19	74.00	-14.81
15570.000	Average	25.93	24.85	50.78	54.00	-3.22
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ax HE40 / 5230MHz	Temp/Hum	21.1(°C)/ 51%RH
Test Item	Harmonic	Test Date	April 8, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
10460.000	Peak	25.85	17.97	43.82	68.20	-24.38
15690.000	Peak	30.35	25.38	55.73	74.00	-18.27
15690.000	Average	21.23	25.38	46.61	54.00	-7.39
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ax HE40 / 5230MHz	Temp/Hum	21.1(°C)/ 51%RH
Test Item	Harmonic	Test Date	April 8, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
10460.000	Peak	25.08	17.97	43.05	68.20	-25.15
15690.000	Peak	28.89	25.38	54.27	74.00	-19.73
15690.000	Average	21.23	25.38	46.61	54.00	-7.39
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ax HE80 / 5210MHz	Temp/Hum	21.1(°C)/ 51%RH
Test Item	Harmonic	Test Date	April 8, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBUV)	Factor (dB)	Actual FS (dBUV/m)	Limit @3m (dBUV/m)	Margin (dB)
10420.000	Peak	31.46	17.85	49.31	68.20	-18.89
15630.000	Peak	32.88	25.00	57.88	74.00	-16.12
15630.000	Average	22.84	25.00	47.84	54.00	-6.16
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ax HE80 / 5210MHz	Temp/Hum	21.1(°C)/ 51%RH
Test Item	Harmonic	Test Date	April 8, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		



Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBUV)	Factor (dB)	Actual FS (dBUV/m)	Limit @3m (dBUV/m)	Margin (dB)
10420.000	Peak	30.72	17.85	48.57	68.20	-19.63
15630.000	Peak	31.49	25.00	56.49	74.00	-17.51
15630.000	Average	23.64	25.00	48.64	54.00	-5.36
N/A						


Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Data for UNII-2a

Test Mode	IEEE 802.11ac VHT20 / 5260 MHz	Temp/Hum	21.1(°C)/ 51%RH
Test Item	Harmonic	Test Date	April 8, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBUV/m)	Limit @3m (dBUV/m)	Margin (dB)
10520.000	Peak	30.66	18.16	48.82	68.20	-19.38
15780.000	Peak	31.22	25.80	57.02	74.00	-16.98
15780.000	Average	23.66	25.80	49.46	54.00	-4.54
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ac VHT20 / 5260 MHz	Temp/Hum	21.1(°C)/ 51%RH
Test Item	Harmonic	Test Date	April 8, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
10520.000	Peak	29.79	18.16	47.95	68.20	-20.25
15780.000	Peak	29.98	25.80	55.78	74.00	-18.22
15780.000	Average	24.36	25.80	50.16	54.00	-3.84
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Test Mode	IEEE 802.11ac VHT20 / 5300MHz	Temp/Hum	21.1(°C)/ 51%RH
Test Item	Harmonic	Test Date	April 8, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBµV)	Factor (dB)	Actual FS (dBUV/m)	Limit @3m (dBUV/m)	Margin (dB)
10600.000	Peak	30.47	18.20	48.67	68.20	-19.53
15900.000	Peak	30.76	26.46	57.22	74.00	-16.78
15900.000	Average	23.26	26.46	49.72	54.00	-4.28
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Test Mode	IEEE 802.11ac VHT20 / 5300MHz	Temp/Hum	21.1(°C)/ 51%RH
Test Item	Harmonic	Test Date	April 8, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBUV/m)	Limit @3m (dBUV/m)	Margin (dB)
10600.000	Peak	29.76	18.20	47.96	68.20	-20.24
15900.000	Peak	30.21	26.46	56.67	74.00	-17.33
15900.000	Average	24.83	26.46	51.29	54.00	-2.71
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ac VHT20 / 5320 MHz	Temp/Hum	19.9(°C) / 61%RH
Test Item	Harmonic	Test Date	April 3, 2022
Polarize	Vertical	Test Engineer	Czerny Lin
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
10640.000	Peak	30.80	18.37	49.17	74.00	-24.83
10640.000	Average	22.74	18.37	41.11	54.00	-12.89
15960.000	Peak	31.44	26.84	58.28	74.00	-15.72
15960.000	Average	23.47	26.84	50.31	54.00	-3.69

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ac VHT20 / 5320 MHz	Temp/Hum	19.9(°C) / 61%RH
Test Item	Harmonic	Test Date	April 3, 2022
Polarize	Horizontal	Test Engineer	Czerny Lin
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
10640.000	Peak	30.41	18.37	48.77	74.00	-25.23
10640.000	Average	21.97	18.37	40.34	54.00	-13.66
15960.000	Peak	31.10	26.84	57.94	74.00	-16.06
15960.000	Average	22.92	26.84	49.76	54.00	-4.24

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ac VHT40 / 5270 MHz	Temp/Hum	21.1(°C)/ 51%RH
Test Item	Harmonic	Test Date	April 8, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBUV/m)	Limit @3m (dBUV/m)	Margin (dB)
10540.000	Peak	30.23	18.19	48.41	68.20	-19.79
15810.000	Peak	31.63	25.92	57.54	74.00	-16.46
15810.000	Average	23.83	25.92	49.75	54.00	-4.25
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ac VHT40 / 5270 MHz	Temp/Hum	21.1(°C)/ 51%RH
Test Item	Harmonic	Test Date	April 8, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBUV)	Factor (dB)	Actual FS (dBUV/m)	Limit @3m (dBUV/m)	Margin (dB)
10540.000	Peak	29.91	18.19	48.10	68.20	-20.10
15810.000	Peak	30.54	25.92	56.46	74.00	-17.54
15810.000	Average	24.11	25.92	50.03	54.00	-3.97
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ac VHT40 / 5310 MHz	Temp/Hum	19.9(°C)/ 61%RH
Test Item	Harmonic	Test Date	April 3, 2022
Polarize	Vertical	Test Engineer	Czerny Lin
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
10620.000	Peak	30.47	18.28	48.75	74.00	-25.25
10620.000	Average	22.14	18.28	40.42	54.00	-13.58
15930.000	Peak	31.98	26.63	58.61	74.00	-15.39
15930.000	Average	23.54	26.63	50.17	54.00	-3.83

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ac VHT40 / 5310 MHz	Temp/Hum	19.9(°C)/ 61%RH
Test Item	Harmonic	Test Date	April 3, 2022
Polarize	Horizontal	Test Engineer	Czerny Lin
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBµV)	Factor (dB)	Actual FS (dBµV/m)	Limit @3m (dBµV/m)	Margin (dB)
10620.000	Peak	30.61	18.28	48.89	74.00	-25.11
10620.000	Average	22.22	18.28	40.50	54.00	-13.50
15930.000	Peak	31.41	26.63	58.04	74.00	-15.96
15930.000	Average	21.90	26.63	48.53	54.00	-5.47

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ac VHT80 / 5290 MHz	Temp/Hum	19.9(°C) / 61%RH
Test Item	Harmonic	Test Date	April 3, 2022
Polarize	Vertical	Test Engineer	Czerny Lin
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBUV)	Factor (dB)	Actual FS (dBUV/m)	Limit @3m (dBUV/m)	Margin (dB)
10580.000	Peak	31.19	18.20	49.39	68.20	-18.81
15870.000	Peak	31.47	26.23	57.69	74.00	-16.31
15870.000	Average	24.37	26.23	50.60	54.00	-3.40
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ac VHT80 / 5290 MHz	Temp/Hum	19.9(°C) / 61%RH
Test Item	Harmonic	Test Date	April 3, 2022
Polarize	Horizontal	Test Engineer	Czerny Lin
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBUV)	Factor (dB)	Actual FS (dBUV/m)	Limit @3m (dBUV/m)	Margin (dB)
10580.000	Peak	30.63	18.20	48.83	68.20	-19.37
15870.000	Peak	33.09	26.23	59.32	74.00	-14.68
15870.000	Average	24.71	26.23	50.94	54.00	-3.06
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Test Mode	IEEE 802.11ax HE20 / 5260 MHz	Temp/Hum	21.1(°C)/ 51%RH
Test Item	Harmonic	Test Date	April 8, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBUV)	Factor (dB)	Actual FS (dBUV/m)	Limit @3m (dBUV/m)	Margin (dB)
10520.000	Peak	30.84	18.16	49.00	68.20	-19.20
15780.000	Peak	31.99	25.80	57.79	74.00	-16.21
15780.000	Average	24.69	25.80	50.49	54.00	-3.51
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Test Mode	IEEE 802.11ax HE20 / 5260 MHz	Temp/Hum	21.1(°C)/ 51%RH
Test Item	Harmonic	Test Date	April 8, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
10520.000	Peak	30.96	18.16	49.12	68.20	-19.08
15780.000	Peak	30.41	25.80	56.21	74.00	-17.79
15780.000	Average	23.56	25.80	49.36	54.00	-4.64
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ax HE20 / 5300 MHz	Temp/Hum	21.1(°C)/ 51%RH
Test Item	Harmonic	Test Date	April 8, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBUV)	Factor (dB)	Actual FS (dBUV/m)	Limit @3m (dBUV/m)	Margin (dB)
10600.000	Peak	31.30	18.20	49.50	68.20	-18.70
15900.000	Peak	31.17	26.46	57.63	74.00	-16.37
15900.000	Average	21.22	26.46	47.68	54.00	-6.32
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ax HE20 / 5300 MHz	Temp/Hum	21.1(°C)/ 51%RH
Test Item	Harmonic	Test Date	April 8, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBµV)	Factor (dB)	Actual FS (dBµV/m)	Limit @3m (dBµV/m)	Margin (dB)
10480.000	Peak	30.05	18.05	48.10	68.20	-20.10
15900.000	Peak	30.18	26.46	56.64	74.00	-17.36
15900.000	Average	23.76	26.46	50.22	54.00	-3.78
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Test Mode	IEEE 802.11ax HE20 / 5320 MHz	Temp/Hum	19.9(°C) / 61%RH
Test Item	Harmonic	Test Date	April 3, 2022
Polarize	Vertical	Test Engineer	Czerny Lin
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
10640.000	Peak	33.26	18.37	51.63	74.00	-22.37
10640.000	Average	23.32	18.37	41.69	54.00	-12.31
15960.000	Peak	32.98	26.84	59.82	74.00	-14.18
15960.000	Average	23.48	26.84	50.32	54.00	-3.68

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Test Mode	IEEE 802.11ax HE20 / 5320 MHz	Temp/Hum	19.9(°C)/ 61%RH
Test Item	Harmonic	Test Date	April 3, 2022
Polarize	Horizontal	Test Engineer	Czerny Lin
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
10640.000	Peak	30.17	18.37	48.54	74.00	-25.46
10640.000	Average	20.84	18.37	39.21	54.00	-14.79
15960.000	Peak	31.64	26.84	58.48	74.00	-15.52
15960.000	Average	22.58	26.84	49.42	54.00	-4.58

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ax HE40 / 5270 MHz	Temp/Hum	21.1(°C)/ 51%RH
Test Item	Harmonic	Test Date	April 8, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBUV/m)	Limit @3m (dBUV/m)	Margin (dB)
10540.000	Peak	26.46	18.19	44.64	68.20	-23.56
15810.000	Peak	30.07	25.92	55.99	74.00	-18.01
15810.000	Average	22.48	25.92	48.40	54.00	-5.60
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ax HE40 / 5270 MHz	Temp/Hum	21.1(°C)/ 51%RH
Test Item	Harmonic	Test Date	April 8, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBUV)	Factor (dB)	Actual FS (dBUV/m)	Limit @3m (dBUV/m)	Margin (dB)
10540.000	Peak	24.54	18.19	42.73	68.20	-25.47
15810.000	Peak	28.90	25.92	54.82	74.00	-19.18
15810.000	Average	21.37	25.92	47.29	54.00	-6.71
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ax HE40 / 5310 MHz	Temp/Hum	19.9(°C)/ 61%RH
Test Item	Harmonic	Test Date	April 3, 2022
Polarize	Vertical	Test Engineer	Czerny Lin
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
10620.000	Peak	33.59	18.28	51.87	74.00	-22.13
10620.000	Average	23.67	18.28	41.95	54.00	-12.05
15930.000	Peak	35.19	26.63	61.82	74.00	-12.18
15930.000	Average	24.37	26.63	51.00	54.00	-3.00

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ax HE40 / 5310 MHz	Temp/Hum	19.9(°C) / 61%RH
Test Item	Harmonic	Test Date	April 3, 2022
Polarize	Horizontal	Test Engineer	Czerny Lin
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
10620.000	Peak	32.51	18.28	50.79	74.00	-23.21
10620.000	Average	22.97	18.28	41.25	54.00	-12.75
15930.000	Peak	33.49	26.63	60.12	74.00	-13.88
15930.000	Average	22.84	26.63	49.47	54.00	-4.53

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ax HE80 / 5290 MHz	Temp/Hum	21.1(°C)/ 51%RH
Test Item	Harmonic	Test Date	April 8, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBUV/m)	Limit @3m (dBUV/m)	Margin (dB)
10580.000	Peak	30.47	18.20	48.67	68.20	-19.53
15870.000	Peak	30.80	26.23	57.02	74.00	-16.98
15870.000	Average	23.69	26.23	49.92	54.00	-4.08
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ax HE80 / 5290 MHz	Temp/Hum	21.1(°C)/ 51%RH
Test Item	Harmonic	Test Date	April 8, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBUV/m)	Limit @3m (dBUV/m)	Margin (dB)
10580.000	Peak	29.33	18.20	47.53	68.20	-20.67
15870.000	Peak	31.00	26.23	57.23	74.00	-16.77
15870.000	Average	22.57	26.23	48.80	54.00	-5.20
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Test Data for UNII-2c

Test Mode	IEEE 802.11ac VHT20 / 5500 MHz	Temp/Hum	19.9(°C)/ 61%RH
Test Item	Harmonic	Test Date	April 3, 2022
Polarize	Vertical	Test Engineer	Czerny Lin
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11000.000	Peak	30.71	19.04	49.75	74.00	-24.25
11000.000	Average	24.93	19.04	43.97	54.00	-10.03
16500.000	Peak	31.05	29.02	60.07	68.20	-8.13
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Test Mode	IEEE 802.11ac VHT20 / 5500 MHz	Temp/Hum	19.9(°C) / 61%RH
Test Item	Harmonic	Test Date	April 3, 2022
Polarize	Horizontal	Test Engineer	Czerny Lin
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11000.000	Peak	30.67	19.04	49.71	74.00	-24.29
11000.000	Average	23.86	19.04	42.90	54.00	-11.10
16500.000	Peak	31.05	29.02	60.07	68.20	-8.13
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ac VHT20 / 5580 MHz	Temp/Hum	21.1(°C)/ 51%RH
Test Item	Harmonic	Test Date	April 8, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11160.000	Peak	31.11	19.22	50.34	74.00	-23.66
11160.000	Average	23.65	19.22	42.87	54.00	-11.13
16740.000	Peak	31.52	30.21	61.73	68.20	-6.47
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ac VHT20 / 5580 MHz	Temp/Hum	21.1(°C) / 51%RH
Test Item	Harmonic	Test Date	April 8, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11160.000	Peak	31.23	19.22	50.45	74.00	-23.55
11160.000	Average	24.17	19.22	43.39	54.00	-10.61
16740.000	Peak	29.85	30.21	60.06	68.20	-8.14
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Test Mode	IEEE 802.11ac VHT20 / 5700 MHz	Temp/Hum	19.9(°C) / 61%RH
Test Item	Harmonic	Test Date	April 3, 2022
Polarize	Horizontal	Test Engineer	Czerny Lin
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11400.000	Peak	30.05	19.58	49.63	74.00	-24.37
11400.000	Average	21.95	19.58	41.53	54.00	-12.47
17100.000	Peak	32.15	31.23	63.38	68.20	-4.82
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Test Mode	IEEE 802.11ac VHT20 / 5700 MHz	Temp/Hum	19.9(°C) / 61%RH
Test Item	Harmonic	Test Date	April 3, 2022
Polarize	Vertical	Test Engineer	Czerny Lin
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11400.000	Peak	29.62	19.58	49.20	74.00	-24.80
11400.000	Average	21.91	19.58	41.49	54.00	-12.51
17100.000	Peak	32.81	31.23	64.04	68.20	-4.16
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ac VHT20 / 5720 MHz	Temp/Hum	21.1(°C)/ 51%RH
Test Item	Harmonic	Test Date	April 8, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11440.000	Peak	29.79	19.63	49.42	74.00	-24.58
11440.000	Average	23.51	19.63	43.14	54.00	-10.86
17160.000	Peak	32.33	30.57	62.90	68.20	-5.30
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Test Mode	IEEE 802.11ac VHT20 / 5720 MHz	Temp/Hum	21.1(°C)/ 51%RH
Test Item	Harmonic	Test Date	April 8, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11440.000	Peak	28.94	19.63	48.56	74.00	-25.44
11440.000	Average	24.17	19.63	43.80	54.00	-10.20
17160.000	Peak	31.76	30.57	62.33	68.20	-5.87
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Test Mode	IEEE 802.11ac VHT40 / 5510 MHz	Temp/Hum	19.9(°C) / 61%RH
Test Item	Harmonic	Test Date	April 3, 2022
Polarize	Vertical	Test Engineer	Czerny Lin
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11020.000	Peak	33.57	19.00	52.57	74.00	-21.43
11020.000	Average	24.29	19.00	43.29	54.00	-10.71
16530.000	Peak	30.80	28.97	59.77	68.20	-8.43
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ac VHT40 / 5510 MHz	Temp/Hum	19.9(°C) / 61%RH
Test Item	Harmonic	Test Date	April 3, 2022
Polarize	Horizontal	Test Engineer	Czerny Lin
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11020.000	Peak	31.37	19.00	50.37	74.00	-23.63
11020.000	Average	23.80	19.00	42.80	54.00	-11.20
16530.000	Peak	30.36	28.97	59.33	68.20	-8.87
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ac VHT40 / 5550 MHz	Temp/Hum	21.1(°C)/ 51%RH
Test Item	Harmonic	Test Date	April 8, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11100.000	Peak	30.79	19.11	49.90	74.00	-24.10
11100.000	Average	24.15	19.11	43.26	54.00	-10.74
16650.000	Peak	30.80	29.28	60.08	68.20	-8.12
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Test Mode	IEEE 802.11ac VHT40 / 5550 MHz	Temp/Hum	21.1(°C)/ 51%RH
Test Item	Harmonic	Test Date	April 8, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11100.000	Peak	31.44	19.11	50.55	74.00	-23.45
11100.000	Average	24.68	19.11	43.79	54.00	-10.21
16650.000	Peak	29.34	29.28	58.62	68.20	-9.58
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ac VHT40 / 5670 MHz	Temp/Hum	19.9(°C)/ 61%RH
Test Item	Harmonic	Test Date	April 3, 2022
Polarize	Vertical	Test Engineer	Czerny Lin
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11340.000	Peak	31.09	19.44	50.53	74.00	-23.47
11340.000	Average	22.75	19.44	42.19	54.00	-11.81
17010.000	Peak	32.90	31.48	64.38	68.20	-3.82
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Test Mode	IEEE 802.11ac VHT40 / 5670 MHz	Temp/Hum	19.9(°C)/ 61%RH
Test Item	Harmonic	Test Date	April 3, 2022
Polarize	Horizontal	Test Engineer	Czerny Lin
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11340.000	Peak	30.42	19.44	49.86	74.00	-24.14
11340.000	Average	22.36	19.44	41.80	54.00	-12.20
17010.000	Peak	32.03	31.48	63.50	68.20	-4.70
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ac VHT40 / 5710 MHz	Temp/Hum	21.1(°C) / 51%RH
Test Item	Harmonic	Test Date	April 8, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11420.000	Peak	30.94	19.60	50.55	74.00	-23.45
11420.000	Average	23.79	19.60	43.39	54.00	-10.61
17130.000	Peak	31.98	30.88	62.85	68.20	-5.35
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Test Mode	IEEE 802.11ac VHT40 / 5710 MHz	Temp/Hum	21.1(°C)/ 51%RH
Test Item	Harmonic	Test Date	April 8, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11420.000	Peak	29.22	19.60	48.82	74.00	-25.18
11420.000	Average	23.46	19.60	43.06	54.00	-10.94
17130.000	Peak	32.55	30.88	63.43	68.20	-4.77
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ac VHT80 / 5530 MHz	Temp/Hum	19.9(°C) / 61%RH
Test Item	Harmonic	Test Date	April 3, 2022
Polarize	Vertical	Test Engineer	Czerny Lin
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11060.000	Peak	33.16	18.97	52.13	74.00	-21.87
11060.000	Average	25.21	18.97	44.18	54.00	-9.82
16590.000	Peak	31.66	28.94	60.60	68.20	-7.60
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Test Mode	IEEE 802.11ac VHT80 / 5530 MHz	Temp/Hum	19.9(°C) / 61%RH
Test Item	Harmonic	Test Date	April 3, 2022
Polarize	Horizontal	Test Engineer	Czerny Lin
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11060.000	Peak	32.35	18.97	51.32	74.00	-22.68
11060.000	Average	24.97	18.97	43.94	54.00	-10.06
16590.000	Peak	31.02	28.94	59.96	68.20	-8.24
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Test Mode	IEEE 802.11ac VHT80 / 5690 MHz	Temp/Hum	21.1(°C) / 51%RH
Test Item	Harmonic	Test Date	April 8, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11380.000	Peak	30.24	19.53	49.77	74.00	-24.23
11380.000	Average	23.39	19.53	42.92	54.00	-11.08
17070.000	Peak	33.09	31.30	64.38	68.20	-3.82
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ac VHT80 / 5690 MHz	Temp/Hum	21.1(°C) / 51%RH
Test Item	Harmonic	Test Date	April 8, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11380.000	Peak	29.09	19.53	48.62	74.00	-25.38
11380.000	Average	23.24	19.53	42.77	54.00	-11.23
17070.000	Peak	32.32	31.30	63.62	68.20	-4.58
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ax HE20 / 5500 MHz	Temp/Hum	19.9(°C) / 61%RH
Test Item	Harmonic	Test Date	April 3, 2022
Polarize	Vertical	Test Engineer	Czerny Lin
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11000.000	Peak	35.93	19.04	54.97	74.00	-19.03
11000.000	Average	27.16	19.04	46.20	54.00	-7.80
16500.000	Peak	30.67	29.02	59.69	68.20	-8.51
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ax HE20 / 5500 MHz	Temp/Hum	19.9(°C) / 61%RH
Test Item	Harmonic	Test Date	April 3, 2022
Polarize	Horizontal	Test Engineer	Czerny Lin
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11000.000	Peak	31.95	19.04	50.99	74.00	-23.01
11000.000	Average	24.02	19.04	43.06	54.00	-10.94
16500.000	Peak	31.64	29.02	60.66	68.20	-7.54
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ax HE20 / 5580 MHz	Temp/Hum	21.1(°C)/ 51%RH
Test Item	Harmonic	Test Date	April 8, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dB μ V)	Factor (dB)	Actual FS (dB μ V/m)	Limit @3m (dB μ V/m)	Margin (dB)
11160.000	Peak	31.34	19.22	50.56	74.00	-23.44
11160.000	Average	24.13	19.22	43.35	54.00	-10.65
16740.000	Peak	30.32	30.21	60.53	68.20	-7.67
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Test Mode	IEEE 802.11ax HE20 / 5580 MHz	Temp/Hum	21.1(°C) / 51%RH
Test Item	Harmonic	Test Date	April 8, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11160.000	Peak	31.31	19.22	50.54	74.00	-23.46
11160.000	Average	23.36	19.22	42.58	54.00	-11.42
16740.000	Peak	31.77	30.21	61.98	68.20	-6.22
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ax HE20 / 5700 MHz	Temp/Hum	19.9(°C) / 61%RH
Test Item	Harmonic	Test Date	April 3, 2022
Polarize	Vertical	Test Engineer	Czerny Lin
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11400.000	Peak	32.38	19.58	51.96	74.00	-22.04
11400.000	Average	20.47	19.58	40.05	54.00	-13.95
17100.000	Peak	32.43	31.23	63.66	68.20	-4.54
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Test Mode	IEEE 802.11ax HE20 / 5700 MHz	Temp/Hum	19.9(°C) / 61%RH
Test Item	Harmonic	Test Date	April 3, 2022
Polarize	Horizontal	Test Engineer	Czerny Lin
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11400.000	Peak	33.15	19.58	52.73	74.00	-21.27
11400.000	Average	24.06	19.58	43.64	54.00	-10.36
17100.000	Peak	32.54	31.23	63.77	68.20	-4.43
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ax HE20 / 5720 MHz_	Temp/Hum	21.1(°C)/ 51%RH
Test Item	Harmonic	Test Date	April 8, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11440.000	Peak	30.67	19.63	50.30	74.00	-23.70
11440.000	Average	23.81	19.63	43.44	54.00	-10.56
17160.000	Peak	34.03	30.57	64.60	68.20	-3.60
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ax HE20 / 5720 MHz_	Temp/Hum	21.1(°C)/ 51%RH
Test Item	Harmonic	Test Date	April 8, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11440.000	Peak	28.77	19.63	48.40	74.00	-25.60
11440.000	Average	24.15	19.63	43.78	54.00	-10.22
17160.000	Peak	31.99	30.57	62.56	68.20	-5.64
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Test Mode	IEEE 802.11ax HE40 / 5510 MHz_	Temp/Hum	19.9(°C)/ 61%RH
Test Item	Harmonic	Test Date	April 3, 2022
Polarize	Vertical	Test Engineer	Czerny Lin
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11020.000	Peak	33.24	19.00	52.24	74.00	-21.76
11020.000	Average	25.61	19.00	44.61	54.00	-9.39
16530.000	Peak	30.78	28.97	59.75	68.20	-8.45
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ax HE40 / 5510 MHz_	Temp/Hum	19.9(°C)/ 61%RH
Test Item	Harmonic	Test Date	April 3, 2022
Polarize	Horizontal	Test Engineer	Czerny Lin
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11020.000	Peak	33.31	19.00	52.31	74.00	-21.69
11020.000	Average	23.69	19.00	42.69	54.00	-11.31
16530.000	Peak	32.10	28.97	61.06	68.20	-7.14
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ax HE40 / 5550 MHz	Temp/Hum	21.1(°C)/ 51%RH
Test Item	Harmonic	Test Date	April 8, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11100.000	Peak	30.73	19.11	49.84	74.00	-24.16
11100.000	Average	23.46	19.11	42.57	54.00	-11.43
16650.000	Peak	31.29	29.28	60.57	68.20	-7.63
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ax HE40 / 5550 MHz	Temp/Hum	21.1(°C)/ 51%RH
Test Item	Harmonic	Test Date	April 8, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11100.000	Peak	29.88	19.11	48.99	74.00	-25.01
11100.000	Average	22.35	19.11	41.46	54.00	-12.54
16650.000	Peak	30.70	29.28	59.98	68.20	-8.22
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ax HE40 / 5670 MHz_	Temp/Hum	19.9(°C)/ 61%RH
Test Item	Harmonic	Test Date	April 3, 2022
Polarize	Vertical	Test Engineer	Czerny Lin
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11340.000	Peak	32.69	19.44	52.13	74.00	-21.87
11340.000	Average	24.69	19.44	44.13	54.00	-9.87
17010.000	Peak	33.23	31.48	64.71	68.20	-3.49
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ax HE40 / 5670 MHz	Temp/Hum	19.9(°C) / 61%RH
Test Item	Harmonic	Test Date	April 3, 2022
Polarize	Horizontal	Test Engineer	Czerny Lin
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBUV/m)	Limit @3m (dBUV/m)	Margin (dB)
11340.000	Peak	31.95	19.44	51.39	74.00	-22.61
11340.000	Average	23.07	19.44	42.51	54.00	-11.49
17010.000	Peak	32.57	31.48	64.05	68.20	-4.15
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ax HE40 / 5710 MHz_	Temp/Hum	21.1(°C) / 51%RH
Test Item	Harmonic	Test Date	April 8, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBUV)	Factor (dB)	Actual FS (dBUV/m)	Limit @3m (dBUV/m)	Margin (dB)
11420.000	Peak	29.67	19.60	49.27	74.00	-24.73
11420.000	Average	23.24	19.60	42.84	54.00	-11.16
17130.000	Peak	33.05	30.88	63.93	68.20	-4.27
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ax HE40 / 5710 MHz	Temp/Hum	21.1(°C)/ 51%RH
Test Item	Harmonic	Test Date	April 8, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11420.000	Peak	28.89	19.60	48.50	74.00	-25.50
11420.000	Average	21.29	19.60	40.89	54.00	-13.11
17130.000	Peak	31.77	30.88	62.65	68.20	-5.55
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ax HE80 / 5530 MHz	Temp/Hum	21.1(°C) / 51%RH
Test Item	Harmonic	Test Date	April 8, 2022
Polarize	Vertical	Test Engineer	Tony Chao
Detector	Peak & Average		




Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11060.000	Peak	31.38	18.97	50.36	74.00	-23.64
11060.000	Average	21.36	18.97	40.33	54.00	-13.67
16590.000	Peak	32.25	28.94	61.18	68.20	-7.02
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: TMWK2201000141KR

Test Mode	IEEE 802.11ax HE80 / 5530 MHz	Temp/Hum	21.1(°C)/ 51%RH
Test Item	Harmonic	Test Date	April 8, 2022
Polarize	Horizontal	Test Engineer	Tony Chao
Detector	Peak & Average		



Freq. (MHz)	Detector Mode (PK/QP/AV)	Spectrum Reading Level (dBμV)	Factor (dB)	Actual FS (dBμV/m)	Limit @3m (dBμV/m)	Margin (dB)
11060.000	Peak	30.45	18.97	49.42	74.00	-24.58
11060.000	Average	21.57	18.97	40.54	54.00	-13.46
16590.000	Peak	30.12	28.94	59.06	68.20	-9.14
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.