


FCC ID LABEL & LOCATION

LABELING REQUIREMENTS PER §2.925

The label shall be permanently affixed at a conspicuous location on the device.



SEE NEXT PAGE(S) FOR
PART 15(B) DoC LABEL

SEE NEXT PAGE(S) FOR
PART 24(E) LABEL


8 7 6 5 4 3 2 1

D
C
B
A

D
C
B
A

NOTES: (UNLESS OTHERWISE SPECIFIED).

1. MATERIAL: 3M 7818 MATTE SILVER POLYESTER W/#310 ACRYLIC ADHESIVE OR EQUIVALENT.
2. PRINTING: INK, SONY #4072 OR EQUIVALENT.
3. PART(S) SHIPPED TO ITRONIX SHALL BE PACKAGED FOR SHIPMENT AND/OR STORAGE IN A CLEAN PROTECTIVE CONTAINER PER ITRONIX PACKAGING AND SHIPPING SPEC. QE3-002. IF A BAG IS USED IT MUST BE NON-STATIC GENERATING.



This product contains an FCC and Industry Canada accepted transmitter.
FCC ID: KBCIX100AC555
1943A-IX100555

SCALE 1.000

UNLESS OTHERWISE SPECIFIED, DIMENSIONS IN MILLIMETERS
DO NOT SCALE DRAWING

NOTICE OF PROPRIETARY INFORMATION
INFORMATION CONTAINED HEREIN IS PROPRIETARY AND IS PROPERTY OF ITRONIX CORP. WHERE FURNISHED WITH A PROPOSAL, THE RECIPIENT SHALL USE IT SOLELY TO EVALUATE THE PROPOSAL, WHERE FURNISHED TO A CUSTOMER IT SHALL BE USED SOLELY FOR PURPOSES OF INSPECTION INSTALLATION, OR MAINTENANCE. WHERE FURNISHED TO A SUPPLIER, IT SHALL BE USED SOLELY IN THE PERFORMANCE OF THE WORK CONTRACTED FOR BY THIS COMPANY. THE INFORMATION SHALL NOT BE USED OR DISCLOSED BY THE RECIPIENT FOR ANY OTHER PURPOSE WHATSOEVER.

.TOL. EXCEPT AS NOTED
X ± 0.5 MM
X.X ± 0.25 MM
X.XX ± 0.125 MM
ANG. = 1.0°

THIRD ANGLE PROJECTION

ITRONIX
S. 801 STEVENS, P.O. BOX 179
SPOKANE, WA 99210



-	2	MH	JMD	ADD IC #		
-	1	MH	JMD	PROTOTYPE RELEASE		
ZONE	REV.	ECO	BY	DESCRIPTION OF CHANGE	APP.	DATE
				DESCRIPTION		
				LBL, IX100, AC555 RADIO		
				SIZE	DWG. NO	
				B	26-0512-001	
				SCALE	SHEET	REV
				4.000	1 OF 1	2

8 7 6 5 4 3 2 1

8 7 6 5 4 3 2 1

NOTES: (UNLESS OTHERWISE SPECIFIED).

1. MATERIAL: .007" THK. 8B35 POLYCARBONATE W/.005" THK. 3M 468 ADHESIVE.
2. MATERIAL TO BE UL AND CSA APPROVED.
3. PRINTING: SILVER BACKGROUND W/BLACK TEXT.
4. PART(S) SHIPPED TO ITRONIX SHALL BE PACKAGED FOR SHIPMENT AND/OR STORAGE IN A CLEAN PROTECTIVE CONTAINER PER ITRONIX PACKAGING AND SHIPPING SPEC. QE3-002. IF A BAG IS USED IT MUST BE NON-STATIC GENERATING.



SCALE 1.000

-	A	2798	JMD	RELEASE	BE	7/10/03
-	I	BE	JMD	PROTOTYPE RELEASE	BE	9/25/02
ZONE	REV.	ECO	BY	DESCRIPTION OF CHANGE	APP.	DATE
DRAFTER J. DERTING				DATE 09-06-02	DESCRIPTION LABEL, FCC, PRT 15, IX100	
CHECKER B. ERLER				DATE 7/10/03		
ELEC. ENG				DATE	SIZE B	DWG. NO 26-0404-001
MECH. ENG BE				DATE 09-06-02	SCALE 2.000	SHEET 1 OF 1
MFG. ENG J. VOCATURE				DATE 10/2/02	REV A	

UNLESS OTHERWISE SPECIFIED, DIMENSIONS IN MILLIMETERS
DO NOT SCALE DRAWING

NOTICE OF PROPRIETARY INFORMATION
INFORMATION CONTAINED HEREIN IS PROPRIETARY AND IS PROPERTY OF ITRONIX CORP. WHERE FURNISHED WITH A PROPOSAL, THE RECIPIENT SHALL USE IT SOLELY TO EVALUATE THE PROPOSAL, WHERE FURNISHED TO A CUSTOMER IT SHALL BE USED SOLELY FOR PURPOSES OF INSPECTION INSTALLATION, OR MAINTENANCE. WHERE FURNISHED TO A SUPPLIER, IT SHALL BE USED SOLELY IN THE PERFORMANCE OF THE WORK CONTRACTED FOR BY THIS COMPANY. THE INFORMATION SHALL NOT BE USED OR DISCLOSED BY THE RECIPIENT FOR ANY OTHER PURPOSE WHATSOEVER.

.TOL. EXCEPT AS NOTED
X ± 0.5 MM
X.X ± 0.25 MM
X.XX ± 0.125 MM
ANG. = 1.0°

THIRD ANGLE PROJECTION

ITRONIX
S. 801 STEVENS, P.O. BOX 179
SPOKANE, WA 99210

8 7 6 5 4 3 2 1