


**FCC ID LABEL & LOCATION**

**LABELING REQUIREMENTS PER §2.925**

The label shall be permanently affixed at a conspicuous location on the device.



SEE NEXT PAGE(S) FOR  
PART 15(B) DoC LABEL

SEE NEXT PAGE(S) FOR  
PART 24(E) LABEL


8 7 6 5 4 3 2 1

D  
C  
B  
A

D  
C  
B  
A

NOTES: (UNLESS OTHERWISE SPECIFIED).

1. MATERIAL: 3M 7818 MATTE SILVER POLYESTER W/#310 ACRYLIC ADHESIVE OR EQUIVALENT.
2. PRINTING: INK, SONY #4072 OR EQUIVALENT.
3. PART(S) SHIPPED TO ITRONIX SHALL BE PACKAGED FOR SHIPMENT AND/OR STORAGE IN A CLEAN PROTECTIVE CONTAINER PER ITRONIX PACKAGING AND SHIPPING SPEC. QE3-002. IF A BAG IS USED IT MUST BE NON-STATIC GENERATING.



This product contains an FCC and Industry Canada transmitter. FCC ID: KBCIX100AC750

SCALE 1.000

UNLESS OTHERWISE SPECIFIED, DIMENSIONS IN MILLIMETERS DO NOT SCALE DRAWING

NOTICE OF PROPRIETARY INFORMATION INFORMATION CONTAINED HEREIN IS PROPRIETARY AND IS PROPERTY OF ITRONIX CORP. WHERE FURNISHED WITH A PROPOSAL, THE RECIPIENT SHALL USE IT SOLELY TO EVALUATE THE PROPOSAL, WHERE FURNISHED TO A CUSTOMER IT SHALL BE USED SOLELY FOR PURPOSES OF INSPECTION INSTALLATION, OR MAINTENANCE. WHERE FURNISHED TO A SUPPLIER, IT SHALL BE USED SOLELY IN THE PERFORMANCE OF THE WORK CONTRACTED FOR BY THIS COMPANY. THE INFORMATION SHALL NOT BE USED OR DISCLOSED BY THE RECIPIENT FOR ANY OTHER PURPOSE WHATSOEVER.

.TOL. EXCEPT AS NOTED  
 X ± 0.5 MM  
 X.X ± 0.25 MM  
 X.XX ± 0.125 MM  
 ANG. = 1.0°

THIRD ANGLE PROJECTION

**ITRONIX**  
 S. 801 STEVENS, P.O. BOX 179  
 SPOKANE, WA 99210



-	I	FP	JMD	PROTOTYPE RELEASE			
ZONE	REV.	ECO	BY	DESCRIPTION OF CHANGE		APP.	DATE
DRAFTER	DATE		DESCRIPTION				
J. DERTING	8-26-03		LBL, AC750 RADIO, IX100				
CHECKER	DATE		SIZE	DWG. NO			
ELEC. ENG	DATE		B	26-0256-001			
MECH. ENG	DATE		SCALE	SHEET		REV	
MFG. ENG	DATE		4.000	1 OF 1		1	

8 7 6 5 4 3 2 1

8 7 6 5 4 3 2 1

NOTES: (UNLESS OTHERWISE SPECIFIED).

1. MATERIAL: .007" THK. 8B35 POLYCARBONATE W/.005" THK. 3M 468 ADHESIVE.
2. MATERIAL TO BE UL AND CSA APPROVED.
3. PRINTING: SILVER BACKGROUND W/BLACK TEXT.
4. PART(S) SHIPPED TO ITRONIX SHALL BE PACKAGED FOR SHIPMENT AND/OR STORAGE IN A CLEAN PROTECTIVE CONTAINER PER ITRONIX PACKAGING AND SHIPPING SPEC. QE3-002. IF A BAG IS USED IT MUST BE NON-STATIC GENERATING.



SCALE 1.000

-	A	2798	JMD	RELEASE	BE	7/10/03
-	I	BE	JMD	PROTOTYPE RELEASE	BE	9/25/02
ZONE	REV.	ECO	BY	DESCRIPTION OF CHANGE	APP.	DATE
DRAFTER				DATE	DESCRIPTION	
J. DERTING				09-06-02	LABEL, FCC, PRT 15, IX100	
CHECKER				DATE	SIZE	
B. ERLER				7/10/03	B	
ELEC. ENG				DATE	DWG. NO	
					26-0404-001	
MECH. ENG				DATE	SCALE	
BE				09-06-02	2.000	
MFG. ENG				DATE	SHEET	
J. VOCATURE				10/2/02	1 OF 1	
					REV	
					A	

UNLESS OTHERWISE SPECIFIED, DIMENSIONS IN MILLIMETERS DO NOT SCALE DRAWING

NOTICE OF PROPRIETARY INFORMATION INFORMATION CONTAINED HEREIN IS PROPRIETARY AND IS PROPERTY OF ITRONIX CORP. WHERE FURNISHED WITH A PROPOSAL, THE RECIPIENT SHALL USE IT SOLELY TO EVALUATE THE PROPOSAL, WHERE FURNISHED TO A CUSTOMER IT SHALL BE USED SOLELY FOR PURPOSES OF INSPECTION INSTALLATION, OR MAINTENANCE. WHERE FURNISHED TO A SUPPLIER, IT SHALL BE USED SOLELY IN THE PERFORMANCE OF THE WORK CONTRACTED FOR BY THIS COMPANY. THE INFORMATION SHALL NOT BE USED OR DISCLOSED BY THE RECIPIENT FOR ANY OTHER PURPOSE WHATSOEVER.

.TOL. EXCEPT AS NOTED  
 X ± 0.5 MM  
 X.X ± 0.25 MM  
 X.XX ± 0.125 MM  
 ANG. = 1.0°

THIRD ANGLE PROJECTION

**ITRONIX**  
 S. 801 STEVENS, P.O. BOX 179  
 SPOKANE, WA 99210

8 7 6 5 4 3 2 1