


FCC ID LABEL & LOCATION


LABELING REQUIREMENTS PER §2.925

The label shall be permanently affixed at a conspicuous location on the device.



**SEE NEXT PAGE(S) FOR
PART 15(B) FCC DoC LABEL**

**SEE NEXT PAGE(S) FOR
PART 24(E) FCC ID LABEL**



MODEL	PART NUMBER	OBJECT NAME	REV	VER	REL
1/7/2005 2:56:09 LBL	IX100X-BT-WLAN-AC775-1X100X			0	
DRAWING	26-0675-001	26-0675-001_01_BT-WLN-775-100X			

- NOTES:(UNLESS OTHERWISE SPECIFIED).
1. MATERIAL: 3M 7818 MATTE SILVER POLYESTER W/#310 ACRYLIC ADHESIVE OR EQUIVALENT.
 2. PRINTING: INK, SONY #4072 OR EQUIVALENT.
 3. PART(S) SHIPPED TO ITRONIX SHALL BE PACKAGED FOR SHIPMENT AND/OR STORAGE IN A CLEAN PROTECTIVE CONTAINER PER ITRONIX PACKAGING AND SHIPPING SPEC. QE3-002. IF A BAG IS USED IT MUST BE NON-STATIC GENERATING.

RI.0 4 PL

-	I	MH	JMD	PROTOTYPE RELEASE			
ZONE	REV.	ECO	BY	DESCRIPTION OF CHANGE		APP.	DATE
DRAFTER J.DERTING		DATE 1-7-05		DESCRIPTION LBL, I X I00X, BT, WLAN, AC775			
CHECKER		DATE					
ELEC. ENG		DATE					
MECH. ENG		DATE					
MFG. ENG		DATE		SIZE B		DWG. NO 26-0675-001	
				SCALE 4.000		SHEET 1 OF 1	
						REV 1	


UNLESS OTHERWISE SPECIFIED, DIMENSIONS IN MILLIMETERS
DO NOT SCALE DRAWING


NOTICE OF PROPRIETARY INFORMATION
INFORMATION CONTAINED HEREIN IS PROPRIETARY AND
IS PROPERTY OF ITRONIX CORP. WHERE FURNISHED
WITH A PROPOSAL, THE RECIPIENT SHALL USE IT
SOLELY TO EVALUATE THE PROPOSAL, WHERE FURNISHED
TO A CUSTOMER IT SHALL BE USED SOLELY FOR
PURPOSES OF INSPECTION INSTALLATION, OR
MAINTENANCE. WHERE FURNISHED TO A SUPPLIER, IT
SHALL BE USED SOLELY IN THE PERFORMANCE OF THE
WORK CONTRACTED FOR BY THIS COMPANY. THE
INFORMATION SHALL NOT BE USED OR DISCLOSED BY
THE RECIPIENT FOR ANY OTHER PURPOSE WHATSOEVER.

TOL. EXCEPT AS NOTED
X ± 0.5 MM
X.X ± 0.25 MM
X.XX ± 0.125 MM
ANG. = 1.0°

THIRD ANGLE
PROJECTION

ITRONIX
S.801 STEVENS, P.O. BOX 179
SPOKANE, WA 99210





NOTES: (UNLESS OTHERWISE SPECIFIED).

1. MATERIAL: .007" THK. 8B35 POLYCARBONATE
W/.005" THK. 3M 468 ADHESIVE.
2. MATERIAL TO BE UL AND CSA APPROVED.
3. PRINTING: SILVER BACKGROUND W/BLACK TEXT.
4. PART(S) SHIPPED TO ITRONIX SHALL BE
PACKAGED FOR SHIPMENT AND/OR STORAGE
IN A CLEAN PROTECTIVE CONTAINER PER
ITRONIX PACKAGING AND SHIPPING SPEC.
QE3-002. IF A BAG IS USED IT MUST BE
NON-STATIC GENERATING.