

FCC ID LABEL & LOCATION

LABELING REQUIREMENTS PER §2.925

The label shall be permanently affixed at a conspicuous location on the device.




**SEE NEXT PAGE(S) FOR
PART 15(B) FCC DoC LABEL**

**SEE NEXT PAGE(S) FOR
PART 24(E) FCC ID LABEL**

MODEL	PART NUMBER	OBJECT NAME	REV	VER	REL
	1/7/2005 2:45	LBL-IX100X		0+	
DRAWING	26-0676-001	26-0676-001.01.AC775-100X			

NOTES: (UNLESS OTHERWISE SPECIFIED).

- MATERIAL: 3M 7818 MATTE SILVER POLYESTER W/#310 ACRYLIC ADHESIVE OR EQUIVALENT.
- PRINTING: INK, SONY #4072 OR EQUIVALENT.
- PART(S) SHIPPED TO ITRONIX SHALL BE PACKAGED FOR SHIPMENT AND/OR STORAGE IN A CLEAN PROTECTIVE CONTAINER PER ITRONIX PACKAGING AND SHIPPING SPEC. QE3-002. IF A BAG IS USED IT MUST BE NON-STATIC GENERATING.



UNLESS OTHERWISE SPECIFIED, DIMENSIONS IN MILLIMETERS
DO NOT SCALE DRAWING

NOTICE OF PROPRIETARY INFORMATION
 INFORMATION CONTAINED HEREIN IS PROPRIETARY AND IS PROPERTY OF ITRONIX CORP. WHERE FURNISHED WITH A PROPOSAL, THE RECIPIENT SHALL USE IT SOLELY TO EVALUATE THE PROPOSAL, WHERE FURNISHED TO A CUSTOMER IT SHALL BE USED SOLELY FOR PURPOSES OF INSPECTION INSTALLATION, OR MAINTENANCE. WHERE FURNISHED TO A SUPPLIER, IT SHALL BE USED SOLELY IN THE PERFORMANCE OF THE WORK CONTRACTED FOR BY THIS COMPANY. THE INFORMATION SHALL NOT BE USED OR DISCLOSED BY THE RECIPIENT FOR ANY OTHER PURPOSE WHATSOEVER.

.TOL. EXCEPT AS NOTED
 X ± 0.5 MM
 X.X ± 0.25 MM
 X.XX ± 0.125 MM
 ANG. = 1.0°

THIRD ANGLE PROJECTION

ITRONIX
 S.801 STEVENS, P.O. BOX 179
 SPOKANE, WA 99210



ZONE	REV.	ECO	BY	DESCRIPTION OF CHANGE	APP.	DATE
-	I	MH	JMD	PROTOTYPE RELEASE		
DRAFTER				DATE		
J.DERTING				1-7-05		
CHECKER				DATE		
ELEC. ENG				DATE		
MECH. ENG				DATE		
MFG. ENG				DATE		
SIZE		DWG. NO				
B		26-0676-001				
SCALE		SHEET		REV		
4.000		1 OF 1		1		

8 7 6 5 4 3 2 1

D
C
B
A

NOTES: (UNLESS OTHERWISE SPECIFIED).

1. MATERIAL: .007" THK. 8B35 POLYCARBONATE
W/.005" THK. 3M 468 ADHESIVE.
2. MATERIAL TO BE UL AND CSA APPROVED.
3. PRINTING: SILVER BACKGROUND W/BLACK TEXT.
4. PART(S) SHIPPED TO ITRONIX SHALL BE
PACKAGED FOR SHIPMENT AND/OR STORAGE
IN A CLEAN PROTECTIVE CONTAINER PER
ITRONIX PACKAGING AND SHIPPING SPEC.
QE3-002. IF A BAG IS USED IT MUST BE
NON-STATIC GENERATING.



SCALE 1.000

UNLESS OTHERWISE SPECIFIED, DIMENSIONS IN MILLIMETERS
DO NOT SCALE DRAWING

NOTICE OF PROPRIETARY INFORMATION
INFORMATION CONTAINED HEREIN IS PROPRIETARY AND
IS PROPERTY OF ITRONIX CORP. WHERE FURNISHED
WITH A PROPOSAL, THE RECIPIENT SHALL USE IT
SOLELY TO EVALUATE THE PROPOSAL, WHERE FURNISHED
TO A CUSTOMER IT SHALL BE USED SOLELY FOR
PURPOSES OF INSPECTION INSTALLATION, OR
MAINTENANCE. WHERE FURNISHED TO A SUPPLIER, IT
SHALL BE USED SOLELY IN THE PERFORMANCE OF THE
WORK CONTRACTED FOR BY THIS COMPANY. THE
INFORMATION SHALL NOT BE USED OR DISCLOSED BY
THE RECIPIENT FOR ANY OTHER PURPOSE WHATSOEVER.

.TOL. EXCEPT AS NOTED
X ± 0.5 MM
X.X ± 0.25 MM
X.XX ± 0.125 MM
ANG. = 1.0°

THIRD ANGLE
PROJECTION

ITRONIX
S. 801 STEVENS, P.O. BOX 179
SPOKANE, WA 99210

-	A	3526	JMD	RELEASE			
ZONE	REV.	ECO	BY	DESCRIPTION OF CHANGE		APP.	DATE
DRAFTER	DATE			DESCRIPTION			
J. DERTING	4-15-04			LABEL, FCC, PRT 15, IX100X			
CHECKER	DATE			SIZE	DWG. NO		
ELEC. ENG	DATE			B	26-0593-001		
MECH. ENG	DATE			SCALE	SHEET	REV	
MFG. ENG	DATE			2.000	1 OF 1	A	

8 7 6 5 4 3 2 1