


FCC ID LABEL & LOCATION

LABELING REQUIREMENTS PER §2.925


The label shall be permanently affixed at a conspicuous location on the device.



**SEE NEXT PAGE(S) FOR
PART 15(B) FCC DoC LABEL**

**SEE NEXT PAGE(S) FOR
PART 15(C) FCC ID LABEL**

8 7 6 5 4 3 2 1



NOTES: (UNLESS OTHERWISE SPECIFIED).

1. MATERIAL: 3M 7818 MATTE SILVER POLYESTER W/#310 ACRYLIC ADHESIVE OR EQUIVALENT.
2. PRINTING: INK, SONY #4072 OR EQUIVALENT.
3. PART(S) SHIPPED TO ITRONIX SHALL BE PACKAGED FOR SHIPMENT AND/OR STORAGE IN A CLEAN PROTECTIVE CONTAINER PER ITRONIX PACKAGING AND SHIPPING SPEC. QE3-002. IF A BAG IS USED IT MUST BE NON-STATIC GENERATING.

This product contains an FCC and Industry Canada transmitter.
 FCC ID: KBCIX100XUSIWLBT
 IC:

SCALE 1.000

UNLESS OTHERWISE SPECIFIED, DIMENSIONS IN MILLIMETERS
 DO NOT SCALE DRAWING

NOTICE OF PROPRIETARY INFORMATION CONTAINED HEREIN IS PROPRIETARY AND IS PROPERTY OF ITRONIX CORP. WHERE FURNISHED WITH A PROPOSAL, THE RECIPIENT SHALL USE IT SOLELY TO EVALUATE THE PROPOSAL, WHERE FURNISHED TO A CUSTOMER IT SHALL BE USED SOLELY FOR PURPOSES OF INSPECTION INSTALLATION, OR MAINTENANCE. WHERE FURNISHED TO A SUPPLIER, IT SHALL BE USED SOLELY IN THE PERFORMANCE OF THE WORK CONTRACTED FOR BY THIS COMPANY. THE INFORMATION SHALL NOT BE USED OR DISCLOSED BY THE RECIPIENT FOR ANY OTHER PURPOSE WHATSOEVER.

.TOL. EXCEPT AS NOTED
 X ± 0.5 MM
 X.X ± 0.25 MM
 X.XX ± 0.125 MM
 ANG. = 1.0°

THIRD ANGLE PROJECTION


ITRONIX
 S.801 STEVENS, P.O. BOX 179
 SPOKANE, WA 99210

-	I	MH	JMD	PROTOTYPE RELEASE			
ZONE	REV.	ECO	BY	DESCRIPTION OF CHANGE		APP.	DATE
DRAFTER	J.DERTING	DATE	5-26-04	DESCRIPTION			
CHECKER		DATE		LBL, IX100X, BT, WLAN			
ELEC. ENG		DATE		SIZE	DWG. NO		
MECH. ENG		DATE		B	26-0XXX-001		
MFG. ENG		DATE		SCALE	SHEET	REV	
				4.000	1 OF 1	1	

8 7 6 5 4 3 2 1

8 7 6 5 4 3 2 1


D
C
B
A



NOTES: (UNLESS OTHERWISE SPECIFIED).

1. MATERIAL: .007" THK. 8B35 POLYCARBONATE W/.005" THK. 3M 468 ADHESIVE.
2. MATERIAL TO BE UL AND CSA APPROVED.
3. PRINTING: SILVER BACKGROUND W/BLACK TEXT.
4. PART(S) SHIPPED TO ITRONIX SHALL BE PACKAGED FOR SHIPMENT AND/OR STORAGE IN A CLEAN PROTECTIVE CONTAINER PER ITRONIX PACKAGING AND SHIPPING SPEC. QE3-002. IF A BAG IS USED IT MUST BE NON-STATIC GENERATING.

D
C
B
A



SCALE 1.000

UNLESS OTHERWISE SPECIFIED, DIMENSIONS IN MILLIMETERS DO NOT SCALE DRAWING

NOTICE OF PROPRIETARY INFORMATION INFORMATION CONTAINED HEREIN IS PROPRIETARY AND IS PROPERTY OF ITRONIX CORP. WHERE FURNISHED WITH A PROPOSAL, THE RECIPIENT SHALL USE IT SOLELY TO EVALUATE THE PROPOSAL, WHERE FURNISHED TO A CUSTOMER IT SHALL BE USED SOLELY FOR PURPOSES OF INSPECTION INSTALLATION, OR MAINTENANCE. WHERE FURNISHED TO A SUPPLIER, IT SHALL BE USED SOLELY IN THE PERFORMANCE OF THE WORK CONTRACTED FOR BY THIS COMPANY. THE INFORMATION SHALL NOT BE USED OR DISCLOSED BY THE RECIPIENT FOR ANY OTHER PURPOSE WHATSOEVER.

.TOL. EXCEPT AS NOTED
X ± 0.5 MM
X.X ± 0.25 MM
X.XX ± 0.125 MM
ANG. = 1.0°

THIRD ANGLE PROJECTION

ITRONIX
S. 801 STEVENS, P.O. BOX 179
SPOKANE, WA 99210

-	A	3526	JMD	RELEASE			
ZONE	REV.	ECO	BY	DESCRIPTION OF CHANGE		APP.	DATE
DRAFTER	J. DERTING	DATE	4-15-04	DESCRIPTION LABEL, FCC, PRT 15, IX100X			
CHECKER		DATE		SIZE	DWG. NO		
ELEC. ENG		DATE		B	26-0593-001		
MECH. ENG		DATE		SCALE	SHEET	REV	
MFG. ENG		DATE		2.000	1 OF 1	A	

8 7 6 5 4 3 2 1