

## Radio Specific Safety Information

License Agreement. Itronix hardware products may be reconditioned, or be manufactured from parts and components that may be new, used, rebuilt, or recycled and in some cases, the hardware product may not be new and may have been previously installed. In any event, Itronix warranty terms apply.

### Trademark and Patent Notice

Itronix is a registered trademark of Itronix Corporation.  
GoBook II is a registered trademark of Itronix Corporation  
Microsoft, MS, Windows, and MS-DOS are registered trademarks of Microsoft Corporation.  
IBM is a trademark of International Business Machines Corporation.

### Warnings and Safety Information

#### WARNING

It is important that only authorized Itronix personnel attempt repairs on Itronix equipment as this might void any maintenance contract with your company. Unauthorized service personnel might be subject to shock hazard on some Itronix equipment if removal of protective covers is attempted.

Changes or modifications not expressly approved by the party responsible for compliance could void the users authority to operate the equipment.

Internal radio may have an individual FCC Identifiers which are not applicable to this configuration. Only the FCC ID: (KBCIX260-PROAC750) shown on the label located on the bottom of the IX260 Laptop PC is applicable. The IX260 Laptop PC must not be co-located or operating in conjunction with any other antenna or transmitter than specified in the filing . This FCC identifier does include PAN ,WLAN and WAN Radio's. Cradle option does support External WAN Antenna's for this FCC Identifier.

#### Safety Information

This device contains a WLAN radio transmitter. When using the WLAN transmitter, a minimum separation distance of 20 cm must be maintained between the upper right edge of the display screen and all users/bystanders. The WLAN transmitter should be turned off before carrying the Laptop PC order to comply with FCC RF exposure requirements.

This device contains a WAN radio transmitter. When using the WAN transmitter, a minimum separation distance of 20 cm must be maintained between the upper right edge of the display screen and all users/bystanders. The WAN transmitter should be turned off before carrying the Laptop PC order to comply with FCC RF exposure requirements .

This device contains a PAN radio transmitter. When using the PAN transmitter, a minimum separation distance of 20 cm must be maintained between the upper left edge of the display screen and all users/bystanders. The WLAN transmitter should be turned off before carrying the Laptop PC order to comply with FCC RF exposure requirements .

---

Radio Specific Information  
July 6th 2004