



## FCC ID LABEL & LOCATION

## LABELLING REQUIREMENTS PER §2.925

The label shall be permanently affixed at a conspicuous location on the device.



ITRONIX CORPORATION FCC ID: KBCIX260AC555-MPI (Model: IX260) Rugged Laptop PC with Cisco MPI-350 Mini-PCI DSSS WLAN Card (Co-located)



I. MATERIAL: 3M 7818 MATTE SILVER POLYESTER W/#310 ACRYLIC ADHESIVE.

3. ALL MATERIAL MUST BE UL AND CSA APPROVED AND VENDOR MUST BE UL AND CSA RECOGNIZED.

4. PART(S) SHIPPED TO ITRONIX SHALL BE PACKAGED FOR SHIPMENT AND/OR STORAGE IN A CLEAN PROTECTIVE CONTAINER PER ITRONIX PACKAGING AND SHIPPING SPEC. QE3-002. IF A BAG IS USED IT MUST BE NON-STATIC GENERATING.

|      | A    | 2887            | JMD | RE                               |         |             |      |        |          |  |
|------|------|-----------------|-----|----------------------------------|---------|-------------|------|--------|----------|--|
|      | REV. | ECO             | BY  | DESCRIPTION                      |         | APP,        | DA   | TE     |          |  |
| TING |      | DATE<br> -3 -03 |     | DESCRIPTION                      |         |             |      |        |          |  |
|      |      | DATE            |     | LBL,GBII,IXRTT,MINI WLAN,STD MDM |         |             |      |        |          |  |
| NG   |      | DATE            |     | size<br>B                        | DWG. NO | 26          | -045 | 1 - 01 | 02       |  |
| NG   |      | DATE            |     | 0                                |         | 26-0451-002 |      |        |          |  |
| 6    |      | DATE            |     | scale<br>2.000                   |         | SHEET       | OF   |        | rev<br>A |  |
| 2    |      |                 |     |                                  |         |             |      |        |          |  |

