

April 3, 2003

Federal Communications Commission Equipment Authorization Branch 7435 Oakland Mills Road Columbia, MD 21046 Attn: Steve Dayhoff

SUBJECT:

ITRONIX CORPORATION FCC ID: KBCIX260AC555-MPI 731 Confirmation No.: EA253055 Correspondence Ref. No.: 25013

Dear Steve,

On behalf of Itronix Corporation is our response to your e-mail dated March 31, 2003 requesting additional information for the subject application.

- 1. The SMA connector for external antennas with vehicle cradle is applicable for the co-located CDMA modem only. Please see the attached revised users manual informing the user of the appropriate application for the SMA connector.
- 2. Attached is the revised SAR test report with measurement data for the co-located transmission, and correct test setup photos showing the external dipole antenna.
- 3. The SAR test data and photographs with lid open position (left and right sides of Laptop PC LCD display) are not applicable for this filing and are not included in the revised SAR test report. This is based on the location of the internal antennas within the LCD display. The tests in this filing were performed with the LCD display closed based on the fact that both the WLAN and CDMA modems can continue to transmit with the lid closed and therefore the lid closed position is considered the worst-case configuration because of the closer antenna proximity to the user.

If you have any questions or comments concerning the above, please contact the undersigned.

Sincerely,

Jonathan Hughes General Manager Celltech Labs Inc.

cc: Itronix Corporation Spectrum Technology Inc.