


FCC ID LABEL & LOCATION

LABELING REQUIREMENTS PER §2.925

The label(s) shall be permanently affixed at a conspicuous location on the device.




**SEE NEXT PAGE(S) FOR
FCC Part 15(B) DoC LABEL**

**SEE NEXT PAGE(S)
FOR FCC ID LABEL**

| MODEL | PART NUMBER | OBJECT NAME | REV | VER | REL |
|---------|-------------|------------------------------|-----|-----|-----|
| | 26-0726-001 | LBL-AC580-BT-GB3 | *** | *** | *** |
| DRAWING | 26-0726-001 | 26-0726-001.1.LBL-580-BT-GB3 | - | - | - |

NOTES: (UNLESS OTHERWISE SPECIFIED).

- FOR LABEL MANUFACTURE SEE ITRONIX DRAWING 26-0637-000.
- PART(S) SHIPPED TO ITRONIX SHALL BE PACKAGED FOR SHIPMENT AND/OR STORAGE IN A CLEAN PROTECTIVE CONTAINER PER ITRONIX PACKAGING AND SHIPPING SPEC. QE3-002. IF A BAG IS USED IT MUST BE NON-STATIC GENERATING.



| CONFIGURATION | |
|---------------|----------|
| RADIO | MODEM |
| AC580 | STANDARD |
| BLUE TOOTH | |

| ZONE | REV. | ECO | BY | DESCRIPTION OF CHANGE | APP. | DATE |
|------------|------|-------------|-----|-----------------------|------|------|
| - | I | MH | JMD | PROTOTYPE RELEASE | | |
| DRAFTER | | | | DATE | | |
| J. DERTING | | | | 5-4-05 | | |
| CHECKER | | | | DATE | | |
| ELEC. ENG | | | | DATE | | |
| MECH. ENG | | | | DATE | | |
| MFG. ENG | | | | DATE | | |
| SIZE | | DWG. NO | | DESCRIPTION | | |
| B | | 26-0726-001 | | LBL, GB3, AC580, BT | | |
| SCALE | | SHEET | | REV | | |
| 2.000 | | 1 OF 1 | | 1 | | |

UNLESS OTHERWISE SPECIFIED, DIMENSIONS IN INCHES
DO NOT SCALE DRAWING


NOTICE OF PROPRIETARY INFORMATION
INFORMATION CONTAINED HEREIN IS PROPRIETARY AND
IS PROPERTY OF ITRONIX CORP. WHERE FURNISHED
WITH A PROPOSAL, THE RECIPIENT SHALL USE IT
SOLELY TO EVALUATE THE PROPOSAL, WHERE FURNISHED
TO A CUSTOMER IT SHALL BE USED SOLELY FOR
PURPOSES OF INSPECTION, INSTALLATION, OR
MAINTENANCE. WHERE FURNISHED TO A SUPPLIER, IT
SHALL BE USED SOLELY IN THE PERFORMANCE OF THE
WORK CONTRACTED FOR BY THIS COMPANY. THE
INFORMATION SHALL NOT BE USED OR DISCLOSED BY
THE RECIPIENT FOR ANY OTHER PURPOSE WHATSOEVER.

.TOL. EXCEPT AS NOTED
.XX ± 0.01 INCH
.XXX ± 0.005 INCH
ANG. = 1.0°

THIRD ANGLE
PROJECTION

ITRONIX
S.801 STEVENS, P.O. BOX 179
SPOKANE, WA 99210

8 7 6 5 4 3 2 1



NOTES: (UNLESS OTHERWISE SPECIFIED).

1. MATERIAL: LEXAN 8A35, TOTAL THICKNESS WITH 3M 467MP PSA TO BE .8MM, MAY LAMINATE TO ACHIEVE FINAL THICKNESS.
2. TEXT COLOR: WHITE.
3. BACKGROUND TO MATCH PANTONE 432U (DARK GRAY).
4. ALL MATERIAL MUST BE UL AND CSA APPROVED AND VENDOR MUST BE UL AND CSA RECOGNIZED.
5. PART(S) SHIPPED TO ITRONIX SHALL BE PACKAGED FOR SHIPMENT AND/OR STORAGE IN A CLEAN PROTECTIVE CONTAINER PER ITRONIX PACKAGING AND SHIPPING SPEC.QE3-002. IF A BAG IS USED IT MUST BE NON-STATIC GENERATING.

UNLESS OTHERWISE SPECIFIED, DIMENSIONS IN MILLIMETERS
DO NOT SCALE DRAWING

NOTICE OF PROPRIETARY INFORMATION
INFORMATION CONTAINED HEREIN IS PROPRIETARY AND IS PROPERTY OF ITRONIX CORP. WHERE FURNISHED WITH A PROPOSAL, THE RECIPIENT SHALL USE IT SOLELY TO EVALUATE THE PROPOSAL, WHERE FURNISHED TO A CUSTOMER IT SHALL BE USED SOLELY FOR PURPOSES OF INSPECTION INSTALLATION, OR MAINTENANCE. WHERE FURNISHED TO A SUPPLIER, IT SHALL BE USED SOLELY IN THE PERFORMANCE OF THE WORK CONTRACTED FOR BY THIS COMPANY. THE INFORMATION SHALL NOT BE USED OR DISCLOSED BY THE RECIPIENT FOR ANY OTHER PURPOSE WHATSOEVER.

.TOL. EXCEPT AS NOTED
X ± 0.5 MM
X.X ± 0.25 MM
X.XX ± 0.125 MM
ANG. = 1.0°

THIRD ANGLE PROJECTION

ITRONIX
S.801 STEVENS, P.O. BOX 179
SPOKANE, WA 99210

| | | | | | | | |
|----------------------|-----------------|----------------|------|---|------------------------|------|--|
| - | I | MH | JMD | PROTOTYPE | | | |
| ZONE | REV. | ECO | BY | DESCRIPTION OF CHANGE | APP. | DATE | |
| DRAFTER J.DERTING | DATE 6-30-04 | CHECKER | DATE | DESCRIPTION LABEL, IX260+, FCC PART 15 | | | |
| ELEC. ENG | DATE | MECH. ENG | DATE | SIZE B | DWG. NO 26-0622-001 | | |
| MFG. ENG | DATE | SCALE 2.000 | | SHEET 1 OF 1 | REV 1 | | |

8 7 6 5 4 3 2 1