


**FCC ID LABEL & LOCATION**

**LABELING REQUIREMENTS PER §2.925**

The label(s) shall be permanently affixed at a conspicuous location on the device.




**SEE NEXT PAGE(S) FOR  
FCC Part 15(B) DoC LABEL**

**SEE NEXT PAGE(S)  
FOR FCC ID LABEL**

MODEL	PART NUMBER	OBJECT NAME	REV	VER	REL
	26-0725-001	LBL-AC580-GB3	***	***	***
DRAWING	26-0725-001	26-0725-001.1.LBL-580-GB3	-		

NOTES: (UNLESS OTHERWISE SPECIFIED).

- FOR LABEL MANUFACTURE SEE ITRONIX DRAWING 26-0637-000.
- PART(S) SHIPPED TO ITRONIX SHALL BE PACKAGED FOR SHIPMENT AND/OR STORAGE IN A CLEAN PROTECTIVE CONTAINER PER ITRONIX PACKAGING AND SHIPPING SPEC. QE3-002. IF A BAG IS USED IT MUST BE NON-STATIC GENERATING.



CONFIGURATION	
RADIO	MODEM
AC580	STANDARD

ZONE	REV.	ECO	BY	DESCRIPTION OF CHANGE	APP.	DATE	
-	I	MH	JMD	PROTOTYPE RELEASE			
DRAFTER				DATE			
J. DERTING				5-4-05			
CHECKER				DATE			
ELEC. ENG				DATE			
MECH. ENG				DATE			
MFG. ENG				DATE			
DESCRIPTION		SIZE		DWG. NO		REV	
LBL, GB3, AC580		B		26-0725-001		1 OF 1	
SCALE		SHEET		REV			
2.000		1 OF 1					


UNLESS OTHERWISE SPECIFIED, DIMENSIONS IN INCHES DO NOT SCALE DRAWING

NOTICE OF PROPRIETARY INFORMATION CONTAINED HEREIN IS PROPRIETARY AND IS PROPERTY OF ITRONIX CORP. WHERE FURNISHED WITH A PROPOSAL, THE RECIPIENT SHALL USE IT SOLELY TO EVALUATE THE PROPOSAL, WHERE FURNISHED TO A CUSTOMER IT SHALL BE USED SOLELY FOR PURPOSES OF INSPECTION INSTALLATION, OR MAINTENANCE. WHERE FURNISHED TO A SUPPLIER, IT SHALL BE USED SOLELY IN THE PERFORMANCE OF THE WORK CONTRACTED FOR BY THIS COMPANY. THE INFORMATION SHALL NOT BE USED OR DISCLOSED BY THE RECIPIENT FOR ANY OTHER PURPOSE WHATSOEVER.

.TOL. EXCEPT AS NOTED  
 .XX ± 0.01 INCH  
 .XXX ± 0.005 INCH  
 ANG. = 1.0°


THIRD ANGLE PROJECTION

**ITRONIX**  
 S.801 STEVENS, P.O. BOX 179  
 SPOKANE, WA 99210



**ITRONIX®**

MODEL NO.: IX260+  
 NOTEBOOK: DC 19V  
 3.95A



This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions:  
 1) This device may not cause harmful interference, and 2) this device must accept any interference received, including interference that may cause undesired operation.  
 This Class B digital apparatus complies with Canadian ICES-003.  
 Cet appareil numérique de la classe B est conforme à la norme NMB-003 du Canada.



Assembled in USA from Domestic and Foreign Components

NOTES: (UNLESS OTHERWISE SPECIFIED).

1. MATERIAL: LEXAN 8A35, TOTAL THICKNESS WITH 3M 467MP PSA TO BE .8MM, MAY LAMINATE TO ACHIEVE FINAL THICKNESS.
2. TEXT COLOR: WHITE.
3. BACKGROUND TO MATCH PANTONE 432U (DARK GRAY).
4. ALL MATERIAL MUST BE UL AND CSA APPROVED AND VENDOR MUST BE UL AND CSA RECOGNIZED.
5. PART(S) SHIPPED TO ITRONIX SHALL BE PACKAGED FOR SHIPMENT AND/OR STORAGE IN A CLEAN PROTECTIVE CONTAINER PER ITRONIX PACKAGING AND SHIPPING SPEC.QE3-002. IF A BAG IS USED IT MUST BE NON-STATIC GENERATING.



5MM MINIMUM HEIGHT

R0.4 (4 PL)

UNLESS OTHERWISE SPECIFIED, DIMENSIONS IN MILLIMETERS  
 DO NOT SCALE DRAWING

NOTICE OF PROPRIETARY INFORMATION  
 INFORMATION CONTAINED HEREIN IS PROPRIETARY AND IS PROPERTY OF ITRONIX CORP. WHERE FURNISHED WITH A PROPOSAL, THE RECIPIENT SHALL USE IT SOLELY TO EVALUATE THE PROPOSAL, WHERE FURNISHED TO A CUSTOMER IT SHALL BE USED SOLELY FOR PURPOSES OF INSPECTION INSTALLATION, OR MAINTENANCE. WHERE FURNISHED TO A SUPPLIER, IT SHALL BE USED SOLELY IN THE PERFORMANCE OF THE WORK CONTRACTED FOR BY THIS COMPANY. THE INFORMATION SHALL NOT BE USED OR DISCLOSED BY THE RECIPIENT FOR ANY OTHER PURPOSE WHATSOEVER.

.TOL. EXCEPT AS NOTED  
 X ± 0.5 MM  
 X.X ± 0.25 MM  
 X.XX ± 0.125 MM  
 ANG. = 1.0°

THIRD ANGLE PROJECTION

**ITRONIX**  
 S.801 STEVENS, P.O. BOX 179  
 SPOKANE, WA 99210

ZONE	REV.	ECO	BY	DATE	DESCRIPTION OF CHANGE	APP.	DATE
-	I	MH	JMD		PROTOTYPE		
DRAFTER	J. DERTING	DATE	6-30-04	DESCRIPTION			
CHECKER		DATE		LABEL, IX260+, FCC PART 15			
ELEC. ENG		DATE		SIZE	B	DWG. NO	26-0622-001
MECH. ENG		DATE		SCALE	2.000	SHEET	1 OF 1
MFG. ENG		DATE				REV	1