

FCC ID LABEL & LOCATION

LABELING REQUIREMENTS PER §2.925

The label(s) shall be permanently affixed at a conspicuous location on the device.




**SEE NEXT PAGE(S) FOR
PART 15(B) DoC LABEL**

**SEE NEXT PAGE(S) FOR
PART 15(C) FCC ID LABEL**

8 7 6 5 4 3 2 1

	PART NUMBER	OBJECT NAME	REV	VER	REL
MODEL	26-0643-001	LBL-WLAN-3054-GB3	***	***	***
DRAWING	26-0643-001	26-0643-001_01_LBL-3054-WLN-GB3	-		



NOTES: (UNLESS OTHERWISE SPECIFIED).

1. FOR LABEL MANUFACTURE SEE ITRONIX DRAWING 26-0637-000.
2. PART(S) SHIPPED TO ITRONIX SHALL BE PACKAGED FOR SHIPMENT AND/OR STORAGE IN A CLEAN PROTECTIVE CONTAINER PER ITRONIX PACKAGING AND SHIPPING SPEC. QE3-002. IF A BAG IS USED IT MUST BE NON-STATIC GENERATING.

CONFIGURATION	
RADIO	MODEM
SENAO 3054 WLAN	STANDARD

ZONE	REV.	ECO	BY	DESCRIPTION OF CHANGE	APP.	DATE
-	I	MH	JMD	PROTOTYPE RELEASE		

UNLESS OTHERWISE SPECIFIED, DIMENSIONS IN INCHES DO NOT SCALE DRAWING

NOTICE OF PROPRIETARY INFORMATION
 INFORMATION CONTAINED HEREIN IS PROPRIETARY AND IS PROPERTY OF ITRONIX CORP. WHERE FURNISHED WITH A PROPOSAL, THE RECIPIENT SHALL USE IT SOLELY TO EVALUATE THE PROPOSAL, WHERE FURNISHED TO A CUSTOMER IT SHALL BE USED SOLELY FOR PURPOSES OF INSPECTION INSTALLATION, OR MAINTENANCE. WHERE FURNISHED TO A SUPPLIER, IT SHALL BE USED SOLELY IN THE PERFORMANCE OF THE WORK CONTRACTED FOR BY THIS COMPANY. THE INFORMATION SHALL NOT BE USED OR DISCLOSED BY THE RECIPIENT FOR ANY OTHER PURPOSE WHATSOEVER.

.TOL. EXCEPT AS NOTED
 .XX ± 0.01 INCH
 .XXX ± 0.005 INCH
 ANG. = 1.0°

THIRD ANGLE PROJECTION

ITRONIX
 S. 801 STEVENS, P.O. BOX 179
 SPOKANE, WA 99210

DRAFTER
 J. DERTING

CHECKER

ELEC. ENG

MECH. ENG

MFG. ENG

DATE
 10-4-04

DATE

DATE

DATE

DATE

DESCRIPTION
 LBL, GB3, 3054 WLAN, STD

SIZE
 B

DWG. NO
 26-0643-001


SCALE
 2.000

SHEET
 1 OF 1

REV
 1

8 7 6 5 4 3 2 1

8 7 6 5 4 3 2 1



NOTES: (UNLESS OTHERWISE SPECIFIED).

1. MATERIAL: LEXAN 8A35, TOTAL THICKNESS WITH 3M 467MP PSA TO BE .8MM, MAY LAMINATE TO ACHIEVE FINAL THICKNESS.
2. TEXT COLOR: WHITE.
3. BACKGROUND TO MATCH PANTONE 432U (DARK GRAY).
4. ALL MATERIAL MUST BE UL AND CSA APPROVED AND VENDOR MUST BE UL AND CSA RECOGNIZED.
5. PART(S) SHIPPED TO ITRONIX SHALL BE PACKAGED FOR SHIPMENT AND/OR STORAGE IN A CLEAN PROTECTIVE CONTAINER PER ITRONIX PACKAGING AND SHIPPING SPEC.QE3-002. IF A BAG IS USED IT MUST BE NON-STATIC GENERATING.

UNLESS OTHERWISE SPECIFIED, DIMENSIONS IN MILLIMETERS
DO NOT SCALE DRAWING

NOTICE OF PROPRIETARY INFORMATION
INFORMATION CONTAINED HEREIN IS PROPRIETARY AND IS PROPERTY OF ITRONIX CORP. WHERE FURNISHED WITH A PROPOSAL, THE RECIPIENT SHALL USE IT SOLELY TO EVALUATE THE PROPOSAL, WHERE FURNISHED TO A CUSTOMER IT SHALL BE USED SOLELY FOR PURPOSES OF INSPECTION INSTALLATION, OR MAINTENANCE. WHERE FURNISHED TO A SUPPLIER, IT SHALL BE USED SOLELY IN THE PERFORMANCE OF THE WORK CONTRACTED FOR BY THIS COMPANY. THE INFORMATION SHALL NOT BE USED OR DISCLOSED BY THE RECIPIENT FOR ANY OTHER PURPOSE WHATSOEVER.

.TOL. EXCEPT AS NOTED
X ± 0.5 MM
X.X ± 0.25 MM
X.XX ± 0.125 MM
ANG. = 1.0°

THIRD ANGLE PROJECTION

ITRONIX
S.801 STEVENS, P.O. BOX 179
SPOKANE, WA 99210

-	I	MH	JMD	PROTOTYPE			
ZONE	REV.	ECO	BY	DESCRIPTION OF CHANGE		APP.	DATE
DRAFTER J.DERTING	DATE 6-30-04	CHECKER	DATE	DESCRIPTION LABEL, IX260+, FCC PART 15			
ELEC. ENG	DATE	MECH. ENG	DATE	SIZE B	DWG. NO 26-0622-001		
MFG. ENG	DATE	SCALE 2.000		SHEET 1 OF 1	REV 1		

D
C
B
A

D
C
B
A

8 7 6 5 4 3 2 1