

Photograph E-1 - Vertical Polarization (1-18 GHz)




Photograph E-2 - Vertical Polarization (18-26 GHz)




Photograph E-3 - Front of Radiated Emission Configuration



Photograph E-4 - Back of Radiated Emission Configuration



The worst-case data rate was determined from prescan investigations. Measurements were made at three channels throughout the band, Low Channel (2412 MHz), Mid Channel (2437 MHz), High Channel (2462 MHz) and for both Modes b and g for the band-edge measurements and for Mode b for the remaining measurements. The configuration used for all other measurements was Mode b, 1 mbps with a gain setting of 0,1.

Applicant:	Itronix Corporation	Model:	IX260PNL3AC555	IC ID:	1943A-IX260Pb	FCC ID:	KBCIX260PNL3AC555
Rugged Laptop PC with Senao NL-3054MP 802.11b/g WLAN & Co-located AirCard 555/550 CDMA Modem							
2004 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the written permission of Celltech Labs Inc.					22 of 48

Photograph F-1 - Horizontal Polarization (30MHz - 1 GHz)




Photograph F-3 - Front of Radiated Emission Configuration


Photograph F-2 - Vertical Polarization (1-18 GHz)



Photograph F-4 - Back of Radiated Emission Configuration



The worst-case data rate was determined from prescan investigations. Measurements were made at three channels throughout the band, Low Channel (2412 MHz), Mid Channel (2437 MHz), High Channel (2462 MHz) and for both Modes b and g for the band-edge measurements and for Mode b for the remaining measurements.


Applicant:	Itronix Corporation	Model:	IX260PNL3AC555	IC ID:	1943A-IX260Pb	FCC ID:	KBCIX260PNL3AC555
Rugged Laptop PC with Senao NL-3054MP 802.11b/g WLAN & Co-located AirCard 555/550 CDMA Modem							
2004 Celltech Labs Inc. This document is not to be reproduced in whole or in part without the written permission of Celltech Labs Inc.							32 of 48

Photograph H-1 - AC Powerline Conducted Emission Configuration



Photograph H-2 - AC Powerline Conducted Emission Cable Placement



Applicant:	Itronix Corporation	Model:	IX260PNL3AC555	IC ID:	1943A-IX260Pb	FCC ID:	KBCIX260PNL3AC555
Rugged Laptop PC with Senao NL-3054MP 802.11b/g WLAN & Co-located AirCard 555/550 CDMA Modem							
2004 Celltech Labs Inc. This document is not to be reproduced in whole or in part without the written permission of Celltech Labs Inc.							43 of 48