

<b>Test Report S/N:</b>	061506KBC-T758-E15W	
<b>Test Date(s):</b>	25Oct04 - 05Nov04	
<b>Test Type(s):</b>	FCC §15.247	IC RSS-210 Issue 5
<b>Lab Registration(s):</b>	FCC #714830	IC Lab File #3874

### E.7. SETUP PHOTOGRAPHS

Photograph E-1 - Vertical Polarization (1-18 GHz)




Photograph E-2 - Vertical Polarization (18-26 GHz)



Photograph E-3 - Front of Radiated Emission Configuration



Photograph E-4 - Back of Radiated Emission Configuration



### E.8. DUT OPERATING DESCRIPTION

The worst-case data rate was determined from prescan investigations. Measurements were made at three channels throughout the band, Low Channel (2412 MHz), Mid Channel (2437 MHz), High Channel (2462 MHz) and for both Modes b and g for the band-edge measurements and for Mode b for the remaining measurements. The configuration used for all other measurements was Mode b, 1 mbps with a gain setting of 0,1.

<b>Applicant:</b>	Itronix Corporation	<b>FCC ID:</b>	KBCIX260PNL3AC860	<b>IC ID:</b>	not applicable	<b>ITRONIX</b> A GENERAL DYNAMICS COMPANY
	Rugged Laptop PC with Senao NL-3054MP 802.11b/g WLAN Mini-PCI Card			<b>Model:</b>	IX260PNL3AC860	
2006 Celltech Labs Inc.	This document is not to be reproduced in whole or in part without the written permission of Celltech Labs Inc.					Page 22 of 48

<b>Test Report S/N:</b>	061506KBC-T758-E15W	
<b>Test Date(s):</b>	25Oct04 - 05Nov04	
<b>Test Type(s):</b>	FCC §15.247	IC RSS-210 Issue 5
<b>Lab Registration(s):</b>	FCC #714830	IC Lab File #3874

### F.7. SETUP PHOTOGRAPHS

Photograph F-1 - Horizontal Polarization (30MHz - 1 GHz)




Photograph F-2 - Vertical Polarization (1-18 GHz)



Photograph F-3 - Front of Radiated Emission Configuration



Photograph F-4 - Back of Radiated Emission Configuration



### F.8. DUT OPERATING DESCRIPTION

The worst-case data rate was determined from prescan investigations. Measurements were made at three channels throughout the band, Low Channel (2412 MHz), Mid Channel (2437 MHz), High Channel (2462 MHz) and for both Modes b and g for the band-edge measurements and for Mode b for the remaining measurements.

<b>Applicant:</b>	Itronix Corporation	<b>FCC ID:</b>	KBCIX260PNL3AC860	<b>IC ID:</b>	not applicable	<b>ITRONIX</b> A GENERAL DYNAMICS COMPANY
	Rugged Laptop PC with Senao NL-3054MP 802.11b/g WLAN Mini-PCI Card			<b>Model:</b>	IX260PNL3AC860	
2006 Celltech Labs Inc.	This document is not to be reproduced in whole or in part without the written permission of Celltech Labs Inc.					Page 32 of 48

<b>Test Report S/N:</b>	061506KBC-T758-E15W	
<b>Test Date(s):</b>	25Oct04 - 05Nov04	
<b>Test Type(s):</b>	FCC §15.247	IC RSS-210 Issue 5
<b>Lab Registration(s):</b>	FCC #714830	IC Lab File #3874

## H.6. SETUP PHOTOS

Photograph H-1 - AC Powerline Conducted Emission Configuration



Photograph H-2 - AC Powerline Conducted Emission Cable Placement



<b>Applicant:</b>	Itronix Corporation	<b>FCC ID:</b>	KBCIX260PNL3AC860	<b>IC ID:</b>	not applicable	<b>ITRONIX</b> A GENERAL DYNAMICS COMPANY
	Rugged Laptop PC with Senao NL-3054MP 802.11b/g WLAN Mini-PCI Card			<b>Model:</b>	IX260PNL3AC860	
2006 Celltech Labs Inc.	This document is not to be reproduced in whole or in part without the written permission of Celltech Labs Inc.					Page 43 of 48