

FCC Part 15.249 Transmitter Certification

Test Report

FCC ID: KJ8-0001142

FCC Rule Part: 15.249

ACS Report Number: 07-0047 - 15C

Manufacturer: Wayne-Dalton Corporation
Model(s): 3220C-Z, 3222C-Z, 3224C-Z,
3320B-Z, 3322B-Z, 3324B-Z, 3221C-Z

Label Information



Figure 1: Label Location

NOTES:

- PACKAGED IN ROLLS
UNWIND DIRECTION:
LABEL ON OUTSIDE OF ROLL.
COPY PRINTED ACROSS THE ROLL.
BOTTOM OF LABEL OFF FIRST.
- MATERIAL:
SILVER POLYESTER FILM:
FLEXCON MM 200
SILVER TC-200 L-23.
CLEAR POLYESTER FILM OVERLAY:
FLEXCON CLASSIC PLUS 10092.
- UL RECOGNIZED LABEL.

TEXT NOTES:

- ALL TEXT TO BE .0625 IN. TALL MIN UNLESS OTHERWISE NOTED.


COLOR NOTES:

- ALL TEXT TO BE BLACK UNLESS OTHERWISE NOTED.

BLACK TEXT ON SILVER
BACKGROUND INSIDE
THE 4 SMALL BOXES

SILVER TEXT ON BLACK
BACKGROUND INSIDE
RECTANGLE ONLY


TEXT HEIGHT .060



INFORMATION IN THIS DRAWING AND ORAL INFORMATION REGARDING THIS PART OR THE SYSTEM IN WHICH IT IS USED IS CONSIDERED CONFIDENTIAL TO THE WAYNE DALTON CORP. THIS PRINT IS ONLY TO BE USED FOR THE PURPOSES OF QUOTATION AND ANY DISCUSSION OF FUNCTION OF THE PART OR THE SYSTEM IN WHICH THIS PART IS USED IS TO BE WITHIN THE INTERNAL COMMUNICATIONS OF THE QUOTING COMPANY AND WAYNE DALTON CORP.

REFERENCE PART: _____

- ☐ REF PART IS REPLACED IN PRODUCTION & SERVICE
- ☐ REF PART IS REPLACED EXCEPT FOR SERVICE
- ☐ REF PART IS ONLY SIMILAR & NOT REPLACED
- ☐ MAKE THIS PART FROM REFERENCE PART
- ☐ COMMON TOOLING WITH REFERENCE PART
- ☐ CHANGE TO REFERENCE PART



3395 ADDISON DRIVE
PENSACOLA, FLORIDA 32514
(850) 474-9890

	DATE	NAME	TOLERANCES UNLESS SPECIFIED
DRAWN	8/03/06	A JONES	.0 ±.015
CHECKED	11/03/06	D. KYLE	.00 ±.010
APPR.	11/03/06	D. KYLE	.000 ±.005
			ANGLE ±1/2°

FILE NAME
327339

PROJECT
PRODRIVE

PER UNIT
PER YEAR

LABEL, DATA, 3324B-Z, PRODRIVE, Z-WAVE

ASSY(S)-

MATERIAL: SEE NOTES

FINISH: SEE NOTES

CODE

PLOT
SCALE

SCALE
1/1

SIZE
A

DRAWING NO.

327339

REV

P00

327339

TOOLING
RELEASE

DATE

BY:

Ⓟ CHANGES

CREATED PER PCR#: 1455A

PRODUCTION

RELEASE DATE

BY:

Ⓟ CHANGES

NOTES:

1. PACKAGED IN ROLLS
UNWIND DIRECTION:
LABEL ON OUTSIDE OF ROLL.
COPY PRINTED ACROSS THE ROLL.
BOTTOM OF LABEL OFF FIRST.
2. MATERIAL:
SILVER POLYESTER FILM:
FLEXCON MM 200
SILVER TC-200 L-23.
CLEAR POLYESTER FILM OVERLAY:
FLEXCON CLASSIC PLUS 10092.
3. UL RECOGNIZED LABEL.

TEXT NOTES:

1. ALL TEXT TO BE .0625 IN. TALL MIN
UNLESS OTHERWISE NOTED.

COLOR NOTES:

1. ALL TEXT TO BE BLACK UNLESS
OTHERWISE NOTED.

BLACK TEXT ON SILVER
BACKGROUND INSIDE
THE 4 SMALL BOXES

SILVER TEXT ON BLACK
BACKGROUND INSIDE
RECTANGLE ONLY



TEXT HEIGHT .060

TEXT HEIGHT .25

TEXT HEIGHT .175

2.50


4.25

PRODRIVE™		Wayne-Dalton Corp. One Door Dr. Mt. Hope, OH 44660	
MODEL 3224C-Z		FC TESTED TO COMPLY WITH FCC STANDARDS FOR HOME OR OFFICE USE	
Residential Door Operator		FCC ID: KJ8-0001142 IC: 3540A-0001142	
This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.			
120 Volts	5 Amps	60 Hz	1/2 H.P. Motor
 WARNING: Risk of entrapment. After adjusting either the force or limits of travel adjustments, insure that the door reverses on a 1-1/2 inch (or a 2 by 4 board laid flat) high obstruction on the floor.			
Terminals OBS & COM are connections for external entrapment protection devices: Wayne-Dalton models ML2 and 260597/260600.			
"Covered by one or more of the following Patents D413,579; D505,393; 6,326,754; 6,903,650; 7,109,677; 7,116,072. Other US and Foreign Patents pending."			
			327336
			

INFORMATION IN THIS DRAWING AND ORAL INFORMATION REGARDING THIS PART OR THE SYSTEM IN WHICH IT IS USED IS CONSIDERED CONFIDENTIAL TO THE WAYNE DALTON CORP. THIS PRINT IS ONLY TO BE USED FOR THE PURPOSES OF QUOTATION AND ANY DISCUSSION OF FUNCTION OF THE PART OR THE SYSTEM IN WHICH THIS PART IS USED IS TO BE WITHIN THE INTERNAL COMMUNICATIONS OF THE QUOTING COMPANY AND WAYNE DALTON CORP.

REFERENCE PART:

- ☐ REF PART IS REPLACED IN PRODUCTION & SERVICE
☐ REF PART IS REPLACED EXCEPT FOR SERVICE
☐ REF PART IS ONLY SIMILAR & NOT REPLACED
☐ MAKE THIS PART FROM REFERENCE PART
☐ COMMON TOOLING WITH REFERENCE PART
☐ CHANGE TO REFERENCE PART



3395 ADDISON DRIVE
PENSACOLA, FLORIDA 32514
(850) 474-9890

	DATE	NAME	TOLERANCES UNLESS SPECIFIED
DRAWN	8/03/06	A JONES	.0 ±.015
CHECKED	11/03/06	D. KYLE	.00 ±.010
APPR.	11/03/06	D. KYLE	.000 ±.005
			ANGLE ±1/2°

FILE NAME
327336

PROJECT
PRODRIVE

PER UNIT
PER YEAR

LABEL, DATA, 3224C-Z, PRODRIVE, Z-WAVE

ASSY(S)-

MATERIAL: SEE NOTES

FINISH: SEE NOTES

CODE

PLOT
SCALE

SCALE

SIZE

DRAWING NO.

REV

327336

P00

327336

TOOLING
RELEASE

DATE

BY:

Ⓟ CHANGES

CREATED PER PCR#: 1455A

PRODUCTION
RELEASE DATE

BY:

Ⓟ CHANGES

NOTES:

1. PACKAGED IN ROLLS
UNWIND DIRECTION:
LABEL ON OUTSIDE OF ROLL.
COPY PRINTED ACROSS THE ROLL.
BOTTOM OF LABEL OFF FIRST.
2. MATERIAL:
SILVER POLYESTER FILM:
FLEXCON MM 200
SILVER TC-200 L-23.
CLEAR POLYESTER FILM OVERLAY:
FLEXCON CLASSIC PLUS 10092.
3. UL RECOGNIZED LABEL.

TEXT NOTES:

1. ALL TEXT TO BE .0625 IN. TALL MIN
UNLESS OTHERWISE NOTED.


COLOR NOTES:

1. ALL TEXT TO BE BLACK UNLESS
OTHERWISE NOTED.

BLACK TEXT ON SILVER
BACKGROUND INSIDE
THE 4 SMALL BOXES

SILVER TEXT ON BLACK
BACKGROUND INSIDE
RECTANGLE ONLY

TEXT HEIGHT .060



INFORMATION IN THIS DRAWING AND ORAL INFORMATION REGARDING
THIS PART OR THE SYSTEM IN WHICH IT IS USED IS CONSIDERED
CONFIDENTIAL TO THE WAYNE DALTON CORP. THIS PRINT IS ONLY TO BE
USED FOR THE PURPOSES OF QUOTATION AND ANY DISCUSSION OF
FUNCTION OF THE PART OR THE SYSTEM IN WHICH THIS
PART IS USED IS TO BE WITHIN THE INTERNAL COMMUNICATIONS
OF THE QUOTING COMPANY AND WAYNE DALTON CORP.

REFERENCE PART: _____

- ☐ REF PART IS REPLACED IN PRODUCTION & SERVICE
- ☐ REF PART IS REPLACED EXCEPT FOR SERVICE
- ☐ REF PART IS ONLY SIMILAR & NOT REPLACED
- ☐ MAKE THIS PART FROM REFERENCE PART
- ☐ COMMON TOOLING WITH REFERENCE PART
- ☐ CHANGE TO REFERENCE PART



3395 ADDISON DRIVE
PENSACOLA, FLORIDA 32514
(850) 474-9890

	DATE	NAME	TOLERANCES UNLESS SPECIFIED
DRAWN	2/23/07	A JONES	.0 ±.015
CHECKED			.00 ±.010
APPR.	2/23/07	D. KYLE	.000 ±.005
			ANGLE ±1/2°

FILE NAME
PD-02407

PROJECT
Z- WAVE

PER UNIT
PER YEAR

LABEL, DATA, 3221C-Z, PRODRIVE, Z-WAVE

ASSY(S)-

MATERIAL: SEE NOTES

FINISH: SEE NOTES

CODE

PLOT
SCALE

SCALE

SIZE

DRAWING NO.

REV

1/1

A

PD-02407

X00

PD-02407

TOOLING
RELEASE

DATE

BY:

(T) CHANGES

CREATED PER PCR#:1455A

PRODUCTION
RELEASE DATE

BY:

(P) CHANGES

NOTES:

1. PACKAGED IN ROLLS
UNWIND DIRECTION:
LABEL ON OUTSIDE OF ROLL.
COPY PRINTED ACROSS THE ROLL.
BOTTOM OF LABEL OFF FIRST.
2. MATERIAL:
SILVER POLYESTER FILM:
FLEXCON MM 200
SILVER TC-200 L-23.
CLEAR POLYESTER FILM OVERLAY:
FLEXCON CLASSIC PLUS 10092.
3. UL RECOGNIZED LABEL.

TEXT NOTES:

1. ALL TEXT TO BE .0625 IN. TALL MIN
UNLESS OTHERWISE NOTED.

COLOR NOTES:

1. ALL TEXT TO BE BLACK UNLESS
OTHERWISE NOTED.

BLACK TEXT ON SILVER
BACKGROUND INSIDE
THE 4 SMALL BOXES

SILVER TEXT ON BLACK
BACKGROUND INSIDE
RECTANGLE ONLY



TEXT HEIGHT .060

TEXT HEIGHT .25

TEXT HEIGHT .175

2.50


4.25

PRODRIVE™		Wayne-Dalton Corp. One Door Dr. Mt. Hope, OH 44660	
MODEL 3322B-Z		FC TESTED TO COMPLY WITH FCC STANDARDS FOR HOME OR OFFICE USE	
Residential Door Operator		FCC ID: KJ8-0001142 IC: 3540A-0001142	
This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.			
120 Volts	5 Amps	60 Hz	1/2 H.P. Motor
 WARNING: Risk of entrapment. After adjusting either the force or limits of travel adjustments, insure that the door reverses on a 1-1/2 inch (or a 2 by 4 board laid flat) high obstruction on the floor.			
Terminals OBS & COM are connections for external entrapment protection devices: Wayne-Dalton models ML2 and 260597/260600.			
"Covered by one or more of the following Patents D413,579; D505,393; 6,326,754; 6,903,650; 7,109,677; 7,116,072. Other US and Foreign Patents pending."			
			327338
			

INFORMATION IN THIS DRAWING AND ORAL INFORMATION REGARDING THIS PART OR THE SYSTEM IN WHICH IT IS USED IS CONSIDERED CONFIDENTIAL TO THE WAYNE DALTON CORP. THIS PRINT IS ONLY TO BE USED FOR THE PURPOSES OF QUOTATION AND ANY DISCUSSION OF FUNCTION OF THE PART OR THE SYSTEM IN WHICH THIS PART IS USED IS TO BE WITHIN THE INTERNAL COMMUNICATIONS OF THE QUOTING COMPANY AND WAYNE DALTON CORP.

REFERENCE PART:

- ☐ REF PART IS REPLACED IN PRODUCTION & SERVICE
- ☐ REF PART IS REPLACED EXCEPT FOR SERVICE
- ☐ REF PART IS ONLY SIMILAR & NOT REPLACED
- ☐ MAKE THIS PART FROM REFERENCE PART
- ☐ COMMON TOOLING WITH REFERENCE PART
- ☐ CHANGE TO REFERENCE PART



3395 ADDISON DRIVE
PENSACOLA, FLORIDA 32514
(850) 474-9890

	DATE	NAME	TOLERANCES UNLESS SPECIFIED	
DRAWN	8/03/06	A JONES	.0	±.015
CHECKED	11/03/06	D. KYLE	.00	±.010
APPR.	11/03/06	D. KYLE	.000	±.005
			ANGLE	±1/2°

TOOLING RELEASE	DATE
--------------------	------

BY:

Ⓟ CHANGES

CREATED PER PCR#: 1455A

PRODUCTION

RELEASE DATE

BY:

Ⓟ CHANGES

FILE NAME

327338

PROJECT

PRODRIVE

PER UNIT
PER YEAR

LABEL, DATA, 3322B-Z, PRODRIVE, Z-WAVE

ASSY(S)-

MATERIAL: SEE NOTES

FINISH: SEE NOTES

CODE

PLOT
SCALE

SCALE

1/1

SIZE

A

DRAWING NO.

327338

REV

P00

NOTES:

1. PACKAGED IN ROLLS
UNWIND DIRECTION:
LABEL ON OUTSIDE OF ROLL.
COPY PRINTED ACROSS THE ROLL.
BOTTOM OF LABEL OFF FIRST.
2. MATERIAL:
SILVER POLYESTER FILM:
FLEXCON MM 200
SILVER TC-200 L-23.
CLEAR POLYESTER FILM OVERLAY:
FLEXCON CLASSIC PLUS 10092.
3. UL RECOGNIZED LABEL.

TEXT NOTES:

1. ALL TEXT TO BE .0625 IN. TALL MIN
UNLESS OTHERWISE NOTED.

COLOR NOTES:

1. ALL TEXT TO BE BLACK UNLESS
OTHERWISE NOTED.

BLACK TEXT ON SILVER
BACKGROUND INSIDE
THE 4 SMALL BOXES

SILVER TEXT ON BLACK
BACKGROUND INSIDE
RECTANGLE ONLY



TEXT HEIGHT .060

TEXT HEIGHT .25

TEXT HEIGHT .175

2.50


4.25

PRODRIVE™		Wayne-Dalton Corp. One Door Dr. Mt. Hope, OH 44660	
MODEL 3320B-Z		FC TESTED TO COMPLY WITH FCC STANDARDS FOR HOME OR OFFICE USE	
Residential Door Operator		FCC ID: KJ8-0001142 IC: 3540A-0001142	
This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.			
120 Volts	5 Amps	60 Hz	1/2 H.P. Motor
 WARNING: Risk of entrapment. After adjusting either the force or limits of travel adjustments, insure that the door reverses on a 1-1/2 inch (or a 2 by 4 board laid flat) high obstruction on the floor.			
Terminals OBS & COM are connections for external entrapment protection devices: Wayne-Dalton models ML2 and 260597/260600.			
"Covered by one or more of the following Patents D413,579; D505,393; 6,326,754; 6,903,650; 7,109,677; 7,116,072. Other US and Foreign Patents pending."			
			327337
			

INFORMATION IN THIS DRAWING AND ORAL INFORMATION REGARDING THIS PART OR THE SYSTEM IN WHICH IT IS USED IS CONSIDERED CONFIDENTIAL TO THE WAYNE DALTON CORP. THIS PRINT IS ONLY TO BE USED FOR THE PURPOSES OF QUOTATION AND ANY DISCUSSION OF FUNCTION OF THE PART OR THE SYSTEM IN WHICH THIS PART IS USED IS TO BE WITHIN THE INTERNAL COMMUNICATIONS OF THE QUOTING COMPANY AND WAYNE DALTON CORP.

REFERENCE PART:

- ☐ REF PART IS REPLACED IN PRODUCTION & SERVICE
☐ REF PART IS REPLACED EXCEPT FOR SERVICE
☐ REF PART IS ONLY SIMILAR & NOT REPLACED
☐ MAKE THIS PART FROM REFERENCE PART
☐ COMMON TOOLING WITH REFERENCE PART
☐ CHANGE TO REFERENCE PART



3395 ADDISON DRIVE
PENSACOLA, FLORIDA 32514
(850) 474-9890

	DATE	NAME	TOLERANCES UNLESS SPECIFIED
DRAWN	8/03/06	A JONES	.0 ±.015
CHECKED	11/03/06	D. KYLE	.00 ±.010
APPR.	11/03/06	D. KYLE	.000 ±.005
			ANGLE ±1/2°

FILE NAME
327337

PROJECT
PRODRIVE

PER UNIT
PER YEAR

LABEL, DATA, 3320B-Z, PRODRIVE, Z-WAVE

ASSY(S)-

MATERIAL: SEE NOTES

FINISH: SEE NOTES

CODE

PLOT
SCALE

SCALE
1/1

SIZE
A

DRAWING NO.

327337

REV

P00

327337

TOOLING
RELEASE

DATE

BY:

Ⓣ CHANGES

CREATED PER PCR#: 1455A

PRODUCTION
RELEASE DATE

BY:

Ⓟ CHANGES

NOTES:

1. PACKAGED IN ROLLS
UNWIND DIRECTION:
LABEL ON OUTSIDE OF ROLL.
COPY PRINTED ACROSS THE ROLL.
BOTTOM OF LABEL OFF FIRST.
2. MATERIAL:
SILVER POLYESTER FILM:
FLEXCON MM 200
SILVER TC-200 L-23.
CLEAR POLYESTER FILM OVERLAY:
FLEXCON CLASSIC PLUS 10092.
3. UL RECOGNIZED LABEL.

TEXT NOTES:

1. ALL TEXT TO BE .0625 IN. TALL MIN
UNLESS OTHERWISE NOTED.

COLOR NOTES:

1. ALL TEXT TO BE BLACK UNLESS
OTHERWISE NOTED.

BLACK TEXT ON SILVER
BACKGROUND INSIDE
THE 4 SMALL BOXES

SILVER TEXT ON BLACK
BACKGROUND INSIDE
RECTANGLE ONLY


TEXT HEIGHT .060

TEXT HEIGHT .25

TEXT HEIGHT .175

2.50

4.25

PRODRIVE™		Wayne-Dalton Corp. One Door Dr. Mt. Hope, OH 44660	
MODEL 3220C-Z		FC TESTED TO COMPLY WITH FCC STANDARDS FOR HOME OR OFFICE USE	
Residential Door Operator		FCC ID: KJ8-0001142 IC: 3540A-0001142	
This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.		UL LISTED DOOR OPERATOR 891F	
120 Volts	5 Amps	60 Hz	1/2 H.P. Motor
 WARNING: Risk of entrapment. After adjusting either the force or limits of travel adjustments, insure that the door reverses on a 1-1/2 inch (or a 2 by 4 board laid flat) high obstruction on the floor.			
Terminals OBS & COM are connections for external entrapment protection devices: Wayne-Dalton models ML2 and 260597/260600.			
Covered by one or more of the following Patents D413,579; D505,393; 6,326,754; 6,903,650; 7,109,677; 7,116,072. Other US and Foreign Patents pending." 327334			

INFORMATION IN THIS DRAWING AND ORAL INFORMATION REGARDING THIS PART OR THE SYSTEM IN WHICH IT IS USED IS CONSIDERED CONFIDENTIAL TO THE WAYNE DALTON CORP. THIS PRINT IS ONLY TO BE USED FOR THE PURPOSES OF QUOTATION AND ANY DISCUSSION OF FUNCTION OF THE PART OR THE SYSTEM IN WHICH THIS PART IS USED IS TO BE WITHIN THE INTERNAL COMMUNICATIONS OF THE QUOTING COMPANY AND WAYNE DALTON CORP.

REFERENCE PART:

- ☐ REF PART IS REPLACED IN PRODUCTION & SERVICE
☐ REF PART IS REPLACED EXCEPT FOR SERVICE
☐ REF PART IS ONLY SIMILAR & NOT REPLACED
☐ MAKE THIS PART FROM REFERENCE PART
☐ COMMON TOOLING WITH REFERENCE PART
☐ CHANGE TO REFERENCE PART

327334
TOOLING RELEASE
DATE

BY:

Ⓟ CHANGES

CREATED PER PCR#: 1455A

PRODUCTION

RELEASE DATE

BY:

Ⓟ CHANGES


FILE NAME

327334

PROJECT

PRODRIVE

PER UNIT
PER YEAR



3395 ADDISON DRIVE
PENSACOLA, FLORIDA 32514
(850) 474-9890

	DATE	NAME	TOLERANCES UNLESS SPECIFIED
DRAWN	8/03/06	A JONES	.0 ±.015
CHECKED	11/03/06	D. KYLE	.00 ±.010
APPR.	11/03/06	D. KYLE	.000 ±.005
			ANGLE ±1/2°

LABEL, DATA, 3220C-Z, PRODRIVE, Z-WAVE

ASSY(S)-

MATERIAL: SEE NOTES

FINISH: SEE NOTES

CODE

PLOT
SCALE

SCALE

SIZE

1/1

A

DRAWING NO.

327334

REV

P00

NOTES:

1. PACKAGED IN ROLLS
UNWIND DIRECTION:
LABEL ON OUTSIDE OF ROLL.
COPY PRINTED ACROSS THE ROLL.
BOTTOM OF LABEL OFF FIRST.
2. MATERIAL:
SILVER POLYESTER FILM:
FLEXCON MM 200
SILVER TC-200 L-23.
CLEAR POLYESTER FILM OVERLAY:
FLEXCON CLASSIC PLUS 10092.
3. UL RECOGNIZED LABEL.

TEXT NOTES:

1. ALL TEXT TO BE .0625 IN. TALL MIN
UNLESS OTHERWISE NOTED.

COLOR NOTES:

1. ALL TEXT TO BE BLACK UNLESS
OTHERWISE NOTED.

BLACK TEXT ON SILVER
BACKGROUND INSIDE
THE 4 SMALL BOXES

SILVER TEXT ON BLACK
BACKGROUND INSIDE
RECTANGLE ONLY



TEXT HEIGHT .060

TEXT HEIGHT .25

TEXT HEIGHT .175

2.50


4.25

PRODRIVE™		Wayne-Dalton Corp. One Door Dr. Mt. Hope, OH 44660	
MODEL 3222C-Z		FC TESTED TO COMPLY WITH FCC STANDARDS FOR HOME OR OFFICE USE	
Residential Door Operator		FCC ID: KJ8-0001142 IC: 3540A-0001142	
This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.			
120 Volts	5 Amps	60 Hz	1/2 H.P. Motor
 WARNING: Risk of entrapment. After adjusting either the force or limits of travel adjustments, insure that the door reverses on a 1-1/2 inch (or a 2 by 4 board laid flat) high obstruction on the floor.			
Terminals OBS & COM are connections for external entrapment protection devices: Wayne-Dalton models ML2 and 260597/260600.			
"Covered by one or more of the following Patents D413,579; D505,393; 6,326,754; 6,903,650; 7,109,677; 7,116,072. Other US and Foreign Patents pending."			
			327335
			

INFORMATION IN THIS DRAWING AND ORAL INFORMATION REGARDING THIS PART OR THE SYSTEM IN WHICH IT IS USED IS CONSIDERED CONFIDENTIAL TO THE WAYNE DALTON CORP. THIS PRINT IS ONLY TO BE USED FOR THE PURPOSES OF QUOTATION AND ANY DISCUSSION OF FUNCTION OF THE PART OR THE SYSTEM IN WHICH THIS PART IS USED IS TO BE WITHIN THE INTERNAL COMMUNICATIONS OF THE QUOTING COMPANY AND WAYNE DALTON CORP.

REFERENCE PART: _____

- ☐ REF PART IS REPLACED IN PRODUCTION & SERVICE
☐ REF PART IS REPLACED EXCEPT FOR SERVICE
☐ REF PART IS ONLY SIMILAR & NOT REPLACED
☐ MAKE THIS PART FROM REFERENCE PART
☐ COMMON TOOLING WITH REFERENCE PART
☐ CHANGE TO REFERENCE PART



3395 ADDISON DRIVE
PENSACOLA, FLORIDA 32514
(850) 474-9890

	DATE	NAME	TOLERANCES UNLESS SPECIFIED	
DRAWN	8/03/06	A JONES	.0	±.015
CHECKED	11/03/06	D. KYLE	.00	±.010
APPR.	11/03/06	D. KYLE	.000	±.005
			ANGLE	±1/2°

FILE NAME
327335

PROJECT
PRODRIVE

PER UNIT
PER YEAR

LABEL, DATA, 3222C-Z, PRODRIVE, Z-WAVE

ASSY(S)-

MATERIAL: SEE NOTES

FINISH: SEE NOTES

CODE

PLOT
SCALE

SCALE
1/1

SIZE
A

DRAWING NO.

327335

REV

P00

327335

TOOLING
RELEASE

DATE

BY:

Ⓟ CHANGES

CREATED PER PCR#: 1455A

PRODUCTION
RELEASE DATE

BY:

Ⓟ CHANGES