UNIVERSITY OF MICHIGAN

COLLEGE OF ENGINEERING
THE RADIATION LABORATORY
DEPARTMENT OF ELECTRICAL ENGINEERING
AND COMPUTER SCIENCE

3228 EECS BUILDING
1301 BEAL AVENUE
ANN ARBOR, MICHIGAN 48109-2122
734 764-0500   FAX 734 647-2106
http://www.eecs.umich.edu/RADLAB/

February 19, 2009

Re: Certification for Lear Transmitter
        Model/PN(s): 5E0770357, 5E0770257
        FCC ID: KOBJBG10B
        IC: 3521A-JBG10B

STATEMENT OF MODIFICATIONS

There were no modifications made to the DUT by this test laboratory. (Also see Section
3.1 of the attached Test Report).

_____
        Valdis V. Liepa
        Research Scientist

UNIVERSITY OF MICHIGAN

COLLEGE OF ENGINEERING
THE RADIATION LABORATORY
DEPARTMENT OF ELECTRICAL ENGINEERING
AND COMPUTER SCIENCE

3228 EECS BUILDING
1301 BEAL AVENUE
ANN ARBOR, MICHIGAN 48109-2122
734 764-0500   FAX 734 647-2106
http://www.eecs.umich.edu/RADLAB/

Re: Certification for Lear Transmitter
        Model/PN(s): 5E0770357, 5E0770257
        FCC ID: KOBJBG10B
        IC: 3521A-JBG10B

GENERAL PRODUCT INFORMATION

The device, for which certification is pursued, has been designed by:

Lear Corporation
21557 Telegraph Rd
Southfield, MI 48033
Contact: Kevin Cotton
kcotton@lear.com
Tel: 248-447-1334
Fax: 248-447-1334

It will be manufactured by:

Lear Corporation
5100 West Waters Avenue
Tampa, FL 33634
Contact: Kevin Cotton
kcotton@lear.com
Tel: 248-447-1334
Fax: 248-447-1334

Canadian Contact:

Jeffery Lee
11300 Timber Bay Crescent
Windsor, ONT, Canada N8R2L2
Contact: Jeffery Lee
Jlee218@lear.com
Tel: 248-447-1635
Fax:248-447-1334

UNIVERSITY OF MICHIGAN

COLLEGE OF ENGINEERING
THE RADIATION LABORATORY
DEPARTMENT OF ELECTRICAL ENGINEERING
AND COMPUTER SCIENCE

3228 EECS BUILDING
1301 BEAL AVENUE
ANN ARBOR, MICHIGAN 48109-2122
734 764-0500   FAX 734 647-2106
http://www.eecs.umich.edu/RADLAB/

Re: Certification for Lear Transmitter
        Model/PN(s): 5E0770357, 5E0770257
        FCC ID: KOBJBG10B
        IC: 3521A-JBG10B

POWER OF ATTORNEY

A letter granting Valdis V. Liepa the Power of Attorney is on file and can be provided when so requested.