

Exhibit 9 - Plots of Measurements

Plot # 11




AEROCOMM INC.
 2.4 GHz OEM Data Radio, Model: LX2400
 Channel: LOWEST Tx Frequency: 2.4020 MHz, Output power: 9.0 mW
 Modulation: Frequency Hopping Spread Spectrum
 Band edge Compliance of RF Conducted Emissions

Date: August 22, 2009
 Tested by: Hung Trinh

PLOT #11

HOPPING



* NOTE: CLICK NOISE APPEAR DURING HOPPING, AVERAGE LEVEL USING AVERAGE DETECTOR IS INSIGNIFICANT.

Exhibit 9 - Plots of Measurements

Plot # 12



AEROCOMM INC.
 2.4 GHz OEM Data Radio, Model: LX2400
 Channel: HIGHEST Tx Frequency: 2.478 MHz, Output power: 0.4 mW
 Modulation: Frequency Hopping Spread Spectrum
 Band edge Compliance of RF Conducted Emissions

Date: August 23, 2008
 Tested by: Hung Triah

PLOT #12

continuous




Exhibit 9 - Plots of Measurements

Plot # 13




AEROCOMM INC.
 2.4 GHz OEM Data Radio, Model: LX2400
 Channel: HIGH Tx Frequency: 2.479 MHz, Output power: 9.4 mW
 Modulation: Frequency Hopping Spread Spectrum
 Band edge Compliance of RF Conducted Emissions

Date: August 22, 2006
 Tested by: Hong Trinh

PLOT #13

HOPPING



* RFLX NOISE
 DURING HOPPING