

## 5 TEST CONDITIONS AND RESULTS


### 5.1 Conducted emission

For test instruments and accessories used see section 6 Part A 4.

#### 5.1.1 Description of the test location

Test location:                   Shielded Room S2

#### 5.1.2 Photo documentation of the test setup



#### 5.1.3 Test result

Frequency range:                   0.15 MHz - 30 MHz  
Min. limit margin                   -27.6 dB at 0.915

The requirements are **FULFILLED**.

**Remarks:**            For detailed results, please see the following page(s).  
                              For description of the measurement see 4.5.2

## 5.2 Radiated emission < 1 GHz (electric field)

For test instruments and accessories used see section 6 Part A 5.

### 5.2.1 Description of the test location

Test location: OATS 1  
Test distance: 10 m

### 5.2.2 Photo documentation of the test setup



### 5.2.3 Test result

Frequency range: 30 MHz - 1000 MHz  
Min. limit margin: -9.8 dB at 200 MHz

The requirements are **FULFILLED**.

**Remarks:** For detailed results, please see the following page(s).

For description of the measurement see 4.5.2.




### 5.3 Radiated emission > 1 GHz (electric field)


For test instruments and accessories used see section 6 Part SER 3.

#### 5.3.1 Description of the test location

Test location: Anechoic chamber 1  
Test distance: 3 m (f < 18 GHz)  
1 m (f > 18 GHz)

#### 5.3.2 Photo documentation of the test setup





### 5.3.3 Test result

The requirements are **FULFILLED**.

**Remarks:** For detailed results, please see the following page(s).

For description of the measurement see 4.5.2.