

BOM	A2C16952403	Continental Hermes 2.1 LFT2 (LTE M178)
sort string	Continental component number	component description
	A2C12863000	Deckel M159
	A2C85621000	Waermeleitpaste Gap Filler 4000
	A2C12876500	Aufkleber
	A2C12888900	Flachkopfschraube 2.2x11
	A2C16952002	LP BG HW/SW M178
	A2C16952102	LP BG main M178
	A2C13834801	LP 4-lay ImSn
	A2C16952202	LP BG bottom M178
R12938	A2C02376300	R LIN,39K,1%,TK100,63mW,0402
C12928	A2C01187900	C CER,X7R,100nF,10%,16V,0402,Sn,STANDARD
DI12903	A2C00042201	30V,200mA,2,series, SCHOTTKY,SOT23,RECT
C12930	A2C00027351	47pF,1%,50V,C0G,0603,TINNED,CER CAP/++ R
R12946	A2C02323400	R LIN,100K,1%,TK100,63mW,0402
R12948	A2C40003577	R LIN,18K,1%,TK100,63mW,0402
R12944	A2C02323400	R LIN,100K,1%,TK100,63mW,0402
C12926	A2C01187900	C CER,X7R,100nF,10%,16V,0402,Sn,STANDARD
R12872	A2C02363000	R LIN,47R,1%,TK100,63mW,0402
L5950	A2C02762900	F BEAD/30mOhm,70Ohm,2.2A,0603,SMD SOLDER
C5950	TRC00025200	C CER,X5R,4.7uF,20%,6.3V,0402,-,STANDARD
R5941	A2C02363000	R LIN,47R,1%,TK100,63mW,0402
R12893	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
C12832	A2C00010738	C CER,X7R,1nF,10%,50V,0402,Sn,STANDARD
R12858	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
R12891	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
C5956	A2C01187900	C CER,X7R,100nF,10%,16V,0402,Sn,STANDARD
R5934	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
R12897	A2C02363000	R LIN,47R,1%,TK100,63mW,0402
L5954	A2C00044377	F BEAD/MMZ1608S102AT,500mOhm,1KOhm,400mA
C5952	A2C01236400	C CER,X7S,1uF,10%,10V,0402,-,STANDARD
R12896	A2C02363000	R LIN,47R,1%,TK100,63mW,0402
L3914	A2C00044377	F BEAD/MMZ1608S102AT,500mOhm,1KOhm,400mA
IC11800	A2C00919900	IC OPCOMP/TPA3111D1QPWPRQ1,HTSSOP28
R2564	A2C02363000	R LIN,47R,1%,TK100,63mW,0402
R12855	A2C02327500	R LIN,3K3,1%,TK100,63mW,0402
R3912	A2C02363000	R LIN,47R,1%,TK100,63mW,0402
T12853	A2C02940700	T FET/NX3008NBKS,SOT363,MOS,SMALLSIGNAL,
R4032	A2C01891400	R LIN,47K,1%,TK100,63mW,0402
R12804	A2C40003496	R LIN,330R,1%,TK100,63mW,0402
R2852	A2C40004033	R LIN,2K7,1%,TK100,63mW,0402
R1640	A2C02327500	R LIN,3K3,1%,TK100,63mW,0402
R2433	A2C01891500	R JUMP,0R05,63mW,1A,0402
C4014	A2C00010738	C CER,X7R,1nF,10%,50V,0402,Sn,STANDARD
R2856	A2C01891400	R LIN,47K,1%,TK100,63mW,0402
C3912	A2C00010738	C CER,X7R,1nF,10%,50V,0402,Sn,STANDARD
R4830	A2C01891500	R JUMP,0R05,63mW,1A,0402
C12824	A2C01187900	C CER,X7R,100nF,10%,16V,0402,Sn,STANDARD
C2546	A2C01187900	C CER,X7R,100nF,10%,16V,0402,Sn,STANDARD
C2522	A2C02249600	C CER,C0G,22pF,5%,50V,0402,-,STANDARD
R2462	A2C02363000	R LIN,47R,1%,TK100,63mW,0402
R4804	A2C00052849	R LIN,1K5,1%,TK100,100mW,0603
T4015	A2C02055500	T BIP/SBC847BDW,SOT363
IC2850	A2C00061186	TJA1043T/TRANSCEIVER,CAN,SO14,BUS DRIVER
R12851	A2C02363000	R LIN,47R,1%,TK100,63mW,0402
C2580	A2C01187900	C CER,X7R,100nF,10%,16V,0402,Sn,STANDARD
R2460	A2C01891500	R JUMP,0R05,63mW,1A,0402
C3608	A2C01236400	C CER,X7S,1uF,10%,10V,0402,-,STANDARD
R2505	A2C01891500	R JUMP,0R05,63mW,1A,0402
R3630	A2C01995200	R LIN,15K,0.1%,TK25,63mW,0402
L4870	A2C00044377	F BEAD/MMZ1608S102AT,500mOhm,1KOhm,400mA
R1624	A2C02323400	R LIN,100K,1%,TK100,63mW,0402

T4026	A2C02055500	T BIP/SBC847BDW,SOT363
R2544	A2C02363000	R LIN,47R,1%,TK100,63mW,0402
R12857	A2C02357400	R LIN,2K2,1%,TK100,63mW,0402
R3638	A2C00033520	R LIN,120R,1%,TK100,250mW,1206
R12886	A2C02363000	R LIN,47R,1%,TK100,63mW,0402
R2473	A2C01891500	R JUMP,0R05,63mW,1A,0402
T4020	A2C00838000	T BIP/FZT789QA,SOT223,CUSTOMER DICTATED
C11826	A2C00470200	C CER,X7R,1uF,10%,50V,1206,Sn,SOFT TERMI
R2854	A2C02357200	R LIN,1K,1%,TK100,63mW,0402
R3605	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
C1500	A2C01236400	C CER,X7S,1uF,10%,10V,0402,-,STANDARD
C1502	A2C01236400	C CER,X7S,1uF,10%,10V,0402,-,STANDARD
R1608	A2C02323400	R LIN,100K,1%,TK100,63mW,0402
R1632	A2C01891400	R LIN,47K,1%,TK100,63mW,0402
IC2520	A2C01669700	IC MCU BLK/R5S726A1P216FP,A1,QFP120,FLAS
T1600	A2C00000561	1,PNP,NORMAL,500mA,45V,SOT23,BIP/BC807-4
R1642	A2C02323800	R LIN,22K,1%,TK100,63mW,0402
R12852	A2C02357400	R LIN,2K2,1%,TK100,63mW,0402
C3606	A2C01236400	C CER,X7S,1uF,10%,10V,0402,-,STANDARD
T3641	A2C02940700	T FET/NX3008NBKS,SOT363,MOS,SMALLSIGNAL,
R12866	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
T2802	A2C02055800	T BIP/PUMH10,SOT363
R2420	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
R2804	A2C02357200	R LIN,1K,1%,TK100,63mW,0402
R3900	A2C02363000	R LIN,47R,1%,TK100,63mW,0402
R4033	A2C00753500	R LIN,100R,1%,TK50,63mW,0402
DI3632	A2C00051515	70V,100mA,2,SCHOTTKY,SOT23,RECT DIODE/BA
DI2901	A2C02756100	D SC/BAT54AW,30V,200mA,SOT323,SMD SOLDER
L3904	A2C00044377	F BEAD/MMZ1608S102AT,500mOhm,1KOhm,400mA
R4038	A2C02375900	R LIN,15K,1%,TK100,63mW,0402
C1702	A2C01935800	C CER,C0G,220pF,1%,50V,0402,-,STANDARD
R12874	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
C3914	A2C00010738	C CER,X7R,1nF,10%,50V,0402,Sn,STANDARD
R3604	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
T2850	A2C02220200	T BIP/PUMH2,SOT363 / NPN / 47K/ 47K
C11808	A2C00010738	C CER,X7R,1nF,10%,50V,0402,Sn,STANDARD
R2511	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
R12966	A2C02323400	R LIN,100K,1%,TK100,63mW,0402
R1654	A2C02323800	R LIN,22K,1%,TK100,63mW,0402
R4026	A2C02357200	R LIN,1K,1%,TK100,63mW,0402
R2456	A2C01891500	R JUMP,0R05,63mW,1A,0402
R2431	A2C01891500	R JUMP,0R05,63mW,1A,0402
R3616	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
C4872	TRC00025100	C CER,X6S,10uF,20%,10V,0603,-,STANDARD,S
T4802	A2C02055800	T BIP/PUMH10,SOT363
R12861	A2C02363000	R LIN,47R,1%,TK100,63mW,0402
Q2520	TRC00029200	Q QUARTZ/FA-238A,0Hz,3225_G,SMD SOLDERIN
C3609	A2C01236400	C CER,X7S,1uF,10%,10V,0402,-,STANDARD
R2560	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
R2800	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
R4028	A2C02323400	R LIN,100K,1%,TK100,63mW,0402
L3630	A2C00044377	F BEAD/MMZ1608S102AT,500mOhm,1KOhm,400mA
R3984	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
R3654	A2C02959300	R LIN,68R,1%,TK100,250mW,1206,SMD SOLDER
R2435	A2C01891500	R JUMP,0R05,63mW,1A,0402
R4037	A2C02323400	R LIN,100K,1%,TK100,63mW,0402
R12968	A2C40003577	R LIN,18K,1%,TK100,63mW,0402
R2565	A2C02363000	R LIN,47R,1%,TK100,63mW,0402
R1652	A2C02327500	R LIN,3K3,1%,TK100,63mW,0402
T4024	A2C02055800	T BIP/PUMH10,SOT363
R3916	A2C02363000	R LIN,47R,1%,TK100,63mW,0402
R2434	A2C02363000	R LIN,47R,1%,TK100,63mW,0402
C11830	A2C00470200	C CER,X7R,1uF,10%,50V,1206,Sn,SOFT TERMI

R2540	A2C02357400	R LIN,2K2,1%,TK100,63mW,0402
R3636	A2C00033520	R LIN,120R,1%,TK100,250mW,1206
R4024	A2C40011279	R LIN,15R,1%,TK100,63mW,0402
T3651	A2C02055800	T BIP/PUMH10,SOT363
R2440	A2C01891500	R JUMP,0R05,63mW,1A,0402
DI4802	000020713A000	D ZEN/BZX84C18,18V,250mW,SOT23
C2550	A2C01187900	C CER,X7R,100nF,10%,16V,0402,Sn,STANDARD
C2800	TRC00025100	C CER,X6S,10uF,20%,10V,0603,-,STANDARD,S
R3658	A2C02959300	R LIN,68R,1%,TK100,250mW,1206,SMD SOLDER
R2507	A2C01891500	R JUMP,0R05,63mW,1A,0402
L1500	TRC00037900	L COIL/#FSLM2520-100J=P2,10uH,155mA,SMD
R5804	A2C01891500	R JUMP,0R05,63mW,1A,0402
C1508	TRC00025100	C CER,X6S,10uF,20%,10V,0603,-,STANDARD,S
C11806	A2C00063579	C CER,X7R,680nF,10%,50V,1206,-
T1602	A2C00000561	1,PNP,NORMAL,500mA,45V,SOT23,BIP/BC807-4
IC1700	A2C02493800	IC BUS DRIV/TJA1027T/20/1,SOP8,SMD SOLDE
DI12853	A2C02757400	D SC/RB751V40T1G,40V,30mA,SOD323,SMD SOL
R2504	A2C40003513	R LIN,1K8,1%,TK100,63mW,0402
R12878	A2C01891400	R LIN,47K,1%,TK100,63mW,0402
R12842	A2C02363000	R LIN,47R,1%,TK100,63mW,0402
C3617	A2C02077500	C CER,C0G,27pF,5%,50V,0402,-,STANDARD
L11800	TRC00023200	L COIL/SCPS,22uH,1.5A,SMD SOLDERING
C1518	A2C01236400	C CER,X7S,1uF,10%,10V,0402,-,STANDARD
R4031	A2C02357400	R LIN,2K2,1%,TK100,63mW,0402
IC2522	A2C02758600	IC MEM/SPI,A1,16MBit,FLASH SERIAL,SO8,SM
C1520	A2C01236400	C CER,X7S,1uF,10%,10V,0402,-,STANDARD
IC4870	A2C02758100	IC VOLT REG/TPS70933-Q1,SOT23,SMD SOLDER
DI1700	A2C02766400	D REC/1SS355,80V,200mA,SOD323,0s,SMD SOL
R2430	A2C02363000	R LIN,47R,1%,TK100,63mW,0402
R11820	A2C00004135	10R,1%,TK100,250mW,1206,LIN RES/
R2502	A2C00753500	R LIN,100R,1%,TK50,63mW,0402
R1606	A2C02323400	R LIN,100K,1%,TK100,63mW,0402
L3944	A2C00044377	F BEAD/MMZ1608S102AT,500mOhm,1KOhm,400mA
R2513	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
T12927	A2C00000561	1,PNP,NORMAL,500mA,45V,SOT23,BIP/BC807-4
R2548	A2C02363000	R LIN,47R,1%,TK100,63mW,0402
R11821	A2C02323400	R LIN,100K,1%,TK100,63mW,0402
T3982	A2C02940700	T FET/NX3008NBKS,SOT363,MOS,SMALLSIGNAL,
C12836	A2C00010738	C CER,X7R,1nF,10%,50V,0402,Sn,STANDARD
R2554	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
R4036	A2C02357400	R LIN,2K2,1%,TK100,63mW,0402
DI4037	A2C02757400	D SC/RB751V40T1G,40V,30mA,SOD323,SMD SOL
R1622	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
R3906	A2C00715100	R VARIS,14V,40V,0603
C1608	A2C40007019	C CER,C0G,33pF,5%,50V,0402,-
L3918	A2C00044377	F BEAD/MMZ1608S102AT,500mOhm,1KOhm,400mA
R2445	A2C01891500	R JUMP,0R05,63mW,1A,0402
C2804	A2C40000129	C CER,X8R,100nF,10%,50V,0805,Sn,STANDARD
R3902	A2C00715100	R VARIS,14V,40V,0603
R12882	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
R2412	A2C02363000	R LIN,47R,1%,TK100,63mW,0402
C4831	A2C01187900	C CER,X7R,100nF,10%,16V,0402,Sn,STANDARD
R12868	A2C02363000	R LIN,47R,1%,TK100,63mW,0402
L2850	A2C00680000	L COIL/-,51uH,230mA,SMD SOLDERING ++PLS
C3906	A2C00010738	C CER,X7R,1nF,10%,50V,0402,Sn,STANDARD
R2558	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
R2552	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
C11815	A2C00059345	C CER,X7R,100nF,10%,50V,0603,Sn,SOFT TER
L11806	A2C03270400	F BEAD/FBMJ4516HM560NTV,7mOhm,56Ohm,6A,S
C6005	A2C01187900	C CER,X7R,100nF,10%,16V,0402,Sn,STANDARD
C4871	A2C01187900	C CER,X7R,100nF,10%,16V,0402,Sn,STANDARD
R4802	A2C01891400	R LIN,47K,1%,TK100,63mW,0402
R2530	A2C01891500	R JUMP,0R05,63mW,1A,0402

L3916	A2C00044377	F BEAD/MMZ1608S102AT,500mOhm,1KOhm,400mA
R3623	A2C02363000	R LIN,47R,1%,TK100,63mW,0402
R12960	A2C02363000	R LIN,47R,1%,TK100,63mW,0402
R2850	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
C3614	TRC00025200	C CER,X5R,4.7uF,20%,6.3V,0402,-,STANDARD
T1604	A2C00000561	1,PNP,NORMAL,500mA,45V,SOT23,BIP/BC807-4
C6006	TRC00025200	C CER,X5R,4.7uF,20%,6.3V,0402,-,STANDARD
R1704	A2C00011026	R LIN,510R,1%,TK100,125mW,0805
C3902	A2C00010738	C CER,X7R,1nF,10%,50V,0402,Sn,STANDARD
L3601	A2C00044377	F BEAD/MMZ1608S102AT,500mOhm,1KOhm,400mA
R1700	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
DI3631	A2C02756000	D SC/PMEG,40V,500mA,SOT23,SMD SOLDERING
R2471	A2C01891500	R JUMP,0R05,63mW,1A,0402
C11810	A2C00010738	C CER,X7R,1nF,10%,50V,0402,Sn,STANDARD
R4027	A2C02357200	R LIN,1K,1%,TK100,63mW,0402
C12830	A2C40006273	C CER,X7R,10nF,10%,25V,0402,Sn,STANDARD
L11802	TRC00023200	L COIL/SCPS,22uH,1.5A,SMD SOLDERING
C2500	A2C00010738	C CER,X7R,1nF,10%,50V,0402,Sn,STANDARD
C4012	A2C00943300	C CER,C0G,1nF,5%,50V,0402,NiSn,STANDARD
DI1650	A2C00042201	30V,200mA,2,series, SCHOTTKY,SOT23,RECT
R1628	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
L2800	A2C00680000	L COIL/-,51uH,230mA,SMD SOLDERING ++PLS
T12920	A2C02040300	T BIP/PUMD9,DTC114YP,SOT363, 50 V, 0.1 A
T4022	A2C40010636	T BIP/BC857S,SOT363
C1506	A2C40006273	C CER,X7R,10nF,10%,25V,0402,Sn,STANDARD
T12806	A2C02055800	T BIP/PUMH10,SOT363
R2556	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
R11830	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
C6003	A2C01506600	C CER,C0G,470pF,1%,50V,0402,-,STANDARD
L3906	A2C00044377	F BEAD/MMZ1608S102AT,500mOhm,1KOhm,400mA
R4030	A2C02357400	R LIN,2K2,1%,TK100,63mW,0402
R3918	A2C00715100	R VARIS,14V,40V,0603
C12944	A2C01187900	C CER,X7R,100nF,10%,16V,0402,Sn,STANDARD
R2516	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
R3635	A2C00033520	R LIN,120R,1%,TK100,250mW,1206
R3905	A2C02363000	R LIN,47R,1%,TK100,63mW,0402
DI2500	A2C00042201	30V,200mA,2,series, SCHOTTKY,SOT23,RECT
R2806	A2C01891400	R LIN,47K,1%,TK100,63mW,0402
C2548	A2C01479500	C CER,X7S,470nF,10%,10V,0402,Sn,SOFT TER
C3908	A2C00010738	C CER,X7R,1nF,10%,50V,0402,Sn,STANDARD
R12859	A2C02327500	R LIN,3K3,1%,TK100,63mW,0402
C2802	A2C01187900	C CER,X7R,100nF,10%,16V,0402,Sn,STANDARD
R1702	A2C01891500	R JUMP,0R05,63mW,1A,0402
R3914	A2C00715100	R VARIS,14V,40V,0603
R2432	A2C01891500	R JUMP,0R05,63mW,1A,0402
T12921	A2C00000561	1,PNP,NORMAL,500mA,45V,SOT23,BIP/BC807-4
R3634	A2C00033520	R LIN,120R,1%,TK100,250mW,1206
L3910	A2C00044377	F BEAD/MMZ1608S102AT,500mOhm,1KOhm,400mA
R12806	A2C02363000	R LIN,47R,1%,TK100,63mW,0402
R11814	A2C01891500	R JUMP,0R05,63mW,1A,0402
R4034	A2C00753500	R LIN,100R,1%,TK50,63mW,0402
R2455	A2C01891500	R JUMP,0R05,63mW,1A,0402
R12853	A2C02357400	R LIN,2K2,1%,TK100,63mW,0402
R4025	A2C00040258	R LIN,560R,0.5%,TK25,62.5mW,0402,SMD SOL
L3605	A2C00044377	F BEAD/MMZ1608S102AT,500mOhm,1KOhm,400mA
C11822	A2C00059345	C CER,X7R,100nF,10%,50V,0603,Sn,SOFT TER
T12804	A2C02055800	T BIP/PUMH10,SOT363
DI12909	A2C00042201	30V,200mA,2,series, SCHOTTKY,SOT23,RECT
R3657	A2C02959300	R LIN,68R,1%,TK100,250mW,1206,SMD SOLDER
R1634	A2C01891400	R LIN,47K,1%,TK100,63mW,0402
R1638	A2C02357200	R LIN,1K,1%,TK100,63mW,0402
R3625	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
R2566	A2C02363000	R LIN,47R,1%,TK100,63mW,0402

C2850	TRC00025100	C CER,X6S,10uF,20%,10V,0603,-,STANDARD,S
R12846	A2C02363000	R LIN,47R,1%,TK100,63mW,0402
R2454	A2C02363000	R LIN,47R,1%,TK100,63mW,0402
R2550	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
R3608	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
R12976	A2C02323400	R LIN,100K,1%,TK100,63mW,0402
C2520	A2C01578900	C CER,C0G,18pF,1%,50V,0402,-,STANDARD
L4872	A2C00044377	F BEAD/MMZ1608S102AT,500mOhm,1KOhm,400mA
C12822	A2C01187900	C CER,X7R,100nF,10%,16V,0402,Sn,STANDARD
DI3640	A2C02757400	D SC/RB751V40T1G,40V,30mA,SOD323,SMD SOL
T11802	A2C02040300	T BIP/PUMD9,DTC114YP,SOT363, 50 V, 0.1 A
C1504	A2C40006273	C CER,X7R,10nF,10%,25V,0402,Sn,STANDARD
R3910	A2C00715100	R VARIS,14V,40V,0603
R2438	A2C02363000	R LIN,47R,1%,TK100,63mW,0402
R3606	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
R4850	A2C01891500	R JUMP,0R05,63mW,1A,0402
R2442	A2C02363000	R LIN,47R,1%,TK100,63mW,0402
C2852	A2C01187900	C CER,X7R,100nF,10%,16V,0402,Sn,STANDARD
R3631	A2C00063997	R LIN,4K7,0.1%,TK15,63mW,0402
L3908	A2C00044377	F BEAD/MMZ1608S102AT,500mOhm,1KOhm,400mA
L11804	A2C03270400	F BEAD/FBMJ4516HM560NTV,7mOhm,56Ohm,6A,S
C12828	A2C40006273	C CER,X7R,10nF,10%,25V,0402,Sn,STANDARD
C11816	A2C00119200	C CER,X7R,470nF,10%,25V,0603,Sn
IC2800	A2C00061186	TJA1043T/TRANSCEIVER,CAN,SO14,BUS DRIVER
C11804	A2C00063579	C CER,X7R,680nF,10%,50V,1206,-
C2544	A2C01479500	C CER,X7S,470nF,10%,10V,0402,Sn,SOFT TER
R12845	A2C01891500	R JUMP,0R05,63mW,1A,0402
T2800	A2C02220200	T BIP/PUMH2,SOT363 / NPN / 47K/ 47K
L3902	A2C00044377	F BEAD/MMZ1608S102AT,500mOhm,1KOhm,400mA
R3908	A2C02363000	R LIN,47R,1%,TK100,63mW,0402
T1650	A2C02040300	T BIP/PUMD9,DTC114YP,SOT363, 50 V, 0.1 A
C3632	A2C00010738	C CER,X7R,1nF,10%,50V,0402,Sn,STANDARD
R12844	A2C02363000	R LIN,47R,1%,TK100,63mW,0402
R4035	A2C02327500	R LIN,3K3,1%,TK100,63mW,0402
R4029	A2C02375900	R LIN,15K,1%,TK100,63mW,0402
T12922	A2C02055800	T BIP/PUMH10,SOT363
R2411	A2C01891500	R JUMP,0R05,63mW,1A,0402
C4851	A2C01187900	C CER,X7R,100nF,10%,16V,0402,Sn,STANDARD
R3922	A2C00715100	R VARIS,14V,40V,0603
R2542	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
R11818	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
T1700	A2C02040300	T BIP/PUMD9,DTC114YP,SOT363, 50 V, 0.1 A
C1700	A2C40000129	C CER,X8R,100nF,10%,50V,0805,Sn,STANDARD
R2546	A2C02363000	R LIN,47R,1%,TK100,63mW,0402
R2527	A2C01891500	R JUMP,0R05,63mW,1A,0402
R11832	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
R1706	A2C00011026	R LIN,510R,1%,TK100,125mW,0805
R3607	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
R3920	A2C00715100	R VARIS,14V,40V,0603
C11818	A2C00119200	C CER,X7R,470nF,10%,25V,0603,Sn
R2418	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
C3910	A2C00010738	C CER,X7R,1nF,10%,50V,0402,Sn,STANDARD
R2446	A2C02363000	R LIN,47R,1%,TK100,63mW,0402
R12880	A2C00753100	R LIN,8K2,1%,TK50,63mW,0402
C12826	A2C00010738	C CER,X7R,1nF,10%,50V,0402,Sn,STANDARD
C3955	A2C01187900	C CER,X7R,100nF,10%,16V,0402,Sn,STANDARD
R2437	A2C01891500	R JUMP,0R05,63mW,1A,0402
R12841	A2C02363000	R LIN,47R,1%,TK100,63mW,0402
R5805	A2C01891500	R JUMP,0R05,63mW,1A,0402
R2444	A2C02363000	R LIN,47R,1%,TK100,63mW,0402
L3912	A2C00044377	F BEAD/MMZ1608S102AT,500mOhm,1KOhm,400mA
C4870	A2C40000129	C CER,X8R,100nF,10%,50V,0805,Sn,STANDARD
R12970	A2C02376300	R LIN,39K,1%,TK100,63mW,0402

R3653	A2C02959300	R LIN,68R,1%,TK100,250mW,1206,SMD SOLDER
R3637	A2C00033520	R LIN,120R,1%,TK100,250mW,1206
C3904	A2C00010738	C CER,X7R,1nF,10%,50V,0402,Sn,STANDARD
R2500	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
C3615	A2C01236400	C CER,X7S,1uF,10%,10V,0402,-,STANDARD
R2458	A2C02363000	R LIN,47R,1%,TK100,63mW,0402
C2854	A2C40000129	C CER,X8R,100nF,10%,50V,0805,Sn,STANDARD
	A2C16952302	LP BG TOP M178
IC6000	TRC00029400	EM MODUL/1577132 SLI97 DAI NAFTA AT&T,OT
MD12800	TRC00023000	EM MODUL/ME919BS-567A NA LTE MP,SMD
MD5900	TRC00030900	EM MODUL/BT/WLAN,OTHER,SMD SOLDERING
R12969	A2C01891500	R JUMP,0R05,63mW,1A,0402
C12936	A2C40006675	C CER,C0G,12pF,5%,50V,C0402,Sn
ST12900	A2C12876100	Steckbuchse 2P H CI THP 1001 I
C12939	A2C40006551	C CER,C0G,100pF,5%,50V,C0402,Sn
L12902	A2C02761000	L COIL/C1608CB-,30nH,600mA,SMD SOLDERING
DI12904	TRC00024900	D SUP/0603ESDA,TBD,SMD SOLDERING
R12895	A2C02822800	R LIN,5R6,1%,TK400,63mW,0402,SMD SOLDERI
R5911	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
IC5900	TRC00021400	Q QUARTZ/SG-3030JC,32.77KHz,TBD,SMD SOLD
C5940	A2C00646800	C CER,X7R,220nF,10%,16V,0402,-,STANDARD
R12894	A2C02822800	R LIN,5R6,1%,TK400,63mW,0402,SMD SOLDERI
R12890	A2C02822800	R LIN,5R6,1%,TK400,63mW,0402,SMD SOLDERI
R5940	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
R12892	A2C02822800	R LIN,5R6,1%,TK400,63mW,0402,SMD SOLDERI
C5941	A2C00646800	C CER,X7R,220nF,10%,16V,0402,-,STANDARD
T4830	A2C02940700	T FET/NX3008NBKS,SOT363,MOS,SMALLSIGNAL,
R2463	A2C02363000	R LIN,47R,1%,TK100,63mW,0402
C2918	A2C00119200	C CER,X7R,470nF,10%,25V,0603,Sn
C2566	A2C01187900	C CER,X7R,100nF,10%,16V,0402,Sn,STANDARD
C12924	TRC00025100	C CER,X6S,10uF,20%,10V,0603,-,STANDARD,S
R2532	A2C01891500	R JUMP,0R05,63mW,1A,0402
DI3601	TRC00024900	D SUP/0603ESDA,TBD,SMD SOLDERING
R4852	A2C02323400	R LIN,100K,1%,TK100,63mW,0402
R1626	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
R12818	A2C02363000	R LIN,47R,1%,TK100,63mW,0402
DI5800	A2C00237200	D REC/PRTR5V0U4D,0V,0A,TSOP6,0s
R4813	A2C02754900	R LIN,1R,1%,TK400,63mW,0402,SMD SOLDERIN
R1512	A2C02363000	R LIN,47R,1%,TK100,63mW,0402
L4820	A2C02762900	F BEAD/30mOhm,70Ohm,2.2A,0603,SMD SOLDER
C4853	A2C00010738	C CER,X7R,1nF,10%,50V,0402,Sn,STANDARD
C4862	TRC00028200	C CER,X6S,22uF,20%,6.3V,0603,-,STANDARD,
C1516	A2C01236400	C CER,X7S,1uF,10%,10V,0402,-,STANDARD
C1604	A2C01236400	C CER,X7S,1uF,10%,10V,0402,-,STANDARD
C2510	A2C40006551	C CER,C0G,100pF,5%,50V,C0402,Sn
C4850	A2C00720600	C CER,X7R,10uF,10%,25V,1206,Sn,STANDARD
C2506	A2C40006551	C CER,C0G,100pF,5%,50V,C0402,Sn
C2564	A2C01187900	C CER,X7R,100nF,10%,16V,0402,Sn,STANDARD
R2416	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
R2402	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
DI4850	A4840890Y0100	D SC/SSA34,DO-214 (SMA)
C4857	TRC00025000	C CER,X5R,100uF,20%,6.3V,1210,-,STANDARD
C1606	A2C01479500	C CER,X7S,470nF,10%,10V,0402,Sn,SOFT TER
R4837	A2C00004537	R LIN,24K3,1%,TK100,100mW,0603
C4834	A2C00010738	C CER,X7R,1nF,10%,50V,0402,Sn,STANDARD
C3900	A2C40006559	C CER,X7R,10nF,10%,100V,C0805,Sn
C2542	A2C01187900	C CER,X7R,100nF,10%,16V,0402,Sn,STANDARD
R2916	A2C01891500	R JUMP,0R05,63mW,1A,0402
R12824	A2C01891400	R LIN,47K,1%,TK100,63mW,0402
R2426	A2C02363000	R LIN,47R,1%,TK100,63mW,0402
R2503	A2C00753500	R LIN,100R,1%,TK50,63mW,0402
R4838	A2C02363000	R LIN,47R,1%,TK100,63mW,0402
R3624	A2C01888500	R LIN,10K,1%,TK100,63mW,0402

R4858	A2C02363000	R LIN,47R,1%,TK100,63mW,0402
L3650	A2C02760800	L COIL/LQG15HH,8.2nH,330mA,SMD SOLDERING
C1600	A2C40006273	C CER,X7R,10nF,10%,25V,0402,Sn,STANDARD
R4851	A2C02376300	R LIN,39K,1%,TK100,63mW,0402
DI3630	A2C00051515	70V,100mA,2,SCHOTTKY,SOT23,RECT DIODE/BA
R3650	A2C00753500	R LIN,100R,1%,TK50,63mW,0402
C2524	TRC00025200	C CER,X5R,4.7uF,20%,6.3V,0402,-,STANDARD
L12900	TRC00023300	F BEAD/UPB,12mOhm,50Ohm,6A,SMD SOLDERING
R3620	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
R3626	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
R2948	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
R3619	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
R2529	A2C01891500	R JUMP,0R05,63mW,1A,0402
C2534	A2C01187900	C CER,X7R,100nF,10%,16V,0402,Sn,STANDARD
T4800	A2C02757800	T FET/NVMD3P03,SO8,MOS,POWER,P_CHAN,-30V
R2932	A2C40003577	R LIN,18K,1%,TK100,63mW,0402
R12800	A2C01891500	R JUMP,0R05,63mW,1A,0402
C3650	A2C00277700	C CER,X7R,1uF,10%,25V,0603,Sn,SOFT TERMI
C3612	TRC00025200	C CER,X5R,4.7uF,20%,6.3V,0402,-,STANDARD
IC4810	A2C02758000	IC VOLT REG/LP2951,WSON-8 (DFN-8) withou
R1614	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
C3936	A2C00010738	C CER,X7R,1nF,10%,50V,0402,Sn,STANDARD
L4852	A2C02762900	F BEAD/30mOhm,70Ohm,2.2A,0603,SMD SOLDER
C12927	A2C40007019	C CER,C0G,33pF,5%,50V,0402,-
IC4830	A2C02758200	IC VOLT REG/TPS65321-Q1,HTSSOP14,SMD SOL
R4833	A2C02323400	R LIN,100K,1%,TK100,63mW,0402
R2470	A2C02363000	R LIN,47R,1%,TK100,63mW,0402
R1604	A2C01891500	R JUMP,0R05,63mW,1A,0402
R3640	A2C02327500	R LIN,3K3,1%,TK100,63mW,0402
R2936	A2C40003577	R LIN,18K,1%,TK100,63mW,0402
R12816	A2C02363000	R LIN,47R,1%,TK100,63mW,0402
R4835	A2C40002252	R LIN,10R,1%,TK100,62.5mW,0402
R11807	A2C40003483	R LIN,7K5,1%,TK100,63mW,0402
T0620	A2C02040300	T BIP/PUMD9,DTC114YP,SOT363, 50 V, 0.1 A
R2802	A2C40004033	R LIN,2K7,1%,TK100,63mW,0402
C922	A2C00119200	C CER,X7R,470nF,10%,25V,0603,Sn
C4841	A2C01187900	C CER,X7R,100nF,10%,16V,0402,Sn,STANDARD
C12921	A2C01187900	C CER,X7R,100nF,10%,16V,0402,Sn,STANDARD
R4810	A2C02323800	R LIN,22K,1%,TK100,63mW,0402
R3642	A2C02327500	R LIN,3K3,1%,TK100,63mW,0402
C4830	A2C02319900	C CER,X7R,10uF,10%,25V,1210,-,STANDARD,S
R3951	A2C00715100	R VARIS,14V,40V,0603
R3655	A2C02363500	R LIN,150R,1%,TK100,63mW,0402
R2466	A2C02363000	R LIN,47R,1%,TK100,63mW,0402
R12819	A2C01891400	R LIN,47K,1%,TK100,63mW,0402
F3600	TRC00023400	Q SAW,FILTER,1.589GHz,TBD,SMD SOLDERING
R4854	A2C01891400	R LIN,47K,1%,TK100,63mW,0402
C3604	A2C01779900	C CER,C0G,1.5pF,0.1pF,50V,0402,-,STANDAR
DI11800	A2C02757400	D SC/RB751V40T1G,40V,30mA,SOD323,SMD SOL
R1636	A2C02357200	R LIN,1K,1%,TK100,63mW,0402
C4800	A2C40000129	C CER,X8R,100nF,10%,50V,0805,Sn,STANDARD
R4832	A2C02323400	R LIN,100K,1%,TK100,63mW,0402
C2568	A2C01479500	C CER,X7S,470nF,10%,10V,0402,Sn,SOFT TER
R2414	A2C01891500	R JUMP,0R05,63mW,1A,0402
R4853	A2C02323400	R LIN,100K,1%,TK100,63mW,0402
C4838	TRC00025000	C CER,X5R,100uF,20%,6.3V,1210,-,STANDARD
R2902	A2C02375900	R LIN,15K,1%,TK100,63mW,0402
C3613	A2C01187900	C CER,X7R,100nF,10%,16V,0402,Sn,STANDARD
R1600	A2C01891500	R JUMP,0R05,63mW,1A,0402
L3600	A2C00044377	F BEAD/MMZ1608S102AT,500mOhm,1KOhm,400mA
R1619	A2C00753500	R LIN,100R,1%,TK50,63mW,0402
C3621	A2C01187900	C CER,X7R,100nF,10%,16V,0402,Sn,STANDARD
C4855	A2C00027351	47pF,1%,50V,C0G,0603,TINNED,CER CAP/++ R

C3603	TRC00025200	C CER,X5R,4.7uF,20%,6.3V,0402,-,STANDARD
R4811	A2C00027637	R LIN,68K,1%,TK100,63mW,0402
C2538	A2C01187900	C CER,X7R,100nF,10%,16V,0402,Sn,STANDARD
C2914	A2C00277700	C CER,X7R,1uF,10%,25V,0603,Sn,SOFT TERMI
L4861	A2C02762900	F BEAD/30mOhm,70Ohm,2.2A,0603,SMD SOLDER
R2910	A2C02375900	R LIN,15K,1%,TK100,63mW,0402
R3980	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
C2552	TRC00025200	C CER,X5R,4.7uF,20%,6.3V,0402,-,STANDARD
R2920	A2C40011125	R LIN,680R,1%,TK100,100mW,0603
R3950	A2C00715100	R VARIS,14V,40V,0603
R3946	A2C00715100	R VARIS,14V,40V,0603
R4860	A2C02323800	R LIN,22K,1%,TK100,63mW,0402
R12832	A2C01891400	R LIN,47K,1%,TK100,63mW,0402
R2408	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
C12804	A2C01187900	C CER,X7R,100nF,10%,16V,0402,Sn,STANDARD
C2936	A2C00119200	C CER,X7R,470nF,10%,25V,0603,Sn
R1510	A2C02363000	R LIN,47R,1%,TK100,63mW,0402
R11800	A2C02363800	R LIN,270R,1%,TK100,63mW,0402
C4825	TRC00025100	C CER,X6S,10uF,20%,10V,0603,-,STANDARD,S
C1619	A2C40006273	C CER,X7R,10nF,10%,25V,0402,Sn,STANDARD
R3982	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
R2918	A2C01891500	R JUMP,0R05,63mW,1A,0402
R12805	A2C40003496	R LIN,330R,1%,TK100,63mW,0402
C2528	A2C01187900	C CER,X7R,100nF,10%,16V,0402,Sn,STANDARD
C2554	A2C01187900	C CER,X7R,100nF,10%,16V,0402,Sn,STANDARD
C2916	A2C00277700	C CER,X7R,1uF,10%,25V,0603,Sn,SOFT TERMI
R2525	A2C01891500	R JUMP,0R05,63mW,1A,0402
R1678	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
C12922	TRC00025000	C CER,X5R,100uF,20%,6.3V,1210,-,STANDARD
R12826	A2C01891400	R LIN,47K,1%,TK100,63mW,0402
C11817	A2C02759600	C ELEC,AL,100uF,20%,25V,SMD SOLDERING
C11802	A2C00010738	C CER,X7R,1nF,10%,50V,0402,Sn,STANDARD
C3652	A2C02249600	C CER,C0G,22pF,5%,50V,0402,-,STANDARD
C12920	TRC00025000	C CER,X5R,100uF,20%,6.3V,1210,-,STANDARD
DI12906	TRC00024900	D SUP/0603ESDA,TBD,SMD SOLDERING
R2406	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
R12828	A2C01891400	R LIN,47K,1%,TK100,63mW,0402
R12802	A2C02363000	R LIN,47R,1%,TK100,63mW,0402
IC12800	A2C01290400	IC LOGIC/74AVC4T245BQ/S400 ,QFN16_WF,SMD
L3653	A2C02533100	L COIL/RF coil,27nH,300mA,SMD SOLDERING
C3932	A2C00010738	C CER,X7R,1nF,10%,50V,0402,Sn,STANDARD
L4800	TRC00021500	L COIL/CDRH105R,47uH,2A,SMD SOLDERING
C4854	A2C02249600	C CER,C0G,22pF,5%,50V,0402,-,STANDARD
R3632	A2C01995200	R LIN,15K,0.1%,TK25,63mW,0402
C2536	A2C01187900	C CER,X7R,100nF,10%,16V,0402,Sn,STANDARD
L4860	A2C02762900	F BEAD/30mOhm,70Ohm,2.2A,0603,SMD SOLDER
C12942	A2C00027351	47pF,1%,50V,C0G,0603,TINNED,CER CAP/++ R
IC3600	A2C02758800	IC MCU BLK/STA8089G,A1,QFN56,FLASH,16bit
C3630	A2C00010738	C CER,X7R,1nF,10%,50V,0402,Sn,STANDARD
R2436	A2C01891500	R JUMP,0R05,63mW,1A,0402
C2503	A2C00010738	C CER,X7R,1nF,10%,50V,0402,Sn,STANDARD
R3618	A2C01891400	R LIN,47K,1%,TK100,63mW,0402
IC4850	A2C02758200	IC VOLT REG/TPS65321-Q1,HTSSOP14,SMD SOL
R12820	A2C02363000	R LIN,47R,1%,TK100,63mW,0402
R5806	A2C00753500	R LIN,100R,1%,TK50,63mW,0402
DI4800	A2C02755300	D REC/BAV20W,150V,225mA,SOD123,0s,SMD SO
R4836	A2C40004505	R LIN,95K3,1%,TK100,100mW,0603
C2556	A2C01187900	C CER,X7R,100nF,10%,16V,0402,Sn,STANDARD
R3633	A2C00063997	R LIN,4K7,0.1%,TK15,63mW,0402
L4831	A2C02759800	L COIL/8.2uH,4 A,SMD SOLDERING
R1610	A2C00753500	R LIN,100R,1%,TK50,63mW,0402
IC3602	A2C02943900	Q OSC,26MHz,2520,SMD SOLDERING
R12822	A2C01891400	R LIN,47K,1%,TK100,63mW,0402



L4821	TRC00039900	L COIL/MDT2012-CR1R0MDD,1uH,2.15A,SMD SO
L3954	A2C00044377	F BEAD/MMZ1608S102AT,500mOhm,1KOhm,400mA
R11824	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
R2428	A2C02363000	R LIN,47R,1%,TK100,63mW,0402
R4840	A2C02375900	R LIN,15K,1%,TK100,63mW,0402
C12923	A2C01187900	C CER,X7R,100nF,10%,16V,0402,Sn,STANDARD
R3617	A2C02323400	R LIN,100K,1%,TK100,63mW,0402
R2468	A2C02363000	R LIN,47R,1%,TK100,63mW,0402
R12836	A2C01891400	R LIN,47K,1%,TK100,63mW,0402
R2523	A2C00753500	R LIN,100R,1%,TK50,63mW,0402
C12925	A2C40007019	C CER,C0G,33pF,5%,50V,0402,-
R4831	A2C01891400	R LIN,47K,1%,TK100,63mW,0402
R2900	A2C02323400	R LIN,100K,1%,TK100,63mW,0402
IC4820	A2C02758300	IC VOLT REG/TPS61240-Q1,WSON-6,SMD SOLDE
C11824	A2C02759600	C ELEC,AL,100uF,20%,25V,SMD SOLDERING
L4830	A2C02762900	F BEAD/30mOhm,70Ohm,2.2A,0603,SMD SOLDER
R12867	A2C02363000	R LIN,47R,1%,TK100,63mW,0402
R12830	A2C01891400	R LIN,47K,1%,TK100,63mW,0402
R11806	A2C02323400	R LIN,100K,1%,TK100,63mW,0402
R1612	A2C02357200	R LIN,1K,1%,TK100,63mW,0402
C4804	A2C02943700	C ELEC,AL,560uF,20%,35V,SMD SOLDERING
C2402	TRC00028200	C CER,X6S,22uF,20%,6.3V,0603,-,STANDARD,
IC12904	TRC00021700	IC RF/SKYA21037,OTHER,0Hz,QFN12,SMD SOLD
R2908	A2C02323400	R LIN,100K,1%,TK100,63mW,0402
C2523	A2C40006551	C CER,C0G,100pF,5%,50V,C0402,Sn
C2530	A2C01187900	C CER,X7R,100nF,10%,16V,0402,Sn,STANDARD
R12812	A2C02363000	R LIN,47R,1%,TK100,63mW,0402
L4811	A2C02762900	F BEAD/30mOhm,70Ohm,2.2A,0603,SMD SOLDER
C3605	A2C01780400	C CER,C0G,2.2pF,0.1pF,50V,0402,-,STANDAR
C4812	TRC00025100	C CER,X6S,10uF,20%,10V,0603,-,STANDARD,S
R1679	A2C01891400	R LIN,47K,1%,TK100,63mW,0402
L4810	A2C02762900	F BEAD/30mOhm,70Ohm,2.2A,0603,SMD SOLDER
C3651	A2C02249600	C CER,C0G,22pF,5%,50V,0402,-,STANDARD
C2940	A2C00119200	C CER,X7R,470nF,10%,25V,0603,Sn
C12867	A2C00010738	C CER,X7R,1nF,10%,50V,0402,Sn,STANDARD
C3610	TRC00025200	C CER,X5R,4.7uF,20%,6.3V,0402,-,STANDARD
R1618	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
L4851	A2C02759800	L COIL/8.2uH,4 A,SMD SOLDERING
L3900	A2C02762900	F BEAD/30mOhm,70Ohm,2.2A,0603,SMD SOLDER
L12904	A2C02761000	L COIL/C1608CB-,30nH,600mA,SMD SOLDERING
L3602	A2C01876200	4.7nH,800mA,SMD SOLDERING
C2540	A2C01187900	C CER,X7R,100nF,10%,16V,0402,Sn,STANDARD
C4823	TRC00025200	C CER,X5R,4.7uF,20%,6.3V,0402,-,STANDARD
R11828	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
R2518	A2C00753500	R LIN,100R,1%,TK50,63mW,0402
C4836	A2C01802500	C CER,C0G,47pF,5%,50V,0402,-,STANDARD
R4812	A2C40003507	R LIN,12K,1%,TK100,63mW,0402
L3950	A2C00044377	F BEAD/MMZ1608S102AT,500mOhm,1KOhm,400mA
R11808	A2C02375900	R LIN,15K,1%,TK100,63mW,0402
R4861	A2C02376300	R LIN,39K,1%,TK100,63mW,0402
R2400	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
C4860	TRC00028200	C CER,X6S,22uF,20%,6.3V,0603,-,STANDARD,
DI4830	A4840890Y0100	D SC/SSA34,DO-214 (SMA)
C3901	TRC00032000	OTH PAS/NFM41P,LC FILTER,SMD SOLDERING
C12932	A2C01236400	C CER,X7S,1uF,10%,10V,0402,-,STANDARD
R3948	A2C40002764	R JUMP,0R05,0W,2A,0805
L4841	A2C02762900	F BEAD/30mOhm,70Ohm,2.2A,0603,SMD SOLDER
R1508	A2C02363000	R LIN,47R,1%,TK100,63mW,0402
R12834	A2C01891400	R LIN,47K,1%,TK100,63mW,0402
C3611	TRC00025200	C CER,X5R,4.7uF,20%,6.3V,0402,-,STANDARD
R4855	A2C40002252	R LIN,10R,1%,TK100,62.5mW,0402
R1617	A2C01891400	R LIN,47K,1%,TK100,63mW,0402
C5810	A2C01187900	C CER,X7R,100nF,10%,16V,0402,Sn,STANDARD

R4834	A2C01891400	R LIN,47K,1%,TK100,63mW,0402
R2543	A2C02323400	R LIN,100K,1%,TK100,63mW,0402
IC3601	A2C02758600	IC MEM/SPI,A1,16MBit,FLASH SERIAL,SO8,SM
C2570	A2C01187900	C CER,X7R,100nF,10%,16V,0402,Sn,STANDARD
C12940	A2C01187900	C CER,X7R,100nF,10%,16V,0402,Sn,STANDARD
C4832	A2C00010738	C CER,X7R,1nF,10%,50V,0402,Sn,STANDARD
R2944	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
R3641	A2C01889500	R LIN,4K7,1%,TK100,63mW,0402
C4810	A2C00470200	C CER,X7R,1uF,10%,50V,1206,Sn,SOFT TERMI
IC1500	A2C00561000	IC OTH/TLV320AIC3104 CODEC,QFN32
IC1602	TRC00021600	IC MCU BLK/RL78/F12,A1,SSOP30,FLASH,0bit
L4840	A2C02762900	F BEAD/30mOhm,70Ohm,2.2A,0603,SMD SOLDER
R4857	A2C01995200	R LIN,15K,0.1%,TK25,63mW,0402
R2926	A2C40011125	R LIN,680R,1%,TK100,100mW,0603
L4850	A2C02762900	F BEAD/30mOhm,70Ohm,2.2A,0603,SMD SOLDER
R4856	A2C00568900	R LIN,47K,0.1%,TK25,63mW,0402
C4839	A2C01236400	C CER,X7S,1uF,10%,10V,0402,-,STANDARD
C2509	A2C00010738	C CER,X7R,1nF,10%,50V,0402,Sn,STANDARD
C4840	A2C01479500	C CER,X7S,470nF,10%,10V,0402,Sn,SOFT TER
R2522	A2C00753500	R LIN,100R,1%,TK50,63mW,0402
C5811	A2C01187900	C CER,X7R,100nF,10%,16V,0402,Sn,STANDARD
C4843	TRC00028200	C CER,X6S,22uF,20%,6.3V,0603,-,STANDARD,
C2902	A2C00010738	C CER,X7R,1nF,10%,50V,0402,Sn,STANDARD
R4859	A2C02323800	R LIN,22K,1%,TK100,63mW,0402
C4842	A2C01506600	C CER,C0G,470pF,1%,50V,0402,-,STANDARD
C3655	A2C40006551	C CER,C0G,100pF,5%,50V,C0402,Sn
C12806	A2C01187900	C CER,X7R,100nF,10%,16V,0402,Sn,STANDARD
ST3900	TRC03013300	Stiftwanne 32P H 2R THP NC
R12843	A2C02363000	R LIN,47R,1%,TK100,63mW,0402
C4852	A2C00010738	C CER,X7R,1nF,10%,50V,0402,Sn,STANDARD
C4811	A2C40007074	C CER,X7R,1nF,10%,100V,0402,-
R2410	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
C6004	A2C00010738	C CER,X7R,1nF,10%,50V,0402,Sn,STANDARD
C2560	A2C01187900	C CER,X7R,100nF,10%,16V,0402,Sn,STANDARD
C1524	A2C01236400	C CER,X7S,1uF,10%,10V,0402,-,STANDARD
ST3650	A2C12876000	Steckbuchse 2P V CI THP BN F
R6002	A2C01891500	R JUMP,0R05,63mW,1A,0402
C4845	TRC00028200	C CER,X6S,22uF,20%,6.3V,0603,-,STANDARD,
C2400	TRC00025100	C CER,X6S,10uF,20%,10V,0603,-,STANDARD,S
R4800	A2C02755000	R VARIS,14V,40V,2220,SMD SOLDERING
R1620	A2C01891400	R LIN,47K,1%,TK100,63mW,0402
C2558	A2C01187900	C CER,X7R,100nF,10%,16V,0402,Sn,STANDARD
R1602	A2C01891500	R JUMP,0R05,63mW,1A,0402
C1602	A2C40006273	C CER,X7R,10nF,10%,25V,0402,Sn,STANDARD
R12865	A2C01888500	R LIN,10K,1%,TK100,63mW,0402
C4835	A2C02249600	C CER,C0G,22pF,5%,50V,0402,-,STANDARD
C1526	A2C01236400	C CER,X7S,1uF,10%,10V,0402,-,STANDARD
R4841	A2C40003507	R LIN,12K,1%,TK100,63mW,0402
C2532	A2C01187900	C CER,X7R,100nF,10%,16V,0402,Sn,STANDARD
C3616	A2C02077500	C CER,C0G,27pF,5%,50V,0402,-,STANDARD
R3956	A2C00715100	R VARIS,14V,40V,0603
R3944	A2C40002764	R JUMP,0R05,0W,2A,0805
C2906	A2C00010738	C CER,X7R,1nF,10%,50V,0402,Sn,STANDARD
C2526	A2C01187900	C CER,X7R,100nF,10%,16V,0402,Sn,STANDARD
R2509	A2C00753500	R LIN,100R,1%,TK50,63mW,0402
C12938	A2C40006675	C CER,C0G,12pF,5%,50V,C0402,Sn
C4826	TRC00025100	C CER,X6S,10uF,20%,10V,0603,-,STANDARD,S
L4822	A2C00044377	F BEAD/MMZ1608S102AT,500mOhm,1KOhm,400mA
C2562	A2C01187900	C CER,X7R,100nF,10%,16V,0402,Sn,STANDARD
	A2C53422009	Lotpaste M31-GRN360-K1MK-V4