

User Manual

Continental Automotive

**Tire Pressure Generation TIS-09DH
Wheel unit**

ASK/FSK 433.92 MHz

TECHNICAL DESCRIPTION

Carrier frequency:	433.92MHz
Frequency FSK deviation:	± 44 kHz max
Number of channels:	1
Type of modulation:	Frequency Shift Keying (FSK)
Baud rate:	9600bds/19200bds (diagnosis 9600 and driving ,periodic 19200)
Rated Output Power:	< 10mW
Antenna:	Internal
Voltage supply:	1 Lithium battery 3V (CR2450)
Voltage supply range :	2.1 up to 3.2V

LABEL

Europe



Canada

IC: 7812D-TIS09DH

Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes : (1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

USA

FCC ID: KR5TIS-09DH

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.