

Tested By: Hong, Report No.: 0610686


Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement: x QP / + AV

Meas Time: 1 s  
 Subranges: 16  
 Acc Margin: 20dB

Transducer No.	Start	Stop	Name
2	1 9k	30M	EW0699
12	9k	30M	EW0192



Tested By: Hong, Report No.: 0610686

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|  
Start Stop Step IF BW Detector M-Time Atten Preamp OpRge  
150k 30M 5k 10k PK+AV 10ms AUTO LN OFF 60dB

Final Measurement Results:

Frequency	QP Level	QP Limit
MHz	dBuV	dBuV
0.22000	37.0	62.9
0.37000	35.7	58.5
0.41000	35.6	57.7
0.56500	30.3	56.0

Frequency	AV Level	AV Limit
MHz	dBuV	dBuV

no Results

\* limit

Tested By: Hong, Report No.: 0610686

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN	OFF 60dB

Final Measurement: x QP / + AV


Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB

Transducer No. Start Stop Name

2	1	9k	30M	EW0699
	12	9k	30M	EW0192





Report No.: 0610686  
Tx & Alarm On Mode  
AC Mains "N"

Tested By: Hong, Report No.: 0610686

Scan Settings (1 Range)

----- Frequencies -----			----- Receiver Settings -----					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

no Results