

hp

REF -15.0 dBm

AT 10 dB

$$\text{Duty cycle} = \frac{4 \times 2 + 1.5 \times 14 + 0.75 \times 28}{100}$$

$$= \frac{50}{100} = 0.5$$


$$\text{Average Factor} = -6 \text{ dB}$$

PEAK

LOG

10

dB/



WA SB
SC VS
CORR

CENTER 433.905 MHz

SPAN 0 Hz

#RES BW 3.0 MHz

#VBW 3 MHz


#SWP 100 msec

hp

REF -15.0 dBm

AT 10 dB

PEAK
LOG
10
dB/



CENTER 433.905 MHz

SPAN 0 Hz

#RES BW 3.0 MHz

#VBW 3 MHz

#SWP 30.0 msec

WA SB
SC VS
CORR

hp

MKR 212.50 msec

REF -15.0 dBm

AT 10 dB


-.03 dB

PEAK

LOG

10

dB/



CENTER 433.905 MHz

SPAN 0 Hz

#RES BW 3.0 MHz

#VBW 3 MHz

#SWP 500 msec

WA SB
SC VS
CORR

hp


REF -15.0 dBm

AT 10 dB

MKR 1.4250 sec

-20.73 dBm

PEAK
LOG
10
dB/



CENTER 433.905 MHz

SPAN 0 Hz

#RES BW 3.0 MHz

#VBW 3 MHz

#SWP 5.00 sec

WA SB
SC VC
CORR

hp


MKR 4.0120 msec

REF -15.0 dBm

AT 10 dB

.99 dB

PEAK
LOG
10
dB/



WA SB
SC VS
CORR

CENTER 433.905 MHz

SPAN 0 Hz

#RES BW 3.0 MHz

#VBW 3 MHz

#SWP 15.0 msec