



Dallas Headquarters:

802 N. Kealy
 Lewisville, TX 75057
 Tel: (972) 436-9600
 Fax: (972) 436-2667

Nemko Dallas, Inc.


Data Plot

Spurious Emissions at Antenna Terminals

Page 1 of 2 Complete X
 Job No.: 1L0706 Date: 5/6/2002 Preliminary: _____
 Specification: PT22 Temperature(°C): 22
 Tested By: David Light Relative Humidity(%): 40
 E.U.T.: REPEATER
 Configuration: TX
 Sample Number: 1
 Location: Lab 1 RBW: 30 kHz Measurement
 Detector Type: Peak VBW: 30 kHz Distance: NA m

Test Equipment Used

Antenna: _____ Directional Coupler: _____
 Pre-Amp: _____ Cable #1: 1629
 Filter: _____ Cable #2: _____
 Receiver: 1036 Cable #3: _____
 Attenuator #1: 1478 Cable #4: _____
 Attenuator #2: 1471 Mixer: _____
 Additional equipment used: _____
 Measurement Uncertainty: +/-1.7 dB



Date: 06.MAY 2002 13:26:24

Notes: TDMA - 2 CARRIERS - LOWER BANDEDGE
 MARKER 1 INDICATED HIGHEST OUT OF BAND EMISSION, MARKER 2 INDICATES HIGHEST INBAND EMISSION



Dallas Headquarters:

802 N. Kealy
 Lewisville, TX 75057
 Tel: (972) 436-9600
 Fax: (972) 436-2667


Nemko Dallas, Inc.

Data Plot

Spurious Emissions at Antenna Terminals

Page 2 of 2

Job No.: IL0706 Date: 5/6/2002
 Specification: PT22 Temperature(°C): 22
 Tested By: David Light Relative Humidity(%) 40
 E.U.T.: REPEATER
 Configuration: TX



Date: 06.MAY 2002 13:24:09

Notes: TDMA - 2 CARRIERS - UPPER BANDEDGE
 MARKER 1 INDICATED HIGHEST OUT OF BAND EMISSION, MARKER 2 INDICATES HIGHEST INBAND EMISSION