




Conducted Emission Measurement

File :01 Data :#2 Date: 2007-12-15 Time: 16:32:58



Site site #1 Phase: **L1** Temperature: 26
 Limit: FCC Class B Conduction (QP) Power: AC 120V/60Hz Humidity: 60 %
 EUT: LCD TV
 M/N: 32"
 Mode: TV
 Note:

No.	Freq. MHz	Reading_Level (dBuV)			Correct Factor dB	Measurement (dBuV)			Limit (dBuV)		Margin (dB)		P/F	Comment
		Peak	QP	AVG		peak	QP	AVG	QP	AVG	QP	AVG		
1	0.1944	20.66	19.42	21.09	41.75	40.51	63.85	53.85	-22.10	-13.34		P		
2	0.2454	16.82	14.76	20.86	37.68	35.62	61.91	51.91	-24.23	-16.29		P		
3	0.8383	14.49	13.58	20.12	34.61	33.70	56.00	46.00	-21.39	-12.30		P		
4	3.9545	14.84	9.84	20.13	34.97	29.97	56.00	46.00	-21.03	-16.03		P		
5	10.9869	16.76	5.96	20.59	37.35	26.55	60.00	50.00	-22.65	-23.45		P		


*:Maximum data x:Over limit !:over margin

Operator:



Conducted Emission Measurement

File :01 Data :#3 Date: 2007-12-15 Time: 16:36:16



Site site #1 Phase: **N** Temperature: 26
 Limit: FCC Class B Conduction (QP) Power: AC 120V/60Hz Humidity: 60 %
 EUT: LCD TV
 M/N: 32"
 Mode: TV
 Note:

No.	Freq. MHz	Reading_Level (dBuV)			Correct Factor dB	Measurement (dBuV)			Limit (dBuV)		Margin (dB)		P/F	Comment
		Peak	QP	AVG		peak	QP	AVG	QP	AVG	QP	AVG		
1	0.1777	14.01	7.47	21.41	35.42	28.88	64.59	54.59	-29.17	-25.71	P			
2	0.2455	15.17	13.41	20.86	36.03	34.27	61.91	51.91	-25.88	-17.64	P			
3	0.8393	15.97	13.98	20.12	36.09	34.10	56.00	46.00	-19.91	-11.90	P			
4	3.9639	14.93	6.59	20.13	35.06	26.72	56.00	46.00	-20.94	-19.28	P			
5	11.0211	16.61	5.10	20.59	37.20	25.69	60.00	50.00	-22.80	-24.31	P			


*:Maximum data x:Over limit !:over margin

Operator:



Conducted Emission Measurement

File :01 Data :#5 Date: 2007-12-15 Time: 16:37:54



Site site #1 Phase: **L1** Temperature: 26
 Limit: FCC Class B Conduction (QP) Power: AC 120V/60Hz Humidity: 60 %
 EUT: LCD TV
 M/N: 32"
 Mode: AV
 Note:

No.	Freq. MHz	Reading_Level (dBuV)			Correct Factor dB	Measurement (dBuV)			Limit (dBuV)		Margin (dB)		P/F	Comment
		Peak	QP	AVG		peak	QP	AVG	QP	AVG	QP	AVG		
1	0.1524	12.48	8.04	21.89	34.37	29.93	65.87	55.87	-31.50	-25.94	P			
2	0.1924	12.01	6.69	21.13	33.14	27.82	63.93	53.93	-30.79	-26.11	P			
3	0.6173	12.42	2.58	20.16	32.58	22.74	56.00	46.00	-23.42	-23.26	P			
4	4.9257	11.26	1.84	20.16	31.42	22.00	56.00	46.00	-24.58	-24.00	P			
5	8.9163	10.56	-0.16	20.44	31.00	20.28	60.00	50.00	-29.00	-29.72	P			


*:Maximum data x:Over limit !:over margin

Operator:



Conducted Emission Measurement

File :01 Data :#4 Date: 2007-12-15 Time: 16:37:09



Site site #1 Phase: **N** Temperature: 26
Limit: FCC Class B Conduction (QP) Power: AC 120V/60Hz Humidity: 60 %
EUT: LCD TV
M/N: 32"
Mode: AV
Note:

No.	Freq. MHz	Reading_Level (dBuV)			Correct Factor dB	Measurement (dBuV)			Limit (dBuV)		Margin (dB)		P/F	Comment
		Peak	QP	AVG		peak	QP	AVG	QP	AVG	QP	AVG		
1	0.1884	14.05		8.72	21.20	35.25	29.92	64.11	54.11	-28.86	-24.19	P		
2	0.3914	11.27		4.97	20.50	31.77	25.47	58.03	48.03	-26.26	-22.56	P		
3	2.1553	8.34		-0.05	20.07	28.41	20.02	56.00	46.00	-27.59	-25.98	P		
4	7.0997	13.73		2.74	20.32	34.05	23.06	60.00	50.00	-25.95	-26.94	P		


*:Maximum data x:Over limit !:over margin

Operator:



Conducted Emission Measurement

File :01 Data :#6 Date: 2007-12-15 Time: 16:39:04



Site site #1 Phase: **L1** Temperature: 26
 Limit: FCC Class B Conduction (QP) Power: AC 120V/60Hz Humidity: 60 %
 EUT: LCD TV
 M/N: 26"
 Mode: AV
 Note:

No.	Freq. MHz	Reading_Level (dBuV)			Correct Factor dB	Measurement (dBuV)			Limit (dBuV)		Margin (dB)		P/F	Comment
		Peak	QP	AVG		peak	QP	AVG	QP	AVG	QP	AVG		
1	0.1740	11.56	2.91	21.48	33.04	24.39	64.77	54.77	-31.73	-30.38	P			
2	0.3483	11.88	1.57	20.60	32.48	22.17	59.00	49.00	-26.52	-26.83	P			
3	6.6978	13.67	5.22	20.29	33.96	25.51	60.00	50.00	-26.04	-24.49	P			
4	10.4524	14.95	5.09	20.55	35.50	25.64	60.00	50.00	-24.50	-24.36	P			


*:Maximum data x:Over limit !:over margin

Operator:



Conducted Emission Measurement

File :01 Data :#7 Date: 2007-12-15 Time: 16:40:08



Site site #1 Phase: **N** Temperature: 26
Limit: FCC Class B Conduction (QP) Power: AC 120V/60Hz Humidity: 60 %
EUT: LCD TV
M/N: 26"
Mode: AV
Note:

No.	Freq. MHz	Reading_Level (dBuV)			Correct Factor dB	Measurement (dBuV)			Limit (dBuV)		Margin (dB)		P/F	Comment
		Peak	QP	AVG		peak	QP	AVG	QP	AVG	QP	AVG		
1	0.1659	11.32		7.54	21.63	32.95	29.17	65.16	55.16	-32.21	-25.99	P		
2	1.8386	10.09		1.17	20.07	30.16	21.24	56.00	46.00	-25.84	-24.76	P		
3	10.1254	14.85		4.12	20.53	35.38	24.65	60.00	50.00	-24.62	-25.35	P		

*:Maximum data x:Over limit !:over margin

Operator: