




**Radiated Emission Measurement**

File : 1215 Data : #1 Date : 2007-12-15 Time : 15:27:55  
77.0 dBuV/m



Site : CTI 3 Meter Chamber Polarization: **Horizontal** Temperature: 26  
Limit: FCC Class B 3M Radiation Power: AC 230V/50Hz Humidity: 60 %  
EUT: LCD TV  
M/N: 32"  
Mode: TV  
Note:


No.	Freq. MHz	Reading_Level (dBuV)			Correct Factor dB	Measurement (dBuV/m)			Limit (dBuV/m)		Margin (dB)		P/F	Comment
		Peak	QP	AVG		peak	QP	AVG	QP	AVG	QP	AVG		
1	122.1500	21.82			9.17	30.99			43.50			-12.51		P
2	196.5167	20.83			11.86	32.69			43.50			-10.81		P
3	440.6333	18.06			18.86	36.92			46.00			-9.08		P
4	728.4000	12.47			24.62	37.09			46.00			-8.91		P

\*:Maximum data x:Over limit l:over margin

Operator:

**Radiated Emission Measurement**

File : 1215 Data : #2 Date: 2007-12-15 Time: 15:32:59  
77.0 dBuV/m



Site : CTI 3 Meter Chamber Polarization: **Vertical** Temperature: 26  
Limit: FCC Class B 3M Radiation Power: AC 230V/50Hz Humidity: 60 %  
EUT: LCD TV  
M/N: 32"  
Mode: TV  
Note:


No.	Freq. MHz	Reading_Level (dBuV)			Correct Factor dB	Measurement (dBuV/m)			Limit (dBuV/m)		Margin (dB)		P/F	Comment
		Peak	QP	AVG		peak	QP	AVG	QP	AVG	QP	AVG		
1	60.7167	23.23			8.32	31.55			40.00			-8.45		P
2	181.9667	21.99			11.79	33.78			43.50			-9.72		P
3	303.2167	15.78			15.96	31.74			46.00			-14.26		P
4	500.4500	16.41			19.96	36.37			46.00			-9.63		P
5	789.8333	13.30			25.01	38.31			46.00			-7.69		P

\*:Maximum data x:Over limit !:over margin

Operator:

**Radiated Emission Measurement**

File :1215 Data :#4 Date: 2007-12-15 Time: 15:40:03  
77.0 dBuV/m



Site : CTI 3 Meter Chamber Polarization: **Horizontal** Temperature: 26  
Limit: FCC Class B 3M Radiation Power: AC 230V/50Hz Humidity: 60 %  
EUT: LCD TV  
M/N: 32"  
Mode: AV  
Note:

No.	Freq. MHz	Reading_Level (dBuV)			Correct Factor dB	Measurement (dBuV/m)			Limit (dBuV/m)		Margin (dB)		P/F	Comment
		Peak	QP	AVG		peak	QP	AVG	QP	AVG	QP	AVG		
1	172.2667	15.65			11.34	26.99			43.50		-16.51		P	
2	178.7333	14.58			11.69	26.27			43.50		-17.23		P	
3	548.9500	8.58			21.44	30.02			46.00		-15.98		P	
4	678.2833	7.61			24.08	31.69			46.00		-14.31		P	


\*:Maximum data x:Over limit !:over margin

Operator:



**Radiated Emission Measurement**

File : 1215 Data : #3 Date : 2007-12-15 Time : 15:38:15  
77.0 dBuV/m



Site : CTI 3 Meter Chamber Polarization: **Vertical** Temperature: 26  
Limit: FCC Class B 3M Radiation Power: AC 230V/50Hz Humidity: 60 %  
EUT: LCD TV  
M/N: 32"  
Mode: AV  
Note:

No.	Freq. MHz	Reading_Level (dBuV)			Correct Factor dB	Measurement (dBuV/m)			Limit (dBuV/m)		Margin (dB)		P/F	Comment
		Peak	QP	AVG		peak	QP	AVG	QP	AVG	QP	AVG		
1	112.4500	14.95			9.62	24.57			43.50		-18.93		P	
2	128.6167	16.07			9.07	25.14			43.50		-18.36		P	
3	487.5167	9.00			20.02	29.02			46.00		-16.98		P	
4	742.9500	6.70			24.65	31.35			46.00		-14.65		P	
5	836.7167	7.45			25.59	33.04			46.00		-12.96		P	


\*:Maximum data x:Over limit !:over margin

Operator:



**Radiated Emission Measurement**

File : 1215 Data : #5 Date : 2007-12-15 Time : 15:41:54  
77.0 dBuV/m



Site : CTI 3 Meter Chamber Polarization: **Horizontal** Temperature: 26  
Limit: FCC Class B 3M Radiation Power: AC 230V/50Hz Humidity: 60 %  
EUT: LCD TV  
M/N: 32"  
Mode: HDMI  
Note:

No.	Freq. MHz	Reading_Level (dBuV)			Correct Factor dB	Measurement (dBuV/m)			Limit (dBuV/m)		Margin (dB)		P/F	Comment
		Peak	QP	AVG		peak	QP	AVG	QP	AVG	QP	AVG		
1	127.0000	21.54			9.10	30.64			43.50		-12.86		P	
2	316.1500	17.80			16.50	34.30			46.00		-11.70		P	
3	505.3000	14.49			20.12	34.61			46.00		-11.39		P	
4	631.4000	12.59			23.28	35.87			46.00		-10.13		P	

\*:Maximum data x:Over limit !:over margin

Operator:



**Radiated Emission Measurement**

File : 1215 Data : #6 Date : 2007-12-15 Time : 15:45:29  
77.0 dBuV/m



Site : CTI 3 Meter Chamber Polarization: **Vertical** Temperature: 26  
Limit: FCC Class B 3M Radiation Power: AC 230V/50Hz Humidity: 60 %  
EUT: LCD TV  
M/N: 32"  
Mode: HDMI  
Note:

No.	Freq. MHz	Reading_Level (dBuV)			Correct Factor dB	Measurement (dBuV/m)			Limit (dBuV/m)		Margin (dB)		P/F	Comment
		Peak	QP	AVG		peak	QP	AVG	QP	AVG	QP	AVG		
1	52.6333	21.17			8.91	30.08			40.00			-9.92		P
2	181.9667	20.20			11.79	31.99			43.50			-11.51		P
3	303.2167	16.23			15.96	32.19			46.00			-13.81		P
4	502.0667	13.87			20.01	33.88			46.00			-12.12		P
5	697.6833	9.60			24.67	34.27			46.00			-11.73		P

\*:Maximum data x:Over limit l:over margin

Operator:



**Radiated Emission Measurement**

File :1215 Data :#7 Date: 2007-12-15 Time: 15:52:05  
77.0 dBuV/m



Site : CTI 3 Meter Chamber Polarization: **Horizontal** Temperature: 26  
Limit: FCC Class B 3M Radiation Power: AC 230V/50Hz Humidity: 60 %  
EUT: LCD TV  
M/N: 26"  
Mode: HDMI  
Note:

No.	Freq. MHz	Reading_Level (dBuV)			Correct Factor dB	Measurement (dBuV/m)			Limit (dBuV/m)		Margin (dB)		P/F	Comment
		Peak	QP	AVG		peak	QP	AVG	QP	AVG	QP	AVG		
1	122.1500	19.57			9.17	28.74			43.50			-14.76		P
2	199.7500	19.65			11.84	31.49			43.50			-12.01		P
3	426.0833	14.40			18.55	32.95			46.00			-13.05		P
4	668.5833	14.42			23.81	38.23			46.00			-7.77		P
5	789.8333	12.31			25.01	37.32			46.00			-8.68		P

\*:Maximum data x:Over limit l:over margin

Operator:



**Radiated Emission Measurement**

File : 1215 Data : #6 Date : 2007-12-15 Time : 15:45:29  
77.0 dBuV/m



Site : CTI 3 Meter Chamber Polarization: **Vertical** Temperature: 26  
Limit: FCC Class B 3M Radiation Power: AC 230V/50Hz Humidity: 60 %  
EUT: LCD TV  
M/N: 26"  
Mode: HDMI  
Note:

No.	Freq. MHz	Reading_Level (dBuV)			Correct Factor dB	Measurement (dBuV/m)			Limit (dBuV/m)		Margin (dB)		P/F	Comment
		Peak	QP	AVG		peak	QP	AVG	QP	AVG	QP	AVG		
1	44.5500	16.27			10.51	26.78			40.00		-13.22		P	
2	303.2167	16.23			15.96	32.19			46.00		-13.81		P	
3	502.0667	14.37			20.01	34.38			46.00		-11.62		P	
4	728.4000	10.32			24.62	34.94			46.00		-11.06		P	

\*:Maximum data x:Over limit !:over margin


Operator:





**Radiated Emission Measurement**

File : 1215 Data : #8 Date : 2007-12-15 Time : 15:55:58  
77.0 dBuV/m



Site : CTI 3 Meter Chamber Polarization: **Horizontal** Temperature: 26  
Limit: FCC Class B 3M Radiation Power: AC 230V/50Hz Humidity: 60 %  
EUT: LCD TV  
M/N: 26"  
Mode: AV  
Note:


No.	Freq. MHz	Reading_Level (dBuV)			Correct Factor dB	Measurement (dBuV/m)			Limit (dBuV/m)		Margin (dB)		P/F	Comment
		Peak	QP	AVG		peak	QP	AVG	QP	AVG	QP	AVG		
1	109.2167	9.15			9.81	18.96			43.50		-24.54		P	
2	333.9333	6.04			17.12	23.16			46.00		-22.84		P	
3	515.0000	9.28			20.46	29.74			46.00		-16.26		P	
4	713.8500	6.63			24.67	31.30			46.00		-14.70		P	

\*:Maximum data x:Over limit l:over margin

Operator:

**Radiated Emission Measurement**

File : 1215 Data : #9 Date : 2007-12-15 Time : 15:56:50  
77.0 dBuV/m



Site : CTI 3 Meter Chamber Polarization: **Vertical** Temperature: 26  
Limit: FCC Class B 3M Radiation Power: AC 230V/50Hz Humidity: 60 %  
EUT: LCD TV  
M/N: 26"  
Mode: AV  
Note:

No.	Freq. MHz	Reading_Level (dBuV)			Correct Factor dB	Measurement (dBuV/m)			Limit (dBuV/m)		Margin (dB)		P/F	Comment
		Peak	QP	AVG		peak	QP	AVG	QP	AVG	QP	AVG		
1	107.6000	13.99			9.92	23.91			43.50		-19.59		P	
2	128.6167	16.03			9.07	25.10			43.50		-18.40		P	
3	458.4167	11.08			19.41	30.49			46.00		-15.51		P	
4	602.3000	9.41			22.29	31.70			46.00		-14.30		P	

\*:Maximum data x:Over limit !:over margin

Operator: