


4.4 Test Setup



For the actual test configuration, please refer to the related item - Photographs of the Test Configuration.

4.5 EUT Operating Conditions

The EUT was powered by 120V AC Mains.

The EUT was running Hwin.exe, at maximum brightness and contrast with resolution 1024*768 75Hz, scrolls “H” in 14 full screen.

The frequency range is: H-Sync 30-60 kHz, V-Sync 50-75 Hz

4.6 Test Results

Sample 1:

No.	Freq. (MHz)	Limit Value (dBmV)		Emission Level (dBmV)	
		QP	AV	QP	AV
1	0.1860	64.2	54.2	46.4	--
2	0.2490	61.8	51.8	42.9	--
3	1.7700	56.0	46.0	33.2	--
4	6.9315	60.0	50.0	34.3	--
5	9.5460	60.0	50.0	33.9	--

Sample 2:

No.	Freq. (MHz)	Limit Value (dBmV)		Emission Level (dBmV)	
		QP	AV	QP	AV
1	0.1860	64.2	54.2	45.9	--
2	0.2490	61.8	51.8	43.2	--
3	1.7700	56.0	46.0	32.9	--
4	6.9315	60.0	50.0	34.4	--



5	9.5460	60.0	50.0	33.9	--
---	--------	------	------	------	----

Sample 3:

No.	Freq. (MHz)	Limit Value (dBmV)		Emission Level (dBmV)	
		QP	AV	QP	AV
1	0.1860	64.2	54.2	46.2	--
2	0.2490	61.8	51.8	42.8	--
3	1.7700	56.0	46.0	33.3	--
4	6.9315	60.0	50.0	34.1	--
5	9.5460	60.0	50.0	33.9	--

Sample 4:

No.	Freq. (MHz)	Limit Value (dBmV)		Emission Level (dBmV)	
		QP	AV	QP	AV
1	0.1860	64.2	54.2	46.4	--
2	0.2490	61.8	51.8	43.0	--
3	1.7700	56.0	46.0	33.1	--
4	6.9315	60.0	50.0	34.3	--
5	9.5460	60.0	50.0	33.7	--

Sample 5:

No.	Freq. (MHz)	Limit Value (dBmV)		Emission Level (dBmV)	
		QP	AV	QP	AV
1	0.1860	64.2	54.2	46.5	--
2	0.2490	61.8	51.8	43.1	--
3	1.7700	56.0	46.0	33.2	--
4	6.9315	60.0	50.0	34.0	--
5	9.5460	60.0	50.0	34.2	--

Sample 6:

No.	Freq. (MHz)	Limit Value (dBmV)		Emission Level (dBmV)	
		QP	AV	QP	AV
1	0.1860	64.2	54.2	46.1	--
2	0.2490	61.8	51.8	42.8	--
3	1.7700	56.0	46.0	33.2	--
4	6.9315	60.0	50.0	34.5	--
5	9.5460	60.0	50.0	33.8	--