


KEY PRODUCT CHARACTERISTICS				
	SAFETY/COMPLIANCE		FIT/FUNCTION	TOTAL ON DRAWING 0
	S/C CHECKPOINTS		F/F CHECKPOINTS	LAST NO. USED 0
NO & TYPE	DESCRIPTION	RATIONALE	PTS	ZONE

DWG STATUS					REVISION HISTORY					AUTH		DR		APVD		
DATE	STG	REV	N/P	CHG	ZONE					1	2	1	2	1	2	
18MR05		A								DESIGN RELEASE PER CN 67732	186206	BLB	DP	LT		



DATA MATRIX CODE, DATE CODE, & SERIAL NUMBER TO BE PRINTED ON OVER LAMINATE SURFACE, BY FINAL ASSEMBLY MANUFACTURER.

FONT STYLE: SEE MATH DATA

XXXX: SERIAL # (0001-9999)  
Y: YEAR ONES DIGIT (0-9)  
DDD: DAY OF YEAR (001-365)

DATA MATRIX CODE: ECC 200 (MINIMUM 10 MIL ELEMENTS)

LABEL TO BE APPROVED BY DELPHI E&S ENGINEERING

DATA MATRIX CODE TO CONTAIN: (1) MODEL NUMBER (LAST 5 DIGITS)  
(2) SERIAL # (0001-9999)  
(3) DATE CODE

MATERIAL:

BASE: 1 TO 2 MIL SILVER MATTE POLYESTER FILM WITH PRINTING ON TOP SURFACE

ADHESIVE: PERMANENT ACRYLIC

COATING: 1 MIL CLEAR PRINTABLE POLYESTER LAMINATING FILM

FIRST USED DK218618
REFERENCE N/A
REPLACES # N/A
REPLACED BY N/A

UNLESS OTHERWISE SPECIFIED  
THIS DOCUMENT IS IN ACCORDANCE WITH ASME Y14.5M-1994 AS AMENDED BY THE GM GLOBAL DIMENSIONING AND TOLERANCING ADDENDUM-1997. ALL GEOMETRIC TOLERANCES AND RELATED DATUMS APPLY RFS. RULE #1 (PERFECT FORM AT MMC) DOES NOT APPLY WHEN RELATIONSHIP BETWEEN FEATURES IS ESTABLISHED BY ORIENTATION OR LOCATION TOLERANCES. SEPARATE POSITION CALLOUTS MAY BE GAGED SEPARATELY REGARDLESS OF DATUM REFERENCES.

ALL DIMENSIONS ARE IN MILLIMETERS

ZERO PLACE DECIMALS ± N/A  
ONE PLACE DECIMALS ± 0.3  
TWO PLACE DECIMALS ± 0.15

ANGLES ± 0.5 DEGREE

REFERENCE	THIRD ANGLE PROJECTION	DO NOT SCALE USE MATH DATA	
-----------	------------------------	----------------------------	--

**DELPHI**

THIS DRAWING IS THE PROPERTY OF DELPHI CORPORATION. NO RIGHTS ARE GRANTED TO USE THIS DRAWING FOR ANY PURPOSE OTHER THAN THE FURNISHING OF SERVICES AND SUPPLIES TO DELPHI CORPORATION.

	DATE
DR E. MENASSAKA	22JN04
APVD1 B THOMPSON	22JN04
APVD2 D. PHILP	22JN04
APVD3	
APVD4	
APVD5	

SUBSTANCES OF CONCERN AND RECYCLED CONTENT PER DELPHI 10949001


MATERIAL SEE PART/MATERIAL LIST

DRAWING NAME LABEL-PRODUCT



DRAWING NUMBER DK218635

SIZE A2	SCALE 2/1	FRAME NO 1 OF 1	SHEET NO 1 OF 1	STG	REV A	N/P
---------	-----------	-----------------	-----------------	-----	-------	-----

2 in.



THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES.  
OPERATION IS SUBJECT TO THE FOLLOWING TWO CONDITIONS:  
1) THIS DEVICE MAY NOT CAUSE HARMFUL INTERFERENCE AND  
2) THIS DEVICE MUST ACCEPT ANY INTERFERENCE RECEIVED  
INCLUDING INTERFERENCE THAT MAY CAUSE UNDESIRE OPERATION.



ID Label(s)

**DELPHI**

**XM SIGNAL  
REPEATER**

FCC ID: L2C0029TR

POWER SOURCE: 7.5V DC, 700mA  
(USE ONLY WITH DELPHI AC  
ADAPTER MODEL 25204603)



MODEL: SA10116

SERIAL #: 0047

MADE IN USA 05104



PLEASE READ THE FOLLOWING TWO CONDITIONS:  
BEFORE USING THE REPEATER TO PREVENT INTERFERENCE AND

# DUT (bottom)

