



BLACKBERRY RADAR H2

ITF100 – 1, ITF100 – 2, ITF100 – 3

November 2021

Safety Information

Safety information







Before you start using the BlackBerry Radar H2™ device (herein after referred to as device), review the safety and regulatory information provided in this document. Keep this document in a safe place so that you can refer to it whenever you need it.

In some countries there may be restrictions on using wireless devices with encryption software. Check with your local authorities for the restrictions in your area.

To find the latest safety and product information, visit:

docs.radar.blackberry.com/guides/user_guide_safety

Important safety precautions

	Do not use the device near medical devices, including pacemakers and hearing aids, because they might malfunction and cause serious harm or death to you or others.
	Do not dispose of the device, or battery, in a fire because this might cause an explosion resulting in serious injury, death, or property loss.
	The device is designed to be operated in temperatures between -40 and 185°F (-40 and 85°C) and 0-100% humidity. Store device in temperatures between 14 and 86°F (-10 and 30°C) and 0-50% humidity. Do not expose the device to temperatures above 212°F (100°C). Use of the device outside of the recommended temperature range could cause damage to the device or lithium-metal battery.
	Do not submerge the device in water. The battery should never be exposed to water.
	Do not puncture, crush, or expose battery to severe physical shock. Do not attempt to disassemble battery pack. Do not short-circuit the battery or allow metallic or conductive objects to contact the battery terminals.
	The device is not intrinsically safe and should not be used in the presence of explosive fumes, explosive dust, or other explosive chemicals. Sparks in such areas could cause an explosion or fire resulting in serious injury, death, or damage to property.

Operating temperature and humidity

The BlackBerry Radar H2 is designed for the following temperature and humidity ranges:

Operation:	Storage:
Temperature: -40 to 185°F (-40 to 85°C)	Temperature: 14 to 86°F (-10 to 30°C)
Humidity: 0-100%	Humidity: 0-50%

Battery safety

The device contains a non-rechargeable, Lithium Metal battery. Do not attempt to recharge the battery.

The battery might present a fire, explosion, chemical burn, or other hazard if mistreated. Do not put the battery in contact with liquids. Do not heat the battery above 212°F (100°C). Heating the battery above 212°F (100°C) could cause the battery to catch fire or explode.

Antenna



Use only the supplied integrated antenna. Unauthorized antenna modifications or attachments could damage the device and might violate U.S. Federal Communications Commission (FCC) or other regulations.

Repair

Do not attempt to modify, disassemble, or service the device. Do not attempt to recharge the battery. Only qualified service personnel should perform repairs to the device.

Failure to observe all safety instructions contained in the user documentation for the device will void the Limited Warranty and might lead to suspension or denial of services to the offender, legal action, or both.

Device and battery disposal

	Do not dispose of the device, or battery, in household waste bins or in a fire.
	<p>The device and battery are recyclable where facilities exist. This symbol is not intended to indicate the use of recycled materials.</p> <p>The Lithium Metal Batteries used in BlackBerry Radar can pose risk of fire, explosion and severe burn hazard if mishandled or damaged. These batteries should be never be placed in regular waste and must be recycled through appropriate e-waste or battery recycling channels. Ensure you dispose of your BlackBerry Radar device and its battery in accordance with the laws and regulations in your area. If you have an existing waste management partner, please consult with them regarding disposal, or visit BlackBerry.com/RadarSupport for more information.</p>

Refer to the BlackBerry Radar Battery Information Sheet for details on dimensions, weight, and Lithium content per battery. Safety Data Sheets can be provided upon request.
--

Compliance information

Exposure to radio frequency signals

The device radio is a low-power radio transmitter and receiver. It is designed to comply with Federal Communications Commission (FCC) and Innovation, Science and Economic Development Canada (ISED), and The Council of the European Union guidelines and limits, as well as other relevant international guidelines regarding safety levels of radio frequency exposure for wireless devices. These guidelines were developed by independent scientific experts, governments, and organizations including the Institute of Electrical and Electronics Engineers Standard (IEEE), National Council on Radiation Protection and Measurements (NCRP), and International Commission on Non-Ionizing Radiation Protection (ICNIRP).

This device complies with FCC, ISED, EU, and other relevant international radio frequency exposure guidelines and limits, at minimum separation distance of 9 inches or (23 cm).

Renseignements sur la conformité

Exposition aux signaux de radiofréquence

La radio de l'appareil est un émetteur-récepteur radio de faible puissance. Elle est conçue pour se conformer aux directives et limites de la Federal Communications Commission (FCC) et d'Innovation, Science et développement économique Canada (ISED), ainsi qu'aux directives et limites du Conseil de l'Union européenne, ainsi qu'à d'autres directives internationales pertinentes concernant les niveaux de sécurité d'exposition aux fréquences radio pour les appareils sans fil. Ces directives ont été élaborées par des experts scientifiques indépendants, des gouvernements et des organisations, notamment l'Institute of Electrical and Electronics Engineers Standard (IEEE), le National Council on Radiation Protection and Measurements (NCRP) et l'International Commission on Non-Ionizing Radiation Protection (ICNIRP).

Cet appareil est conforme aux directives et limites de la FCC, de l'ISED, de l'UE et d'autres normes et limites internationales relatives à l'exposition aux radiofréquences, à une distance de séparation minimale de 23 cm (9 po).

FCC compliance statement (United States)

This device complies with Part 15 of the Federal Communications Commission (FCC) Rules under FCC ID: L6AITF100-1 (BlackBerry Radar H2 ITF100-1) and L6AITF100-2 (BlackBerry Radar H2 ITF100-2 and ITF100-3). Operation is subject to the following two conditions:

(1) this device may not cause harmful interference, and

(2) this device must accept any interference received, including interference that may cause undesired operation.

CAUTION:

Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.

This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

NOTE:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Innovation, Science and Economic Development Canada certification

This device complies with Innovation, Science and Economic Development Canada (ISED) license-exempt RSS standard(s). Operation is subject to the following conditions:

- (1) this device may not cause interference, and
- (2) this device must accept any interference, including interference that may cause undesired operation of the device.

This device complies with ISED RSS 130, RSS 132, RSS 133, RSS 139, RSS 210, RSS 310 and RSS-GEN under Certification Number 2503A-ITF1001 (BlackBerry Radar H2 ITF100-1) and Certification Number 2503A-ITF1002 (BlackBerry Radar H2 ITF100-2 and BlackBerry Radar H2 ITF100-3).

Le présent appareil est conforme aux Innovation, Sciences et Développement économique Canada (ISED) applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes:

- (1) l'appareil ne doit pas produire de brouillage, et
- (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

L'appareil est conforme aux normes ISED RSS 130, RSS 132, RSS 133, RSS 139, RSS 210, RSS 310 et RSS-GEN sous le numéro d'agrément 2503A-ITF1001 (BlackBerry Radar H2 ITF100-1) et sous le

numéro d'agrément 2503A-ITF1002 (BlackBerry Radar H2 ITF100-2 et BlackBerry Radar H2 ITF100-3).

Class B compliance

This device complies with the Class B limits for radio noise emissions as set out in the interference-causing equipment standard entitled "Information Technology Equipment (ITE)--Limits and methods of measurement," ICES-003 of Innovation, Science and Economic Development Canada.

EU regulatory conformance

Hereby, BlackBerry declares that the radio equipment, BlackBerry Radar H2 ITF100-1, ITF100-2, ITF100-3 is in compliance with Directive 2014/53/EU.

The full text of the EU declaration of conformity is available at the following internet address:
docs.radar.blackberry.com/guides/user_guide_conformity.

Additional regulatory conformance

Specific details about compliance to the standards and regulatory bodies for the device may be obtained from BlackBerry.

Product information: BlackBerry Radar H2 ITF100-1, ITF100-2, ITF100-3

Mechanical properties:

Weight:

BlackBerry H2 ITF100-1, BlackBerry H2 ITF100-3:

Approximately 28 oz (800 g) including BAT-63320-001 lithium-metal battery

BlackBerry H2 ITF100-2:

Approximately 21 oz (590 g) including BAT-63318-001 lithium-metal battery

Size: (L x W x H): 11.5 x 3.6 x 1.7 in. (292 x 92 x 42 mm)

Battery specifications:

Non-rechargeable lithium-metal battery

BAT-63318-001: 7.2V, 19Ah nominal. BAT-63320-001: 7.2V, 38Ah nominal

Radio specifications:

*(** applies to BlackBerry Radar H2 ITF100-1, only)*

GSM 850: 824~849 MHz

GSM 900: 880~915 MHz

GSM 1800: 1710~1785 MHz

GSM 1900: 1850~1910 MHz

WCDMA B1: 1920~1980 MHz

WCDMA B2: 1850~1910 MHz

WCDMA B5: 824~849 MHz

WCDMA B8: 880~915 MHz

LTE B2: 1850~1910 MHz

LTE B4: 1710~1755 MHz

LTE B5: 824~849 MHz

LTE B12: 698~716 MHz

**869.85 MHz

**915 MHz: 902~928 MHz

**2.4 GHz: 2400~2480 MHz

MAX radio conducted power information (EIRP):

*(** applies to BlackBerry Radar H2 ITF100-1, only)*

GSM 850: 33 dBm

GSM 900: 33 dBm

GSM 1800: 30 dBm

GSM 1900: 30 dBm

WCDMA B1: 24 dBm

WCDMA B2: 24 dBm

WCDMA B5: 24 dBm

WCDMA B8: 24 dBm

LTE B2: 19.71 dBm

LTE B4: 18.67 dBm

LTE B5: 19.33 dBm

LTE B12: 16.41 dBm

**869.85 MHz: 6.86 dBm

**915 MHz: 12.93 dBm

**2.4 GHz: 9.98 dBm

Legal notice

©2021 BlackBerry. All rights reserved. BlackBerry®, BlackBerry Radar™, and related trademarks, names and logos are the property of BlackBerry Limited and are registered and/or used in the U.S. and countries around the world. CTIA - The Wireless Association is a trademark of CTIA - The Wireless Association. GSM is a trademark of the GSM MOU Association. LTE and UMTS are trademarks of European Telecommunications Standards Institute (ETSI). All other trademarks are the property of their respective owners. This documentation including all documentation incorporated by reference herein such as documentation provided or made available on the BlackBerry website is provided "as is" and without condition, endorsement, guarantee, representation or warranty, or liability of any kind by BlackBerry Limited and its affiliated companies, all of which are expressly disclaimed to the maximum extent permitted by applicable law in your jurisdiction.

The terms of use of any BlackBerry product or service are set out in a separate license or other agreement with BlackBerry applicable thereto. NOTHING IN THIS DOCUMENTATION IS INTENDED TO SUPERSEDE ANY EXPRESS WRITTEN AGREEMENTS OR WARRANTIES PROVIDED BY BLACKBERRY FOR PORTIONS OF ANY BLACKBERRY PRODUCT OR SERVICE OTHER THAN THIS DOCUMENTATION.

BlackBerry Limited
2200 University Avenue East
Waterloo, Ontario
Canada N2K 0A7

BlackBerry UK Limited
Ground Floor, The Pearce Building, West Street
Maidenhead, Berkshire SL6 1RL
United Kingdom

Published in Canada