RTS RIM Testing Services		ing Aid Compatibility RF Berry Wireless Handheld N		Page 3(42)
Author Data	Dates			
Daoud Attayi	Dates June 26-29, 2005 Report No			₩

Annex B: Probe and dipole descriptions and calibration certificates


B.1 Probe and measurement chain descriptions and specifications

RIM Testing Services

Author Data
Dates
Da

DASY Dosimetric Assessment System by Schmid & Partner Engineering AG





http://www.dasy4.com/er3.htm


RIM Testing Services

Author Data
Dates
Dates
Dates
Document Annexes to Hearing Aid Compatibility RF Emissions
Test Report for BlackBerry Wireless Handheld Model
RBH42GW / RBH44GW

Report No
RTS-0447-0606-24
RTS-0447-0606-24
RTS-0447-0606-24
RTS-0447-0606-24

DASY Dosimetric Assessment System by Schmid & Partner Engineering AG





http://www.dasy4.com/h3d.htm


RTS RIM Testing Services	Test Report for BlackBer RBH42GW / RBH44GW			Page 6(42)
Author Data	Dates Report No FCC ID			
Daoud Attayi	June 26-29, 2005	RTS-0447-0606-24	L6ARBH400	5W

All measurements were performed to the nearest element point as per the C63.19 standard. Offset distances were entered in the DASY4 software so that the measurement was to the nearest element.


Figures 1 and 2, provided by the manufacturer, illustrate detail of the probe tip and its dimensions.

ER3DV6 E-Field probe: The distances from the probe tip to the closest points on the dipole sensors are 1.45mm for X and Y and 1.25mm for Z. From the probe tip to the center of the sensors is 2.5mm.

H3DV6 H-Field probe: The distance from the probe tip to the closest point of the X, Y and Z loop sensors is 1.1mm. From the probe tip to the center of the sensor is 3.00mm.



E-Field Probe (ER3DV6)



H-Field Probe (H3DV6)

RIM Testing Services | Document Annexes to Hearing Aid Compatibility RF Emissions Test Report for BlackBerry Wireless Handheld Model RBH42GW / RBH44GW | 7(42) | Author Data Dates | Report No RTS-0447-0606-24 | L6ARBH40GW | L6ARBH40GW | RTS-0447-0606-24 | L6ARBH40GW | RTS-0447-0606-24 | RTS-0447-0606-24 | L6ARBH40GW | RTS-0447-0606-24 | RTS-0447-0606-2

The following information is from the system manufacturer user manual describing the process chain:

The first step of the evaluation is a linearization of the filtered input signal to account for the compression characteristics of the detector diode. The compensation depends on the input signal, the diode type and the DC-transmission factor from the diode to the evaluation electronics. If the exciting field is pulsed, the crest factor of the signal must be known to correctly compensate for peak power. The formula for each channel can be given as:

$$V_i = U_i + U_i^2 \cdot \frac{cf}{dcp_i}$$
(20.1)

with V_i = compensated signal of channel i (i = x, y, z) U_i = input signal of channel i (i = x, y, z) cf = crest factor of exciting field (DASY parameter) dcp_i = diode compression point (DASY parameter)

From the compensated input signals the primary field data for each channel can be evaluated:

E – field
probes :
$$E_i = \sqrt{\frac{V_i}{Norm_i \cdot ConvF}}$$

$${
m H-field probes}$$
 : $H_i = \sqrt{V_i} \cdot rac{a_{i0} + a_{i1}f + a_{i2}f^2}{f}$

with V_i = compensated signal of channel i (i = x, y, z) $Norm_i$ = sensor sensitivity of channel i (i = x, y, z)

> $\mu V/(V/m)^2$ for E-field Probes = sensitivity enhancement in solution

ConvF = sensitivity enhancement in solution a_{ij} = sensor sensitivity factors for H-field probes

f = carrier frequency [GHz]

 E_i = electric field strength of channel i in V/m H_i = magnetic field strength of channel i in A/m

The RSS value of the field components gives the total field strength (Hermitian magnitude):

$$E_{tot} = \sqrt{E_x^2 + E_y^2 + E_z^2}$$
 (20.2)

The measurement / integration time per point is > 500 ms, as per the system manufacturer:

The time response of the field probes has been assessed by exposing the probe to a well-controlled field producing signals larger than HAC E- and H-fields of class M4. The signal response time is evaluated as the time required by the system to reach 90% of the expected final value after an on/off switch of the power source with an integration time of 500 ms and a probe response time of <5 ms. In the current implementation, DASY4 waits longer than 100 ms after having reached the grid point before starting a measurement, i.e., the response time uncertainty is negligible.

If the device under test does not emit a CW signal, the integration time applied to measure the electric field at a specific point may introduce additional uncertainties due to the discretization. The tolerances for the different systems had the worst-case of 2.6%.

RTS RIM Testing Services	Document Annexes to Hearing Test Report for BlackBerr RBH42GW / RBH44GW	• • •		Page 8(42)	
Author Data	Dates Report No FCC ID				
Daoud Attayi	June 26-29, 2005 RTS-0447-0606-24 L6ARBH40GW			SW	

B.2 Probe and dipole calibration certificates

Document Annexes to Hearing Aid Compatibility RF Emissions Test Report for BlackBerry Wireless Handheld Model RBH42GW / RBH44GW

Page

9(42)

Author Data

Daoud Attayi

June 26-29, 2005

Report No **RTS-0447-0606-24**

FCC ID L6ARBH40GW







- S Schweizerischer Kalibrierdienst
 C Service suisse d'étalonnage
 Servizio svizzero di taratura
 S Swiss Calibration Service
- Accredited by the Swiss Federal Office of Metrology and Accreditation The Swiss Accreditation Service is one of the signatories to the EA Multilateral Agreement for the recognition of calibration certificates

DIM.

Certificate No: ER3-2285_Apr06

Accreditation No.: SCS 108

CALIBRATION (CERTIFICAT	Έ			
Object	ER3DV6 - SN:	2285			
Calibration procedure(s)	QA CAL-02.v4 Calibration procedure for E-field probes optimized for close near field evaluations in air				
Calibration date:	April 27, 2006				
Condition of the calibrated item	In Tolerance				
All calibrations have been condu Calibration Equipment used (M& Primary Standards Power meter E4419B		tory facility: environment temperature (22 ± 3)°C an Cal Date (Calibrated by, Certificate No.) 5-Apr-06 (METAS, No. 251-00557)	d humidity < 70%. Scheduled Calibration Apr-07		
Power sensor E4412A	MY41495277	5-Apr-06 (METAS, No. 251-00557)	Apr-07		
	MY41498087	5-Apr-06 (METAS, No. 251-00557)			
Power sensor E4412A			Apr-07		
	SN: S5054 (3c)	11-Aug-05 (METAS, No. 251-00499)	Apr-07 Aug-06		
Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator		11-Aug-05 (METAS, No. 251-00499) 4-Apr-06 (METAS, No. 251-00558)	Aug-06		
Reference 3 dB Attenuator	SN: S5054 (3c)	11-Aug-05 (METAS, No. 251-00499) 4-Apr-06 (METAS, No. 251-00558) 11-Aug-05 (METAS, No. 251-00500)			
Reference 3 dB Attenuator Reference 20 dB Attenuator Reference 30 dB Attenuator	SN: S5054 (3c) SN: S5086 (20b)	4-Apr-06 (METAS, No. 251-00558) 11-Aug-05 (METAS, No. 251-00500)	Aug-06 Apr-07		
Reference 3 dB Attenuator Reference 20 dB Attenuator Reference 30 dB Attenuator Reference Probe ER3DV6	SN: S5054 (3c) SN: S5086 (20b) SN: S5129 (30b)	4-Apr-06 (METAS, No. 251-00558)	Aug-06 Apr-07 Aug-06		
Reference 3 dB Attenuator Reference 20 dB Attenuator Reference 30 dB Attenuator Reference Probe ER3DV6 DAE4 Secondary Standards	SN: S5054 (3c) SN: S5086 (20b) SN: S5129 (30b) SN: 2328 SN: 654	4-Apr-06 (METAS, No. 251-00558) 11-Aug-05 (METAS, No. 251-00500) 3-Oct-05 (SPEAG, No. ER3-2328_Oct05) 2-Feb-06 (SPEAG, No. DAE4-684_Feb06) Check Date (In house)	Aug-06 Apr-07 Aug-06 Oct-06		
Reference 3 dB Attenuator Reference 20 dB Attenuator Reference 30 dB Attenuator Reference Probe ER3DV6 DAE4 Recondary Standards RE generator HP 8648C	SN: S5054 (3c) SN: S5086 (20b) SN: S5129 (30b) SN: 2328 SN: 654	4-Apr-06 (METAS, No. 251-00558) 11-Aug-05 (METAS, No. 251-00500) 3-Oct-05 (SPEAG, No. ER3-2328_Oct05) 2-Feb-06 (SPEAG, No. DAE4-654_Feb06) Check Date (in house) 4-Aug-99 (SPEAG, in house check Nov-05)	Aug-06 Apr-07 Aug-06 Oct-06 Feb-07 Scheduled Check In house check: Nov-07		
Reference 3 dB Attenuator Reference 20 dB Attenuator Reference 30 dB Attenuator Reference Probe ER3DV6 DAE4 Secondary Standards RF generator HP 8648C	SN: S5054 (3c) SN: S5086 (20b) SN: S5129 (30b) SN: 2328 SN: 654	4-Apr-06 (METAS, No. 251-00558) 11-Aug-05 (METAS, No. 251-00500) 3-Oct-05 (SPEAG, No. ER3-2328_Oct05) 2-Feb-06 (SPEAG, No. DAE4-684_Feb06) Check Date (In house)	Aug-06 Apr-07 Aug-06 Oct-06 Feb-07 Scheduled Check In house check; Nov-07		
Reference 3 dB Attenuator Reference 20 dB Attenuator Reference 30 dB Attenuator Reference Probe ER3DV6 DAE4 Secondary Standards RF generator HP 8648C Network Analyzer HP 8753E	SN: S5054 (3c) SN: S5086 (20b) SN: S5129 (30b) SN: 2328 SN: 654 ID # US3642U01700 US37390585 Name	4-Apr-06 (METAS, No. 251-00558) 11-Aug-05 (METAS, No. 251-00500) 3-Oct-05 (SPEAG, No. ER3-2328_Oct05) 2-Feb-06 (SPEAG, No. DAE4-684_Feb06) Check Date (in house) 4-Aug-99 (SPEAG, in house check Nov-05) 18-Oct-01 (SPEAG, in house check Nov-05)	Aug-06 Apr-07 Aug-06 Oct-06 Feb-07		
Reference 3 dB Attenuator Reference 20 dB Attenuator Reference 30 dB Attenuator Reference Probe ER3DV6 DAE4	SN: S5054 (3c) SN: S5086 (20b) SN: S5129 (30b) SN: 2328 SN: 654 ID # US3642U01700 US37390585	4-Apr-06 (METAS, No. 251-00558) 11-Aug-05 (METAS, No. 251-00500) 3-Oct-05 (SPEAG, No. ER3-2328_Oct05) 2-Feb-06 (SPEAG, No. DAE4-684_Feb06) Check Date (in house) 4-Aug-99 (SPEAG, in house check Nov-05) 18-Oct-01 (SPEAG, in house check Nov-05)	Aug-08 Apr-07 Aug-06 Oct-06 Feb-07 Scheduled Check In house check: Nov-07 In house check: Nov-08		
Reference 3 dB Attenuator Reference 20 dB Attenuator Reference 30 dB Attenuator Reference Probe ER3DV6 DAE4 Secondary Standards RF generator HP 8648C Network Analyzer HP 8753E	SN: S5054 (3c) SN: S5086 (20b) SN: S5129 (30b) SN: 2328 SN: 654 ID # US3642U01700 US37390585 Name	4-Apr-06 (METAS, No. 251-00558) 11-Aug-05 (METAS, No. 251-00500) 3-Oct-05 (SPEAG, No. ER3-2328_Oct05) 2-Feb-06 (SPEAG, No. DAE4-684_Feb06) Check Date (in house) 4-Aug-99 (SPEAG, in house check Nov-05) 18-Oct-01 (SPEAG, in house check Nov-05)	Aug-06 Apr-07 Aug-06 Oct-06 Feb-07 Scheduled Check In house check: Nov-07 In house check: Nov-08		
Reference 3 dB Attenuator Reference 20 dB Attenuator Reference 30 dB Attenuator Reference Probe ER3DV6 DAE4 Secondary Standards RF generator HP 8648C Network Analyzer HP 8753E Calibrated by:	SN: S5054 (3c) SN: S5086 (20b) SN: S5129 (30b) SN: 2328 SN: 654 ID # US3642U01700 US37390585 Name Katja Pokovic	4-Apr-06 (METAS, No. 251-00558) 11-Aug-05 (METAS, No. 251-00500) 3-Oct-05 (SPEAG, No. ER3-2328_Oct05) 2-Feb-06 (SPEAG, No. DAE4-654_Feb06) Check Date (in house) 4-Aug-99 (SPEAG, in house check Nov-05) 18-Oct-01 (SPEAG, in house check Nov-05) Function Technical Manager	Aug-08 Apr-07 Aug-06 Oct-06 Feb-07 Scheduled Check In house check: Nov-07 In house check: Nov-07		

Page 1 of 9

RIM Testing Services | Document Annexes to Hearing Aid Compatibility RF Emissions Test Report for BlackBerry Wireless Handheld Model RBH42GW / RBH44GW | 10(42) | Author Data Dates | Dates | Report No RTS-0447-0606-24 | L6ARBH40GW | L6ARBH40GW | RTS-0447-0606-24 | L6ARBH40GW | RTS-0447-0606-24 | RTS-0447-0606-24 | L6ARBH40GW | RTS-0447-0606-24 | RTS-04

Calibration Laboratory of Schmid & Partner Engineering AG Zaughamatrasse 43, 8004 Zurich, Switzerland





Schweisertscher Kalibriertierst Service suisse d'étalonnage Servizio svizzero di tereture Series Calibration Service

Accreditation No.: SCS 108

Accredited by the Swiss Federal Office of Metrology and Accreditation.
The Swiss Accreditation Service is one of the eignatories to the EA.
Multilisteral Agreement for the recognition of cellbration certificates.

Glossary:

NORMx,y,z sensitivity in free space
DCP diode compression point
Polarization φ rotation around probe axis

Polarization 9 9 rotation around an axis that is in the plane normal to probe axis (at

measurement center), i.e., 9 = 0 is normal to probe axis

Connector Angle information used in DASY system to align probe sensor X to the robot

coordinate system

Calibration is Performed According to the Following Standards:

 a) IEEE Std 1309-1996, "IEEE Standard for calibration of electromagnetic field sensors and probes, excluding antennas, from 9 kHz to 40 GHz", 1998.

Methods Applied and Interpretation of Parameters:

- NORMx,y,z: Assessed for E-field polarization 9 = 0 for XY sensors and 9 = 90 for Z sensor (f ≤ 900 MHz in TEM-cell; f > 1800 MHz: R22 waveguide).
- NORM(f)x,y,z = NORMx,y,z * frequency_response (see Frequency Response Chart).
- DCPx,y,z: DCP are numerical linearization parameters assessed based on the data of power sweep (no uncertainty required). DCP does not depend on frequency.
- Spherical isotropy (3D deviation from isotropy): in a locally homogeneous field realized using an open waveguide setup.
- Sensor Offset: The sensor offset corresponds to the offset of virtual measurement center from the probe tip (on probe axis). No tolerance required.
- Connector Angle: The angle is assessed using the information gained by determining the NORMx (no uncertainty required).

Certificate No: ER3-2285_Apr06	Page 2 of B	

RTS RIM Testing Services	Test Report for BlackBerr RBH42GW / RBH44GW			Page 11(42)
Author Data	Dates	Report No	FCC ID	
Daoud Attayi	June 26-29, 2005	RTS-0447-0606-24	L6ARBH40G	SW

ER3DV6 SN:2285

April 27, 2006

Probe ER3DV6

SN:2285

Manufactured:

September 20, 2002

Last calibrated:

November 11, 2005

Repaired: Recalibrated: April 20, 2006 April 27, 2006

Calibrated for DASY Systems

(Note: non-compatible with DASY2 system!)

Certificate Nor ER3-2285_Apr06

Page 3 of 9

ER3DV6 \$N:2285 April 27, 2006

DASY - Parameters of Probe: ER3DV6 SN:2285

Sensitivity in Free	Space [μV/(V/m)²]	Diode Co	ompression^
NormX	1.20 ± 10.1 % (k=2)	DCP X	93 mV
NormY	1.40 ± 10.1 % (k=2)	DCPY	93 mV
NormZ	1.54 ± 10.1 % (k=2)	DCP Z	98 mV
C	-4:		

Frequency Correction

x	0.0
Y	0.0
Z	0.0

Sensor Offset (Probe Tip to Sensor Center)

X 2.5 mm Y 2.5 mm Z 2.5 mm

Connector Angle 78 °


The reported uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor k=2, which for a normal distribution corresponds to a coverage probability of approximately 95%.

Certificate No: ER3-2285_Apr08

Pege 4 of 9

 $^{^{\}mathsf{A}}$ numerical linearization parameter; uncertainty not required

RTS RIM Testing Services	Test Report for BlackBerr RBH42GW / RBH44GW			Page 13(42)
Author Data	Dates	Report No	FCC ID	
Daoud Attayi	June 26-29, 2005	RTS-0447-0606-24	L6ARBH40G	W




Uncertainty of Frequency Response of E-field: ± 6.3% (k=2)

Certificate No: ER3-2265_Apr06

Page 5 of 9


RTS RIM Testing Services	Test Report for BlackBe RBH42GW / RBH44GW	ng Aid Compatibility RF erry Wireless Handheld I		Page 14(42)
Author Data	Dates	Report No	FCC ID	
Daoud Attayi	June 26-29, 2005 RTS-0447-0606-24 L6ARBH40GW			SW WE



RTS RIM Testing Services		ring Aid Compatibility RF Berry Wireless Handheld N V		Page 15(42)
Author Data	Dates			
Daoud Attayi	June 26-29, 2005	RTS-0447-0606-24	L6ARBH400	W




Receiving Pattern (ϕ), ϑ = 0°



Uncertainty of Axial Isotropy Assessment: ± 0.5% (k≠2)

Receiving Pattern (¢), 9 = 90°




Uncertainty of Axial Isotropy Assessment: 2 0.5% (k=2)

Certificate No: ER3-2265_Apr06

Page 7 of 9

RTS RIM Testing Services	Document Annexes to Hearing Test Report for BlackBerr RBH42GW / RBH44GW			Page 16(42)
Author Data	Dates	Report No	FCC ID	
Daoud Attayi	June 26-29, 2005	RTS-0447-0606-24	L6ARBH40G	SW




RIM Testing Services Document Annexes to Hearing Aid Compatibility RF Emissions Test Report for BlackBerry Wireless Handheld Model RBH42GW / RBH44GW 17(42) Dates Daoud Attayi Dates June 26-29, 2005 REPORT NO RTS-0447-0606-24 REPORT NO RTS-0447-0606-24 REPORT NO RTS-0447-0606-24

ER3DV6 SN:2285

April 27, 2006

Deviation from Isotropy in Air Error (ϕ, θ) , f = 900 MHz



Uncertainty of Spherical Isotropy Assessment: ± 2.6% (k=2)

Certificate No: ER3-2285_Apr06

Page 9 of 9

Document Annexes to Hearing Aid Compatibility RF Emissions Test Report for BlackBerry Wireless Handheld Model RBH42GW / RBH44GW

Page

18(42)

Author Data

Daoud Attavi

Dates

June 26-29, 2005

Report No RTS-0447-0606-24 FCC ID L6ARBH40GW

Calibration Laboratory of Schmid & Partner

Schmid & Partner
Engineering AG
Zeughausstrasse 43, 8004 Zurich, Switzerland





S Schweizerischer Kalibrierdienst
C Service suisse d'étalonnage
Servizio svizzero di taratura
S Swiss Calibration Service

Accredited by the Swiss Federal Office of Metrology and Accreditation The Swiss Accreditation Service is one of the signatories to the EA Multilateral Agreement for the recognition of calibration certificates

Client RIM

Certificate No: H3-6105_Nov05

Accreditation No.: SCS 108

CALIBRATION CERTIFICATE H3DV6 - SN:6105 Object QA CAL-03.v4 Calibration procedure(s) Calibration procedure for H-field probes optimized for close near field evaluations in air November 11, 2005 Calibration date: In Tolerance Condition of the calibrated item This calibration certificate documents the traceability to national standards, which realize the physical units of measurements (SI). The measurements and the uncertainties with confidence probability are given on the following pages and are part of the certificate. All calibrations have been conducted in the closed laboratory facility: environment temperature (22 ± 3)°C and humidity < 70% Calibration Equipment used (M&TE critical for calibration) Cal Date (Calibrated by, Certificate No.) Scheduled Calibration Primary Standards GB41293874 3-May-05 (METAS, No. 251-00466) May-06 Power meter E4419B Power sensor E4412A MY41495277 3-May-05 (METAS, No. 251-00466) May-06 Power sensor E4412A MY41498087 3-May-05 (METAS, No. 251-00466) May-06 11-Aug-05 (METAS, No. 251-00499) Aug-06 Reference 3 dB Attenuator SN: S5054 (3c) Reference 20 dB Attenuator SN: S5086 (20b) 3-May-05 (METAS, No. 251-00467) May-06 11-Aug-05 (METAS, No. 251-00500) Aug-06 SN: S5129 (30b) Reference 30 dB Attenuator 3-Oct-05 (SPEAG, No. H3-6182_Oct05) Oct-06 Reference Probe H3DV6 SN: 6182 27-Oct-05 (SPEAG, No. DAE4-654_Oct05) Oct-06 DAE4 SN: 654 Check Date (in house) Scheduled Check ID# Secondary Standards 4-Aug-99 (SPEAG, in house check Dec-03) In house check: Dec-05 US3642U01700 RF generator HP 8648C In house check: Nov 05 18-Oct-01 (SPEAG, in house check Nov-04) Network Analyzer HP 8753E US37390585 Name Function Nico Vetterli Laboratory Technician Calibrated by: Technical Manager Katja Pokovic Approved by: Issued: November 12, 2005 This calibration certificate shall not be reproduced except in full without written approval of the laboratory.

Certificate No: H3-6105_Nov05

Page 1 of 8

Calibration Laboratory of Schmid & Partner Engineering AG Zouphauestrasse 43, 8004 Zurich, Switzerland





Schweizerischer Kallbrierdierist
Service suisse d'étalonnage
Servizio svizzero di teratura
Swies Calibration Service

Accreditation No.: \$C\$ 108

Accredited by the Swiss Federal Office of Metrology and Accreditation The Swiss Accreditation Service is one of the signaturies to the EA Multilateral Agreement for the recognition of calibration certificates

Glossary:

NORMx,y,z sensitivity in free space
DCP diode compression point
Polarization φ rotation around probe axis

Potarization 9 9 rotation around an axis that is in the plane normal to probe axis (at

measurement center), i.e., $\vartheta = 0$ is normal to probe axis

Connector Angle information used in DASY system to align probe sensor X to the robot

coordinate system

Calibration is Performed According to the Following Standards:

a) IEEE Std 1309-1996, "IEEE Standard for calibration of electromagnetic field sensors and probes, excluding antennas, from 9 kHz to 40 GHz", 1996.

Methods Applied and Interpretation of Parameters:

- X,Y,Z_a0a1a2: Assessed for E-field polarization 9 = 90 for XY sensors and 9 = 0 for Z sensor (f ≤ 900 MHz in TEM-ceil; f > 1800 MHz: R22 waveguide).
- X,Y,Z(f)_a0a1a2= X,Y,Z_a0a1a2* frequency_response (see Frequency Response Chart).
- DCPx,y,z: DCP are numerical linearization parameters assessed based on the data of power sweep (no uncertainty required). DCP does not depend on frequency.
- Spherical isotropy (3D deviation from isotropy): in a locally homogeneous field realized using an open waveguide setup.
- Sensor Offset: The sensor offset corresponds to the offset of virtual measurement center from the probe tip (on probe axis). No tolerance required.
- Connector Angle: The angle is assessed using the information gained by determining the X_a0a1a2 (no uncertainty required).

Certificate No: H3-6105_Nov05	Page 2 of 8	

RTS RIM Testing Services	Document Annexes to Hearing Test Report for BlackBerr RBH42GW / RBH44GW			Page 20(42)
Author Data	Dates	Report No	FCC ID	
Daoud Attayi	June 26-29, 2005	RTS-0447-0606-24	L6ARBH40G	SW

H3DV6 SN:6105

November 11, 2005

Probe H3DV6

SN:6105

Manufactured:

January 4, 2002

Last calibrated:

December 10, 2004

Recalibrated:

November 11, 2005

Calibrated for DASY Systems

(Note: non-compatible with DASY2 system!)

Certificate No: H3-6105_Nov05

Page 3 of 8

RTS RIM Testing Services	Test Report for BlackBerr RBH42GW / RBH44GW			Page 21(42)
Author Data	Dates	Report No	FCC ID	
Daoud Attayi	June 26-29, 2005	RTS-0447-0606-24	L6ARBH40G	SW

H3DV6 SN:6105

November 11, 2005

DASY - Parameters of Probe: H3DV6 SN:6105

Sensitivity in Free Space [A/m / √(μV)]

 a0
 a1
 a2

 X
 2.835E-03
 1.152E-4
 -2.951E-5 ± 5.1 % (k=2)

 Y
 2.554E-03
 1.558E-4
 -2.758E-5 ± 5.1 % (k=2)

 Z
 2.898E-03
 2.014E-5
 -2.154E-5 ± 5.1 % (k=2)

Diode Compression¹

DCP X 88 mV DCP Y 88 mV DCP Z 89 mV

Sensor Offset (Probe Tip to Sensor Center)

X 3.0 mm Y 3.0 mm Z 3.0 mm

Connector Angle 282 °

The reported uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor k=2, which for a normal distribution corresponds to a coverage probability of approximately 95%.

Certificate No: H3-6105_Nov05

Page 4 of 8

¹ numerical linearization parameter; uncertainty not required


RTS RIM Testing Services	Test Report for BlackBerr RBH42GW / RBH44GW			Page 22(42)
Author Data	Dates	Report No	FCC ID	
Daoud Attayi	June 26-29, 2005	RTS-0447-0606-24	L6ARBH400	SW

H3DV6 SN:6105

November 11, 2005

Frequency Response of H-Field

(TEM-Cell:iff110, Waveguide R22)



Uncertainty of Frequency Response of E-field: ± 6.3% (k=2)

Certificate No: H3-8105_Nov05

Page 5 of

RTS
RIM Testing Services

Document Annexes to Hearing Aid Compatibility RF Emissions
Test Report for BlackBerry Wireless Handheld Model
RBH42GW / RBH44GW

uge

23(42)

Author Data

Daoud Attayi


June 26-29, 2005


Report No RTS-0447-0606-24 FCC ID L6ARBH40GW

H3DV6 SN:6105


November 11, 2005


Receiving Pattern (ϕ), $\vartheta = 90^{\circ}$





Receiving Pattern (ϕ), $\vartheta = 0^{\circ}$






Certificate No: H3-6105_Nov05

Page 6 of 8

RTS RIM Testing Services		ring Aid Compatibility RF Berry Wireless Handheld N N		Page 24(42)
Author Data	Dates	Report No	FCC ID	
Daoud Attavi	June 26-29, 2005	RTS-0447-0606-24	I 6ARBH400	W


H3DV6 SN:6105 November 11, 2005

Receiving Pattern (ϕ), θ = 90°



Uncertainty of Axial Isotropy Assessment: ± 0.5% (k=2)

Receiving Pattern (ϕ), $\vartheta = 0^{\circ}$



Uncertainty of Axial Isotropy Assessment: ± 0.5% (k=2)

Certificate No: H3-6105_Nov05

Page 7 of 8

RTS	5
RIM Test	ing Services

Document Annexes to Hearing Aid Compatibility RF Emissions Test Report for BlackBerry Wireless Handheld Model RBH42GW / RBH44GW

Page

25(42)

Author Data

Daoud Attayi

June 26-29, 2005

Report No RTS-0447-0606-24


FCC ID L6ARBH40GW


H3DV6 SN:6105

November 11, 2005

Dynamic Range f(H-field)

(Waveguide R22, f = 1800 MHz)





Uncertainty of Linearity Assessment: ± 0.6% (k=2)

Certificate No: H3-6105_Nov05

Page 8 of 8

RTS RIM Testing Services		ing Aid Compatibility RF erry Wireless Handheld N		Page 26(42)
Author Data	Dates	Report No	FCC ID	
Daoud Attayi	June 26-29, 2005	RTS-0447-0606-24	L6ARBH400	SW

Document Annexes to Hearing Aid Compatibility RF Emissions Test Report for BlackBerry Wireless Handheld Model RBH42GW / RBH44GW

Page

27(42)

Author Data **Daoud Attayi** Dates

June 26-29, 2005

Report No

RTS-0447-0606-24

FCC ID

L6ARBH40GW

Calibration Laboratory of Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zurich, Switzerland





Schweizerischer Kalibrierdienst S Service suisse d'étalonnage С Servizio svizzero di taratura S Swiss Calibration Service

Accredited by the Swiss Federal Office of Metrology and Accreditation The Swiss Accreditation Service is one of the signatories to the EA Multilateral Agreement for the recognition of calibration certificates

Accreditation No.: SCS 108

Certificate No: CD835V3-1011_Dec05

CALIBRATION CERTIFICATE CD835V3 - SN: 1011 Object Calibration procedure(s) QA CAL-20.v4 Calibration procedure for dipoles in air December 5, 2005 Calibration date: Condition of the calibrated item In Tolerance This calibration certificate documents the traceability to national standards, which realize the physical units of measurements (SI) All calibrations have been conducted at an environment temperature (22 ± 3)°C and humidity < 70%. Calibration Equipment used (M&TE critical for calibration) ID# Cal Date (Calibrated by, Certificate No.) Scheduled Calibration Primary Standards Power meter EPM-442A GB37480704 04-Oct-05 (METAS, No. 251-00516) Oct-06 Power sensor HP 8481A US37292783 04-Oct-05 (METAS, No. 251-00516) Oct-06 11-Aug-05 (METAS, No 251-00498) Reference 20 dB Attenuator SN: 5086 (20g) Aug-06 Reference 10 dB Attenuator 11-Aug-05 (METAS, No 251-00498) SN: 5047.2 (10r) Aug-06 Secondary Standards Check Date (in house) Scheduled Check Power meter EPM-4419B GB43310788 12-Aug-03 (SPEAG, in house check Oct-05) In house check: Oct-06 Power sensor HP 8481A MY41093312 10-Aug-03 (SPEAG, in house check Oct-05) In house check: Oct-07 Power sensor HP 8481A MY41093315 10-Aug-03 (SPEAG, in house check Oct-05) In house check: Oct-06 Network Analyzer HP 8753E US37390585 18-Oct-01 (SPEAG, in house check Nov-05) In house check: Nov-06 RF generator R&S SMT06 100005 26-Jul-04 (SPEAG, in house check Nov-05) In house check: Nov-07 16-Dec-04 (SPEAG, No. DAE4-901_Dec04) Calibration, Dec-05 SN: 660 Probe ER3DV6 SN: 2336 20-Jan-05 (SPEAG, No. ER3-2336_Jan05) Calibration, Jan-06 10-Dec-04 (SPEAG, No. H3-6065-Dec04) Calibration, Dec-05 Probe H3DV6 SN: 6065 Mike Meili Laboratory Technician Calibrated by: Fin Bomholt Technical Director Approved by:

Certificate No: CD835V3-1011_Dec05

Page 1 of 6

This calibration certificate is issued as an intermediate solution until the specific calibration procedure is accepted in the frame of the accreditation of the Calibration Laboratory of Schmid & Partner Engineering AG (based on ISO/IEC 17025 International Standard)

Document Annexes to Hearing Aid Compatibility RF Emissions Test Report for BlackBerry Wireless Handheld Model RBH42GW / RBH44GW

Page

28(42)

Author Data

Daoud Attayi

Dates

June 26-29, 2005

Report No

RTS-0447-0606-24

FCC ID

L6ARBH40GW

Calibration Laboratory of Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zurich, Switzerland





S Schweizerischer Kalibrierdienst
C Service sulsse d'étalonnage
Servizio svizzero di taratura
S Swiss Calibration Service

Accreditation No.: SCS 108

Accredited by the Swiss Federal Office of Metrology and Accreditation
The Swiss Accreditation Service is one of the signatories to the EA
Multilateral Agreement for the recognition of calibration certificates

References

 ANSI-PC63.19-2001 (Draft 3.x, 2005)
 American National Standard for Methods of Measurement of Compatibility between Wireless Communications Devices and Hearing Aids.

Methods Applied and Interpretation of Parameters:

- Coordinate System: y-axis is in the direction of the dipole arms, z-axis is from the basis of the antenna
 (mounted on the table) towards its feed point between the two dipole arms, x-axis is normal to the other axes.
 In coincidence with standard [1], the measurement planes (probe sensor center) are selected to be at a
 distance of 10 mm above the top edge of the dipole arms.
- Measurement Conditions: Further details are available from the hardcopies at the end of the certificate. All
 figures stated in the certificate are valid at the frequency indicated. The forward power to the dipole connector
 is set with a calibrated power meter connected and monitored with an auxiliary power meter connected to a
 directional coupler. While the dipole under test is connected, the forward power is adjusted to the same level.
- Antenna Positioning: The dipole is mounted on a HAC Test Arch phantom using the matching dipole positioner with the arms horizontal and the feeding cable coming from the floor. The measurements are performed in a shielded room with absorbers around the setup to reduce the reflections. It is verified before the mounting of the dipole under the Test Arch phantom, that its arms are perfectly in a line. It is installed on the HAC dipole positioner with its arms parallel below the dielectric reference wire and able to move elastically in vertical direction without changing its relative position to the top center of the Test Arch phantom. The vertical distance to the probe is adjusted after dipole mounting with a DASY4 Surface Check job. Before the measurement, the distance between phantom surface and probe tip is verified. The proper measurement distance is selected by choosing the matching section of the HAC Test Arch phantom with the proper device reference point (upper surface of the dipole) and the matching grid reference point (tip of the probe) considering the probe sensor offset. The vertical distance to the probe is essential for the accuracy.
- Feed Point Impedance and Return Loss: These parameters are measured using a HP 8753E Vector Network Analyzer. The impedance is specified at the SMA connector of the dipole. The influence of reflections was eliminating by applying the averaging function while moving the dipole in the air, at least 70cm away from any obstacles.
- E-field distribution: E field is measured in the x-y-plane with an isotropic ER3D-field probe with 100 mW forward power to the antenna feed point. In accordance with [1], the scan area is 20mm wide, its length exceeds the dipole arm length (180 or 90mm). The sensor center is 10 mm (in z) above the top of the dipole arms. Two 3D maxima are available near the end of the dipole arms. Assuming the dipole arms are perfectly in one line, the average of these two maxima (in subgrid 2 and subgrid 8) is determined to compensate for any non-parallelity to the measurement plane as well as the sensor displacement. The E-field value stated as calibration value represents the maximum of the interpolated 3D-E-field, 10mm above the dipole surface.
- H-field distribution: H-field is measured with an isotropic H-field probe with 100mW forward power to the
 antenna feed point, in the x-y-plane. The scan area and sensor distance is equivalent to the E-field scan. The
 maximum of the field is available at the center (subgrid 5) above the feed point. The H-field value stated as
 calibration value represents the maximum of the interpolated H-field, 10mm above the dipole surface at the
 feed point.

Certificate No: CD835V3-1011_Dec05	Page 2 of 6	
	•	

Document Annexes to Hearing Aid Compatibility RF Emissions Test Report for BlackBerry Wireless Handheld Model RBH42GW / RBH44GW

Page

29(42)

Author Data

Daoud Attayi

Dates June 26-29, 2005 Report No **RTS-0447-0606-24**

L6ARBH40GW

FCC ID

1 Measurement Conditions

DASY system configuration, as far as not given on page 1.

DASY Version	DASY4	V4.6 B23
DASY PP Version	SEMCAD	V1.8 B160
Phantom	HAC Test Arch	SD HAC P01 BA, #1002
Distance Dipole Top - Probe Center	10 mm	
Scan resolution	dx, $dy = 5 mm$	area = 20 x 180 mm
Frequency	835 MHz ± 1 MHz	
Forward power at dipole connector	20.0 dBm = 100mW	
Input power drift	< 0.05 dB	

2 Maximum Field values

H-field 10 mm above dipole surface	condition	interpolated maximum
Maximum measured	100 mW forward power	0.446 A/m

Uncertainty for H-field measurement: 8.2% (k=2)

E-field 10 mm above dipole surface	condition	Interpolated maximum
Maximum measured above high end	100 mW forward power	162.2 V/m
Maximum measured above low end	100 mW forward power	161.0 V/m
Averaged maximum above arm	100 mW forward power	161.6 V/m

Uncertainty for E-field measurement: 12.8% (k=2)

3 Appendix

3.1 Antenna Parameters

Frequency	Return Loss	Impedance
800 MHz	16.1 dB	(40.2 – j10.4) Ohm
835 MHz	26.7 dB	(53.4 + J3.4) Ohm
900 MHz	16.5 dB	(48.9 – j15.0) Ohm
950 MHz	19.7 dB	(47.5 + j9.8) Ohm
960 MHz	16.1 dB	(57.0 + j15.5) Ohm

3.2 Antenna Design and Handling

The calibration dipole has a symmetric geometry with a built-in two stub matching network, which leads to the enhanced bandwidth.

The dipole is built of standard semirigid coaxial cable. The internal matching line is open ended. The antenna is therefore open for DC signals.

Do not apply force to dipole arms, as they are liable to bend. The soldered connections near the feedpoint may be damaged. After excessive mechanical stress or overheating, check the impedance characteristics to ensure that the internal matching network is not affected.

After long term use with 40W radiated power, only a slight warming of the dipole near the feedpoint can be measured.

Document Annexes to Hearing Aid Compatibility RF Emissions Test Report for BlackBerry Wireless Handheld Model RBH42GW / RBH44GW

Page

30(42)

Author Data

Daoud Attayi


June 26-29, 2005

Report No **RTS-0447-0606-24**

FCC ID L6ARBH40GW

3.3 Measurement Sheets

3.3.1 Return Loss and Smith Chart



Certificate No: CD835V3-1011_Dec05

Page 4 of 6

Document Annexes to Hearing Aid Compatibility RF Emissions Test Report for BlackBerry Wireless Handheld Model RBH42GW / RBH44GW

Page

31(42)

Author Data

Daoud Attayi

Dates June 26-29, 2005 Report No **RTS-0447-0606-24**

L6ARBH40GW

3.3.2 DASY4 H-field result

Date/Time: 12/5/2005 3:57:25 PM

FCC ID

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: HAC-Dipole 835 MHz; Type: D835V3; Serial: 1011

Communication System: CW; Frequency: 835 MHz; Duty Cycle: 1:1

Medium: Air

Medium parameters used: $\sigma = 0$ mho/m, $\epsilon_r = 1$; $\rho = 1$ kg/m³

Phantom section: H Dipole Section

DASY4 Configuration:

- Probe: H3DV6 SN6065; Calibrated: 12/10/2004
- Sensor-Surface: (Fix Surface)
- · Electronics: DAE4 Sn660; Calibrated: 12/16/2004
- Phantom: HAC Test Arch; Type: SD HAC P01 BA; Serial: 1002
- Measurement SW: DASY4, V4.6 Build 23; Postprocessing SW: SEMCAD, V1.8 Build 160

H Scan 10mm above CD 835 MHz/Hearing Aid Compatibility Test (41x361x1):

Measurement grid: dx=5mm, dy=5mm


Maximum value of peak Total field = 0.446 A/m

Probe Modulation Factor = 1.00

Reference Value = 0.474 A/m; Power Drift = 0.012 dB Hearing Aid Near-Field Category: M2 (AWF 0 dB)

Peak H-field in A/m

Grid 1	Grid 2	Grid 3
0.376	0.398	0.379
Grid 4	Grid 5	Grid 6
0.419	0.446	0.428
Grid 7	Grid 8	Grid 9
0.365	0.391	0.376



0 dB = 0.446 A/m

Certificate No: CD835V3-1011_Dec05

Page 5 of 6

Document Annexes to Hearing Aid Compatibility RF Emissions Test Report for BlackBerry Wireless Handheld Model RBH42GW / RBH44GW

Report No

Page

32(42)

Author Data

Daoud Attayi

Dates

June 26-29, 2005

RTS-0447-0606-24

L6ARBH40GW

3.3.3 DASY4 E-Field result

Date/Time: 12/5/2005 12:21:35 PM

FCC ID

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: HAC-Dipole 835 MHz; Type: D835V3; Serial: 1011

Communication System: CW; Frequency: 835 MHz; Duty Cycle: 1:1

Medium: Ai

Medium parameters used: $\sigma = 0$ mho/m, $\varepsilon_r = 1$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: E Dipole Section

DASY4 Configuration:

- Probe: ER3DV6 SN2336; ConvF(1, 1, 1); Calibrated: 1/20/2005
- · Sensor-Surface: (Fix Surface)
- Electronics: DAE4 Sn660; Calibrated: 12/16/2004
- Phantom: HAC Test Arch; Type: SD HAC P01 BA; Serial: 1002
- Measurement SW: DASY4, V4.6 Build 23; Postprocessing SW: SEMCAD, V1.8 Build 160

E Scan 10mm above CD 835 MHz/Hearing Aid Compatibility Test (41x361x1):

Measurement grid: dx=5mm, dy=5mm

Maximum value of peak Total field = 162.2 V/m


Probe Modulation Factor = 1.00

Reference Value = 105.0 V/m; Power Drift = -0.027 dB

Hearing Aid Near-Field Category: M2 (AWF 0 dB)

Peak E-field in V/m

Grid 1	Grid 2	Grid 3
159.9	162.2	154.4
Grid 4	Grid 5	Grid 6
87.1	88.4	84.5
Grid 7	Grid 8	Grid 9
155.0	161.0	156.5



0 dB = 162.2V/m

Certificate No: CD835V3-1011_Dec05

Page 6 of 6

Document Annexes to Hearing Aid Compatibility RF Emissions Test Report for BlackBerry Wireless Handheld Model RBH42GW / RBH44GW

Page

33(42)

Author Data

Daoud Attayi

Dates

June 26-29, 2005

Report No **RTS-0447-0606-24**

FCC ID L6ARBH40GW

Calibration Laboratory of Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zurich, Switzerland





- S Schweizerischer Kalibrierdienst
 C Service suisse d'étalonnage
 Servizio svizzero di taratura
 S Swiss Calibration Service
- Accredited by the Swiss Federal Office of Metrology and Accreditation The Swiss Accreditation Service is one of the signatories to the EA Multilateral Agreement for the recognition of calibration certificates

Accreditation No.: SCS 108

ALIBRATION (CERTIFICAT	E	
Object	CD1880V3 - SN	l: 1008	
Calibration procedure(s)	QA CAL-20.v4 Calibration proc	edure for dipoles in air	
Calibration date:	December 6, 20	005	
Condition of the calibrated item	In Tolerance		
	cted in the closed laborat	probability are given on the following pages and articly facility: environment temperature $(22 \pm 3)^{\circ}$ C and	
Primary Standards	ID#	Cal Date (Calibrated by, Certificate No.)	Scheduled Calibration
Power meter EPM-442A	GB37480704	04-Oct-05 (METAS, No. 251-00516)	Oct-06
Power sensor HP 8481A	US37292783	04-Oct-05 (METAS, No. 251-00516)	Oct-06
20 dB Attenuator	SN: 5086 (20g)	11-Aug-05 (METAS, No 251-00498)	Aug-06
10 dB Attenuator	SN: 5047.2 (10r)	11-Aug-05 (METAS, No 251-00498)	Aug-06
Secondary Standards	ID#	Check Date (in house)	Scheduled Check
Power meter EPM-4419B	GB43310788	12-Aug-03 (SPEAG, in house check Oct-05)	In house check: Oct-06
Power sensor HP 8481A	MY41093312	10-Aug-03 (SPEAG, in house check Oct-05)	In house check: Oct-07
	MY41093315	10-Aug-03 (SPEAG, in house check Oct-05)	In house check: Oct-06
Power sensor HP 8481A	US37390585	18-Oct-01 (SPEAG, in house check Nov-05)	In house check: Nov-06
Network Analyzer HP 8753E		00 1 1 0 1 10 0 0 0 0 0 0 0 0 0 0 0 0 0	In house check: Nov-07
Network Analyzer HP 8753E RF generator R&S SMT06	100005	26-Jul-04 (SPEAG, in house check Nov-05)	
Network Analyzer HP 8753E RF generator R&S SMT06 DAE4	SN: 660	16-Dec-04 (SPEAG, No. DAE4-660_Dec04)	Calibration, Dec-05
Network Analyzer HP 8753E RF generator R&S SMT06 DAE4 Probe ER3DV6	SN: 660 SN: 2336	16-Dec-04 (SPEAG, No. DAE4-660_Dec04) 20-Jan-05 (SPEAG, No. ER3-2336_Jan05)	Calibration, Dec-05 Calibration, Jan-06
Network Analyzer HP 8753E RF generator R&S SMT06 DAE4 Probe ER3DV6	SN: 660	16-Dec-04 (SPEAG, No. DAE4-660_Dec04)	Calibration, Dec-05
Network Analyzer HP 8753E RF generator R&S SMT06 DAE4 Probe ER3DV6	SN: 660 SN: 2336	16-Dec-04 (SPEAG, No. DAE4-660_Dec04) 20-Jan-05 (SPEAG, No. ER3-2336_Jan05) 10-Dec-04 (SPEAG, No. H3-6065-Dec04) Function	Calibration, Dec-05 Calibration, Jan-06 Calibration, Dec-05 Signature
Network Analyzer HP 8753E RF generator R&S SMT06 DAE4 Probe ER3DV6 Probe H3DV6	SN: 660 SN: 2336 SN: 6065	16-Dec-04 (SPEAG, No. DAE4-660_Dec04) 20-Jan-05 (SPEAG, No. ER3-2336_Jan05) 10-Dec-04 (SPEAG, No. H3-6065-Dec04) Function	Calibration, Dec-05 Calibration, Jan-06 Calibration, Dec-05 Signature
Power sensor HP 8481A Network Analyzer HP 8753E RF generator R&S SMT06 DAE4 Probe ER3DV6 Probe H3DV6 Calibrated by: Approved by:	SN: 660 SN: 2336 SN: 6065	16-Dec-04 (SPEAG, No. DAE4-660_Dec04) 20-Jan-05 (SPEAG, No. ER3-2336_Jan05) 10-Dec-04 (SPEAG, No. H3-6065-Dec04) Function	Calibration, Dec-05 Calibration, Jan-06 Calibration, Dec-05

Certificate No: CD1880V3-1008_Dec05

Page 1 of 6

Document Annexes to Hearing Aid Compatibility RF Emissions Test Report for BlackBerry Wireless Handheld Model RBH42GW / RBH44GW

Page

34(42)

Author Data

Daoud Attavi

Dates

June 26-29, 2005

Report No

RTS-0447-0606-24

FCC ID L6ARBH40GW

Calibration Laboratory of Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zurich, Switzerland





Schweizerischer Kalibrierdienst Service suisse d'étalonnage Servizio svizzero di taratura Swiss Calibration Service

Accreditation No.: SCS 108

Accredited by the Swiss Federal Office of Metrology and Accreditation
The Swiss Accreditation Service is one of the ségnatories to the EA
Multilateral Agreement for the recognition of calibration certificates

References

 ANSI-PC63.19-2001 (Draft 3.x, 2005)
 American National Standard for Methods of Measurement of Compatibility between Wireless Communications Devices and Hearing Aids.

Methods Applied and Interpretation of Parameters:

- Coordinate System: y-axis is in the direction of the dipole arms. z-axis is from the basis of the antenna
 (mounted on the table) towards its feed point between the two dipole arms. x-axis is normal to the other
 axes. In coincidence with standard [1], the measurement planes (probe sensor center) are selected to
 be at a distance of 10 mm above the top edge of the dipole arms.
- Measurement Conditions: Further details are available from the hardcopies at the end of the certificate.
 All figures stated in the certificate are valid at the frequency indicated. The forward power to the dipole connector is set with a calibrated power meter connected and monitored with an auxiliary power meter connected to a directional coupler. While the dipole under test is connected, the forward power is adjusted to the same level.
- Antenna Positioning: The dipole is mounted on a HAC Test Arch phantom using the matching dipole positioner with the arms horizontal and the feeding cable coming from the floor. The measurements are performed in a shielded room with absorbers around the setup to reduce the reflections. It is verified before the mounting of the dipole under the Test Arch phantom, that its arms are perfectly in a line. It is installed on the HAC dipole positioner with its arms parallel below the dielectric reference wire and able to move elastically in vertical direction without changing its relative position to the top center of the Test Arch phantom. The vertical distance to the probe is adjusted after dipole mounting with a DASY4 Surface Check job. Before the measurement, the distance between phantom surface and probe tip is verified. The proper measurement distance is selected by choosing the matching section of the HAC Test Arch phantom with the proper device reference point (upper surface of the dipole) and the matching grid reference point (tip of the probe) considering the probe sensor offset. The vertical distance to the probe is essential for the accuracy.
- Feed Point Impedance and Return Loss: These parameters are measured using a HP 8753E Vector
 Network Analyzer. The impedance is specified at the SMA connector of the dipole. The influence of
 reflections was eliminating by applying the averaging function while moving the dipole in the air, at least
 70cm away from any obstacles.
- E-field distribution: E field is measured in the x-y-plane with an isotropic ER3D-field probe with 100 mW forward power to the antenna feed point. In accordance with [1], the scan area is 20mm wide, its length exceeds the dipole arm length (180 or 90mm). The sensor center is 10 mm (in z) above the top of the dipole arms. Two 3D maxima are available near the end of the dipole arms. Assuming the dipole arms are perfectly in one line, the average of these two maxima (in subgrid 2 and subgrid 8) is determined to compensate for any non-parellelity to the measurement plane as well as the sensor displacement. The E-field value stated as calibration value represents the maximum of the interpolated 3D-E-field, 10mm above the dipole surface.
- H-field distribution: H-field is measured with an isotropic H-field probe with 100mW forward power to the
 antenna feed point, in the x-y-plane. The scan area and sensor distance is equivalent to the E-field
 scan. The maximum of the field is available at the center (subgrid 5) above the feed point. The H-field
 value stated as calibration value represents the maximum of the Interpolated H-field, 10mm above the
 dipole surface at the feed point.

Certificate No: CD1880V3-1008_Dec05	Page 2 of 6	

Document Annexes to Hearing Aid Compatibility RF Emissions Test Report for BlackBerry Wireless Handheld Model RBH42GW / RBH44GW

Page

35(42)

Author Data

Daoud Attayi

June 26-29, 2005

Report No **RTS-0447-0606-24**

L6ARBH40GW

FCC ID

1 Measurement Conditions

DASY system configuration, as far as not given on page 1.

DASY Version	DASY4	V4.6 B23
DASY PP Version	SEMCAD	V1.8 B160
Phantom	HAC Test Arch	SD HAC P01 BA, #1002
Distance Dipole Top - Probe Center	10 mm	
Scan resolution	dx, dy = 5 mm	area = 20 x 90 mm
Frequency	1880 MHz ± 1 MHz	
Forward power at dipole connector	20.0 dBm = 100mW	
Input power drift	< 0.05 dB	

2 Maximum Field values

H-field 10 mm above dipole surface	condition	interpolated maximum
Maximum measured	100 mW forward power	0.454 A/m

Uncertainty for H-field measurement: 8.2% (k=2)

E-field 10 mm above dipole surface	condition	Interpolated maximum
Maximum measured above high end	100 mW forward power	132.9 V/m
Maximum measured above low end	100 mW forward power	131.8 V/m
Averaged maximum above arm	100 mW forward power	132.4 V/m

Uncertainty for E-field measurement: 12.8% (k=2)

3 Appendix

3.1 Antenna Parameters

Frequency	Return Loss	Impedance
1710 MHz	22.7 dB	(56.4 + j4.5) Ohm
1880 MHz	20.1 dB	(58.4 + j6.6 Ohm
1900 MHz	20.9 dB	(58.6 + j4.6) Ohm
1950 MHz	27.7 dB	(54.3 – j0.4) Ohm
2000 MHz	18.7 dB	(52.1 + j11.7) Ohm

3.2 Antenna Design and Handling

The calibration dipole has a symmetric geometry with a built-in two stub matching network, which leads to the enhanced bandwidth.

The dipole is built of standard semirigid coaxial cable. The internal matching line is open ended. The antenna is therefore open for DC signals.

Do not apply force to dipole arms, as they are liable to bend. The soldered connections near the feedpoint may be damaged. After excessive mechanical stress or overheating, check the impedance characteristics to ensure that the internal matching network is not affected.

After long term use with 40W radiated power, only a slight warming of the dipole near the feedpoint can be measured.

Document Annexes to Hearing Aid Compatibility RF Emissions Test Report for BlackBerry Wireless Handheld Model RBH42GW / RBH44GW

Page

36(42)

Author Data

Daoud Attayi


June 26-29, 2005

Report No **RTS-0447-0606-24**

FCC ID L6ARBH40GW



3.3.1 Return Loss and Smith Chart



Certificate No: CD1880V3-1008_Dec05

Page 4 of 6

Document Annexes to Hearing Aid Compatibility RF Emissions Test Report for BlackBerry Wireless Handheld Model RBH42GW / RBH44GW

Page

37(42)

Author Data

Daoud Attayi

Dates

June 26-29, 2005

Report No **RTS-0447-0606-24**

L6ARBH40GW

FCC ID

3.3.2 DASY4 H-field result

Date/Time: 12/6/2005 7:35:29 PM

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: HAC Dipole 1880 MHz; Type: CD1880V3; Serial: 1008

Communication System: CW; Frequency: 1880 MHz; Duty Cycle: 1:1

Medium: Air

Medium parameters used: $\sigma = 0$ mho/m, $\epsilon_r = 1$; $\rho = 1$ kg/m³

Phantom section: H Dipole Section

DASY4 Configuration:

- Probe: H3DV6 SN6065; Calibrated: 12/10/2004
- · Sensor-Surface: (Fix Surface)
- Electronics: DAE4 Sn660; Calibrated: 12/16/2004
- Phantom: HAC Test Arch 4.6; Type: SD HAC P01 BA; Serial: 1002
- Measurement SW: DASY4, V4.6 Build 23; Postprocessing SW: SEMCAD, V1.8 Build 160

H Scan 10mm above CD1880V3/Hearing Aid Compatibility Test (41x181x1):

Measurement grid: dx=5mm, dy=5mm

Maximum value of peak Total field = 0.454 A/m


Probe Modulation Factor = 1.00

Reference Value = 0.480 A/m; Power Drift = -0.009 dB

Hearing Aid Near-Field Category: M2 (AWF 0 dB)

Peak H-field in A/m

Grid 1 0.395	Grid 2 0.420	Grid 3 0.403
Grid 4	Grid 5	Grid 6
0.431	0.454	0.437



0 dB = 0.454A/m

Certificate No: CD1880V3-1008_Dec05

Page 5 of 6

Document Annexes to Hearing Aid Compatibility RF Emissions Test Report for BlackBerry Wireless Handheld Model RBH42GW / RBH44GW

Report No

Page

38(42)

Author Data

Daoud Attayi

Dates

June 26-29, 2005

RTS-0447-0606-24

FCC ID L6ARBH40GW

3.3.3 DASY4 E-Field result

Date/Time: 12/6/2005 8:20:46 PM

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: HAC Dipole 1880 MHz; Type: CD1880V3; Serial: 1008

Communication System: CW; Frequency: 1880 MHz; Duty Cycle: 1:1

Medium: Air

Medium parameters used: $\sigma = 0$ mho/m, $\epsilon_r = 1$; $\rho = 1000$ kg/m³

Phantom section: E Dipole Section

DASY4 Configuration:

- Probe: ER3DV6 SN2336; ConvF(1, 1, 1); Calibrated: 1/20/2005
- · Sensor-Surface: (Fix Surface)
- Electronics: DAE4 Sn660; Calibrated: 12/16/2004
- Phantom: HAC Test Arch 4.6; Type: SD HAC P01 BA; Serial: 1002
- Measurement SW: DASY4, V4.6 Build 23; Postprocessing SW: SEMCAD, V1.8 Build 160

E Scan 10mm above CD1880V3/Hearing Aid Compatibility Test (41x181x1):

Measurement grid: dx=5mm, dy=5mm

Maximum value of peak Total field = 132.9 V/m


Probe Modulation Factor = 1.00

Reference Value = 147.2 V/m; Power Drift = 0.033 dB

Hearing Aid Near-Field Category: M2 (AWF 0 dB)

Peak E-field in V/m

	Grid 1	Grid 2	Grid 3
	129.6	132.9	129.3
	Grid 4	Grid 5	Grid 6
	90.4	92.1	88.0
	Grid 7	Grid 8	Grid 9
١	125.5	131.8	129.5



0 dB = 132.9V/m

Certificate No: CD1880V3-1008_Dec05

Page 6 of 6

RTS RIM Testing Services	Test Report for BlackBern RBH42GW / RBH44GW			^{Page} 39(42)	
Author Data	Dates Report No FCC ID				
Daoud Attayi	June 26-29, 2005				

Annex C: Test set up photos

RTS RIM Testing Services	Document Annexes to Hearing Test Report for BlackBer RBH42GW / RBH44GW			Page 40(42)
Author Data	Dates	Report No	FCC ID	
Daoud Attayi	June 26-29, 2005	RTS-0447-0606-24	L6ARBH400	W




Figure 1 – Dipole validation setup

RTS RIM Testing Services	Document Annexes to Hearing Test Report for BlackBer RBH42GW / RBH44GW			Page 41(42)
Author Data	Dates	Report No	FCC ID	
Daoud Attayi	June 26-29, 2005	RTS-0447-0606-24	L6ARBH400	SW




Figure 2 – PMF measurement setup

RTS RIM Testing Services	Document Annexes to Hearing Test Report for BlackBerry RBH42GW / RBH44GW			Page 42(42)
Author Data	Dates	Report No	FCC ID	
Daoud Attayi	June 26-29, 2005	RTS-0447-0606-24	L6ARBH40G	W




Figure 2 – HAC RF emissions test setup