


<b>RTS</b> <b>RIM Testing Services</b>	<b>Document</b> <b>Annex E to Hearing Aid Compatibility Audio Band Magnetic (ABM) T-Coil Test Report for BlackBerry® Smartphone Model RBS21CW</b>		<b>Page</b> <b>1(5)</b>
	<b>Author Data</b> <b>Daoud Attayi</b>	<b>Dates of Test</b> <b>22 -23 Aug, 2007</b>	<b>Report No</b> <b>RTS-0736-0708-14 Rev1</b>

## Annex E: Test Setup Photos

<b>RTS</b> RIM Testing Services	Document <b>Annex E to Hearing Aid Compatibility Audio Band Magnetic (ABM) T-Coil Test Report for BlackBerry® Smartphone Model RBS21CW</b>		Page <b>2(5)</b>
	Author Data <b>Daoud Attayi</b>	Dates of Test <b>22 -23 Aug, 2007</b>	Report No <b>RTS-0736-0708-14 Rev1</b>

Radial L (-10, 5) mm  
Axial T-Coil Center (-2, 5) mm  
Acoustic output center (0,0)  
Radial L (0,-5) mm




**Figure E1: BlackBerry Smartphone**

<b>RTS</b> RIM Testing Services	Document <b>Annex E to Hearing Aid Compatibility Audio Band Magnetic (ABM) T-Coil Test Report for BlackBerry® Smartphone Model RBS21CW</b>		Page <b>3(5)</b>
	Author Data <b>Daoud Attayi</b>	Dates of Test <b>22 -23 Aug, 2007</b>	Report No <b>RTS-0736-0708-14 Rev1</b>




**Figure E2: Probe calibration and reference signal measurement setup**

<b>RTS</b> RIM Testing Services	Document <b>Annex E to Hearing Aid Compatibility Audio Band Magnetic (ABM) T-Coil Test Report for BlackBerry® Smartphone Model RBS21CW</b>		Page <b>4(5)</b>
	Author Data <b>Daoud Attayi</b>	Dates of Test <b>22 -23 Aug, 2007</b>	Report No <b>RTS-0736-0708-14 Rev1</b>



**Figure E3: Ambient noise measurement setup**

<b>RTS</b> RIM Testing Services	Document	Annex E to Hearing Aid Compatibility Audio Band Magnetic (ABM) T-Coil Test Report for BlackBerry® Smartphone Model RBS21CW		Page 5(5)
	Author Data Daoud Attayi	Dates of Test 22 -23 Aug, 2007	Report No RTS-0736-0708-14 Rev1	FCC ID L6ARBS20CW



**Figure E4: Audio Band Magnetic (ABM) T-Coil measurement setup**