
Testing Services™	Document Annex E to Hearing Aid Compatibility Audio Band Magnetic (ABM) T-Coil Test Report for BlackBerry® Smartphone model RCM72UW		
Author Data	Dates of Test	Report No	FCC ID
Daoud Attayi	June 28-30, 2010	RTS-1689-1007-19	L6ARCM70UW

## Annex E: Test Setup Photos

Testing Services™	Document Annex E to Hearing Aid Compatibility Audio Band Magnetic (ABM) T-Coil Test Report for BlackBerry® Smartphone model RCM72UW		Page 2(5)	
Author Data	Dates of Test	Report No	FCC ID	
Daoud Attayi	June 28-30, 2010	RTS-1689-1007-19	L6ARCM70	UW



Figure 1 - BlackBerry® Smartphone






Figure E2: Probe calibration and reference signal measurement setup

Testing Services™	Document Annex E to Hearing Aid Compatibility Audio Band Magnetic (ABM) T-Coil Test Report for BlackBerry® Smartphone model RCM72UW			Page 4(5)
Author Data	Dates of Test	Report No	FCC ID	
Daoud Attayi	June 28-30, 2010	RTS-1689-1007-19	L6ARCM70U	J <b>W</b>




Figure E3: Ambient noise and system validation measurement setup

This report shall <u>NOT</u> be reproduced except in full without the written consent of RIM Testing Services Copyright 2005-2010 RIM Testing Services , A division of Research In Motion Limited

Testing Services™	Document Annex E to Hearing Aid Compatibility Audio Band Magnetic (ABM) T-Coil Test Report for BlackBerry® Smartphone model RCM72UW		
Author Data	Dates of Test	Report No	FCC ID
Daoud Attayi	June 28-30, 2010	RTS-1689-1007-19	L6ARCM70UW




Figure E4: Audio Band Magnetic (ABM) T-Coil measurement setup