







CETECOM ICT Services consulting - testing - certification >>>

Annex C Photo documentation



Appendix to Test Report No.: 1-3851/11-01-11

Testing Laboratory

CETECOM ICT Services GmbH Untertürkheimer Straße 6 – 10 66117 Saarbrücken/Germany Phone: + 49 681 5 98 - 0 Fax: + 49 681 5 98 - 9075 Internet: <u>http://www.cetecom.com</u> e-mail: ict@cetecom.com

Accredited Test Laboratory:

The testing laboratory (area of testing) is accredited according to DIN EN ISO/IEC 17025 (2005) by the Deutsche Akkreditierungsstelle GmbH (DAkkS) The accreditation is valid for the scope of testing procedures as stated in the accreditation certificate with the registration number: D-PL-12076-01-01





Photo 1: Measurement System DASY 4

Photo 2: DUT - front view



Annex C to Test report no.: 1-3851/11-01-11



Photo 3: DUT - side view

Photo 4: DUT - rear view







Photo 5: DUT - rear view (open)

Photo 6: DUT - rear view (open) without battery



Annex C to Test report no.: 1-3851/11-01-11



Photo 7: The battery **Research In Motion Limited** Lithium Ion Rechargeable Battery, 3.7V/鋰離子充電電池 Capacity/容量: 1230mAh, 4.6Wh Cell made in Korea/電芯韓國製造, Patent Pending Further processed in China/中國組裝 BAT-30615-006 Lot Code/批號: DC110307 LOP1B 02629 Do not abuse battery. Dispose of battery properly. Follow instructions in manual. Utilisez les piles comme indiqué par le fabricant. Recyclez les piles correctement. Consultez le manuel Non utilizzare la batteria in modo improprio. Smaltire la batteria in base alle norme locali. Attenersi alle istruzioni contenute nel manuale Verwenden Sie Batterien stets vorschriftsgemäß. Enstorgen Sie Batterien fachgerecht. Anweisungen in Anleitung beachten. No utilice la bateria de forma inadecuada. Deshágase de la bateria de forma adecuada. Siga el manual de instrucciones 切勿濫用電池。適當處理電池。遵照說明書指示。 I.T.E BlackBerry 115 MH29581 Photo 8: DUT (label) 2 PRD-40465-700 CPR 17503 ASY - 40464 - 001 Rev L POP - 31821 - 006 Rev F PIN:32F5A61E SMTDate:06/28/11 BT MAC:70 D4 F2 CA AE 72 Made In CANADA 1 Property of Research In Motion MEID - HEX: A00000258E3524

1

GL

Annex C to Test report no.: 1-3851/11-01-11



Photo 9: DUT (label)



Photo 10: Test position body worn front side with 10 mm distance







Photo 11: Test position body worn rear side with 10 mm distance

Photo 12: Test position body worn left side with 10 mm distance








Photo 13: Test position body worn right side with 10 mm distance

Photo 14: Test position body worn bottom side with 10 mm distance







Photo 15: Test position body worn top side with 10 mm distance