	Document Appendix E for the BlackBerry® Smartphone Model REC71UW SAR Report Rev 1			Page 1(11)
	Author Data Andrew Becker	Dates of Test June 28 – September 16, 2011	Test Report No RTS-5385-1108-74 Rev 1	FCC ID: L6AREC70UW

APPENDIX E: PHOTOGRAPHS

Revision History:

RTS-5385-1108-74 Rev1: Information regarding the 20mm body-worn holster and 15mm manufacturer recommended separation distance has been added, which are used for body SAR compliance measurements.


RIM approved holster, as shown on Figure 1, has been designed to maintain device to user's body separation distance of 20mm.

In addition, body SAR measurements have been conducted with 15 mm, as shown on Figure 2, as per manufacturer's recommended separation distance to allow typical after-market holsters without metallic parts to be used.

20 mm distance



Figure 1

	Document Appendix E for the BlackBerry® Smartphone Model REC71UW SAR Report Rev 1			Page 2(11)
	Author Data Andrew Becker	Dates of Test June 28 – September 16, 2011	Test Report No RTS-5385-1108-74 Rev 1	FCC ID: L6AREC70UW

15 mm distance





Figure 2

	Document Appendix E for the BlackBerry® Smartphone Model REC71UW SAR Report Rev 1			Page 3(11)
	Author Data Andrew Becker	Dates of Test June 28 – September 16, 2011	Test Report No RTS-5385-1108-74 Rev 1	FCC ID: L6AREC70UW




Figure E1. BlackBerry Smartphone


	Document Appendix E for the BlackBerry® Smartphone Model REC71UW SAR Report Rev 1			Page 4(11)
	Author Data Andrew Becker	Dates of Test June 28 – September 16, 2011	Test Report No RTS-5385-1108-74 Rev 1	FCC ID: L6AREC70UW



Figure E2. Body worn holster – front


	Document Appendix E for the BlackBerry® Smartphone Model REC71UW SAR Report Rev 1			Page 5(11)
	Author Data Andrew Becker	Dates of Test June 28 – September 16, 2011	Test Report No RTS-5385-1108-74 Rev 1	FCC ID: L6AREC70UW



Figure E3. Body worn holsters – back


	Document Appendix E for the BlackBerry® Smartphone Model REC71UW SAR Report Rev 1			Page 6(11)
	Author Data Andrew Becker	Dates of Test June 28 – September 16, 2011	Test Report No RTS-5385-1108-74 Rev 1	FCC ID: L6AREC70UW



Figure E4. Head configuration (Right Touch/Tilt)


	Document Appendix E for the BlackBerry® Smartphone Model REC71UW SAR Report Rev 1			Page 7(11)
	Author Data Andrew Becker	Dates of Test June 28 – September 16, 2011	Test Report No RTS-5385-1108-74 Rev 1	FCC ID: L6AREC70UW



Figure E5. Head configuration (Left Touch/Tilt)



	Document Appendix E for the BlackBerry® Smartphone Model REC71UW SAR Report Rev 1			Page 8(11)
	Author Data Andrew Becker	Dates of Test June 28 – September 16, 2011	Test Report No RTS-5385-1108-74 Rev 1	FCC ID: L6AREC70UW



Figure E6. Body-worn configuration (No Holster, back side 15mm away)

	Document Appendix E for the BlackBerry® Smartphone Model REC71UW SAR Report Rev 1			Page 9(11)
	Author Data Andrew Becker	Dates of Test June 28 – September 16, 2011	Test Report No RTS-5385-1108-74 Rev 1	FCC ID: L6AREC70UW





Figure E7. Body-worn configuration (No Holster, front side 15mm away)

	Document Appendix E for the BlackBerry® Smartphone Model REC71UW SAR Report Rev 1			Page 10(11)
	Author Data Andrew Becker	Dates of Test June 28 – September 16, 2011	Test Report No RTS-5385-1108-74 Rev 1	FCC ID: L6AREC70UW




Figure E8. Body-worn configuration (Vertical Holster, back facing phantom)


	Document Appendix E for the BlackBerry® Smartphone Model REC71UW SAR Report Rev 1		Page 11(11)	
	Author Data Andrew Becker	Dates of Test June 28 – September 16, 2011	Test Report No RTS-5385-1108-74 Rev 1	FCC ID: L6AREC70UW



Figure E9. Body-worn configuration (No Holster, headset, back 15mm away)