# **FCC DFS Test Report**

Tested in accordance with
Federal Communications Commission (FCC)
Personal Communications Services
CFR 47, Parts 15.407
&
Industry Canada (IC), RSS-210



# A division of Research In Motion Limited

**REPORT NO.:** RTS-5385-1109-14

**PRODUCT MODEL NO.**: REC71UW, RED71UW **TYPE NAME**: BlackBerry<sup>®</sup> smartphone

FCC ID: L6AREC70UW, L6ARED70UW

IC: 2503A-REC70UW, 2503A-RED70UW

DATE: September 29, 2011



**Test Report No.** RTS-5385-1109-14

Date of Test September 29, 2011 **FCC ID**: L6AREC70UW **IC**: 250 **FCC ID**: L6ARED70UW **IC**: 250

IC: 2503A-REC70UW IC: 2503A-RED70UW

### **Statement of Performance:**

The BlackBerry<sup>®</sup> smartphone, model REC71UW, part number CER-41249-001 Rev. 1 and accessories when configured and operated per RIM's operation instructions, and performs within the requirements of the test standards.

The BlackBerry<sup>®</sup> smartphone, model RED71UW, part number CER-41248-001 Rev. 1 and accessories when configured and operated per RIM's operation instructions, and performs within the requirements of the test standards.

### **Declaration:**

We hereby certify that:

The test data reported herein is an accurate record of the performance of the sample(s) tested.

The test results are valid for the tested unit (s) only.

The test equipment used was suitable for the tests performed and within manufacturer's published specifications and operating parameters.

The test methods were consistent with the methods described in the relevant standards.

Documented by:

Heng Lin

Regulatory Compliance Specialist

Date: September 29, 2011

Reviewed and Approved by:

Masul Alta

Henry Lin

Masud S. Attayi, P.Eng.

Manager, Regulatory Compliance

Date: September 29, 2011

Reviewed by:

Shuo Wang

Regulatory Compliance Specialist

Date: September 29, 2011

Copyright 2005-2011 Page 2 of 13



**Test Report No.** RTS-5385-1109-14

Date of Test September 29, 2011 **FCC ID**: L6AREC70UW **IC** : 25 **FCC ID**: L6ARED70UW **IC** : 25

IC: 2503A-REC70UW IC: 2503A-RED70UW

### **Table of Contents**

A.	Scope	.4
B.	Associated Documents	.4
C.	Product Identification	.4
D.	Support Equipment Used for the Testing of the EUT	.5
E.	Test Results Chart – FCC Part 15, Client Device	.6
F.	Summary of Result	.6
G.	Compliance Test Equipment Used	.7
APPE	ENDIX 1 - DFS TEST PLOTS and DATA	.8

Copyright 2005-2011 Page 3 of 13



Test Report No. RTS-5385-1109-14 **Date of Test** September 29, 2011 FCC ID: L6AREC70UW IC: 2503A-REC70UW FCC ID: L6ARED70UW IC: 2503A-RED70UW

### A. Scope

This report details the results of compliance tests that were performed in accordance with the requirements of:

- FCC CFR 47 Part 15.407, October, 2010
- Industry Canada, RSS-210, Issue 8, December 2010, Licence-exempt Radio **Apparatus**

#### **B.** Associated Documents

1) BlackBerrySystemSimilarity\_REC71UW\_RED71UW

#### C. Product Identification

Manufactured by Research In Motion Limited whose headquarters is located at: 295 Phillip Street

Waterloo, Ontario Canada, N2L 3W8

Phone: 519 888 7465

Fax: 519 888 6906

The equipment under test (EUT) was tested at the following locations:

**RIM Testing Services** 440 Phillip Street Waterloo, Ontario Canada, N2L 5R9

Phone: 519 888 7465 Fax: 519 888 6906

The testing was performed from September 29, 2011.

Copyright 2005-2011 Page 4 of 13

Testing Services	DFS Test Report for the BlackBerry® smartphone Model REC71UW, RED71UW						
Test Report No.	Date of Test	FCC ID: L6AREC70UW	IC: 2503A-REC70UW				
RTS-5385-1109-14	September 29, 2011	FCC ID: L6ARED70UW	IC: 2503A-RED70UW				

# BlackBerry® smartphone Samples Tested

SAMPLE	MODEL	CER NUMBER	PIN	Software
1	REC71UW	CER-41249-001 Rev 1	27DD7ADD	V7.0.0.285, Platform: 9.0.0.184 Bundle 1423

DFS testing was performed on sample 1.

The differences between the model REC71UW and RED71UW is outlined in detail in document BlackBerrySystemSimilarity\_REC71UW\_RED71UW.

The manufacturer declared modes for the EUT operational characteristics that affect DFS are as follows:


<b>Operating</b>	<u> Modes (5250 -5350 MHz, 5470-5725MHz)</u>
	Master Device
	Client Device (no In Service Monitoring, no Ad – Hoc mode) Client Device with In-Service Monitoring
Channel	Protocol IP Based Frame Based Other

## D. Support Equipment Used for the Testing of the EUT

Manufacturer	Description	Model	Serial Number	FCC ID and IC ID
Cisco	Access Point	AIR-RM1252G-A-K9	AIR-RM1252G-A-K9 FCW1336Z03R	
				2461B-102061/2
Lenovo	Laptop	8742-C2U	L3-B3615 07/06	MCLJ07H081
				2878D-J07H081
D-Link	Router	WBR-1310	P10317B010096	KA2WBR1310
				4216A-WBR1310

This report shall <u>NOT</u> be reproduced except in full without the written consent of RIM Testing Services - A division of Research in Motion Limited.

Copyright 2005-2011 Page 5 of 13



### E. Test Results Chart – FCC Part 15, Client Device

SPECIFICATION		TEST TYPE	Meets	Test Data
FCC CFR 47	IC	TESTTILE	Requirement	APPENDIX
Part 15.407	RSS-210	Channel closing transmission time	Yes	1
Part 15.407	RSS-210	Channel move time	Yes	1
Part 15.407	RSS-210	Non-occupancy period - associated	Yes	1

### F. Summary of Result

a). The BlackBerry® smartphone met the requirement of the Channel Closing Transmission and Time, Channel Move time and Non-occupancy period requirement as per FCC 15.407 and RSS 210. The measurement was performed on Channel 64 (5320 MHz) of the DFS band. Radar Type 1 of the Short Pulse Test waveform was used for tests.

See APPENDIX 1 for the test data.

#### Measurement Uncertainties:

Measurement	Measurment	Expanded
	Unit	Uncertainty
DFS Threshold (Conducted)	dBm	1.2

This report shall <u>NOT</u> be reproduced except in full without the written consent of RIM Testing Services - A division of Research in Motion Limited.

Copyright 2005-2011 Page 6 of 13



**Test Report No.** RTS-5385-1109-14

Date of Test September 29, 2011

IC: 2503A-REC70UW IC: 2503A-RED70UW

# G. Compliance Test Equipment Used

<u>UNIT</u>	MANUFACTURER	MODEL	SERIAL NUMBER	CAL DUE DATE (YY MM DD)	<u>USE</u>
Spectrum Analyzer	Rohde & Schwarz	FSV	101820	11-11-22	DFS
DFS RF Modulator	National Instruments	PXIe-5611	EC157C	11-12-11	DFS
DFS I/Q Signal Generator	National Instruments	PXIe-5450	EC6BB1	11-12-11	DFS
DFS RF Signal Generator	National Instruments	PXIe-5620	ED2167	11-12-11	DFS
T/RH Meter	OMEGA	iTHX-SD	0380564	11-10-13	DFS

Copyright 2005-2011 Page 7 of 13

Testing Services™	DFS Test Report for the BlackBerry® smartphone Model REC71UW, RED71UW APPENDIX 1				
Test Report No.	Date of Test	FCC ID: L6AREC70UW	IC: 2503A-REC70UW		
RTS-5385-1109-14	September 29, 2011	FCC ID: L6ARED70UW	IC: 2503A-RED70UW		


APPENDIX 1 - DFS TEST PLOTS and DATA

Testing Services™	EMI Test Report for the BlackBerry® smartphone Model REC71UW  APPENDIX 1				
Test Report No.	Date of Test	FCC ID: L6AREC70UW	IC: 2503A-REC70UW		
RTS-5385-1109-14	September 29, 2011	FCC ID: L6ARED70UW	IC: 2503A-RED70UW		

#### **DFS Conducted Test Results**

### **DFS Test Methods**

#### Conducted Test Method



A spectrum analyzer is used as a monitor to verify that the EUT has vacated the Channel within the Channel Closing Transimission Time and Channel Move Time, and does not transmit on a Channel during the Non-Occupancy Period after the detection and Channel Move. It is also used to monitor EUT transmissions during the Channel Availability Check Time.

This report shall <u>NOT</u> be reproduced except in full without the written consent of RIM Testing Services - A division of Research in Motion Limited.

Copyright 2005-2011 Page 9 of 13

Testing Services™	EMI Test Report for the BlackBerry® smartphone Model REC71UW  APPENDIX 1				
Test Report No.	Date of Test	FCC ID: L6AREC70UW	IC: 2503A-REC70UW		
RTS-5385-1109-14	September 29, 2011	FCC ID: L6ARED70UW	IC: 2503A-RED70UW		

# DFS Conducted Test Results Cont'd

# Radar Waveforms

FCC Short Pulse Radar Test Waveforms							
Radar Type	Pulse Width (µsec)	PRI (µsec)	Number of Pulses	Minimum Detection Percentage	Minimum Number of Trials		
1	1	1428	18	60%	30		
2	1-5	150-230	23-29	60%	30		
3	6-10	200-500	16-18	60%	30		
4	11-20	200-500	12-16	60%	30		
Aggregate	(Radar Types	80%	120				

FCC Long Pulse Radar Test Waveforms							
Radar Type	Pulse Width (µsec)	Chirp Width (MHz)	PRI (µs)	Number of Pulses per Burst	Number of Bursts	Minimum Detection Percentage	Minimum Number of Trials
5	50-100	5-20	1000- 2000	1-3	8-20	80%	30

	Frequency Hopping Radar Test Waveforms						
Radar Type	Pulse Width (µsec)	PRI (µsec)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (msec)	Minimum Detection Percentage	Minimum Number of Trials
6	1	333	9	0.333	300	70%	30

Copyright 2005-2011 Page 10 of 13

Testing Services™	EMI Test Report for the BlackBerry® smartphone Model REC71UW  APPENDIX 1			
Test Report No.	Date of Test	FCC ID: L6AREC70UW	IC: 2503A-REC70UW	
RTS-5385-1109-14	September 29, 2011	FCC ID: L6ARED70UW	IC: 2503A-RED70UW	

## DFS Conducted Test Results Cont'd

The test was measured for model REC71UW.

The following tests were performed by Heng Lin


Date of the test: September 29, 2011

The environmental conditions were: Temperature: 24.8 °C

Humidity: 34.6 %

Wave form Type	Channel C Transmissi	•	Channel Move Time		Result
	Measured	Limit	Measured	Limit	
Radar Type 1	17.39 ms	60 ms	0.504 s	10 s	PASS






This report shall <u>NOT</u> be reproduced except in full without the written consent of RIM Testing Services - A division of Research in Motion Limited.

Copyright 2005-2011 Page 11 of 13


Testing Services™		EMI Test Report for the BlackBerry® smartphone Model REC71UW  APPENDIX 1			
	Test Report No. RTS-5385-1109-14		FCC ID: L6AREC70UW FCC ID: L6ARED70UW	IC: 2503A-REC70UW IC: 2503A-RED70UW	

### **DFS Conducted Test Results Cont'd**

#### **Channel Move Time**



## Non-Occupancy Period ≥ 30 min.




This report shall <u>NOT</u> be reproduced except in full without the written consent of RIM Testing Services - A division of Research in Motion Limited.

Copyright 2005-2011 Page 12 of 13

Testing Services™	EMI Test Report for the BlackBerry® smartphone Model REC71UW  APPENDIX 1			
<b>Test Report No.</b> RTS-5385-1109-14	Date of Test	FCC ID: L6AREC70UW	IC: 2503A-REC70UW	
	September 29, 2011	FCC ID: L6ARED70UW	IC: 2503A-RED70UW	

# DFS Test Setup Photo



Page 13 of 13