	Document Appendix E for the BlackBerry® Smartphone Model REX41GW SAR Report			Page 1(11)
	Author Data Andrew Becker	Dates of Test January 18 – 25 , 2012	Test Report No RTS-5993-1202-01	FCC ID: L6AREX40GW

APPENDIX E: PHOTOGRAPHS

Author Data
Andrew Becker

Dates of Test
January 18 – 25 , 2012

Test Report No
RTS-5993-1202-01

FCC ID:
L6AREX40GW

IC ID
2503A-REX40GW

Headset Jack

Audio Output



Voice Microphone

Figure E1. BlackBerry Smartphone

Author Data

Andrew Becker

Dates of Test

January 18 – 25 , 2012

Test Report No

RTS-5993-1202-01

FCC ID:

L6AREX40GW

IC ID

2503A-REX40GW



Figure E2. Body worn holster – front

Author Data
Andrew Becker

Dates of Test
January 18 – 25 , 2012

Test Report No
RTS-5993-1202-01

FCC ID:
L6AREX40GW

IC ID
2503A-REX40GW



Figure E3. Body worn holsters – back



Figure E4. Head configuration (Right Touch/Tilt)



Figure E5. Head configuration (Left Touch/Tilt)

Author Data
Andrew Becker

Dates of Test
January 18 – 25 , 2012

Test Report No
RTS-5993-1202-01

FCC ID:
L6AREX40GW

IC ID
2503A-REX40GW



Figure E6. Body-worn configuration (No Holster, back side 15mm away)

Author Data
Andrew Becker

Dates of Test
January 18 – 25 , 2012

Test Report No
RTS-5993-1202-01

FCC ID:
L6AREX40GW

IC ID
2503A-REX40GW



Figure E7. Body-worn configuration (No Holster, front side 15mm away)




Figure E8. Body-worn configuration (Vertical Holster, back side)



Figure E9. Body-worn configuration (No Holster, headset, back side 15mm away)



Figure E10. Body-worn configuration (Vertical Holster, headset, back side)