

		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 1 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	

Annex A: Measurement data and plots


A.1 Spectrum analyser plots: GSM/UMTS, CW, 80%AM, signals




GSM 835 MHz



CW 835 MHz

		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 4 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	




AM 80% 835 MHz

Author Data
Daoud Attayi

Dates of Test
Jan. 31, Feb. 17, June 18-Sep. 28, 2012

Report No
RTS-6012-1207-39

FCC ID
L6ARFF90LW




UMTS 835 MHz

Author Data
Daoud Attayi

Dates of Test
Jan. 31, Feb. 17, June 18-Sep. 28, 2012

Report No
RTS-6012-1207-39

FCC ID
L6ARFF90LW




CW 835 MHz

Author Data
Daoud Attayi

Dates of Test
Jan. 31, Feb. 17, June 18-Sep. 28, 2012

Report No
RTS-6012-1207-39

FCC ID
L6ARFF90LW




AM 80% 835 MHz

Author Data
Daoud Attayi

Dates of Test
Jan. 31, Feb. 17, June 18-Sep. 28, 2012

Report No
RTS-6012-1207-39

FCC ID
L6ARFF90LW




GSM 1880 MHz

Author Data
Daoud Attayi


Dates of Test
Jan. 31, Feb. 17, June 18-Sep. 28, 2012


Report No
RTS-6012-1207-39

FCC ID
L6ARFF90LW




CW 1880 MHz

		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 10 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012		Report No RTS-6012-1207-39	FCC ID L6ARFF90LW





AM 80 % 1880 MHz

		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 11 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	



UMTS 1880 MHz

		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 12 (136)
		Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39




CW 1880 MHz

Author Data
Daoud Attayi


Dates of Test
Jan. 31, Feb. 17, June 18-Sep. 28, 2012

Report No
RTS-6012-1207-39


FCC ID
L6ARFF90LW



AM 80 % 1880 MHz

		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 14 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	

A.2 Dipole validation and probe modulation factor plots

		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 15 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	

Date/Time: 9/28/2012 1:33:02 PM

Test Laboratory: RIM Testing Services

HAC RF_E-Field_validation_835 MHz_09_28_12

DUT: HAC-Dipole 835 MHz; Type: D835V3; Serial: 1011

Communication System: CW; Frequency: 835 MHz

Medium parameters used: $\sigma = 0$ mho/m, $\epsilon_r = 1$; $\rho = 0$ kg/m³

Phantom section: RF Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY Configuration:

- Probe: ER3DV6 - SN2286; ConvF(1, 1, 1); Calibrated: 1/9/2012
- Sensor-Surface: (Fix Surface), z = 4.7
- Electronics: DAE3 Sn473; Calibrated: 1/13/2012
- Phantom: HAC RF Test Arch with AMCC; Type: SD HAC P01 BA
- DASY52 52.8.0(692); SEMCAD X 14.6.4(4989)

Dipole E-Field measurement/E Scan - measurement distance from the probe sensor center to CD835 Dipole = 10mm/Hearing Aid Compatibility Test

(41x361x1): Measurement grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 104.4 V/m; Power Drift = 0.03 dB

PMR not calibrated. PMF = 1.000 is applied.

E-field emissions = 171.2 V/m


Near-field category: M4 (AWF 0 dB)


PMF scaled E-field

Grid 1 M4 146.8 V/m	Grid 2 M4 150.4 V/m	Grid 3 M4 146.7 V/m
Grid 4 M4 79.31 V/m	Grid 5 M4 81.15 V/m	Grid 6 M4 77.83 V/m
Grid 7 M4	Grid 8 M4	Grid 9 M4

157.1 V/m	171.2 V/m	170.7 V/m
-----------	-----------	-----------

Cursor:
 Total = 171.2 V/m
 E Category: M4
 Location: -2.5, 80, 4.7 mm



		Document		Page
		Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		17 (136)
Author Data	Dates of Test	Report No	FCC ID	
Daoud Attayi	Jan. 31, Feb. 17, June 18-Sep. 28, 2012	RTS-6012-1207-39	L6ARFF90LW	

Date/Time: 6/28/2012 1:26:32 AM

Test Laboratory: RIM Testing Services

HAC RF_E-Field_validation_835 MHz_06_28_12

DUT: HAC-Dipole 835 MHz; Type: D835V3; Serial: 1011

Communication System: CW; Frequency: 835 MHz

Medium parameters used: $\sigma = 0$ mho/m, $\epsilon_r = 1$; $\rho = 0$ kg/m³

Phantom section: RF Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY Configuration:

- Probe: ER3DV6 - SN2286; ConvF(1, 1, 1); Calibrated: 1/9/2012
- Sensor-Surface: (Fix Surface), $z = 4.7$
- Electronics: DAE3 Sn473; Calibrated: 1/13/2012
- Phantom: HAC RF Test Arch with AMCC; Type: SD HAC P01 BA
- DASY52 52.8.0(692); SEMCAD X 14.6.4(4989)

Dipole E-Field measurement/E Scan - measurement distance from the probe sensor center to CD835 Dipole = 10mm/Hearing Aid Compatibility Test

(41x361x1): Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 102.0 V/m; Power Drift = -0.01 dB

PMR not calibrated. PMF = 1.000 is applied.

E-field emissions = 160.8 V/m

Near-field category: M4 (AWF 0 dB)

Author Data
Daoud Attayi

Dates of Test
Jan. 31, Feb. 17, June 18-Sep. 28, 2012

Report No
RTS-6012-1207-39

FCC ID
L6ARFF90LW

PMF scaled E-field


Grid 1 M4 147.1 V/m	Grid 2 M4 154.8 V/m	Grid 3 M4 154.0 V/m
Grid 4 M4 81.97 V/m	Grid 5 M4 84.87 V/m	Grid 6 M4 82.87 V/m
Grid 7 M4 153.8 V/m	Grid 8 M4 160.8 V/m	Grid 9 M4 157.7 V/m


Cursor:

Total = 160.8 V/m

E Category: M4

Location: -0.5, 79.5, 4.7 mm



		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 19 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	

Date/Time: 1/31/2012 2:20:06 PM

Test Laboratory: RIM Testing Services

HAC RF_E-Field_PMF_GSM835 MHz_01_31_12

DUT: HAC-Dipole 835 MHz; Type: D835V3; Serial: 1011

Communication System: GSM 835_PMF, Communication System: CW, Communication System: AM 80%; Frequency: 835 MHz

Medium parameters used: $\sigma = 0$ mho/m, $\epsilon_r = 1$; $\rho = 0$ kg/m³

Phantom section: RF Section

Measurement Standard: DASYS (IEEE/IEC/ANSI C63.19-2007)

DASY Configuration:

- Probe: ER3DV6 - SN2286; ConvF(1, 1, 1); Calibrated: 1/9/2012
- Sensor-Surface: (Fix Surface), $z = 4.7$
- Electronics: DAE3 Sn472; Calibrated: 3/7/2011
- Phantom: HAC RF Test Arch with AMCC; Type: SD HAC P01 BA
- DASYS2 52.8.0(692); SEMCAD X 14.6.4(4989)

Dipole E-Field measurement/E Scan - GSM 835_PMF/Hearing Aid Compatibility Test (41x361x1):

Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$


Device Reference Point: 0, 0, -6.3 mm

Reference Value = 34.20 V/m; Power Drift = 0.04 dB

PMR not calibrated. PMF = 1.000 is applied.

E-field emissions = 51.25 V/m

Near-field category: M4 (AWF 0 dB)

		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 20 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	

PMF scaled E-field

Grid 1 M4 46.59 V/m	Grid 2 M4 49.14 V/m	Grid 3 M4 49.14 V/m
Grid 4 M4 27.62 V/m	Grid 5 M4 28.27 V/m	Grid 6 M4 28.03 V/m
Grid 7 M4 49.67 V/m	Grid 8 M4 51.25 V/m	Grid 9 M4 50.67 V/m

Cursor:

Total = 51.249 V/m

E Category: M4

Location: -0.5, 79.5, 4.7 mm

**Dipole E-Field measurement/E Scan - CW 835_PMF/Hearing Aid
Compatibility Test (41x361x1):** Measurement grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 105.5 V/m; Power Drift = 0.04 dB


PMR not calibrated. PMF = 1.000 is applied.

E-field emissions = 160.5 V/m

Near-field category: M4 (AWF 0 dB)

PMF scaled E-field

Grid 1 M4 144.7 V/m	Grid 2 M4 152.0 V/m	Grid 3 M4 151.2 V/m
Grid 4 M4 81.25 V/m	Grid 5 M4 83.39 V/m	Grid 6 M4 81.16 V/m
Grid 7 M4 156.0 V/m	Grid 8 M4 160.5 V/m	Grid 9 M4 155.5 V/m

		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW	Page 21 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW

Cursor:

Total = 160.5 V/m

E Category: M4

Location: 0, 79, 4.7 mm

**Dipole E-Field measurement/E Scan - AM80%_ 835_PMF/Hearing
Aid Compatibility Test (41x361x1):** Measurement grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 67.40 V/m; Power Drift = -0.05 dB

PMR not calibrated. PMF = 1.000 is applied.

E-field emissions = 101.2 V/m

Near-field category: M4 (AWF 0 dB)

PMF scaled E-field

Grid 1 M4 90.33 V/m	Grid 2 M4 95.24 V/m	Grid 3 M4 95.16 V/m
Grid 4 M4 51.51 V/m	Grid 5 M4 53.10 V/m	Grid 6 M4 51.99 V/m
Grid 7 M4 97.22 V/m	Grid 8 M4 101.2 V/m	Grid 9 M4 98.82 V/m

Cursor:

Total = 101.2 V/m

E Category: M4



Location: -0.5, 79, 4.7 mm

Author Data
Daoud Attayi


Dates of Test
Jan. 31, Feb. 17, June 18-Sep. 28, 2012

Report No
RTS-6012-1207-39

FCC ID
L6ARFF90LW



0 dB = 51.250V/m = 34.19 dB V/m

		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 23 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	

Date/Time: 2/17/2012 12:24:15 PM

Test Laboratory: RIM Testing Services

HAC RF_E-Field_PMF_UMTS835 MHz_02_17_12

DUT: HAC-Dipole 835 MHz; Type: D835V3; Serial: 1011

Communication System: WCDMA FDD V, Communication System: CW, Communication System: AM 80%; Frequency: 835 MHz

Medium parameters used: $\sigma = 0$ mho/m, $\epsilon_r = 1$; $\rho = 0$ kg/m³

Phantom section: RF Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY Configuration:

- Probe: ER3DV6 - SN2286; ConvF(1, 1, 1); Calibrated: 1/9/2012
- Sensor-Surface: (Fix Surface), $z = 4.7$
- Electronics: DAE3 Sn472; Calibrated: 3/7/2011
- Phantom: HAC RF Test Arch with AMCC; Type: SD HAC P01 BA
- DASY52 52.8.0(692); SEMCAD X 14.6.4(4989)

Dipole E-Field measurement/E Scan - UMTS 835_PMF/Hearing Aid Compatibility Test (41x361x1):

Measurement grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 41.08 V/m; Power Drift = 0.03 dB

PMR not calibrated. PMF = 1.000 is applied.

E-field emissions = 64.41 V/m

Near-field category: M4 (AWF 0 dB)

PMF scaled E-field

Grid 1 M4 53.11 V/m	Grid 2 M4 55.59 V/m	Grid 3 M4 55.40 V/m
Grid 4 M4 29.72 V/m	Grid 5 M4 30.66 V/m	Grid 6 M4 29.79 V/m
Grid 7 M4 61.55 V/m	Grid 8 M4 64.41 V/m	Grid 9 M4 63.22 V/m

Cursor:

Total = 64.412 V/m

E Category: M4

Location: -0.5, 79, 4.7 mm

**Dipole E-Field measurement/E Scan - CW 835_PMF/Hearing Aid
Compatibility Test (41x361x1):** Measurement grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 43.11 V/m; Power Drift = -0.14 dB


PMR not calibrated. PMF = 1.000 is applied.

E-field emissions = 68.64 V/m

Near-field category: M4 (AWF 0 dB)

PMF scaled E-field

Grid 1 M4 58.55 V/m	Grid 2 M4 59.20 V/m	Grid 3 M4 57.13 V/m
Grid 4 M4 32.35 V/m	Grid 5 M4 32.63 V/m	Grid 6 M4 31.24 V/m
Grid 7 M4 61.85 V/m	Grid 8 M4 68.64 V/m	Grid 9 M4 68.56 V/m

		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 25 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	

Cursor:

Total = 68.635 V/m

E Category: M4

Location: -3, 79.5, 4.7 mm

**Dipole E-Field measurement/E Scan - AM80%_ 835_PMF/Hearing
Aid Compatibility Test (41x361x1):** Measurement grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 28.41 V/m; Power Drift = 0.09 dB

PMR not calibrated. PMF = 1.000 is applied.

E-field emissions = 45.21 V/m

Near-field category: M4 (AWF 0 dB)

PMF scaled E-field

Grid 1 M4 38.28 V/m	Grid 2 M4 38.73 V/m	Grid 3 M4 37.25 V/m
Grid 4 M4 21.72 V/m	Grid 5 M4 21.89 V/m	Grid 6 M4 20.80 V/m
Grid 7 M4 40.90 V/m	Grid 8 M4 45.21 V/m	Grid 9 M4 45.16 V/m

Cursor:

Total = 45.209 V/m

E Category: M4



Location: -3, 79.5, 4.7 mm

Author Data
Daoud Attayi


Dates of Test
Jan. 31, Feb. 17, June 18-Sep. 28, 2012

Report No
RTS-6012-1207-39

FCC ID
L6ARFF90LW



0 dB = 0.180A/m = -14.89 dB A/m

		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 27 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	

Date/Time: 9/28/2012 2:29:40 PM

Test Laboratory: RIM Testing Services

HAC RF_E-Field_validation_1880 MHz_09_28_12

DUT: HAC Dipole 1880 MHz; Type: CD1880V3; Serial: 1008

Communication System: CW; Frequency: 1880 MHz

Medium parameters used: $\sigma = 0$ mho/m, $\epsilon_r = 1$; $\rho = 0$ kg/m³

Phantom section: RF Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY Configuration:

- Probe: ER3DV6 - SN2286; ConvF(1, 1, 1); Calibrated: 1/9/2012
- Sensor-Surface: (Fix Surface), z = 4.7
- Electronics: DAE3 Sn473; Calibrated: 1/13/2012
- Phantom: HAC RF Test Arch with AMCC; Type: SD HAC P01 BA
- DASY52 52.8.0(692); SEMCAD X 14.6.4(4989)

Dipole E-Field measurement/E Scan - measurement distance from the probe sensor center to CD1880 Dipole = 10mm/Hearing Aid Compatibility Test

(41x181x1): Measurement grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 144.8 V/m; Power Drift = 0.04 dB

PMR not calibrated. PMF = 1.000 is applied.

E-field emissions = 130.9 V/m


Near-field category: M2 (AWF 0 dB)


PMF scaled E-field

Grid 1 M2 118.8 V/m	Grid 2 M2 123.6 V/m	Grid 3 M2 122.2 V/m
Grid 4 M3 83.54 V/m	Grid 5 M3 85.60 V/m	Grid 6 M3 83.07 V/m
Grid 7 M2	Grid 8 M2	Grid 9 M2

121.7 V/m	130.9 V/m	129.4 V/m
-----------	-----------	-----------

Cursor:
 Total = 130.9 V/m
 E Category: M2
 Location: -1.5, 38, 4.7 mm



		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 29 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	

Date/Time: 6/28/2012 1:54:39 AM

Test Laboratory: RIM Testing Services

HAC RF_E-Field_validation_1880 MHz_06_28_12

DUT: HAC Dipole 1880 MHz; Type: CD1880V3; Serial: 1008

Communication System: CW; Frequency: 1880 MHz

Medium parameters used: $\sigma = 0$ mho/m, $\epsilon_r = 1$; $\rho = 0$ kg/m³

Phantom section: RF Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY Configuration:

- Probe: ER3DV6 - SN2286; ConvF(1, 1, 1); Calibrated: 1/9/2012
- Sensor-Surface: (Fix Surface), $z = 4.7$
- Electronics: DAE3 Sn473; Calibrated: 1/13/2012
- Phantom: HAC RF Test Arch with AMCC; Type: SD HAC P01 BA
- DASY52 52.8.0(692); SEMCAD X 14.6.4(4989)

Dipole E-Field measurement/E Scan - measurement distance from the probe sensor center to CD1880 Dipole = 10mm/Hearing Aid Compatibility Test

(41x181x1): Measurement grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 152.6 V/m; Power Drift = -0.04 dB

PMR not calibrated. PMF = 1.000 is applied.

E-field emissions = 134.6 V/m

Near-field category: M2 (AWF 0 dB)

Author Data
Daoud Attayi

Dates of Test
Jan. 31, Feb. 17, June 18-Sep. 28, 2012

Report No
RTS-6012-1207-39

FCC ID
L6ARFF90LW

PMF scaled E-field


Grid 1 M2 122.0 V/m	Grid 2 M2 127.9 V/m	Grid 3 M2 126.5 V/m
Grid 4 M3 88.18 V/m	Grid 5 M3 91.05 V/m	Grid 6 M3 88.28 V/m
Grid 7 M2 127.2 V/m	Grid 8 M2 134.6 V/m	Grid 9 M2 132.1 V/m


Cursor:

Total = 134.6 V/m

E Category: M2

Location: -0.5, 38.5, 4.7 mm



		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 31 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	

Date/Time: 1/31/2012 1:55:07 PM

Test Laboratory: RIM Testing Services

HAC RF_E-Field_PMF_GSM1880 MHz_01_31_12

DUT: HAC Dipole 1880 MHz; Type: CD1880V3; Serial: 1008

Communication System: GSM 1880, Communication System: CW, Communication System: AM 80%; Frequency: 1880 MHz

Medium parameters used: $\sigma = 0$ mho/m, $\epsilon_r = 1$; $\rho = 0$ kg/m³

Phantom section: RF Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY Configuration:

- Probe: ER3DV6 - SN2286; ConvF(1, 1, 1); Calibrated: 1/9/2012
- Sensor-Surface: (Fix Surface), $z = 4.7$
- Electronics: DAE3 Sn472; Calibrated: 3/7/2011
- Phantom: HAC RF Test Arch with AMCC; Type: SD HAC P01 BA
- DASY52 52.8.0(692); SEMCAD X 14.6.4(4989)

Dipole E-Field measurement/E Scan - GSM 1880_PMF/Hearing Aid Compatibility Test (41x181x1):

Measurement grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 34.29 V/m; Power Drift = 0.05 dB


PMR not calibrated. PMF = 1.000 is applied.

E-field emissions = 30.95 V/m

Near-field category: M4 (AWF 0 dB)

PMF scaled E-field

Grid 1 M4 27.89 V/m	Grid 2 M4 29.29 V/m	Grid 3 M4 29.22 V/m
Grid 4 M4 19.87 V/m	Grid 5 M4 20.63 V/m	Grid 6 M4 20.20 V/m
Grid 7 M4 29.49 V/m	Grid 8 M4 30.95 V/m	Grid 9 M4 30.55 V/m

		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 32 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	

Cursor:

Total = 30.947 V/m

E Category: M4

Location: -1, 38, 4.7 mm

**Dipole E-Field measurement/E Scan- CW 1800_PMF/Hearing Aid
Compatibility Test (41x181x1):** Measurement grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 102.4 V/m; Power Drift = -0.11 dB

PMR not calibrated. PMF = 1.000 is applied.

E-field emissions = 90.42 V/m

Near-field category: M3 (AWF 0 dB)

PMF scaled E-field

Grid 1 M3 82.60 V/m	Grid 2 M3 86.68 V/m	Grid 3 M3 86.04 V/m
Grid 4 M4 58.55 V/m	Grid 5 M4 60.47 V/m	Grid 6 M4 58.89 V/m
Grid 7 M3 85.63 V/m	Grid 8 M3 90.42 V/m	Grid 9 M3 88.30 V/m

Cursor:

Total = 90.419 V/m

E Category: M3

Location: -0.5, 38, 4.7 mm

**Dipole E-Field measurement/E Scan - AM80%_ 1880_PMF/Hearing
Aid Compatibility Test (41x181x1):** Measurement grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 64.56 V/m; Power Drift = 0.07 dB

PMR not calibrated. PMF = 1.000 is applied.

E-field emissions = 58.24 V/m

Near-field category: M4 (AWF 0 dB)

PMF scaled E-field


Grid 1 M4 52.36 V/m	Grid 2 M4 55.29 V/m	Grid 3 M4 55.10 V/m
Grid 4 M4 37.30 V/m	Grid 5 M4 38.47 V/m	Grid 6 M4 37.60 V/m
Grid 7 M4 55.71 V/m	Grid 8 M4 58.24 V/m	Grid 9 M4 56.94 V/m

Cursor:


Total = 58.238 V/m

E Category: M4

Location: -0.5, 38, 4.7 mm



0 dB = 30.950V/m = 29.81 dB V/m

		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 34 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	

Date/Time: 2/17/2012 2:20:23 PM

Test Laboratory: RIM Testing Services

HAC RF_E-Field_PMF_UMTS1880 MHz_02_17_12

DUT: HAC Dipole 1880 MHz; Type: CD1880V3; Serial: 1008

Communication System: WCDMA FDD II, Communication System: CW, Communication System: AM 80%; Frequency: 1880 MHz

Medium parameters used: $\sigma = 0$ mho/m, $\epsilon_r = 1$; $\rho = 0$ kg/m³

Phantom section: RF Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY Configuration:

- Probe: ER3DV6 - SN2286; ConvF(1, 1, 1); Calibrated: 1/9/2012
- Sensor-Surface: (Fix Surface), $z = 4.7$
- Electronics: DAE3 Sn472; Calibrated: 3/7/2011
- Phantom: HAC RF Test Arch with AMCC; Type: SD HAC P01 BA
- DASY52 52.8.0(692); SEMCAD X 14.6.4(4989)

Dipole E-Field measurement/E Scan - UMTS 1880_PMF/Hearing Aid Compatibility Test (41x181x1):

Measurement grid: dx=5mm, dy=5mm


Device Reference Point: 0, 0, -6.3 mm

Reference Value = 47.02 V/m; Power Drift = 0.01 dB

PMR not calibrated. PMF = 1.000 is applied.

E-field emissions = 42.43 V/m

Near-field category: M4 (AWF 0 dB)

		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 35 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	

PMF scaled E-field

Grid 1 M4 37.98 V/m	Grid 2 M4 39.42 V/m	Grid 3 M4 39.04 V/m
Grid 4 M4 26.86 V/m	Grid 5 M4 27.50 V/m	Grid 6 M4 26.70 V/m
Grid 7 M4 39.63 V/m	Grid 8 M4 42.43 V/m	Grid 9 M4 41.87 V/m

Cursor:

Total = 42.427 V/m

E Category: M4

Location: -1, 38, 4.7 mm

Dipole E-Field measurement/E Scan- CW 1800_PMF/Hearing Aid Compatibility Test (41x181x1): Measurement grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 47.33 V/m; Power Drift = -0.05 dB


PMR not calibrated. PMF = 1.000 is applied.

E-field emissions = 42.41 V/m

Near-field category: M4 (AWF 0 dB)

PMF scaled E-field

Grid 1 M4 38.23 V/m	Grid 2 M4 39.51 V/m	Grid 3 M4 39.41 V/m
Grid 4 M4 26.94 V/m	Grid 5 M4 27.41 V/m	Grid 6 M4 26.77 V/m
Grid 7 M4 40.02 V/m	Grid 8 M4 42.41 V/m	Grid 9 M4 41.99 V/m

		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 36 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	

Cursor:

Total = 42.409 V/m

E Category: M4

Location: -1.5, 38, 4.7 mm

Dipole E-Field measurement/E Scan - AM80%_ 1880_PMF/Hearing Aid Compatibility Test (41x181x1): Measurement grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 30.18 V/m; Power Drift = 0.06 dB

PMR not calibrated. PMF = 1.000 is applied.

E-field emissions = 27.40 V/m

Near-field category: M4 (AWF 0 dB)

PMF scaled E-field

Grid 1 M4 24.40 V/m	Grid 2 M4 25.26 V/m	Grid 3 M4 24.95 V/m
Grid 4 M4 17.20 V/m	Grid 5 M4 17.65 V/m	Grid 6 M4 17.12 V/m
Grid 7 M4 25.54 V/m	Grid 8 M4 27.40 V/m	Grid 9 M4 27.02 V/m

Cursor:

Total = 27.402 V/m

E Category: M4



Location: -1, 38, 4.7 mm

Author Data
Daoud Attayi


Dates of Test
Jan. 31, Feb. 17, June 18-Sep. 28, 2012

Report No
RTS-6012-1207-39

FCC ID
L6ARFF90LW



0 dB = 42.430V/m = 32.55 dB V/m

		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 38 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	

Date/Time: 9/28/2012 3:00:56 PM

Test Laboratory: RIM Testing Services

HAC RF_H-Field_validation_835 MHz_09_28_12

DUT: HAC-Dipole 835 MHz; Type: D835V3; Serial: 1011

Communication System: CW; Frequency: 835 MHz

Medium parameters used: $\sigma = 0$ mho/m, $\epsilon_r = 1$; $\rho = 0$ kg/m³

Phantom section: RF Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY Configuration:

- Probe: H3DV6 - SN6105; ; Calibrated: 11/8/2011
- Sensor-Surface: (Fix Surface), z = 4.7
- Electronics: DAE3 Sn473; Calibrated: 1/13/2012
- Phantom: HAC RF Test Arch with AMCC; Type: SD HAC P01 BA
- DASY52 52.8.0(692); SEMCAD X 14.6.4(4989)

Dipole H-Field measurement with H3DV6 probe/H Scan - measurement distance from the probe sensor center to CD835 Dipole = 10mm/Hearing Aid

Compatibility Test (41x181x1): Measurement grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 0.49 V/m; Power Drift = 0.10 dB

PMR not calibrated. PMF = 1.000 is applied.

H-field emissions = 0.46 A/m

Near-field category: M4 (AWF 0 dB)

PMF scaled H-field

Grid 1 M4 0.42 A/m	Grid 2 M4 0.44 A/m	Grid 3 M4 0.42 A/m
Grid 4 M4 0.44 A/m	Grid 5 M4 0.46 A/m	Grid 6 M4 0.43 A/m
Grid 7 M4 0.43 A/m	Grid 8 M4 0.45 A/m	Grid 9 M4 0.43 A/m

Author Data
Daoud Attayi

Dates of Test
Jan. 31, Feb. 17, June 18-Sep. 28, 2012

Report No
RTS-6012-1207-39


FCC ID
L6ARFF90LW


Cursor:

Total = 0.458 A/m

H Category: M4

Location: 0, 9, 4.7 mm



		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 40 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	

Date/Time: 6/28/2012 2:59:51 AM

Test Laboratory: RIM Testing Services

HAC RF_H-Field_validation_835 MHz_06_28_12

DUT: HAC-Dipole 835 MHz; Type: D835V3; Serial: 1011

Communication System: CW; Frequency: 835 MHz

Medium parameters used: $\sigma = 0$ mho/m, $\epsilon_r = 1$; $\rho = 0$ kg/m³

Phantom section: RF Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY Configuration:

- Probe: H3DV6 - SN6105; ; Calibrated: 11/8/2011
- Sensor-Surface: (Fix Surface), z = 4.7
- Electronics: DAE3 Sn473; Calibrated: 1/13/2012
- Phantom: HAC RF Test Arch with AMCC; Type: SD HAC P01 BA
- DASY52 52.8.0(692); SEMCAD X 14.6.4(4989)

Dipole H-Field measurement with H3DV6 probe/H Scan - measurement distance from the probe sensor center to CD835 Dipole = 10mm/Hearing Aid

Compatibility Test (41x181x1): Measurement grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 0.50 V/m; Power Drift = 0.10 dB

PMR not calibrated. PMF = 1.000 is applied.

H-field emissions = 0.47 A/m

Near-field category: M4 (AWF 0 dB)

PMF scaled H-field

Grid 1 M4 0.43 A/m	Grid 2 M4 0.45 A/m	Grid 3 M4 0.43 A/m
Grid 4 M4 0.45 A/m	Grid 5 M4 0.47 A/m	Grid 6 M4 0.45 A/m
Grid 7 M4 0.44 A/m	Grid 8 M4 0.46 A/m	Grid 9 M4 0.43 A/m

Author Data
Daoud Attayi

Dates of Test
Jan. 31, Feb. 17, June 18-Sep. 28, 2012

Report No
RTS-6012-1207-39


FCC ID
L6ARFF90LW


Cursor:

Total = 0.470 A/m

H Category: M4

Location: 0, 4.5, 4.7 mm



		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 42 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	

Date/Time: 1/31/2012 3:12:15 PM

Test Laboratory: RIM Testing Services

HAC RF_H-Field_PMF_GSM835 MHz_01_31_12

DUT: HAC-Dipole 835 MHz; Type: D835V3; Serial: 1011

Communication System: GSM 835_PMF, Communication System: CW, Communication System: AM 80%; Frequency: 835 MHz

Medium parameters used: $\sigma = 0$ mho/m, $\epsilon_r = 1$; $\rho = 0$ kg/m³

Phantom section: RF Section

Measurement Standard: DASYS (IEEE/IEC/ANSI C63.19-2007)

DASY Configuration:

- Probe: H3DV6 - SN6105; ; Calibrated: 11/8/2011
- Sensor-Surface: (Fix Surface), $z = 4.7$
- Electronics: DAE3 Sn472; Calibrated: 3/7/2011
- Phantom: HAC RF Test Arch with AMCC; Type: SD HAC P01 BA
- DASYS 52.8.0(692); SEMCAD X 14.6.4(4989)

Dipole H-Field measurement with H3DV6 probe/H Scan - GSM

835_PMF/Hearing Aid Compatibility Test (41x181x1): Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$


Device Reference Point: 0, 0, -6.3 mm

Reference Value = 0.17 V/m; Power Drift = -0.08 dB

PMR not calibrated. PMF = 1.000 is applied.

H-field emissions = 0.16 A/m

Near-field category: M4 (AWF 0 dB)

		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 43 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	

PMF scaled H-field

Grid 1 M4 0.15 A/m	Grid 2 M4 0.15 A/m	Grid 3 M4 0.15 A/m
Grid 4 M4 0.15 A/m	Grid 5 M4 0.16 A/m	Grid 6 M4 0.15 A/m
Grid 7 M4 0.15 A/m	Grid 8 M4 0.16 A/m	Grid 9 M4 0.15 A/m

Cursor:

Total = 0.159 A/m

H Category: M4

Location: 0, 1, 4.7 mm

Dipole H-Field measurement with H3DV6 probe/H Scan - CW

835_PMF/Hearing Aid Compatibility Test (41x181x1): Measurement grid:

dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 0.27 V/m; Power Drift = 0.03 dB


PMR not calibrated. PMF = 1.000 is applied.

H-field emissions = 0.47 A/m

Near-field category: M4 (AWF 0 dB)

PMF scaled H-field

Grid 1 M4 0.43 A/m	Grid 2 M4 0.45 A/m	Grid 3 M4 0.43 A/m
Grid 4 M4 0.45 A/m	Grid 5 M4 0.47 A/m	Grid 6 M4 0.45 A/m
Grid 7 M4 0.44 A/m	Grid 8 M4 0.46 A/m	Grid 9 M4 0.43 A/m

		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 44 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	

Cursor:

Total = 0.468 A/m

H Category: M4

Location: 0, 4, 4.7 mm

**Dipole H-Field measurement with H3DV6 probe/H Scan -
AM80%_PMF/Hearing Aid Compatibility Test (41x181x1):**

Measurement grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 0.32 V/m; Power Drift = 0.04 dB

PMR not calibrated. PMF = 1.000 is applied.

H-field emissions = 0.30 A/m

Near-field category: M4 (AWF 0 dB)

PMF scaled H-field

Grid 1 M4 0.28 A/m	Grid 2 M4 0.29 A/m	Grid 3 M4 0.27 A/m
Grid 4 M4 0.29 A/m	Grid 5 M4 0.30 A/m	Grid 6 M4 0.28 A/m
Grid 7 M4 0.28 A/m	Grid 8 M4 0.30 A/m	Grid 9 M4 0.28 A/m

Cursor:

Total = 0.302 A/m

H Category: M4



Location: 0, 3.5, 4.7 mm

Author Data
Daoud Attayi


Dates of Test
Jan. 31, Feb. 17, June 18-Sep. 28, 2012

Report No
RTS-6012-1207-39

FCC ID
L6ARFF90LW



0 dB = 0.160A/m = -15.92 dB A/m

		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 46 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	

Date/Time: 2/17/2012 4:08:25 PM

Test Laboratory: RIM Testing Services

HAC RF_H-Field_PMF_UMTS835 MHz_02_17_12

DUT: HAC-Dipole 835 MHz; Type: D835V3; Serial: 1011

Communication System: WCDMA FDD V, Communication System: CW, Communication System: AM 80%; Frequency: 835 MHz

Medium parameters used: $\sigma = 0$ mho/m, $\epsilon_r = 1$; $\rho = 0$ kg/m³

Phantom section: RF Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY Configuration:

- Probe: H3DV6 - SN6105; ; Calibrated: 11/8/2011
- Sensor-Surface: (Fix Surface), $z = 4.7$
- Electronics: DAE3 Sn472; Calibrated: 3/7/2011
- Phantom: HAC RF Test Arch with AMCC; Type: SD HAC P01 BA
- DASY52 52.8.0(692); SEMCAD X 14.6.4(4989)

Dipole H-Field measurement with H3DV6 probe/H Scan - UMTS

835_PMF/Hearing Aid Compatibility Test (41x181x1): Measurement grid: dx=5mm, dy=5mm


Device Reference Point: 0, 0, -6.3 mm

Reference Value = 0.19 V/m; Power Drift = 0.05 dB

PMR not calibrated. PMF = 1.000 is applied.

H-field emissions = 0.18 A/m

Near-field category: M4 (AWF 0 dB)

		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 47 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	

PMF scaled H-field

Grid 1 M4 0.16 A/m	Grid 2 M4 0.17 A/m	Grid 3 M4 0.16 A/m
Grid 4 M4 0.17 A/m	Grid 5 M4 0.18 A/m	Grid 6 M4 0.17 A/m
Grid 7 M4 0.17 A/m	Grid 8 M4 0.18 A/m	Grid 9 M4 0.17 A/m

Cursor:

Total = 0.181 A/m

H Category: M4

Location: 0.5, 8.5, 4.7 mm

Dipole H-Field measurement with H3DV6 probe/H Scan - CW

835_PMF/Hearing Aid Compatibility Test (41x181x1): Measurement grid:

dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 0.11 V/m; Power Drift = 0.08 dB


PMR not calibrated. PMF = 1.000 is applied.

H-field emissions = 0.20 A/m

Near-field category: M4 (AWF 0 dB)

PMF scaled H-field

Grid 1 M4 0.17 A/m	Grid 2 M4 0.19 A/m	Grid 3 M4 0.18 A/m
Grid 4 M4 0.18 A/m	Grid 5 M4 0.20 A/m	Grid 6 M4 0.19 A/m
Grid 7 M4 0.18 A/m	Grid 8 M4 0.19 A/m	Grid 9 M4 0.18 A/m

		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW	Page 48 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW

Cursor:

Total = 0.197 A/m

H Category: M4

Location: -0.5, 1, 4.7 mm

**Dipole H-Field measurement with H3DV6 probe/H Scan -
AM80%_PMF/Hearing Aid Compatibility Test (41x181x1):**

Measurement grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 0.14 V/m; Power Drift = 0.10 dB

PMR not calibrated. PMF = 1.000 is applied.

H-field emissions = 0.13 A/m

Near-field category: M4 (AWF 0 dB)

PMF scaled H-field

Grid 1 M4 0.11 A/m	Grid 2 M4 0.12 A/m	Grid 3 M4 0.12 A/m
Grid 4 M4 0.12 A/m	Grid 5 M4 0.13 A/m	Grid 6 M4 0.12 A/m
Grid 7 M4 0.12 A/m	Grid 8 M4 0.12 A/m	Grid 9 M4 0.12 A/m

Cursor:

Total = 0.127 A/m

H Category: M4



Location: 0, 1.5, 4.7 mm

Author Data
Daoud Attayi


Dates of Test
Jan. 31, Feb. 17, June 18-Sep. 28, 2012

Report No
RTS-6012-1207-39

FCC ID
L6ARFF90LW



0 dB = 0.180A/m = -14.89 dB A/m

		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 50 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	

Date/Time: 9/28/2012 2:45:31 PM

Test Laboratory: RIM Testing Services

HAC RF_H-Field_validation_1880 MHz_09_28_12

DUT: HAC Dipole 1880 MHz; Type: CD1880V3; Serial: 1008

Communication System: CW; Frequency: 1880 MHz

Medium parameters used: $\sigma = 0$ mho/m, $\epsilon_r = 1$; $\rho = 0$ kg/m³

Phantom section: RF Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY Configuration:

- Probe: H3DV6 - SN6105; ; Calibrated: 11/8/2011
- Sensor-Surface: (Fix Surface), z = 4.7
- Electronics: DAE3 Sn473; Calibrated: 1/13/2012
- Phantom: HAC RF Test Arch with AMCC; Type: SD HAC P01 BA
- DASY52 52.8.0(692); SEMCAD X 14.6.4(4989)

Dipole H-Field measurement with H3DV6 probe/H Scan - measurement distance from the probe sensor center to CD1880 Dipole = 10mm/Hearing Aid

Compatibility Test (41x101x1): Measurement grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 0.48 V/m; Power Drift = -0.01 dB

PMR not calibrated. PMF = 1.000 is applied.

H-field emissions = 0.45 A/m

Near-field category: M2 (AWF 0 dB)

PMF scaled H-field

Grid 1 M2 0.42 A/m	Grid 2 M2 0.44 A/m	Grid 3 M2 0.42 A/m
Grid 4 M2 0.43 A/m	Grid 5 M2 0.45 A/m	Grid 6 M2 0.43 A/m
Grid 7 M2 0.42 A/m	Grid 8 M2 0.44 A/m	Grid 9 M2 0.42 A/m

Author Data
Daoud Attayi

Dates of Test
Jan. 31, Feb. 17, June 18-Sep. 28, 2012

Report No
RTS-6012-1207-39



FCC ID
L6ARFF90LW


Cursor:

Total = 0.450 A/m

H Category: M2

Location: 0, 0.5, 4.7 mm



		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 52 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	

Date/Time: 6/28/2012 2:38:12 AM

Test Laboratory: RIM Testing Services

HAC RF_H-Field_validation_1880 MHz_06_28_12

DUT: HAC Dipole 1880 MHz; Type: CD1880V3; Serial: 1008

Communication System: CW; Frequency: 1880 MHz

Medium parameters used: $\sigma = 0$ mho/m, $\epsilon_r = 1$; $\rho = 0$ kg/m³

Phantom section: RF Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY Configuration:

- Probe: H3DV6 - SN6105; ; Calibrated: 11/8/2011
- Sensor-Surface: (Fix Surface), $z = 4.7$
- Electronics: DAE3 Sn473; Calibrated: 1/13/2012
- Phantom: HAC RF Test Arch with AMCC; Type: SD HAC P01 BA
- DASY52 52.8.0(692); SEMCAD X 14.6.4(4989)

Dipole H-Field measurement with H3DV6 probe/H Scan - measurement distance from the probe sensor center to CD1880 Dipole = 10mm/Hearing Aid

Compatibility Test (41x101x1): Measurement grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 0.50 V/m; Power Drift = -0.03 dB

PMR not calibrated. PMF = 1.000 is applied.

H-field emissions = 0.47 A/m

Near-field category: M2 (AWF 0 dB)

PMF scaled H-field


Grid 1 M2 0.44 A/m	Grid 2 M2 0.45 A/m	Grid 3 M2 0.44 A/m
Grid 4 M2 0.45 A/m	Grid 5 M2 0.47 A/m	Grid 6 M2 0.45 A/m
Grid 7 M2 0.44 A/m	Grid 8 M2 0.46 A/m	Grid 9 M2 0.44 A/m


Cursor:

Total = 0.472 A/m

H Category: M2

Location: 0, 0.5, 4.7 mm



		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 54 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	

Date/Time: 1/31/2012 3:44:25 PM

Test Laboratory: RIM Testing Services

HAC RF_H-Field_PMF_GSM1880 MHz_01_31_12

DUT: HAC Dipole 1880 MHz; Type: CD1880V3; Serial: 1008

Communication System: GSM 1880_PMF, Communication System: CW, Communication System: AM 80%; Frequency: 1880 MHz

Medium parameters used: $\sigma = 0$ mho/m, $\epsilon_r = 1$; $\rho = 0$ kg/m³

Phantom section: RF Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY Configuration:

- Probe: H3DV6 - SN6105; ; Calibrated: 11/8/2011
- Sensor-Surface: (Fix Surface), $z = 4.7$
- Electronics: DAE3 Sn472; Calibrated: 3/7/2011
- Phantom: HAC RF Test Arch with AMCC; Type: SD HAC P01 BA
- DASY52 52.8.0(692); SEMCAD X 14.6.4(4989)

Dipole H-Field measurement with H3DV6 probe/H Scan -GSM

1880_PMF/Hearing Aid Compatibility Test (41x101x1): Measurement grid: dx=5mm, dy=5mm


Device Reference Point: 0, 0, -6.3 mm

Reference Value = 0.12 V/m; Power Drift = -0.04 dB

PMR not calibrated. PMF = 1.000 is applied.

H-field emissions = 0.11 A/m

Near-field category: M4 (AWF 0 dB)

		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW	Page 55 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW

PMF scaled H-field

Grid 1 M4 0.10 A/m	Grid 2 M4 0.11 A/m	Grid 3 M4 0.10 A/m
Grid 4 M4 0.10 A/m	Grid 5 M4 0.11 A/m	Grid 6 M4 0.11 A/m
Grid 7 M4 0.10 A/m	Grid 8 M4 0.11 A/m	Grid 9 M4 0.10 A/m

Cursor:

Total = 0.110 A/m

H Category: M4

Location: 0, 0.5, 4.7 mm

Dipole H-Field measurement with H3DV6 probe/H Scan - CW

1800_PMF/Hearing Aid Compatibility Test (41x101x1): Measurement

grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 0.35 V/m; Power Drift = 0.04 dB


PMR not calibrated. PMF = 1.000 is applied.

H-field emissions = 0.33 A/m

Near-field category: M3 (AWF 0 dB)

PMF scaled H-field

Grid 1 M3 0.30 A/m	Grid 2 M3 0.32 A/m	Grid 3 M3 0.31 A/m
Grid 4 M3 0.31 A/m	Grid 5 M3 0.33 A/m	Grid 6 M3 0.31 A/m
Grid 7 M3 0.30 A/m	Grid 8 M3 0.32 A/m	Grid 9 M3 0.30 A/m

		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 56 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	

Cursor:

Total = 0.327 A/m

H Category: M3

Location: 0, 0.5, 4.7 mm

**Dipole H-Field measurement with H3DV6 probe/H Scan -
AM80%_1880_PMF/Hearing Aid Compatibility Test (41x101x1):**

Measurement grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 0.23 V/m; Power Drift = 0.05 dB

PMR not calibrated. PMF = 1.000 is applied.

H-field emissions = 0.21 A/m

Near-field category: M3 (AWF 0 dB)

PMF scaled H-field

Grid 1 M3 0.20 A/m	Grid 2 M3 0.21 A/m	Grid 3 M3 0.20 A/m
Grid 4 M3 0.20 A/m	Grid 5 M3 0.21 A/m	Grid 6 M3 0.20 A/m
Grid 7 M3 0.20 A/m	Grid 8 M3 0.21 A/m	Grid 9 M3 0.20 A/m

Cursor:

Total = 0.214 A/m

H Category: M3



Location: 0, 0, 4.7 mm

Author Data
Daoud Attayi


Dates of Test
Jan. 31, Feb. 17, June 18-Sep. 28, 2012

Report No
RTS-6012-1207-39

FCC ID
L6ARFF90LW



0 dB = 0.110A/m = -19.17 dB A/m

		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW	Page 58 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW

Date/Time: 2/17/2012 3:56:44 PM

Test Laboratory: RIM Testing Services

HAC RF_H-Field_PMF_UMTS1880 MHz_02_17_12

DUT: HAC Dipole 1880 MHz; Type: CD1880V3; Serial: 1008

Communication System: WCDMA FDD II, Communication System: CW, Communication System: AM 80%; Frequency: 1880 MHz

Medium parameters used: $\sigma = 0$ mho/m, $\epsilon_r = 1$; $\rho = 0$ kg/m³

Phantom section: RF Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY Configuration:

- Probe: H3DV6 - SN6105; ; Calibrated: 11/8/2011
- Sensor-Surface: (Fix Surface), $z = 4.7$
- Electronics: DAE3 Sn472; Calibrated: 3/7/2011
- Phantom: HAC RF Test Arch with AMCC; Type: SD HAC P01 BA
- DASY52 52.8.0(692); SEMCAD X 14.6.4(4989)

Dipole H-Field measurement with H3DV6 probe/H Scan -UMTS

1880_PMF/Hearing Aid Compatibility Test (41x101x1): Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$


Device Reference Point: 0, 0, -6.3 mm

Reference Value = 0.16 V/m; Power Drift = 0.06 dB

PMR not calibrated. PMF = 1.000 is applied.

H-field emissions = 0.15 A/m

Near-field category: M4 (AWF 0 dB)

		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 59 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012		Report No RTS-6012-1207-39	FCC ID L6ARFF90LW

PMF scaled H-field

Grid 1 M4 0.14 A/m	Grid 2 M4 0.14 A/m	Grid 3 M4 0.14 A/m
Grid 4 M4 0.14 A/m	Grid 5 M4 0.15 A/m	Grid 6 M4 0.14 A/m
Grid 7 M4 0.14 A/m	Grid 8 M4 0.15 A/m	Grid 9 M4 0.14 A/m

Cursor:

Total = 0.150 A/m

H Category: M4

Location: 0, 0.5, 4.7 mm

Dipole H-Field measurement with H3DV6 probe/H Scan - CW
1880_PMF/Hearing Aid Compatibility Test (41x101x1): Measurement

grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 0.16 V/m; Power Drift = -0.01 dB


PMR not calibrated. PMF = 1.000 is applied.

H-field emissions = 0.15 A/m

Near-field category: M4 (AWF 0 dB)

PMF scaled H-field

Grid 1 M4 0.14 A/m	Grid 2 M4 0.14 A/m	Grid 3 M4 0.14 A/m
Grid 4 M4 0.14 A/m	Grid 5 M4 0.15 A/m	Grid 6 M4 0.14 A/m
Grid 7 M4 0.14 A/m	Grid 8 M4 0.15 A/m	Grid 9 M4 0.14 A/m

		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 60 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	

Cursor:

Total = 0.149 A/m

H Category: M4

Location: 0, 0.5, 4.7 mm

Dipole H-Field measurement with H3DV6 probe/H Scan - AM80%_1880_PMF/Hearing Aid Compatibility Test (41x101x1):

Measurement grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 0.10 V/m; Power Drift = -0.07 dB

PMR not calibrated. PMF = 1.000 is applied.

H-field emissions = 0.10 A/m

Near-field category: M4 (AWF 0 dB)

PMF scaled H-field

Grid 1 M4 0.09 A/m	Grid 2 M4 0.09 A/m	Grid 3 M4 0.09 A/m
Grid 4 M4 0.09 A/m	Grid 5 M4 0.10 A/m	Grid 6 M4 0.09 A/m
Grid 7 M4 0.09 A/m	Grid 8 M4 0.09 A/m	Grid 9 M4 0.09 A/m

Cursor:

Total = 0.096 A/m

H Category: M4



Location: 0, 0, 4.7 mm

Author Data
Daoud Attayi


Dates of Test
Jan. 31, Feb. 17, June 18-Sep. 28, 2012


Report No
RTS-6012-1207-39

FCC ID
L6ARFF90LW



0 dB = 0.150A/m = -16.48 dB A/m


		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 62 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	



The green line in this figure shows the axis along which the points lie.

Comparison of 5mm and 2mm step sizes

An additional set of measurements was taken: dipole validations were performed using 5mm and 2mm step sizes. The delta between the two readings is insignificant for both field types ($< 0.4\%$ for E and 0% for H), demonstrating that 5mm is sufficient. The plots follow.

		Document		Page
		Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		63 (136)
Author Data	Dates of Test	Report No	FCC ID	
Daoud Attayi	Jan. 31, Feb. 17, June 18-Sep. 28, 2012	RTS-6012-1207-39	L6ARFF90LW	

Date/Time: 14/07/2005 11:35:24 AM

Page 1 of 2

Date/Time: 14/07/2005 11:35:24 AM

Lab: RIM Testing Services (RTS)

Dipole Validation 1880 MHz_E-Field 07_14_05

DUT: HAC Dipole 1880 MHz; Type: CD1880V3

Communication System: CW; Frequency: 1880 MHz; Duty Cycle: 1:1

Medium: Air Medium parameters used: $\sigma = 0$ mho/m, $\epsilon_r = 1$; $\rho = 1000$ kg/m³

Phantom section: H Device Section

DASY4 Configuration:

- Probe: ER3DV6 - SN2285; ConvF(1, 1, 1); Calibrated: 10/12/2004
- Sensor-Surface: 0mm (Fix Surface) Sensor-Surface: (Fix Surface)
- Electronics: DAE3 Sn472; Calibrated: 03/01/2005
- Phantom: HAC Test Arch; Type: SD HAC P01 BA;
- Measurement SW: DASY4, V4.5 Build 19; Postprocessing SW: SEMCAD, V1.8 Build 146

E Scan 10mm above CD 1880 MHz/Hearing Aid Compatibility Test (5x19x1):

Measurement grid: dx=5mm, dy=5mm

Maximum value of Total (measured) = 134.8 V/m

E Scan 10mm above CD 1880 MHz/Hearing Aid Compatibility Test (41x181x1):

Measurement grid: dx=5mm, dy=5mm

Maximum value of Total field (slot averaged) = 131.0 V/m


Hearing Aid Near-Field Category: M2 (AWF 0 dB)

E in V/m (Time averaged) E in V/m (Slot averaged)

Grid 1	Grid 2	Grid 3	Grid 1	Grid 2	Grid 3
123.2	138.1	138.4	123.2	138.1	138.4
Grid 4	Grid 5	Grid 6	Grid 4	Grid 5	Grid 6
80.9	92.3	92.2	80.9	92.3	92.2
Grid 7	Grid 8	Grid 9	Grid 7	Grid 8	Grid 9
119.8	131.0	130.7	119.8	131.0	130.7


Category	AWF (dB)	Limits for E-Field Emissions (V/m)	Limits for H-Field Emissions (A/m)
M1	0	199.5 - 354.8	0.6 - 1.07
	-5	149.6 - 266.1	0.45 - 0.8
M2	0	112.2 - 199.5	0.34 - 0.6
	-5	84.1 - 149.6	0.25 - 0.45
M3	0	63.1 - 112.2	0.19 - 0.34
	-5	47.3 - 84.1	0.15 - 0.25
M4	0	<63.1	<0.19

file://C:\Program%20Files\DASY4\Print_Templates\Dipole%20Validation%201880%20... 14/07/2005


		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 64 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	

Date/Time: 14/07/2005 11:35:24 AM

Page 2 of 2



file://C:\Program%20Files\DASY4\Print_Templates\Dipole%20Validation%201880%20... 14/07/2005

		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW	Page 65 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW

Date/Time: 14/07/2005 11:44:51 AM

Page 1 of 2

Date/Time: 14/07/2005 11:44:51 AM

Lab: RIM Testing Services (RTS)

Dipole Validation 1880 MHz_2mm step_E-Field 07_14_05

DUT: HAC Dipole 1880 MHz; Type: CD1880V3

Communication System: CW; Frequency: 1880 MHz; Duty Cycle: 1:1
Medium: Air Medium parameters used: $\sigma = 0$ mho/m, $\epsilon_r = 1$; $\rho = 1000$ kg/m³
Phantom section: H Device Section

DASY4 Configuration:

- Probe: ER3DV6 - SN2285; ConvF(1, 1, 1); Calibrated: 10/12/2004
- Sensor-Surface: 0mm (Fix Surface) Sensor-Surface: (Fix Surface)
- Electronics: DAE3 Sn472; Calibrated: 03/01/2005
- Phantom: HAC Test Arch; Type: SD HAC P01 BA;
- Measurement SW: DASY4, V4.5 Build 19; Postprocessing SW: SEMCAD, V1.8 Build 146

E Scan 10mm above CD 1880 MHz/Hearing Aid Compatibility Test (11x46x1):

Measurement grid: dx=2mm, dy=2mm
Maximum value of Total (measured) = 138.0 V/m

E Scan 10mm above CD 1880 MHz/Hearing Aid Compatibility Test (101x451x1):

Measurement grid: dx=2mm, dy=2mm
Maximum value of Total field (slot averaged) = 131.2 V/m


Hearing Aid Near-Field Category: M2 (AWF 0 dB)

E in V/m (Time averaged) E in V/m (Slot averaged)

Grid 1	Grid 2	Grid 3	Grid 1	Grid 2	Grid 3
123.1	138.6	138.6	123.1	138.6	138.6
Grid 4	Grid 5	Grid 6	Grid 4	Grid 5	Grid 6
81.4	92.1	91.6	81.4	92.1	91.6
Grid 7	Grid 8	Grid 9	Grid 7	Grid 8	Grid 9
121.3	131.2	131.0	121.3	131.2	131.0


Category	AWF (dB)	Limits for E-Field Emissions (V/m)	Limits for H-Field Emissions (A/m)
M1	0	199.5 - 354.8	0.6 - 1.07
	-5	149.6 - 266.1	0.45 - 0.8
M2	0	112.2 - 199.5	0.34 - 0.6
	-5	84.1 - 149.6	0.25 - 0.45
M3	0	63.1 - 112.2	0.19 - 0.34
	-5	47.3 - 84.1	0.15 - 0.25
M4	0	<63.1	<0.19

file://C:\Program%20Files\DASY4\Print_Templates\Dipole%20Validation%201880%20... 14/07/2005

		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 66 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	

Date/Time: 14/07/2005 11:44:51 AM

Page 2 of 2



file://C:\Program%20Files\DASY4\Print_Templates\Dipole%20Validation%201880%20... 14/07/2005



Document

**Annex A to Hearing Aid Compatibility RF Emissions Test
Report for the BlackBerry® Smartphone model RFF91LW**

Page

67 (136)

Author Data

Daoud Attayi

Dates of Test

Jan. 31, Feb. 17, June 18-Sep. 28, 2012

Report No

RTS-6012-1207-39

FCC ID

L6ARFF90LW

Date/Time: 14/07/2005 12:43:02 PM

Page 1 of 2

Date/Time: 14/07/2005 12:43:02 PM

Lab: RIM Testing Services (RTS)**HAC_H_Dipole_CW 1880_5 mm step_07_14_05****DUT: HAC Dipole 1880 MHz; Type: CD1880V3**

Communication System: CW; Frequency: 1880 MHz; Duty Cycle: 1:1

Medium: Air Medium parameters used: $\sigma = 0$ mho/m, $\epsilon_r = 1$; $\rho = 1$ kg/m³

Phantom section: H Dipole Section

DASY4 Configuration:

- Probe: H3DV6 - SN6105; ; Calibrated: 10/12/2004

- Sensor-Surface: 0mm (Fix Surface) Sensor-Surface: (Fix Surface)

- Electronics: DAE3 Sn472; Calibrated: 03/01/2005

- Phantom: HAC Test Arch; Type: SD HAC P01 BA;

- Measurement SW: DASY4, V4.5 Build 19; Postprocessing SW: SEMCAD, V1.8 Build 146

H Scan 10mm above CD 1880 MHz/Hearing Aid Compatibility Test (5x19x1):

Measurement grid: dx=5mm, dy=5mm

Maximum value of Total (measured) = 0.406 A/m

H Scan 10mm above CD 1880 MHz/Hearing Aid Compatibility Test (41x181x1):

Measurement grid: dx=5mm, dy=5mm

Maximum value of Total field (slot averaged) = 0.406 A/m


Hearing Aid Near-Field Category: M2 (AWF 0 dB)


H in A/m (Time averaged) H in A/m (Slot averaged)


Grid 1	Grid 2	Grid 3	Grid 1	Grid 2	Grid 3
0.342	0.359	0.344	0.342	0.359	0.344
Grid 4	Grid 5	Grid 6	Grid 4	Grid 5	Grid 6
0.389	0.406	0.389	0.389	0.406	0.389
Grid 7	Grid 8	Grid 9	Grid 7	Grid 8	Grid 9
0.363	0.378	0.363	0.363	0.378	0.363

Category	AWF (dB)	Limits for E-Field Emissions (V/m)	Limits for H-Field Emissions (A/m)
M1	0	199.5 - 354.8	0.6 - 1.07
	-5	149.6 - 266.1	0.45 - 0.8
M2	0	112.2 - 199.5	0.34 - 0.6
	-5	84.1 - 149.6	0.25 - 0.45
M3	0	63.1 - 112.2	0.19 - 0.34
	-5	47.3 - 84.1	0.15 - 0.25
M4	0	<63.1	<0.19

file://C:\Program%20Files\DASY4\Print_Templates\HAC_H_Dipole_CW%201880_5%... 14/07/2005

		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 68 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	



		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 69 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	

Date/Time: 14/07/2005 12:53:40 PM

Page 1 of 2

Date/Time: 14/07/2005 12:53:40 PM

Lab: RIM Testing Services (RTS)

HAC_H_Dipole_CW 1880_2 mm step_07_14_05

DUT: HAC Dipole 1880 MHz; Type: CD1880V3

Communication System: CW; Frequency: 1880 MHz; Duty Cycle: 1:1
Medium: Air Medium parameters used: $\sigma = 0$ mho/m, $\epsilon_r = 1$; $\rho = 1$ kg/m³
Phantom section: H Dipole Section

DASY4 Configuration:

- Probe: H3DV6 - SN6105; ; Calibrated: 10/12/2004
- Sensor-Surface: 0mm (Fix Surface) Sensor-Surface: (Fix Surface)
- Electronics: DAE3 Sn472; Calibrated: 03/01/2005
- Phantom: HAC Test Arch; Type: SD HAC P01 BA;
- Measurement SW: DASY4, V4.5 Build 19; Postprocessing SW: SEMCAD, V1.8 Build 146

H Scan 10mm above CD 1880 MHz/Hearing Aid Compatibility Test (11x46x1):

Measurement grid: dx=2mm, dy=2mm
Maximum value of Total (measured) = 0.406 A/m

H Scan 10mm above CD 1880 MHz/Hearing Aid Compatibility Test (101x451x1):

Measurement grid: dx=2mm, dy=2mm
Maximum value of Total field (slot averaged) = 0.406 A/m


Hearing Aid Near-Field Category: M2 (AWF 0 dB)

H in A/m (Time averaged) H in A/m (Slot averaged)

Grid 1	Grid 2	Grid 3	Grid 1	Grid 2	Grid 3
0.347	0.361	0.348	0.347	0.361	0.348
Grid 4	Grid 5	Grid 6	Grid 4	Grid 5	Grid 6
0.394	0.406	0.391	0.394	0.406	0.391
Grid 7	Grid 8	Grid 9	Grid 7	Grid 8	Grid 9
0.367	0.380	0.365	0.367	0.380	0.365


Category	AWF (dB)	Limits for E-Field Emissions (V/m)	Limits for H-Field Emissions (A/m)
M1	0	199.5 - 354.8	0.6 - 1.07
	-5	149.6 - 266.1	0.45 - 0.8
M2	0	112.2 - 199.5	0.34 - 0.6
	-5	84.1 - 149.6	0.25 - 0.45
M3	0	63.1 - 112.2	0.19 - 0.34
	-5	47.3 - 84.1	0.15 - 0.25
M4	0	<63.1	<0.19

file://C:\Program%20Files\DASY4\Print_Templates\HAC_H_Dipole_CW%201880_2%... 14/07/2005


		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 70 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	

Date/Time: 14/07/2005 12:53:40 PM


Page 2 of 2



file://C:\Program%20Files\DASY4\Print_Templates\HAC_H_Dipole_CW%201880_2%... 14/07/2005

		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 71 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	

A.3 RF emission field plots

		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 72 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	

Date/Time: 6/19/2012 2:39:21 AM

Test Laboratory: RIM Testing Services

HAC RF_E-Field_GSM850

DUT: BlackBerry Smartphone; Type: Sample ; Serial: 2A211C01

Communication System: GSM 850; Frequency: 824.2 MHz, Frequency: 836.8 MHz, Frequency: 848.8 MHz

Medium parameters used: $\sigma = 0$ mho/m, $\epsilon_r = 1$; $\rho = 0$ kg/m³

Phantom section: RF Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY Configuration:

- Probe: ER3DV6 - SN2286; ConvF(1, 1, 1); Calibrated: 1/9/2012
- Sensor-Surface: (Fix Surface), $z = 8.7$
- Electronics: DAE3 Sn473; Calibrated: 1/13/2012
- Phantom: HAC RF Test Arch with AMCC; Type: SD HAC P01 BA
- DASY52 52.8.0(692); SEMCAD X 14.6.4(4989)

Device E-Field measurement with ER probe/E Scan - ER3D - 2007: 15 mm from Probe Center to Device_Low_Chan/Hearing Aid Compatibility Test

(101x101x1): Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 68.05 V/m; Power Drift = -0.07 dB

PMR not calibrated. PMF = 3.130 is applied.

E-field emissions = 180.0 V/m

Near-field category: M3 (AWF -5 dB)

PMF scaled E-field

Grid 1 M4 147.0 V/m	Grid 2 M3 155.9 V/m	Grid 3 M3 151.3 V/m
Grid 4 M3 172.4 V/m	Grid 5 M3 180.0 V/m	Grid 6 M3 169.6 V/m
Grid 7 M3 197.4 V/m	Grid 8 M3 202.3 V/m	Grid 9 M3 183.9 V/m

Cursor:

Total = 202.3 V/m
E Category: M3
Location: 2, 25, 8.7 mm


**Device E-Field measurement with ER probe/E Scan - ER3D - 2007:
15 mm from Probe Center to the Device_Mid_Chan/Hearing Aid
Compatibility Test (101x101x1):** Measurement grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm
Reference Value = 72.12 V/m; Power Drift = -0.10 dB
PMR not calibrated. PMF = 3.130 is applied.
E-field emissions = 190.1 V/m

Near-field category: M3 (AWF -5 dB)

PMF scaled E-field

Grid 1 M4 149.1 V/m	Grid 2 M3 166.3 V/m	Grid 3 M3 163.6 V/m
Grid 4 M3 176.6 V/m	Grid 5 M3 190.1 V/m	Grid 6 M3 183.7 V/m
Grid 7 M3 203.9 V/m	Grid 8 M3 213.2 V/m	Grid 9 M3 198.3 V/m

		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 74 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012		Report No RTS-6012-1207-39	FCC ID L6ARFF90LW

Cursor:

Total = 213.2 V/m
E Category: M3
Location: 0.5, 25, 8.7 mm

**Device E-Field measurement with ER probe/E Scan - ER3D - 2007:
15 mm from Probe Center to the Device_High_Chan/Hearing Aid
Compatibility Test (101x101x1):** Measurement grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm
Reference Value = 75.05 V/m; Power Drift = 0.02 dB
PMR not calibrated. PMF = 3.130 is applied.
E-field emissions = 197.7 V/m

Near-field category: M3 (AWF -5 dB)

PMF scaled E-field

Grid 1 M3 158.1 V/m	Grid 2 M3 180.6 V/m	Grid 3 M3 176.3 V/m
Grid 4 M3 179.4 V/m	Grid 5 M3 197.7 V/m	Grid 6 M3 193.7 V/m
Grid 7 M3 203.0 V/m	Grid 8 M3 213.6 V/m	Grid 9 M3 204.4 V/m

Cursor:



Total = 213.6 V/m
E Category: M3
Location: 0, 25, 8.7 mm


Author Data
Daoud Attayi

Dates of Test
Jan. 31, Feb. 17, June 18-Sep. 28, 2012

Report No
RTS-6012-1207-39

FCC ID
L6ARFF90LW



		Document		Page
		Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		76 (136)
Author Data	Dates of Test	Report No	FCC ID	
Daoud Attayi	Jan. 31, Feb. 17, June 18-Sep. 28, 2012	RTS-6012-1207-39	L6ARFF90LW	

Date/Time: 6/28/2012 3:51:52 AM

Test Laboratory: RIM Testing Services

HAC RF_E-Field_GSM850_Tcoil

DUT: BlackBerry Smartphone; Type: Sample ; Serial: 2A211C01

Communication System: GSM 850; Frequency: 848.8 MHz

Medium parameters used: $\sigma = 0$ mho/m, $\epsilon_r = 1$; $\rho = 0$ kg/m³

Phantom section: RF Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY Configuration:

- Probe: ER3DV6 - SN2286; ConvF(1, 1, 1); Calibrated: 1/9/2012
- Sensor-Surface: (Fix Surface), $z = 8.7$
- Electronics: DAE3 Sn473; Calibrated: 1/13/2012
- Phantom: HAC RF Test Arch with AMCC; Type: SD HAC P01 BA
- DASY52 52.8.0(692); SEMCAD X 14.6.4(4989)

Device E-Field measurement with ER probe/E Scan - ER3D - 2007: 15 mm from Probe Center to the Device_telecoil/Hearing Aid Compatibility Test (101x101x1):

Measurement grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 71.61 V/m; Power Drift = -0.00 dB

PMR not calibrated. PMF = 3.130 is applied.

E-field emissions = 162.3 V/m

Near-field category: M3 (AWF -5 dB)

Author Data
Daoud Attayi

Dates of Test
Jan. 31, Feb. 17, June 18-Sep. 28, 2012

Report No
RTS-6012-1207-39

FCC ID
L6ARFF90LW

PMF scaled E-field



Grid 1 M4 102.5 V/m	Grid 2 M4 140.4 V/m	Grid 3 M4 144.2 V/m
Grid 4 M4 121.8 V/m	Grid 5 M3 162.3 V/m	Grid 6 M3 167.0 V/m
Grid 7 M4 146.3 V/m	Grid 8 M3 179.5 V/m	Grid 9 M3 182.3 V/m

Cursor:


Total = 182.3 V/m

E Category: M3

Location: -3.5, 3, 8.7 mm



0 dB = 167.8V/m = 44.50 dB V/m

		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 78 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	

Date/Time: 6/19/2012 4:43:39 AM

Test Laboratory: RIM Testing Services

HAC RF_E-Field_UMTS_Band_V

DUT: BlackBerry Smartphone; Type: Sample ; Serial: 2A211C01

Communication System: WCDMA FDD V; Frequency: 826.4 MHz, Frequency: 836.4 MHz,
Frequency: 846.6 MHz

Medium parameters used: $\sigma = 0$ mho/m, $\epsilon_r = 1$; $\rho = 0$ kg/m³

Phantom section: RF Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY Configuration:

- Probe: ER3DV6 - SN2286; ConvF(1, 1, 1); Calibrated: 1/9/2012
- Sensor-Surface: (Fix Surface), z = 8.7
- Electronics: DAE3 Sn473; Calibrated: 1/13/2012
- Phantom: HAC RF Test Arch with AMCC; Type: SD HAC P01 BA
- DASY52 52.8.0(692); SEMCAD X 14.6.4(4989)

Device E-Field measurement with ER probe/E Scan - ER3D - 2007: 15 mm from Probe Center to Device_Low_Chan/Hearing Aid Compatibility Test

(101x101x1): Measurement grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 63.06 V/m; Power Drift = -0.04 dB

PMR not calibrated. PMF = 1.070 is applied.

E-field emissions = 56.37 V/m

Near-field category: M4 (AWF 0 dB)

PMF scaled E-field

Grid 1 M4 46.79 V/m	Grid 2 M4 50.29 V/m	Grid 3 M4 48.16 V/m
Grid 4 M4 53.19 V/m	Grid 5 M4 56.37 V/m	Grid 6 M4 54.75 V/m
Grid 7 M4 59.84 V/m	Grid 8 M4 63.50 V/m	Grid 9 M4 58.75 V/m

Cursor:

Total = 63.500 V/m

E Category: M4

Location: -4, 25, 8.7 mm

**Device E-Field measurement with ER probe/E Scan - ER3D - 2007:
15 mm from Probe Center to the Device_Mid_Chan/Hearing Aid
Compatibility Test (101x101x1):** Measurement grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 61.40 V/m; Power Drift = -0.05 dB


PMR not calibrated. PMF = 1.070 is applied.

E-field emissions = 55.40 V/m

Near-field category: M4 (AWF 0 dB)

PMF scaled E-field

Grid 1 M4 44.29 V/m	Grid 2 M4 48.68 V/m	Grid 3 M4 47.65 V/m
Grid 4 M4 51.53 V/m	Grid 5 M4 55.40 V/m	Grid 6 M4 53.66 V/m
Grid 7 M4 59.45 V/m	Grid 8 M4 61.52 V/m	Grid 9 M4 57.30 V/m

		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 80 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012		Report No RTS-6012-1207-39	FCC ID L6ARFF90LW

Cursor:

Total = 61.523 V/m

E Category: M4

Location: 2, 25, 8.7 mm

**Device E-Field measurement with ER probe/E Scan - ER3D - 2007:
15 mm from Probe Center to the Device_High_Chan/Hearing Aid
Compatibility Test (101x101x1):** Measurement grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 66.64 V/m; Power Drift = -0.02 dB

PMR not calibrated. PMF = 1.070 is applied.

E-field emissions = 59.02 V/m

Near-field category: M4 (AWF 0 dB)

PMF scaled E-field

Grid 1 M4 49.09 V/m	Grid 2 M4 53.53 V/m	Grid 3 M4 52.27 V/m
Grid 4 M4 55.63 V/m	Grid 5 M4 59.02 V/m	Grid 6 M4 56.81 V/m
Grid 7 M4 61.61 V/m	Grid 8 M4 64.35 V/m	Grid 9 M4 59.30 V/m

Cursor:

Total = 64.347 V/m

E Category: M4



Location: 1, 25, 8.7 mm

Author Data
Daoud Attayi


Dates of Test
Jan. 31, Feb. 17, June 18-Sep. 28, 2012

Report No
RTS-6012-1207-39

FCC ID
L6ARFF90LW



0 dB = 63.500V/m = 36.06 dB V/m

		Document		Page
		Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		82 (136)
Author Data	Dates of Test	Report No	FCC ID	
Daoud Attayi	Jan. 31, Feb. 17, June 18-Sep. 28, 2012	RTS-6012-1207-39	L6ARFF90LW	

Date/Time: 6/28/2012 5:13:14 AM

Test Laboratory: RIM Testing Services

HAC RF_E-Field_UMTS_Band_V_Tcoil

DUT: BlackBerry Smartphone; Type: Sample ; Serial: 2A211C01

Communication System: WCDMA FDD V; Frequency: 846.6 MHz

Medium parameters used: $\sigma = 0$ mho/m, $\epsilon_r = 1$; $\rho = 0$ kg/m³

Phantom section: RF Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY Configuration:

- Probe: ER3DV6 - SN2286; ConvF(1, 1, 1); Calibrated: 1/9/2012
- Sensor-Surface: (Fix Surface), $z = 8.7$
- Electronics: DAE3 Sn473; Calibrated: 1/13/2012
- Phantom: HAC RF Test Arch with AMCC; Type: SD HAC P01 BA
- DASY52 52.8.0(692); SEMCAD X 14.6.4(4989)

Device E-Field measurement with ER probe/E Scan - ER3D - 2007: 15 mm from Probe Center to the Device_telecoil/Hearing Aid Compatibility Test (101x101x1):

Measurement grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 69.12 V/m; Power Drift = -0.06 dB

PMR not calibrated. PMF = 1.070 is applied.

E-field emissions = 50.84 V/m

Near-field category: M4 (AWF 0 dB)

Author Data
Daoud Attayi

Dates of Test
Jan. 31, Feb. 17, June 18-Sep. 28, 2012

Report No
RTS-6012-1207-39

FCC ID
L6ARFF90LW

PMF scaled E-field


Grid 1 M4 31.83 V/m	Grid 2 M4 42.99 V/m	Grid 3 M4 44.08 V/m
Grid 4 M4 39.06 V/m	Grid 5 M4 50.84 V/m	Grid 6 M4 52.34 V/m
Grid 7 M4 48.44 V/m	Grid 8 M4 59.26 V/m	Grid 9 M4 60.02 V/m


Cursor:

Total = 60.024 V/m

E Category: M4

Location: -3.5, 3, 8.7 mm



		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 84 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	

Date/Time: 6/19/2012 3:03:00 AM

Test Laboratory: RIM Testing Services

HAC RF_E-Field_GSM1900

DUT: BlackBerry Smartphone; Type: Sample ; Serial: 2A211C01

Communication System: GSM 1900; Frequency: 1850.2 MHz, Frequency: 1880 MHz,
Frequency: 1909.8 MHz

Medium parameters used: $\sigma = 0$ mho/m, $\epsilon_r = 1$; $\rho = 0$ kg/m³

Phantom section: RF Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY Configuration:

- Probe: ER3DV6 - SN2286; ConvF(1, 1, 1); Calibrated: 1/9/2012
- Sensor-Surface: (Fix Surface), z = 8.7
- Electronics: DAE3 Sn473; Calibrated: 1/13/2012
- Phantom: HAC RF Test Arch with AMCC; Type: SD HAC P01 BA
- DASY52 52.8.0(692); SEMCAD X 14.6.4(4989)

Device E-Field measurement with ER probe/E Scan - ER3D - 2007: 15 mm from Probe Center to Device_Low_Chan/Hearing Aid Compatibility Test

(101x101x1): Measurement grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 9.78 V/m; Power Drift = -0.23 dB

PMR not calibrated. PMF = 2.920 is applied.

E-field emissions = 57.50 V/m

Near-field category: M3 (AWF -5 dB)

PMF scaled E-field

Grid 1 M3 56.06 V/m	Grid 2 M3 57.50 V/m	Grid 3 M3 50.95 V/m
Grid 4 M4 30.10 V/m	Grid 5 M3 49.47 V/m	Grid 6 M3 50.09 V/m
Grid 7 M3 54.03 V/m	Grid 8 M3 77.37 V/m	Grid 9 M3 77.14 V/m

Cursor:

Total = 77.373 V/m

E Category: M3

Location: -7, 25, 8.7 mm

**Device E-Field measurement with ER probe/E Scan - ER3D - 2007:
15 mm from Probe Center to the Device_Mid_Chan/Hearing Aid
Compatibility Test (101x101x1):** Measurement grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 8.54 V/m; Power Drift = 0.04 dB


PMR not calibrated. PMF = 2.920 is applied.

E-field emissions = 52.54 V/m

Near-field category: M3 (AWF -5 dB)

PMF scaled E-field

Grid 1 M3 50.47 V/m	Grid 2 M3 52.54 V/m	Grid 3 M3 49.54 V/m
Grid 4 M4 27.73 V/m	Grid 5 M4 42.71 V/m	Grid 6 M4 43.46 V/m
Grid 7 M4 45.53 V/m	Grid 8 M3 66.99 V/m	Grid 9 M3 66.96 V/m

		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 86 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	

Cursor:

Total = 66.992 V/m
E Category: M3
Location: -8, 25, 8.7 mm

**Device E-Field measurement with ER probe/E Scan - ER3D - 2007:
15 mm from Probe Center to the Device_High_Chan/Hearing Aid
Compatibility Test (101x101x1):** Measurement grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm
Reference Value = 7.61 V/m; Power Drift = 0.15 dB
PMR not calibrated. PMF = 2.920 is applied.
E-field emissions = 56.08 V/m

Near-field category: M3 (AWF -5 dB)

PMF scaled E-field

Grid 1 M3 51.87 V/m	Grid 2 M3 56.08 V/m	Grid 3 M3 52.23 V/m
Grid 4 M4 32.00 V/m	Grid 5 M4 34.09 V/m	Grid 6 M4 35.11 V/m
Grid 7 M4 38.32 V/m	Grid 8 M3 59.81 V/m	Grid 9 M3 59.80 V/m

Cursor:



Total = 59.810 V/m
E Category: M3
Location: -8, 25, 8.7 mm

Author Data
Daoud Attayi


Dates of Test
Jan. 31, Feb. 17, June 18-Sep. 28, 2012

Report No
RTS-6012-1207-39

FCC ID
L6ARFF90LW



0 dB = 76.340V/m = 37.66 dB V/m

		Document		Page
		Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		88 (136)
Author Data	Dates of Test	Report No	FCC ID	
Daoud Attayi	Jan. 31, Feb. 17, June 18-Sep. 28, 2012	RTS-6012-1207-39	L6ARFF90LW	

Date/Time: 6/28/2012 5:01:14 AM

Test Laboratory: RIM Testing Services

HAC RF_E-Field_GSM1900_Tcoil

DUT: BlackBerry Smartphone; Type: Sample ; Serial: 2A211C01

Communication System: GSM 1900; Frequency: 1850.2 MHz

Medium parameters used: $\sigma = 0$ mho/m, $\epsilon_r = 1$; $\rho = 0$ kg/m³

Phantom section: RF Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY Configuration:

- Probe: ER3DV6 - SN2286; ConvF(1, 1, 1); Calibrated: 1/9/2012
- Sensor-Surface: (Fix Surface), $z = 8.7$
- Electronics: DAE3 Sn473; Calibrated: 1/13/2012
- Phantom: HAC RF Test Arch with AMCC; Type: SD HAC P01 BA
- DASY52 52.8.0(692); SEMCAD X 14.6.4(4989)

Device E-Field measurement with ER probe/E Scan - ER3D - 2007: 15 mm from Probe Center to the Device_telecoil/Hearing Aid Compatibility Test (101x101x1):

Measurement grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 8.86 V/m; Power Drift = -0.06 dB

PMR not calibrated. PMF = 2.920 is applied.

E-field emissions = 65.50 V/m

Near-field category: M3 (AWF -5 dB)

PMF scaled E-field


Grid 1 M3 61.18 V/m	Grid 2 M3 68.97 V/m	Grid 3 M3 68.74 V/m
Grid 4 M3 59.09 V/m	Grid 5 M3 65.50 V/m	Grid 6 M3 65.03 V/m
Grid 7 M4 40.55 V/m	Grid 8 M4 40.83 V/m	Grid 9 M4 40.74 V/m

Cursor:


Total = 68.974 V/m

E Category: M3

Location: 4, -38, 8.7 mm



0 dB = 68.050V/m = 36.66 dB V/m

		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 90 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	

Date/Time: 6/19/2012 3:24:35 AM

Test Laboratory: RIM Testing Services

HAC RF_E-Field_UMTS_Band_II

DUT: BlackBerry Smartphone; Type: Sample ; Serial: 2A211C01

Communication System: WCDMA FDD II; Frequency: 1852.4 MHz, Frequency: 1880 MHz,
Frequency: 1907.6 MHz

Medium parameters used: $\sigma = 0$ mho/m, $\epsilon_r = 1$; $\rho = 0$ kg/m³

Phantom section: RF Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY Configuration:

- Probe: ER3DV6 - SN2286; ConvF(1, 1, 1); Calibrated: 1/9/2012
- Sensor-Surface: (Fix Surface), $z = 8.7$
- Electronics: DAE3 Sn473; Calibrated: 1/13/2012
- Phantom: HAC RF Test Arch with AMCC; Type: SD HAC P01 BA
- DASY52 52.8.0(692); SEMCAD X 14.6.4(4989)

Device E-Field measurement with ER probe/E Scan - ER3D - 2007: 15 mm from Probe Center to Device_Low_Chan/Hearing Aid Compatibility Test

(101x101x1): Measurement grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 14.47 V/m; Power Drift = 0.13 dB

PMR not calibrated. PMF = 1.000 is applied.

E-field emissions = 28.41 V/m

Near-field category: M4 (AWF 0 dB)

PMF scaled E-field

Grid 1 M4 27.38 V/m	Grid 2 M4 28.41 V/m	Grid 3 M4 26.21 V/m
Grid 4 M4 14.53 V/m	Grid 5 M4 23.79 V/m	Grid 6 M4 24.43 V/m
Grid 7 M4 24.08 V/m	Grid 8 M4 35.98 V/m	Grid 9 M4 35.94 V/m

Cursor:

Total = 35.981 V/m

E Category: M4

Location: -7.5, 25, 8.7 mm

**Device E-Field measurement with ER probe/E Scan - ER3D - 2007:
15 mm from Probe Center to the Device_Mid_Chan/Hearing Aid
Compatibility Test (101x101x1):** Measurement grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 13.46 V/m; Power Drift = -0.05 dB


PMR not calibrated. PMF = 1.000 is applied.

E-field emissions = 28.66 V/m

Near-field category: M4 (AWF 0 dB)

PMF scaled E-field

Grid 1 M4 27.85 V/m	Grid 2 M4 28.66 V/m	Grid 3 M4 26.08 V/m
Grid 4 M4 15.11 V/m	Grid 5 M4 23.26 V/m	Grid 6 M4 23.92 V/m
Grid 7 M4 24.30 V/m	Grid 8 M4 35.93 V/m	Grid 9 M4 35.88 V/m

		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 92 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	

Cursor:

Total = 35.931 V/m

E Category: M4

Location: -7.5, 25, 8.7 mm

**Device E-Field measurement with ER probe/E Scan - ER3D - 2007:
15 mm from Probe Center to the Device_High_Chan/Hearing Aid
Compatibility Test (101x101x1):** Measurement grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 12.40 V/m; Power Drift = 0.09 dB

PMR not calibrated. PMF = 1.000 is applied.

E-field emissions = 29.11 V/m

Near-field category: M4 (AWF 0 dB)

PMF scaled E-field

Grid 1 M4 27.34 V/m	Grid 2 M4 29.11 V/m	Grid 3 M4 27.36 V/m
Grid 4 M4 15.37 V/m	Grid 5 M4 19.64 V/m	Grid 6 M4 20.33 V/m
Grid 7 M4 22.11 V/m	Grid 8 M4 32.43 V/m	Grid 9 M4 32.33 V/m

Cursor:

Total = 32.429 V/m

E Category: M4



Location: -6.5, 25, 8.7 mm

Author Data
Daoud Attayi


Dates of Test
Jan. 31, Feb. 17, June 18-Sep. 28, 2012

Report No
RTS-6012-1207-39

FCC ID
L6ARFF90LW



0 dB = 35.980V/m = 31.12 dB V/m

		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 94 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	

Date/Time: 6/28/2012 5:19:43 AM

Test Laboratory: RIM Testing Services

HAC RF_E-Field_UMTS_Band_II_Tcoil

DUT: BlackBerry Smartphone; Type: Sample ; Serial: 2A211C01

Communication System: WCDMA FDD II; Frequency: 1907.6 MHz

Medium parameters used: $\sigma = 0$ mho/m, $\epsilon_r = 1$; $\rho = 0$ kg/m³

Phantom section: RF Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY Configuration:

- Probe: ER3DV6 - SN2286; ConvF(1, 1, 1); Calibrated: 1/9/2012
- Sensor-Surface: (Fix Surface), z = 8.7
- Electronics: DAE3 Sn473; Calibrated: 1/13/2012
- Phantom: HAC RF Test Arch with AMCC; Type: SD HAC P01 BA
- DASY52 52.8.0(692); SEMCAD X 14.6.4(4989)

Device E-Field measurement with ER probe/E Scan - ER3D - 2007: 15 mm from Probe Center to the Device_telecoil/Hearing Aid Compatibility Test (101x101x1):

Measurement grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 12.38 V/m; Power Drift = -0.13 dB

PMR not calibrated. PMF = 1.000 is applied.

E-field emissions = 33.17 V/m

Near-field category: M4 (AWF 0 dB)

PMF scaled E-field


Grid 1 M4 28.27 V/m	Grid 2 M4 34.11 V/m	Grid 3 M4 34.11 V/m
Grid 4 M4 27.21 V/m	Grid 5 M4 33.17 V/m	Grid 6 M4 33.16 V/m
Grid 7 M4 18.87 V/m	Grid 8 M4 21.37 V/m	Grid 9 M4 21.16 V/m

Cursor:


Total = 34.114 V/m

E Category: M4

Location: 1.5, -36, 8.7 mm



0 dB = 34.110V/m = 30.66 dB V/m

		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 96 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	

Date/Time: 9/28/2012 3:49:27 PM

Test Laboratory: RIM Testing Services

HAC RF_E-Field_GSM850

DUT: BlackBerry Smartphone; Type: Sample ; Serial: 2A8C7018

Communication System: GSM 850; Frequency: 848.8 MHz

Medium parameters used: $\sigma = 0$ mho/m, $\epsilon_r = 1$; $\rho = 0$ kg/m³

Phantom section: RF Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY Configuration:

- Probe: ER3DV6 - SN2286; ConvF(1, 1, 1); Calibrated: 1/9/2012
- Sensor-Surface: (Fix Surface), z = 8.7
- Electronics: DAE3 Sn473; Calibrated: 1/13/2012
- Phantom: HAC RF Test Arch with AMCC; Type: SD HAC P01 BA
- DASY52 52.8.0(692); SEMCAD X 14.6.4(4989)

Device E-Field measurement with ER probe/E Scan - ER3D - 2007: 15 mm from Probe Center to the Device_High Chan/Hearing Aid Compatibility Test

(101x101x1): Measurement grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 77.11 V/m; Power Drift = -0.48 dB


PMR not calibrated. PMF = 3.130 is applied.

E-field emissions = 193.4 V/m

Near-field category: M3 (AWF -5 dB)

PMF scaled E-field

Grid 1 M3 159.9 V/m	Grid 2 M3 181.6 V/m	Grid 3 M3 173.9 V/m
Grid 4 M3 176.2 V/m	Grid 5 M3 193.4 V/m	Grid 6 M3 184.6 V/m
Grid 7 M3 196.1 V/m	Grid 8 M3 207.4 V/m	Grid 9 M3 192.3 V/m


	Document			Page
	Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW			97 (136)
Author Data	Dates of Test	Report No	FCC ID	
Daoud Attayi	Jan. 31, Feb. 17, June 18-Sep. 28, 2012	RTS-6012-1207-39	L6ARFF90LW	

Cursor:


Total = 207.4 V/m

E Category: M3

Location: 0.5, 25, 8.7 mm



0 dB = 190.9V/m = 45.62 dB V/m

		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 98 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	

Date/Time: 9/28/2012 4:32:44 PM

Test Laboratory: RIM Testing Services

HAC RF_E-Field_UMTS_Band_V

DUT: BlackBerry Smartphone; Type: Sample ; Serial: 2A8C7018

Communication System: WCDMA FDD V; Frequency: 846.6 MHz

Medium parameters used: $\sigma = 0$ mho/m, $\epsilon_r = 1$; $\rho = 0$ kg/m³

Phantom section: RF Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY Configuration:

- Probe: ER3DV6 - SN2286; ConvF(1, 1, 1); Calibrated: 1/9/2012
- Sensor-Surface: (Fix Surface), z = 8.7
- Electronics: DAE3 Sn473; Calibrated: 1/13/2012
- Phantom: HAC RF Test Arch with AMCC; Type: SD HAC P01 BA
- DASY52 52.8.0(692); SEMCAD X 14.6.4(4989)

Device E-Field measurement with ER probe/E Scan - ER3D - 2007: 15 mm from Probe Center to the Device_High Chan/Hearing Aid Compatibility Test

(101x101x1): Measurement grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 74.15 V/m; Power Drift = 0.01 dB

PMR not calibrated. PMF = 1.070 is applied.

E-field emissions = 66.10 V/m

Near-field category: M4 (AWF 0 dB)

PMF scaled E-field

Grid 1 M4 54.79 V/m	Grid 2 M4 59.64 V/m	Grid 3 M4 58.00 V/m
Grid 4 M4 61.21 V/m	Grid 5 M4 66.10 V/m	Grid 6 M4 63.14 V/m
Grid 7 M4 68.95 V/m	Grid 8 M4 72.07 V/m	Grid 9 M4 66.05 V/m

Author Data
Daoud Attayi

Dates of Test
Jan. 31, Feb. 17, June 18-Sep. 28, 2012

Report No
RTS-6012-1207-39


FCC ID
L6ARFF90LW


Cursor:

Total = 72.066 V/m

E Category: M4

Location: 1.5, 25, 8.7 mm



		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 100 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	

Date/Time: 9/28/2012 4:04:39 PM

Test Laboratory: RIM Testing Services

HAC RF_E-Field_GSM1900_Tcoil

DUT: BlackBerry Smartphone; Type: Sample ; Serial: 2A8C7018

Communication System: GSM 1900; Frequency: 1850.2 MHz

Medium parameters used: $\sigma = 0$ mho/m, $\epsilon_r = 1$; $\rho = 0$ kg/m³

Phantom section: RF Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY Configuration:

- Probe: ER3DV6 - SN2286; ConvF(1, 1, 1); Calibrated: 1/9/2012
- Sensor-Surface: (Fix Surface), z = 8.7
- Electronics: DAE3 Sn473; Calibrated: 1/13/2012
- Phantom: HAC RF Test Arch with AMCC; Type: SD HAC P01 BA
- DASY52 52.8.0(692); SEMCAD X 14.6.4(4989)

Device E-Field measurement with ER probe/E Scan - ER3D - 2007: 15 mm from Probe Center to the Device_telecoil/Hearing Aid Compatibility Test (101x101x1):

Measurement grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 10.52 V/m; Power Drift = -0.03 dB

PMR not calibrated. PMF = 2.920 is applied.

E-field emissions = 66.16 V/m

Near-field category: M3 (AWF -5 dB)

PMF scaled E-field

Grid 1 M3 63.35 V/m	Grid 2 M3 70.18 V/m	Grid 3 M3 69.27 V/m
Grid 4 M3 58.97 V/m	Grid 5 M3 66.16 V/m	Grid 6 M3 64.92 V/m
Grid 7 M4 36.74 V/m	Grid 8 M4 39.00 V/m	Grid 9 M4 41.35 V/m

Author Data
Daoud Attayi

Dates of Test
Jan. 31, Feb. 17, June 18-Sep. 28, 2012

Report No
RTS-6012-1207-39



FCC ID
L6ARFF90LW

Cursor:


Total = 70.178 V/m

E Category: M3

Location: 6, -38, 8.7 mm



0 dB = 69.240V/m = 36.81 dB V/m

		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 102 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	

Date/Time: 9/28/2012 4:40:42 PM

Test Laboratory: RIM Testing Services

HAC RF_E-Field_UMTS_Band_II_Tcoil

DUT: BlackBerry Smartphone; Type: Sample ; Serial: 2A8C7018

Communication System: WCDMA FDD II; Frequency: 1907.6 MHz

Medium parameters used: $\sigma = 0$ mho/m, $\epsilon_r = 1$; $\rho = 0$ kg/m³

Phantom section: RF Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY Configuration:

- Probe: ER3DV6 - SN2286; ConvF(1, 1, 1); Calibrated: 1/9/2012
- Sensor-Surface: (Fix Surface), $z = 8.7$
- Electronics: DAE3 Sn473; Calibrated: 1/13/2012
- Phantom: HAC RF Test Arch with AMCC; Type: SD HAC P01 BA
- DASY52 52.8.0(692); SEMCAD X 14.6.4(4989)

Device E-Field measurement with ER probe/E Scan - ER3D - 2007: 15 mm from Probe Center to the Device_telecoil/Hearing Aid Compatibility Test (101x101x1):

Measurement grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 12.09 V/m; Power Drift = -0.34 dB

PMR not calibrated. PMF = 1.000 is applied.

E-field emissions = 33.20 V/m

Near-field category: M4 (AWF 0 dB)

PMF scaled E-field

Grid 1 M4 28.15 V/m	Grid 2 M4 34.09 V/m	Grid 3 M4 34.10 V/m
Grid 4 M4 26.97 V/m	Grid 5 M4 33.20 V/m	Grid 6 M4 33.20 V/m
Grid 7 M4 18.38 V/m	Grid 8 M4 21.22 V/m	Grid 9 M4 21.22 V/m

Author Data
Daoud Attayi

Dates of Test
Jan. 31, Feb. 17, June 18-Sep. 28, 2012

Report No
RTS-6012-1207-39



FCC ID
L6ARFF90LW


Cursor:

Total = 34.097 V/m

E Category: M4

Location: 1, -36, 8.7 mm



		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 104 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	

Date/Time: 6/19/2012 5:21:23 AM

Test Laboratory: RIM Testing Services

HAC RF_H-Field_GSM_850

DUT: BlackBerry Smartphone; Type: Sample ; Serial: 2A211C01

Communication System: GSM 850; Frequency: 824.2 MHz, Frequency: 836.8 MHz, Frequency: 848.8 MHz

Medium parameters used: $\sigma = 0$ mho/m, $\epsilon_r = 1$; $\rho = 0$ kg/m³

Phantom section: RF Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY Configuration:

- Probe: H3DV6 - SN6105; ; Calibrated: 11/8/2011
- Sensor-Surface: (Fix Surface), $z = 8.7$
- Electronics: DAE3 Sn473; Calibrated: 1/13/2012
- Phantom: HAC RF Test Arch with AMCC; Type: SD HAC P01 BA
- DASY52 52.8.0(692); SEMCAD X 14.6.4(4989)

Device H-Field measurement with H3DV6 probe/H Scan - H3DV6 - 2007: 15 mm from Probe Center to the Device_low_chan/Hearing Aid Compatibility Test

(101x101x1): Measurement grid: dx=5mm, dy=5mm


Device Reference Point: 0, 0, -6.3 mm

Reference Value = 0.07 V/m; Power Drift = -0.07 dB

PMR not calibrated. PMF = 2.940 is applied.

H-field emissions = 0.25 A/m

Near-field category: M4 (AWF -5 dB)

		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 105 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	

PMF scaled H-field

Grid 1 M4 0.35 A/m	Grid 2 M4 0.25 A/m	Grid 3 M4 0.17 A/m
Grid 4 M4 0.33 A/m	Grid 5 M4 0.24 A/m	Grid 6 M4 0.16 A/m
Grid 7 M4 0.34 A/m	Grid 8 M4 0.24 A/m	Grid 9 M4 0.15 A/m

Cursor:

Total = 0.347 A/m

H Category: M4

Location: 25, -25, 8.7 mm

Device H-Field measurement with H3DV6 probe/H Scan - H3DV6 - 2007: 15 mm from Probe Center to the Device_mid_chan/Hearing Aid Compatibility Test (101x101x1): Measurement grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 0.08 V/m; Power Drift = 0.21 dB


PMR not calibrated. PMF = 2.940 is applied.

H-field emissions = 0.27 A/m

Near-field category: M4 (AWF -5 dB)

PMF scaled H-field

Grid 1 M4 0.36 A/m	Grid 2 M4 0.27 A/m	Grid 3 M4 0.18 A/m
Grid 4 M4 0.35 A/m	Grid 5 M4 0.26 A/m	Grid 6 M4 0.17 A/m
Grid 7 M4 0.37 A/m	Grid 8 M4 0.26 A/m	Grid 9 M4 0.17 A/m

		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 106 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	

Cursor:

Total = 0.365 A/m
H Category: M4
Location: 25, 25, 8.7 mm

Device H-Field measurement with H3DV6 probe/H Scan - H3DV6 - 2007: 15 mm from Probe Center to the Device_high_chan/Hearing Aid Compatibility Test (101x101x1): Measurement grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm
Reference Value = 0.09 V/m; Power Drift = -0.00 dB
PMR not calibrated. PMF = 2.940 is applied.
H-field emissions = 0.32 A/m

Near-field category: M4 (AWF -5 dB)

PMF scaled H-field

Grid 1 M4 0.39 A/m	Grid 2 M4 0.29 A/m	Grid 3 M4 0.19 A/m
Grid 4 M4 0.40 A/m	Grid 5 M4 0.30 A/m	Grid 6 M4 0.20 A/m
Grid 7 M4 0.43 A/m	Grid 8 M4 0.32 A/m	Grid 9 M4 0.22 A/m

Cursor:



Total = 0.434 A/m
H Category: M4
Location: 25, 25, 8.7 mm

Author Data
Daoud Attayi


Dates of Test
Jan. 31, Feb. 17, June 18-Sep. 28, 2012

Report No
RTS-6012-1207-39

FCC ID
L6ARFF90LW



0 dB = 0.340A/m = -9.37 dB A/m

		Document		Page
		Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		108 (136)
Author Data	Dates of Test	Report No	FCC ID	
Daoud Attayi	Jan. 31, Feb. 17, June 18-Sep. 28, 2012	RTS-6012-1207-39	L6ARFF90LW	

Date/Time: 6/28/2012 7:36:07 AM

Test Laboratory: RIM Testing Services

HAC RF_H-Field_GSM_850_Tcoil

DUT: BlackBerry Smartphone; Type: Sample ; Serial: 2A211C01

Communication System: GSM 850; Frequency: 848.8 MHz

Medium parameters used: $\sigma = 0$ mho/m, $\epsilon_r = 1$; $\rho = 0$ kg/m³

Phantom section: RF Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY Configuration:

- Probe: H3DV6 - SN6105; ; Calibrated: 11/8/2011
- Sensor-Surface: (Fix Surface), $z = 8.7$
- Electronics: DAE3 Sn473; Calibrated: 1/13/2012
- Phantom: HAC RF Test Arch with AMCC; Type: SD HAC P01 BA
- DASY52 52.8.0(692); SEMCAD X 14.6.4(4989)

Device H-Field measurement with H3DV6 probe/H Scan - H3DV6 - 2007: 15 mm from Probe Center to the Device_Centre_Telecoil/Hearing Aid Compatibility Test (101x101x1): Measurement grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 0.17 V/m; Power Drift = -0.18 dB

PMR not calibrated. PMF = 2.940 is applied.

H-field emissions = 0.48 A/m

Near-field category: M3 (AWF -5 dB)

Author Data
Daoud Attayi

Dates of Test
Jan. 31, Feb. 17, June 18-Sep. 28, 2012

Report No
RTS-6012-1207-39

FCC ID
L6ARFF90LW

PMF scaled H-field



Grid 1 M3 0.48 A/m	Grid 2 M4 0.38 A/m	Grid 3 M4 0.30 A/m
Grid 4 M3 0.48 A/m	Grid 5 M4 0.40 A/m	Grid 6 M4 0.37 A/m
Grid 7 M3 0.46 A/m	Grid 8 M4 0.41 A/m	Grid 9 M4 0.38 A/m

Cursor:


Total = 0.481 A/m

H Category: M3

Location: 35, -27, 8.7 mm



0 dB = 0.470A/m = -6.56 dB A/m

		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 110 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	

Date/Time: 6/19/2012 6:17:36 AM

Test Laboratory: RIM Testing Services

HAC RF_H-Field_UMTS_Band_V

DUT: BlackBerry Smartphone; Type: Sample ; Serial: 2A211C01

Communication System: WCDMA FDD V; Frequency: 826.4 MHz, Frequency: 836.4 MHz,
Frequency: 846.6 MHz

Medium parameters used: $\sigma = 0$ mho/m, $\epsilon_r = 1$; $\rho = 0$ kg/m³

Phantom section: RF Section

Measurement Standard: DASYS (IEEE/IEC/ANSI C63.19-2007)

DASY Configuration:

- Probe: H3DV6 - SN6105; ; Calibrated: 11/8/2011
- Sensor-Surface: (Fix Surface), $z = 8.7$
- Electronics: DAE3 Sn473; Calibrated: 1/13/2012
- Phantom: HAC RF Test Arch with AMCC; Type: SD HAC P01 BA
- DASYS2 52.8.0(692); SEMCAD X 14.6.4(4989)

Device H-Field measurement with H3DV6 probe/H Scan - H3DV6 - 2007: 15 mm from Probe Center to the Device_low_chan/Hearing Aid Compatibility Test

(101x101x1): Measurement grid: dx=5mm, dy=5mm


Device Reference Point: 0, 0, -6.3 mm

Reference Value = 0.08 V/m; Power Drift = -0.01 dB

PMR not calibrated. PMF = 1.090 is applied.

H-field emissions = 0.10 A/m

Near-field category: M4 (AWF 0 dB)

		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 111 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	

PMF scaled H-field

Grid 1 M4 0.14 A/m	Grid 2 M4 0.10 A/m	Grid 3 M4 0.07 A/m
Grid 4 M4 0.13 A/m	Grid 5 M4 0.09 A/m	Grid 6 M4 0.06 A/m
Grid 7 M4 0.14 A/m	Grid 8 M4 0.09 A/m	Grid 9 M4 0.06 A/m

Cursor:

Total = 0.143 A/m

H Category: M4

Location: 25, 25, 8.7 mm

Device H-Field measurement with H3DV6 probe/H Scan - H3DV6 - 2007: 15 mm from Probe Center to the Device_mid_chan/Hearing Aid Compatibility Test (101x101x1): Measurement grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 0.08 V/m; Power Drift = -0.17 dB


PMR not calibrated. PMF = 1.090 is applied.

H-field emissions = 0.10 A/m

Near-field category: M4 (AWF 0 dB)

PMF scaled H-field

Grid 1 M4 0.13 A/m	Grid 2 M4 0.10 A/m	Grid 3 M4 0.07 A/m
Grid 4 M4 0.13 A/m	Grid 5 M4 0.10 A/m	Grid 6 M4 0.06 A/m
Grid 7 M4 0.13 A/m	Grid 8 M4 0.10 A/m	Grid 9 M4 0.06 A/m

		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 112 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	

Cursor:

Total = 0.134 A/m

H Category: M4

Location: 25, 25, 8.7 mm

Device H-Field measurement with H3DV6 probe/H Scan - H3DV6 - 2007: 15 mm from Probe Center to the Device_high_chan/Hearing Aid Compatibility Test (101x101x1): Measurement grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 0.08 V/m; Power Drift = 0.01 dB

PMR not calibrated. PMF = 1.090 is applied.

H-field emissions = 0.11 A/m

Near-field category: M4 (AWF 0 dB)

PMF scaled H-field

Grid 1 M4 0.14 A/m	Grid 2 M4 0.10 A/m	Grid 3 M4 0.07 A/m
Grid 4 M4 0.14 A/m	Grid 5 M4 0.11 A/m	Grid 6 M4 0.07 A/m
Grid 7 M4 0.15 A/m	Grid 8 M4 0.11 A/m	Grid 9 M4 0.07 A/m

Cursor:

Total = 0.153 A/m

H Category: M4



Location: 25, 25, 8.7 mm

Author Data
Daoud Attayi


Dates of Test
Jan. 31, Feb. 17, June 18-Sep. 28, 2012

Report No
RTS-6012-1207-39

FCC ID
L6ARFF90LW



0 dB = 0.140A/m = -17.08 dB A/m

		Document		Page
		Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		114 (136)
Author Data	Dates of Test	Report No	FCC ID	
Daoud Attayi	Jan. 31, Feb. 17, June 18-Sep. 28, 2012	RTS-6012-1207-39	L6ARFF90LW	

Date/Time: 6/28/2012 7:58:29 AM

Test Laboratory: RIM Testing Services

HAC RF_H-Field_UMTS_Band_V_Tcoil

DUT: BlackBerry Smartphone; Type: Sample ; Serial: 2A211C01

Communication System: WCDMA FDD V; Frequency: 846.6 MHz

Medium parameters used: $\sigma = 0$ mho/m, $\epsilon_r = 1$; $\rho = 0$ kg/m³

Phantom section: RF Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY Configuration:

- Probe: H3DV6 - SN6105; ; Calibrated: 11/8/2011
- Sensor-Surface: (Fix Surface), z = 8.7
- Electronics: DAE3 Sn473; Calibrated: 1/13/2012
- Phantom: HAC RF Test Arch with AMCC; Type: SD HAC P01 BA
- DASY52 52.8.0(692); SEMCAD X 14.6.4(4989)

Device H-Field measurement with H3DV6 probe/H Scan - H3DV6 - 2007: 15 mm from Probe Center to the Device_Centre_Telecoil/Hearing Aid Compatibility

Test (101x101x1): Measurement grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 0.16 V/m; Power Drift = 0.03 dB

PMR not calibrated. PMF = 1.090 is applied.

H-field emissions = 0.14 A/m

Near-field category: M4 (AWF 0 dB)

Author Data
Daoud Attayi

Dates of Test
Jan. 31, Feb. 17, June 18-Sep. 28, 2012

Report No
RTS-6012-1207-39

FCC ID
L6ARFF90LW

PMF scaled H-field


Grid 1 M4 0.15 A/m	Grid 2 M4 0.13 A/m	Grid 3 M4 0.10 A/m
Grid 4 M4 0.15 A/m	Grid 5 M4 0.13 A/m	Grid 6 M4 0.13 A/m
Grid 7 M4 0.15 A/m	Grid 8 M4 0.14 A/m	Grid 9 M4 0.14 A/m

Cursor:


Total = 0.150 A/m

H Category: M4

Location: 35, -30, 8.7 mm



0 dB = 0.150A/m = -16.48 dB A/m

		Document		Page
		Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		116 (136)
Author Data	Dates of Test	Report No	FCC ID	
Daoud Attayi	Jan. 31, Feb. 17, June 18-Sep. 28, 2012	RTS-6012-1207-39	L6ARFF90LW	

Date/Time: 6/19/2012 5:39:30 AM

Test Laboratory: RIM Testing Services

HAC RF_H-Field_GSM_1900

DUT: BlackBerry Smartphone; Type: Sample ; Serial: 2A211C01

Communication System: GSM 1900; Frequency: 1850.2 MHz, Frequency: 1880 MHz,
Frequency: 1909.8 MHz

Medium parameters used: $\sigma = 0$ mho/m, $\epsilon_r = 1$; $\rho = 0$ kg/m³

Phantom section: RF Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY Configuration:

- Probe: H3DV6 - SN6105; ; Calibrated: 11/8/2011
- Sensor-Surface: (Fix Surface), $z = 8.7$
- Electronics: DAE3 Sn473; Calibrated: 1/13/2012
- Phantom: HAC RF Test Arch with AMCC; Type: SD HAC P01 BA
- DASY52 52.8.0(692); SEMCAD X 14.6.4(4989)

Device H-Field measurement with H3DV6 probe/H Scan - H3DV6 - 2007: 15 mm from Probe Center to the Device_low_chan/Hearing Aid Compatibility Test

(101x101x1): Measurement grid: dx=5mm, dy=5mm


Device Reference Point: 0, 0, -6.3 mm

Reference Value = 0.06 V/m; Power Drift = 0.12 dB

PMR not calibrated. PMF = 2.920 is applied.

H-field emissions = 0.16 A/m

Near-field category: M3 (AWF -5 dB)

		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 117 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	

PMF scaled H-field

Grid 1 M3 0.15 A/m	Grid 2 M3 0.16 A/m	Grid 3 M3 0.16 A/m
Grid 4 M4 0.14 A/m	Grid 5 M3 0.16 A/m	Grid 6 M3 0.16 A/m
Grid 7 M3 0.18 A/m	Grid 8 M3 0.16 A/m	Grid 9 M4 0.14 A/m

Cursor:

Total = 0.179 A/m

H Category: M3

Location: 25, 25, 8.7 mm

Device H-Field measurement with H3DV6 probe/H Scan - H3DV6 - 2007: 15 mm from Probe Center to the Device_mid_chan/Hearing Aid Compatibility Test (101x101x1): Measurement grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 0.06 V/m; Power Drift = 0.15 dB


PMR not calibrated. PMF = 2.920 is applied.

H-field emissions = 0.15 A/m

Near-field category: M3 (AWF -5 dB)

PMF scaled H-field

Grid 1 M3 0.15 A/m	Grid 2 M3 0.15 A/m	Grid 3 M3 0.15 A/m
Grid 4 M4 0.13 A/m	Grid 5 M3 0.15 A/m	Grid 6 M3 0.15 A/m
Grid 7 M3 0.16 A/m	Grid 8 M3 0.15 A/m	Grid 9 M3 0.14 A/m

		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW	Page 118 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW

Cursor:

Total = 0.160 A/m
H Category: M3
Location: 25, 25, 8.7 mm

**Device H-Field measurement with H3DV6 probe/H Scan - H3DV6 -
2007: 15 mm from Probe Center to the Device_high_chan/Hearing
Aid Compatibility Test (101x101x1):** Measurement grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm
Reference Value = 0.07 V/m; Power Drift = 0.17 dB
PMR not calibrated. PMF = 2.920 is applied.
H-field emissions = 0.17 A/m

Near-field category: M3 (AWF -5 dB)

PMF scaled H-field

Grid 1 M3 0.15 A/m	Grid 2 M3 0.17 A/m	Grid 3 M3 0.17 A/m
Grid 4 M3 0.14 A/m	Grid 5 M3 0.17 A/m	Grid 6 M3 0.17 A/m
Grid 7 M3 0.16 A/m	Grid 8 M3 0.16 A/m	Grid 9 M3 0.16 A/m

Cursor:



Total = 0.174 A/m
H Category: M3
Location: -8, -2, 8.7 mm

Author Data
Daoud Attayi


Dates of Test
Jan. 31, Feb. 17, June 18-Sep. 28, 2012

Report No
RTS-6012-1207-39

FCC ID
L6ARFF90LW



0 dB = 0.180A/m = -14.89 dB A/m

		Document		Page
		Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		120 (136)
Author Data	Dates of Test	Report No	FCC ID	
Daoud Attayi	Jan. 31, Feb. 17, June 18-Sep. 28, 2012	RTS-6012-1207-39	L6ARFF90LW	

Date/Time: 6/28/2012 7:43:32 AM

Test Laboratory: RIM Testing Services

HAC RF_H-Field_GSM_1900_Tcoil

DUT: BlackBerry Smartphone; Type: Sample ; Serial: 2A211C01

Communication System: GSM 1900; Frequency: 1909.8 MHz

Medium parameters used: $\sigma = 0$ mho/m, $\epsilon_r = 1$; $\rho = 0$ kg/m³

Phantom section: RF Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY Configuration:

- Probe: H3DV6 - SN6105; ; Calibrated: 11/8/2011
- Sensor-Surface: (Fix Surface), z = 8.7
- Electronics: DAE3 Sn473; Calibrated: 1/13/2012
- Phantom: HAC RF Test Arch with AMCC; Type: SD HAC P01 BA
- DASY52 52.8.0(692); SEMCAD X 14.6.4(4989)

Device H-Field measurement with H3DV6 probe/H Scan - H3DV6 - 2007: 15 mm from Probe Center to the Device_Centre_Telecoil/Hearing Aid Compatibility

Test (101x101x1): Measurement grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 0.07 V/m; Power Drift = 0.35 dB

PMR not calibrated. PMF = 2.970 is applied.

H-field emissions = 0.18 A/m

Near-field category: M3 (AWF -5 dB)

Author Data
Daoud Attayi

Dates of Test
Jan. 31, Feb. 17, June 18-Sep. 28, 2012

Report No
RTS-6012-1207-39

FCC ID
L6ARFF90LW

PMF scaled H-field


Grid 1 M3 0.21 A/m	Grid 2 M3 0.16 A/m	Grid 3 M4 0.12 A/m
Grid 4 M3 0.20 A/m	Grid 5 M3 0.15 A/m	Grid 6 M3 0.17 A/m
Grid 7 M4 0.11 A/m	Grid 8 M3 0.17 A/m	Grid 9 M3 0.18 A/m

Cursor:


Total = 0.209 A/m

H Category: M3

Location: 35, -38, 8.7 mm



0 dB = 0.200A/m = -13.98 dB A/m

		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 122 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	

Date/Time: 6/19/2012 5:58:06 AM

Test Laboratory: RIM Testing Services

HAC RF_H-Field_UMTS_Band_II

DUT: BlackBerry Smartphone; Type: Sample ; Serial: 2A211C01

Communication System: WCDMA FDD II; Frequency: 1852.4 MHz, Frequency: 1880 MHz,
Frequency: 1907.6 MHz

Medium parameters used: $\sigma = 0$ mho/m, $\epsilon_r = 1$; $\rho = 0$ kg/m³

Phantom section: RF Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY Configuration:

- Probe: H3DV6 - SN6105; ; Calibrated: 11/8/2011
- Sensor-Surface: (Fix Surface), z = 8.7
- Electronics: DAE3 Sn473; Calibrated: 1/13/2012
- Phantom: HAC RF Test Arch with AMCC; Type: SD HAC P01 BA
- DASY52 52.8.0(692); SEMCAD X 14.6.4(4989)

Device H-Field measurement with H3DV6 probe/H Scan - H3DV6 - 2007: 15 mm from Probe Center to the Device_low_chan/Hearing Aid Compatibility Test

(101x101x1): Measurement grid: dx=5mm, dy=5mm


Device Reference Point: 0, 0, -6.3 mm

Reference Value = 0.10 V/m; Power Drift = -0.04 dB

PMR not calibrated. PMF = 1.000 is applied.

H-field emissions = 0.09 A/m

Near-field category: M4 (AWF 0 dB)

		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 123 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	

PMF scaled H-field

Grid 1 M4 0.09 A/m	Grid 2 M4 0.09 A/m	Grid 3 M4 0.08 A/m
Grid 4 M4 0.07 A/m	Grid 5 M4 0.09 A/m	Grid 6 M4 0.08 A/m
Grid 7 M4 0.08 A/m	Grid 8 M4 0.07 A/m	Grid 9 M4 0.07 A/m

Cursor:

Total = 0.088 A/m

H Category: M4

Location: 25, -25, 8.7 mm

Device H-Field measurement with H3DV6 probe/H Scan - H3DV6 - 2007: 15 mm from Probe Center to the Device_mid_chan/Hearing Aid Compatibility Test (101x101x1): Measurement grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 0.10 V/m; Power Drift = 0.04 dB


PMR not calibrated. PMF = 1.000 is applied.

H-field emissions = 0.09 A/m

Near-field category: M4 (AWF 0 dB)

PMF scaled H-field

Grid 1 M4 0.08 A/m	Grid 2 M4 0.09 A/m	Grid 3 M4 0.09 A/m
Grid 4 M4 0.08 A/m	Grid 5 M4 0.09 A/m	Grid 6 M4 0.09 A/m
Grid 7 M4 0.09 A/m	Grid 8 M4 0.08 A/m	Grid 9 M4 0.08 A/m

		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 124 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	

Cursor:

Total = 0.088 A/m

H Category: M4

Location: 25, 25, 8.7 mm

Device H-Field measurement with H3DV6 probe/H Scan - H3DV6 - 2007: 15 mm from Probe Center to the Device_high_chan/Hearing Aid Compatibility Test (101x101x1): Measurement grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 0.11 V/m; Power Drift = -0.00 dB

PMR not calibrated. PMF = 1.000 is applied.

H-field emissions = 0.09 A/m

Near-field category: M4 (AWF 0 dB)

PMF scaled H-field

Grid 1 M4 0.08 A/m	Grid 2 M4 0.09 A/m	Grid 3 M4 0.09 A/m
Grid 4 M4 0.08 A/m	Grid 5 M4 0.09 A/m	Grid 6 M4 0.09 A/m
Grid 7 M4 0.08 A/m	Grid 8 M4 0.09 A/m	Grid 9 M4 0.08 A/m

Cursor:

Total = 0.092 A/m

H Category: M4



Location: -5.5, -4.5, 8.7 mm

Author Data
Daoud Attayi


Dates of Test
Jan. 31, Feb. 17, June 18-Sep. 28, 2012

Report No
RTS-6012-1207-39

FCC ID
L6ARFF90LW



0 dB = 0.090A/m = -20.92 dB A/m

		Document		Page
		Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		126 (136)
Author Data	Dates of Test	Report No	FCC ID	
Daoud Attayi	Jan. 31, Feb. 17, June 18-Sep. 28, 2012	RTS-6012-1207-39	L6ARFF90LW	

Date/Time: 6/28/2012 7:50:29 AM

Test Laboratory: RIM Testing Services

HAC RF_H-Field_UMTS_Band_II_Tcoil

DUT: BlackBerry Smartphone; Type: Sample ; Serial: 2A211C01

Communication System: WCDMA FDD II; Frequency: 1907.6 MHz

Medium parameters used: $\sigma = 0$ mho/m, $\epsilon_r = 1$; $\rho = 0$ kg/m³

Phantom section: RF Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY Configuration:

- Probe: H3DV6 - SN6105; ; Calibrated: 11/8/2011
- Sensor-Surface: (Fix Surface), z = 8.7
- Electronics: DAE3 Sn473; Calibrated: 1/13/2012
- Phantom: HAC RF Test Arch with AMCC; Type: SD HAC P01 BA
- DASY52 52.8.0(692); SEMCAD X 14.6.4(4989)

Device H-Field measurement with H3DV6 probe/H Scan - H3DV6 - 2007: 15 mm from Probe Center to the Device_Centre_Telecoil/Hearing Aid Compatibility

Test (101x101x1): Measurement grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 0.11 V/m; Power Drift = -0.20 dB

PMR not calibrated. PMF = 1.000 is applied.

H-field emissions = 0.09 A/m

Near-field category: M4 (AWF 0 dB)

PMF scaled H-field


Grid 1 M4 0.10 A/m	Grid 2 M4 0.08 A/m	Grid 3 M4 0.07 A/m
Grid 4 M4 0.10 A/m	Grid 5 M4 0.08 A/m	Grid 6 M4 0.08 A/m
Grid 7 M4 0.06 A/m	Grid 8 M4 0.08 A/m	Grid 9 M4 0.09 A/m


Cursor:

Total = 0.104 A/m

H Category: M4

Location: 35, -36.5, 8.7 mm



		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 128 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	

Date/Time: 9/28/2012 5:35:16 PM

Test Laboratory: RIM Testing Services

HAC RF_H-Field_GSM_850

DUT: BlackBerry Smartphone; Type: Sample ; Serial: 2A8C7018

Communication System: GSM 850; Frequency: 848.8 MHz

Medium parameters used: $\sigma = 0$ mho/m, $\epsilon_r = 1$; $\rho = 0$ kg/m³

Phantom section: RF Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY Configuration:

- Probe: H3DV6 - SN6105; ; Calibrated: 11/8/2011
- Sensor-Surface: (Fix Surface), z = 8.7
- Electronics: DAE3 Sn473; Calibrated: 1/13/2012
- Phantom: HAC RF Test Arch with AMCC; Type: SD HAC P01 BA
- DASY52 52.8.0(692); SEMCAD X 14.6.4(4989)

Device H-Field measurement with H3DV6 probe/H Scan - H3DV6 - 2007: 15 mm from Probe Center to the Device_high_chan/Hearing Aid Compatibility Test

(101x101x1): Measurement grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 0.08 V/m; Power Drift = -0.04 dB

PMR not calibrated. PMF = 2.940 is applied.

H-field emissions = 0.30 A/m

Near-field category: M4 (AWF -5 dB)

PMF scaled H-field



Grid 1 M4 0.38 A/m	Grid 2 M4 0.27 A/m	Grid 3 M4 0.18 A/m
Grid 4 M4 0.37 A/m	Grid 5 M4 0.28 A/m	Grid 6 M4 0.18 A/m
Grid 7 M4 0.41 A/m	Grid 8 M4 0.30 A/m	Grid 9 M4 0.20 A/m


Author Data
Daoud Attayi

Dates of Test
Jan. 31, Feb. 17, June 18-Sep. 28, 2012

Report No
RTS-6012-1207-39

FCC ID
L6ARFF90LW



		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 130 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	

Date/Time: 9/28/2012 5:25:37 PM

Test Laboratory: RIM Testing Services

HAC RF_H-Field_UMTS_Band_V_Tcoil

DUT: BlackBerry Smartphone; Type: Sample ; Serial: 2A8C7018

Communication System: WCDMA FDD V; Frequency: 846.6 MHz

Medium parameters used: $\sigma = 0$ mho/m, $\epsilon_r = 1$; $\rho = 0$ kg/m³

Phantom section: RF Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY Configuration:

- Probe: H3DV6 - SN6105; ; Calibrated: 11/8/2011
- Sensor-Surface: (Fix Surface), z = 8.7
- Electronics: DAE3 Sn473; Calibrated: 1/13/2012
- Phantom: HAC RF Test Arch with AMCC; Type: SD HAC P01 BA
- DASY52 52.8.0(692); SEMCAD X 14.6.4(4989)

Device H-Field measurement with H3DV6 probe/H Scan - H3DV6 - 2007: 15 mm from Probe Center to the Device_Centre_Telecoil/Hearing Aid Compatibility

Test (101x101x1): Measurement grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 0.07 V/m; Power Drift = 0.14 dB

PMR not calibrated. PMF = 1.090 is applied.

H-field emissions = 0.15 A/m

Near-field category: M4 (AWF 0 dB)

PMF scaled H-field


Grid 1 M4 0.15 A/m	Grid 2 M4 0.12 A/m	Grid 3 M4 0.08 A/m
Grid 4 M4 0.15 A/m	Grid 5 M4 0.12 A/m	Grid 6 M4 0.08 A/m
Grid 7 M4 0.14 A/m	Grid 8 M4 0.11 A/m	Grid 9 M4 0.08 A/m


Cursor:

Total = 0.150 A/m

H Category: M4

Location: 35, -30.5, 8.7 mm



		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 132 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	

Date/Time: 9/28/2012 5:41:22 PM

Test Laboratory: RIM Testing Services

HAC RF_H-Field_GSM_1900_Tcoil

DUT: BlackBerry Smartphone; Type: Sample ; Serial: 2A8C7018

Communication System: GSM 1900; Frequency: 1909.8 MHz

Medium parameters used: $\sigma = 0$ mho/m, $\epsilon_r = 1$; $\rho = 0$ kg/m³

Phantom section: RF Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY Configuration:

- Probe: H3DV6 - SN6105; ; Calibrated: 11/8/2011
- Sensor-Surface: (Fix Surface), z = 8.7
- Electronics: DAE3 Sn473; Calibrated: 1/13/2012
- Phantom: HAC RF Test Arch with AMCC; Type: SD HAC P01 BA
- DASY52 52.8.0(692); SEMCAD X 14.6.4(4989)

Device H-Field measurement with H3DV6 probe/H Scan - H3DV6 - 2007: 15 mm from Probe Center to the Device_Centre_Telecoil/Hearing Aid Compatibility

Test (101x101x1): Measurement grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 0.06 V/m; Power Drift = 0.08 dB

PMR not calibrated. PMF = 2.970 is applied.

H-field emissions = 0.16 A/m

Near-field category: M3 (AWF -5 dB)

PMF scaled H-field

Grid 1 M3 0.18 A/m	Grid 2 M3 0.15 A/m	Grid 3 M4 0.12 A/m
Grid 4 M3 0.17 A/m	Grid 5 M3 0.14 A/m	Grid 6 M3 0.15 A/m
Grid 7 M4 0.10 A/m	Grid 8 M3 0.15 A/m	Grid 9 M3 0.16 A/m



Document

**Annex A to Hearing Aid Compatibility RF Emissions Test
Report for the BlackBerry® Smartphone model RFF91LW**

Page

133 (136)

Author Data

Daoud Attayi

Dates of Test

Jan. 31, Feb. 17, June 18-Sep. 28, 2012

Report No

RTS-6012-1207-39

FCC ID

L6ARFF90LW

Category	AWF	Limits for E-Field Emissions (V/m) > 960MHz	Limits for H-Field Emissions (A/m) > 960MHz
M1	0	199.5 - 354.8	0.6 - 1.07
	-5	149.6 - 266.1	0.45 - 0.8
M2	0	112.2 - 199.5	0.34 - 0.6
	-5	84.1 - 149.6	0.25 - 0.45
M3	0	63.1 - 112.2	0.19 - 0.34
	-5	47.3 - 84.1	0.14 - 0.25
M4	0	<63.1	<0.19
	-5	<47.3	<0.14

Category	AWF	Limits for E-Field Emissions (V/m) < 960MHz	Limits for H-Field Emissions (A/m) < 960 MHz
M1	0	631 - 1122	1.91 - 3.39
	-5	473.2 - 841.4	1.43 - 2.54
M2	0	354.8 - 631	1.07 - 1.91
	-5	266.1 - 473.2	0.8 - 1.43
M3	0	199.5 - 354.8	0.6 - 1.07
	-5	149.6 - 266.1	0.45 - 0.8
M4	0	<199.5	<0.6
	-5	<149.6	<0.45

Cursor:

Total = 0.181 A/m

H Category: M3



Location: 35, -37.5, 8.7 mm


Author Data
Daoud Attayi

Dates of Test
Jan. 31, Feb. 17, June 18-Sep. 28, 2012

Report No
RTS-6012-1207-39

FCC ID
L6ARFF90LW



		Document Annex A to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RFF91LW		Page 135 (136)
Author Data Daoud Attayi	Dates of Test Jan. 31, Feb. 17, June 18-Sep. 28, 2012	Report No RTS-6012-1207-39	FCC ID L6ARFF90LW	

Date/Time: 9/28/2012 4:56:16 PM

Test Laboratory: RIM Testing Services

HAC RF_H-Field_UMTS_Band_II_Tcoil

DUT: BlackBerry Smartphone; Type: Sample ; Serial: 2A8C7018

Communication System: WCDMA FDD II; Frequency: 1907.6 MHz

Medium parameters used: $\sigma = 0$ mho/m, $\epsilon_r = 1$; $\rho = 0$ kg/m³

Phantom section: RF Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY Configuration:

- Probe: H3DV6 - SN6105; ; Calibrated: 11/8/2011
- Sensor-Surface: (Fix Surface), z = 8.7
- Electronics: DAE3 Sn473; Calibrated: 1/13/2012
- Phantom: HAC RF Test Arch with AMCC; Type: SD HAC P01 BA
- DASY52 52.8.0(692); SEMCAD X 14.6.4(4989)

Device H-Field measurement with H3DV6 probe/H Scan - H3DV6 - 2007: 15 mm from Probe Center to the Device_Centre_Telecoil/Hearing Aid Compatibility

Test (101x101x1): Measurement grid: dx=5mm, dy=5mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 0.10 V/m; Power Drift = -0.01 dB

PMR not calibrated. PMF = 1.000 is applied.

H-field emissions = 0.09 A/m

Near-field category: M4 (AWF 0 dB)

PMF scaled H-field

Grid 1 M4 0.10 A/m	Grid 2 M4 0.08 A/m	Grid 3 M4 0.07 A/m
Grid 4 M4 0.10 A/m	Grid 5 M4 0.08 A/m	Grid 6 M4 0.09 A/m
Grid 7 M4 0.06 A/m	Grid 8 M4 0.09 A/m	Grid 9 M4 0.09 A/m

Author Data
Daoud Attayi

Dates of Test
Jan. 31, Feb. 17, June 18-Sep. 28, 2012

Report No
RTS-6012-1207-39


FCC ID
L6ARFF90LW

Cursor:

Total = 0.102 A/m

H Category: M4

Location: 35, -38, 8.7 mm



0 dB = 0.100A/m = -20.00 dB A/m