	Document <b>Appendix E for the BlackBerry® Smartphone Model RFL111LW SAR Report</b>			Page <b>1(18)</b>
	Author Data <b>Andrew Becker</b>	Dates of Test <b>Nov 22 2012 – Feb 28 2013</b>	Test Report No <b>RTS-6026-1302-13</b>	FCC ID: <b>L6ARFL110LW</b>

**APPENDIX E: PHOTOGRAPHS**

Headset Jack

Audio Output



Voice Microphone

**Figure E1. BlackBerry Smartphone**



**Figure E2. Body worn holster – front**



**Figure E3. Body worn holsters – back**




**Figure E4. Head configuration (Right Touch/Tilt)**





**Figure E5. Head configuration (Left Touch/Tilt)**



**Figure E6. Body-worn configuration (No Holster, back side 15mm away)**



**Figure E7. Body-worn configuration (No Holster, front side 15mm away)**







**Figure E8. Body-worn configuration (Vertical Holster, back facing phantom)**



**Figure E9. Body-worn configuration (Vertical Holster, front facing phantom)**



**Figure E10. Body-worn configuration (No Holster, headset, back 15mm away)**



**Figure E11. Body-worn configuration (Vertical Holster, headset, back)**





**Figure E12. Back side MHS configuration, 10 mm away**




**Figure E13. Front side MHS configuration, 10 mm away**



**Figure E14. Right side MHS configuration, 10 mm away**



	Document <b>Appendix E for the BlackBerry® Smartphone Model RFL111LW SAR Report</b>			Page <b>16(18)</b>
	Author Data <b>Andrew Becker</b>	Dates of Test <b>Nov 22 2012 – Feb 28 2013</b>	Test Report No <b>RTS-6026-1302-13</b>	FCC ID: <b>L6ARFL110LW</b>




**Figure E15. Left side MHS configuration, 10 mm away**





**Figure E16. Top side MHS configuration, 10 mm away**

	Document <b>Appendix E for the BlackBerry® Smartphone Model RFL111LW SAR Report</b>			Page <b>18(18)</b>
	Author Data <b>Andrew Becker</b>	Dates of Test <b>Nov 22 2012 – Feb 28 2013</b>	Test Report No <b>RTS-6026-1302-13</b>	FCC ID: <b>L6ARFL110LW</b>



**Figure E17. Bottom side MHS configuration, 10 mm away**