
	Document		Page
	<b>Annex E to Hearing Aid Compatibility Audio Band Magnetic (ABM) T-Coil Test Report for BlackBerry® Smartphone model RFR110LW</b>		<b>1(4)</b>
Author Data	Dates of Test	Report No	FCC ID
<b>Daoud Attayi</b>	<b>April 18-23, 2013</b>	<b>RTS-6036-1304-44</b>	<b>L6ARFR100LW</b>

## Annex E: Test set up photos


	Document <b>Annex E to Hearing Aid Compatibility Audio Band Magnetic (ABM) T-Coil Test Report for BlackBerry® Smartphone model RFR110LW</b>		Page <b>2(4)</b>
	Author Data <b>Daoud Attayi</b>	Dates of Test <b>April 18-23, 2013</b>	Report No <b>RTS-6036-1304-44</b>



Telecoil (-5, -20 mm)

Audio Output (0, 0)





Figure E1. BlackBerry Smartphone





**Figure E2: Ambient noise and system validation measurement setup**

	Document <b>Annex E to Hearing Aid Compatibility Audio Band Magnetic (ABM) T-Coil Test Report for BlackBerry® Smartphone model RFR110LW</b>		Page <b>4(4)</b>
	Author Data <b>Daoud Attayi</b>	Dates of Test <b>April 18-23, 2013</b>	Report No <b>RTS-6036-1304-44</b>



**Figure E3: Audio Band Magnetic (ABM) T-Coil measurement setup**