


802.11ax HEW40\_Nss1,(MCS0)\_4TX

PSD

5270MHz

04/08/2020

CF  
5.27GHz  
Span  
60MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2   
Port 3   
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.99	6.99	1.52	1.11	1.62	0.10


802.11ax HEW40\_Nss1,(MCS0)\_4TX

PSD

5310MHz

04/08/2020

CF  
5.31GHz  
Span  
60MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2   
Port 3   
Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.18	7.18	1.83	1.20	1.71	0.19

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### PSD

5510MHz

04/08/2020




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.19	7.19	2.10	1.31	1.35	0.13

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### PSD

5550MHz

04/08/2020




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.15	7.15	2.09	1.25	1.26	0.33

802.11ax HEW40\_Nss1,(MCS0)\_4TX

PSD

5670MHz

04/08/2020




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.08	7.08	1.73	1.60	1.59	-0.32

802.11ax HEW40\_Nss1,(MCS0)\_4TX

PSD

5710MHz Straddle 5.47-5.725GHz

04/08/2020




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.23	7.23	1.70	1.78	1.41	0.24

**802.11ax HEW40\_Nss1,(MCS0)\_4TX**  
**5710MHz Straddle 5.725-5.85GHz**

**PSD**

04/08/2020

CF  
 5.735GHz  
 Span  
 40MHz  
 RBW  
 500kHz  
 VBW  
 3MHz  
 Sweep Time  
 20ms  
 Detector Type  
 RMS



Sum   
 Port 1   
 Port 2   
 Port 3   
 Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.16	5.16	-0.24	-0.09	-0.65	-1.57

**802.11ax HEW40\_Nss1,(MCS0)\_4TX**  
**5755MHz**

**PSD**

04/08/2020

CF  
 5.755GHz  
 Span  
 60MHz  
 RBW  
 500kHz  
 VBW  
 3MHz  
 Sweep Time  
 20ms  
 Detector Type  
 RMS



Sum   
 Port 1   
 Port 2   
 Port 3   
 Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.53	11.53	5.90	5.80	5.62	5.18


### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### PSD

5795MHz

04/08/2020

CF  
5.795GHz  
Span  
60MHz  
RBW  
500kHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum  
Port 1  
Port 2  
Port 3  
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.56	11.56	5.89	5.71	5.49	5.49


### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### PSD

5210MHz

25/07/2020

CF  
5.21GHz  
Span  
120MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum  
Port 1  
Port 2  
Port 3  
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.24	3.24	-2.55	-2.63	-2.13	-3.37


802.11ax HEW80\_Nss1,(MCS0)\_4TX

PSD

5290MHz

04/08/2020

CF  
5.29GHz  
Span  
120MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2   
Port 3   
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.30	4.30	-1.36	-1.40	-1.39	-1.98


802.11ax HEW80\_Nss1,(MCS0)\_4TX

PSD

5530MHz

04/08/2020

CF  
5.53GHz  
Span  
120MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2   
Port 3   
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.54	4.54	-0.58	-1.41	-1.52	-2.07


802.11ax HEW80\_Nss1,(MCS0)\_4TX

PSD

5610MHz

04/08/2020

CF  
5.61GHz  
Span  
120MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2   
Port 3   
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.53	4.53	-0.93	-0.97	-1.53	-2.41


802.11ax HEW80\_Nss1,(MCS0)\_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

04/08/2020

CF  
5.65GHz  
Span  
300MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2   
Port 3   
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.35	4.35	-0.88	-1.26	-1.60	-2.56


**802.11ax HEW80\_Nss1,(MCS0)\_4TX**

**PSD**

**5690MHz Straddle 5.725-5.85GHz**

04/08/2020

CF  
5.735GHz  
Span  
40MHz  
RBW  
500kHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2   
Port 3   
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.76	1.76	-3.69	-3.59	-4.25	-5.00


**802.11ax HEW80\_Nss1,(MCS0)\_4TX**

**PSD**

**5775MHz**

25/07/2020

CF  
5.775GHz  
Span  
120MHz  
RBW  
500kHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2   
Port 3   
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.33	8.33	2.76	2.89	1.93	1.91




**802.11ax HEW160\_Nss1,(MCS0)\_4TX**

**PSD**

**5250MHz Straddle 5.15-5.25GHz**

27/07/2020




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.61	0.61	-4.78	-5.21	-4.98	-5.98

**802.11ax HEW160\_Nss1,(MCS0)\_4TX**

**PSD**

**5250MHz Straddle 5.25-5.35GHz**

27/07/2020




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.63	0.63	-4.93	-5.18	-5.12	-5.98

802.11ax HEW160\_Nss1,(MCS0)\_4TX

PSD

5570MHz

27/07/2020



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.30	-0.30	-5.56	-6.08	-6.17	-6.84



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.15-5.25GHz	-	-
802.11ac VHT20-BF_Nss1,(MCS0)_4TX	15.71	22.14
802.11ac VHT40-BF_Nss1,(MCS0)_4TX	12.23	18.66
802.11ac VHT80-BF_Nss1,(MCS0)_4TX	3.65	10.08
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	15.53	21.96
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	12.32	18.75
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	3.31	9.74
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	0.14	6.57
5.25-5.35GHz	-	-
802.11ac VHT20-BF_Nss1,(MCS0)_4TX	10.25	15.63
802.11ac VHT40-BF_Nss1,(MCS0)_4TX	7.47	12.85
802.11ac VHT80-BF_Nss1,(MCS0)_4TX	4.53	9.91
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	10.31	15.69
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	7.78	13.16
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	3.72	9.10
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	-0.10	5.28
5.47-5.725GHz	-	-
802.11ac VHT20-BF_Nss1,(MCS0)_4TX	10.52	15.99
802.11ac VHT40-BF_Nss1,(MCS0)_4TX	7.79	13.26
802.11ac VHT80-BF_Nss1,(MCS0)_4TX	4.79	10.26
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	10.75	16.22
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	7.98	13.45
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	4.57	10.04
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	-1.16	4.31
5.725-5.85GHz	-	-
802.11ac VHT20-BF_Nss1,(MCS0)_4TX	15.08	20.53
802.11ac VHT40-BF_Nss1,(MCS0)_4TX	12.40	17.85
802.11ac VHT80-BF_Nss1,(MCS0)_4TX	7.60	13.05
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	14.92	20.37
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	12.33	17.78
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	7.36	12.81

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ac VHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	6.43	6.37	8.59	6.79	7.10	13.09	16.57	19.52	23.00
5200MHz	Pass	6.43	9.12	11.15	9.41	9.96	15.71	16.57	22.14	23.00
5240MHz	Pass	6.43	8.80	10.81	8.79	8.74	15.17	16.57	21.60	23.00
5260MHz	Pass	5.38	3.24	5.83	3.75	3.45	10.09	11.00	15.47	17.00
5300MHz	Pass	5.38	3.21	6.09	3.33	3.39	10.10	11.00	15.48	17.00
5320MHz	Pass	5.38	3.20	6.30	3.44	3.57	10.25	11.00	15.63	17.00
5500MHz	Pass	5.47	3.32	4.55	2.25	2.97	9.21	11.00	14.68	17.00
5580MHz	Pass	5.47	4.34	6.14	3.82	3.87	10.52	11.00	15.99	17.00
5700MHz	Pass	5.47	4.05	4.86	3.94	4.60	10.27	11.00	15.74	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	5.47	4.36	3.63	3.62	2.91	9.51	11.00	14.98	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	5.45	2.51	1.69	1.98	1.38	7.76	30.00	13.21	36.00
5745MHz	Pass	5.45	9.33	9.67	8.55	9.26	15.08	30.00	20.53	36.00
5785MHz	Pass	5.45	8.90	9.48	8.21	8.77	14.69	30.00	20.14	36.00
5825MHz	Pass	5.45	8.92	9.23	8.15	8.81	14.65	30.00	20.10	36.00
802.11ac VHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	6.43	-2.45	-0.67	-2.63	-2.44	3.95	16.57	10.38	23.00
5230MHz	Pass	6.43	6.11	7.79	5.65	5.68	12.23	16.57	18.66	23.00
5270MHz	Pass	5.38	0.73	3.42	0.93	0.69	7.47	11.00	12.85	17.00
5310MHz	Pass	5.38	-0.30	2.85	-0.23	-0.40	6.54	11.00	11.92	17.00
5510MHz	Pass	5.47	0.55	2.32	-0.37	0.04	6.62	11.00	12.09	17.00
5550MHz	Pass	5.47	1.60	3.47	1.01	0.94	7.79	11.00	13.26	17.00
5670MHz	Pass	5.47	1.13	2.38	1.22	2.29	7.69	11.00	13.16	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	5.47	1.61	1.47	1.39	0.16	7.12	11.00	12.59	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	5.45	-0.58	-0.80	-0.77	-1.86	4.93	30.00	10.38	36.00
5755MHz	Pass	5.45	5.84	6.49	5.15	6.74	12.04	30.00	17.49	36.00
5795MHz	Pass	5.45	6.43	7.02	5.56	7.04	12.40	30.00	17.85	36.00
802.11ac VHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	6.43	-2.55	-0.78	-2.80	-2.77	3.65	16.57	10.08	23.00
5290MHz	Pass	5.38	-1.99	0.57	-2.31	-1.64	4.53	11.00	9.91	17.00
5530MHz	Pass	5.47	-1.66	0.12	-2.49	-1.90	4.49	11.00	9.96	17.00
5610MHz	Pass	5.47	-0.62	-0.84	-0.85	-2.26	4.79	11.00	10.26	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	5.47	-1.36	-1.38	-1.40	-2.75	4.16	11.00	9.63	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	5.45	-3.94	-4.20	-4.37	-5.25	1.40	30.00	6.85	36.00
5775MHz	Pass	5.45	1.77	2.35	0.83	1.78	7.60	30.00	13.05	36.00
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	6.43	6.18	8.86	6.54	6.82	13.04	16.57	19.47	23.00
5200MHz	Pass	6.43	9.01	11.63	9.10	9.36	15.53	16.57	21.96	23.00
5240MHz	Pass	6.43	8.98	11.21	8.72	8.88	15.32	16.57	21.75	23.00
5260MHz	Pass	5.38	3.52	6.06	3.66	3.73	10.26	11.00	15.64	17.00
5300MHz	Pass	5.38	3.62	6.30	3.59	3.48	10.31	11.00	15.69	17.00
5320MHz	Pass	5.38	3.67	6.28	3.50	3.53	10.30	11.00	15.68	17.00
5500MHz	Pass	5.47	3.41	4.61	2.30	2.98	9.19	11.00	14.66	17.00
5580MHz	Pass	5.47	4.75	6.47	3.88	4.15	10.75	11.00	16.22	17.00
5700MHz	Pass	5.47	4.29	5.15	4.11	4.71	10.43	11.00	15.90	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	5.47	4.52	3.96	4.00	3.26	9.76	11.00	15.23	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	5.45	2.78	1.88	2.20	1.67	8.05	30.00	13.50	36.00
5745MHz	Pass	5.45	9.21	9.55	8.11	8.96	14.92	30.00	20.37	36.00
5785MHz	Pass	5.45	8.83	9.51	8.09	8.80	14.78	30.00	20.23	36.00
5825MHz	Pass	5.45	8.88	9.59	8.28	8.91	14.81	30.00	20.26	36.00
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	6.43	-2.30	-0.14	-2.65	-2.34	4.16	16.57	10.59	23.00
5230MHz	Pass	6.43	6.01	8.23	5.96	5.92	12.32	16.57	18.75	23.00
5270MHz	Pass	5.38	0.85	3.71	1.31	0.95	7.78	11.00	13.16	17.00
5310MHz	Pass	5.38	0.32	2.69	0.07	-0.28	6.71	11.00	12.09	17.00



Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
5510MHz	Pass	5.47	0.89	2.37	0.06	0.23	6.95	11.00	12.42	17.00
5550MHz	Pass	5.47	1.83	3.44	1.39	1.33	7.98	11.00	13.45	17.00
5670MHz	Pass	5.47	1.16	2.63	1.71	2.00	7.71	11.00	13.18	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	5.47	1.65	1.58	1.50	0.27	7.16	11.00	12.63	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	5.45	-0.42	-0.40	-0.41	-1.61	5.11	30.00	10.56	36.00
5755MHz	Pass	5.45	5.45	6.49	5.28	6.26	11.82	30.00	17.27	36.00
5795MHz	Pass	5.45	6.05	6.91	5.68	6.97	12.33	30.00	17.78	36.00
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	6.43	-3.19	-0.92	-3.01	-3.45	3.31	16.57	9.74	23.00
5290MHz	Pass	5.38	-3.20	-0.28	-3.10	-2.80	3.72	11.00	9.10	17.00
5530MHz	Pass	5.47	-2.07	-0.60	-2.61	-2.30	4.15	11.00	9.62	17.00
5610MHz	Pass	5.47	-0.80	-1.23	-1.23	-2.36	4.57	11.00	10.04	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	5.47	-1.16	-1.65	-1.47	-2.69	4.17	11.00	9.64	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	5.45	-3.59	-4.11	-4.16	-5.19	1.62	30.00	7.07	36.00
5775MHz	Pass	5.45	1.42	2.20	0.55	1.43	7.36	30.00	12.81	36.00
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	6.43	-6.72	-4.06	-6.14	-6.55	0.14	16.57	6.57	23.00
5250MHz Straddle 5.25-5.35GHz	Pass	5.38	-6.96	-4.52	-6.85	-6.49	-0.10	11.00	5.28	17.00
5570MHz	Pass	5.47	-6.86	-5.74	-7.59	-7.37	-1.16	11.00	4.31	17.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

PSD

5180MHz

29/07/2020




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
13.09	13.09	6.37	8.59	6.79	7.10

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

PSD

5200MHz

29/07/2020




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
15.71	15.71	9.12	11.15	9.41	9.96

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

PSD

5240MHz

29/07/2020




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
15.17	15.17	8.80	10.81	8.79	8.74

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

PSD

5260MHz

29/07/2020




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.09	10.09	3.24	5.83	3.75	3.45

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

PSD

5300MHz

29/07/2020




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.10	10.10	3.21	6.09	3.33	3.39

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

PSD

5320MHz

29/07/2020



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.25	10.25	3.20	6.30	3.44	3.57




802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

PSD

5500MHz

29/07/2020




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.21	9.21	3.32	4.55	2.25	2.97

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

PSD

5580MHz

29/07/2020



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.52	10.52	4.34	6.14	3.82	3.87


### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

PSD

5700MHz

29/07/2020

CF  
5.7GHz  
Span  
30MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum  
Port 1  
Port 2  
Port 3  
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.27	10.27	4.05	4.86	3.94	4.60


### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

PSD

5720MHz Straddle 5.47-5.725GHz

04/08/2020

CF  
5.71GHz  
Span  
60MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum  
Port 1  
Port 2  
Port 3  
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.51	9.51	4.36	3.63	3.62	2.91


### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

PSD

#### 5720MHz Straddle 5.725-5.85GHz

04/08/2020

CF  
5.735GHz  
Span  
40MHz  
RBW  
500kHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2   
Port 3   
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.76	7.76	2.51	1.69	1.98	1.38


### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

PSD

#### 5745MHz

29/07/2020

CF  
5.745GHz  
Span  
30MHz  
RBW  
500kHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2   
Port 3   
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
15.08	15.08	9.33	9.67	8.55	9.26

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### PSD

5785MHz

29/07/2020

CF  
5.785GHz


Span  
30MHz

RBW  
500kHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
14.69	14.69	8.90	9.48	8.21	8.77

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### PSD

5825MHz

29/07/2020

CF  
5.825GHz


Span  
30MHz

RBW  
500kHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Sum

Port 1

Port 2

Port 3

Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
14.65	14.65	8.92	9.23	8.15	8.81

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

PSD

5190MHz

29/07/2020




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.95	3.95	-2.45	-0.67	-2.63	-2.44

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

PSD

5230MHz

29/07/2020




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.23	12.23	6.11	7.79	5.65	5.68

802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

PSD

5270MHz

29/07/2020




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.47	7.47	0.73	3.42	0.93	0.69

802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

PSD

5310MHz

29/07/2020




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.54	6.54	-0.30	2.85	-0.23	-0.40

802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

PSD

5510MHz

29/07/2020




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.62	6.62	0.55	2.32	-0.37	0.04

802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

PSD

5550MHz

29/07/2020



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.79	7.79	1.60	3.47	1.01	0.94

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

PSD

#### 5670MHz

29/07/2020

CF  
5.67GHz


Span  
60MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.69	7.69	1.13	2.38	1.22	2.29

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

PSD

#### 5710MHz Straddle 5.47-5.725GHz

04/08/2020

CF  
5.69GHz


Span  
140MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.12	7.12	1.61	1.47	1.39	0.16




**802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX**

**PSD**

**5710MHz Straddle 5.725-5.85GHz**

04/08/2020

CF  
5.735GHz  
Span  
40MHz  
RBW  
500kHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2   
Port 3   
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.93	4.93	-0.58	-0.80	-0.77	-1.86


**802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX**

**PSD**

**5755MHz**

29/07/2020

CF  
5.755GHz  
Span  
60MHz  
RBW  
500kHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2   
Port 3   
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.04	12.04	5.84	6.49	5.15	6.74


### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### PSD

5795MHz

29/07/2020

CF  
5.795GHz  
Span  
60MHz  
RBW  
500kHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum  
Port 1  
Port 2  
Port 3  
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.40	12.40	6.43	7.02	5.56	7.04


### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### PSD

5210MHz

29/07/2020

CF  
5.21GHz  
Span  
120MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum  
Port 1  
Port 2  
Port 3  
Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.65	3.65	-2.55	-0.78	-2.80	-2.77

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

PSD

5290MHz

29/07/2020




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.53	4.53	-1.99	0.57	-2.31	-1.64

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

PSD

5530MHz

29/07/2020




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.49	4.49	-1.66	0.12	-2.49	-1.90

802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

PSD

5610MHz

04/08/2020




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.79	4.79	-0.62	-0.84	-0.85	-2.26

802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

04/08/2020



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.16	4.16	-1.36	-1.38	-1.40	-2.75


**802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX**

**PSD**

**5690MHz Straddle 5.725-5.85GHz**

04/08/2020

CF  
5.735GHz  
Span  
40MHz  
RBW  
500kHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2   
Port 3   
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.40	1.40	-3.94	-4.20	-4.37	-5.25


**802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX**

**PSD**

**5775MHz**

29/07/2020

CF  
5.775GHz  
Span  
120MHz  
RBW  
500kHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2   
Port 3   
Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.60	7.60	1.77	2.35	0.83	1.78

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

PSD

5180MHz

28/07/2020




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
13.04	13.04	6.18	8.86	6.54	6.82

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

PSD

5200MHz

28/07/2020




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
15.53	15.53	9.01	11.63	9.10	9.36

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

PSD

5240MHz

28/07/2020




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
15.32	15.32	8.98	11.21	8.72	8.88

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

PSD

5260MHz

28/07/2020



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.26	10.26	3.52	6.06	3.66	3.73

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

PSD

5300MHz

28/07/2020

CF  
5.3GHz


Span  
30MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.31	10.31	3.62	6.30	3.59	3.48

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

PSD

5320MHz

28/07/2020

CF  
5.32GHz


Span  
30MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.30	10.30	3.67	6.28	3.50	3.53




### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### PSD

5500MHz

28/07/2020




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.19	9.19	3.41	4.61	2.30	2.98

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### PSD

5580MHz

28/07/2020




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.75	10.75	4.75	6.47	3.88	4.15

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

PSD

5700MHz

28/07/2020




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.43	10.43	4.29	5.15	4.11	4.71

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

PSD

5720MHz Straddle 5.47-5.725GHz

04/08/2020




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.76	9.76	4.52	3.96	4.00	3.26

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

PSD

5720MHz Straddle 5.725-5.85GHz

04/08/2020




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.05	8.05	2.78	1.88	2.20	1.67

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

PSD

5745MHz

28/07/2020



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
14.92	14.92	9.21	9.55	8.11	8.96


802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

PSD

5785MHz

28/07/2020

CF  
5.785GHz  
Span  
30MHz  
RBW  
500kHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum  
Port 1  
Port 2  
Port 3  
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
14.78	14.78	8.83	9.51	8.09	8.80


802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

PSD

5825MHz

28/07/2020

CF  
5.825GHz  
Span  
30MHz  
RBW  
500kHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum  
Port 1  
Port 2  
Port 3  
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
14.81	14.81	8.88	9.59	8.28	8.91


802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

PSD

5190MHz

28/07/2020

CF  
5.19GHz  
Span  
60MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum  
Port 1  
Port 2  
Port 3  
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.16	4.16	-2.30	-0.14	-2.65	-2.34


802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

PSD

5230MHz

28/07/2020

CF  
5.23GHz  
Span  
60MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum  
Port 1  
Port 2  
Port 3  
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.32	12.32	6.01	8.23	5.96	5.92


802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

PSD

5270MHz

28/07/2020

CF  
5.27GHz  
Span  
60MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum  
Port 1  
Port 2  
Port 3  
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.78	7.78	0.85	3.71	1.31	0.95


802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

PSD

5310MHz

28/07/2020

CF  
5.31GHz  
Span  
60MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum  
Port 1  
Port 2  
Port 3  
Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.71	6.71	0.32	2.69	0.07	-0.28

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

PSD

5510MHz

28/07/2020




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.95	6.95	0.89	2.37	0.06	0.23

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

PSD

5550MHz

28/07/2020




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.98	7.98	1.83	3.44	1.39	1.33

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

PSD

5670MHz

28/07/2020




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.71	7.71	1.16	2.63	1.71	2.00

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

PSD

5710MHz Straddle 5.47-5.725GHz

04/08/2020



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.16	7.16	1.65	1.58	1.50	0.27




802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

PSD

5710MHz Straddle 5.725-5.85GHz

04/08/2020

CF  
5.735GHz  
Span  
40MHz  
RBW  
500kHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2   
Port 3   
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.11	5.11	-0.42	-0.40	-0.41	-1.61


802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

PSD

5755MHz

28/07/2020

CF  
5.755GHz  
Span  
60MHz  
RBW  
500kHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2   
Port 3   
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.82	11.82	5.45	6.49	5.28	6.26


802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

PSD

5795MHz

28/07/2020

CF  
5.795GHz  
Span  
60MHz  
RBW  
500kHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum  
Port 1  
Port 2  
Port 3  
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.33	12.33	6.05	6.91	5.68	6.97


802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

PSD

5210MHz

28/07/2020

CF  
5.21GHz  
Span  
120MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum  
Port 1  
Port 2  
Port 3  
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.31	3.31	-3.19	-0.92	-3.01	-3.45


802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

PSD

5290MHz

28/07/2020

CF  
5.29GHz  
Span  
120MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2   
Port 3   
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.72	3.72	-3.20	-0.28	-3.10	-2.80


802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

PSD

5530MHz

28/07/2020

CF  
5.53GHz  
Span  
120MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum   
Port 1   
Port 2   
Port 3   
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.15	4.15	-2.07	-0.60	-2.61	-2.30


802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

PSD

5610MHz

04/08/2020

CF  
5.61GHz  
Span  
120MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum  
Port 1  
Port 2  
Port 3  
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.57	4.57	-0.80	-1.23	-1.23	-2.36


802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

04/08/2020

CF  
5.65GHz  
Span  
300MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Sum  
Port 1  
Port 2  
Port 3  
Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.17	4.17	-1.16	-1.65	-1.47	-2.69

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

PSD

5690MHz Straddle 5.725-5.85GHz

04/08/2020




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.62	1.62	-3.59	-4.11	-4.16	-5.19

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

PSD

5775MHz

28/07/2020




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.36	7.36	1.42	2.20	0.55	1.43

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

29/07/2020




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.14	0.14	-6.72	-4.06	-6.14	-6.55

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

PSD

5250MHz Straddle 5.25-5.35GHz

29/07/2020




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.10	-0.10	-6.96	-4.52	-6.85	-6.49

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

PSD

5570MHz

29/07/2020



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.16	-1.16	-6.86	-5.74	-7.59	-7.37



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	PK	41.64M	31.04	40.00	-8.96	3	Horizontal	360	1.00	-





Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5250MHz_Adapter	Pass	PK	41.64M	31.04	40.00	-8.96	3	Horizontal	360	1.00	-
5250MHz_Adapter	Pass	PK	90.14M	26.25	43.50	-17.25	3	Horizontal	360	1.00	-
5250MHz_Adapter	Pass	PK	224M	26.75	46.00	-19.25	3	Horizontal	360	1.00	-
5250MHz_Adapter	Pass	PK	348.16M	28.72	46.00	-17.28	3	Horizontal	360	1.00	-
5250MHz_Adapter	Pass	PK	437.4M	27.60	46.00	-18.40	3	Horizontal	360	1.00	-
5250MHz_Adapter	Pass	PK	476.2M	29.22	46.00	-16.78	3	Horizontal	360	1.00	-
5250MHz_Adapter	Pass	PK	57.16M	27.62	40.00	-12.38	3	Horizontal	0	1.00	-
5250MHz_Adapter	Pass	PK	113.42M	25.49	43.50	-18.01	3	Horizontal	0	1.00	-
5250MHz_Adapter	Pass	PK	189.08M	29.79	43.50	-13.71	3	Horizontal	0	1.00	-
5250MHz_Adapter	Pass	PK	326.82M	33.84	46.00	-12.16	3	Horizontal	0	1.00	-
5250MHz_Adapter	Pass	PK	449.04M	26.58	46.00	-19.42	3	Horizontal	0	1.00	-
5250MHz_Adapter	Pass	PK	551.86M	27.30	46.00	-18.70	3	Horizontal	0	1.00	-



802.11ax HEW160\_Nss1,(MCS0)\_4TX

19/07/2020

5250MHz\_Adapter




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	41.64M	31.04	40.00	-8.96	-9.82	3	Horizontal	360	1.00	-	40.86	16.72	1.00	27.54
PK	90.14M	26.25	43.50	-17.25	-11.98	3	Horizontal	360	1.00	-	38.23	13.94	1.50	27.42
PK	224M	26.75	46.00	-19.25	-9.85	3	Horizontal	360	1.00	-	36.60	14.53	2.44	26.82
PK	348.16M	28.72	46.00	-17.28	-4.42	3	Horizontal	360	1.00	-	33.14	19.42	3.09	26.93
PK	437.4M	27.60	46.00	-18.40	-2.35	3	Horizontal	360	1.00	-	29.95	21.86	3.37	27.58
PK	476.2M	29.22	46.00	-16.78	-1.68	3	Horizontal	360	1.00	-	30.90	22.50	3.56	27.74



802.11ax HEW160\_Nss1,(MCS0)\_4TX

19/07/2020

5250MHz\_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	57.16M	27.62	40.00	-12.38	-14.71	3	Horizontal	0	1.00	-	42.33	11.59	1.20	27.50
PK	113.42M	25.49	43.50	-18.01	-8.52	3	Horizontal	0	1.00	-	34.01	17.07	1.73	27.32
PK	189.08M	29.79	43.50	-13.71	-10.80	3	Horizontal	0	1.00	-	40.59	13.92	2.25	26.97
PK	326.82M	33.84	46.00	-12.16	-4.99	3	Horizontal	0	1.00	-	38.83	18.81	3.01	26.81
PK	449.04M	26.58	46.00	-19.42	-2.33	3	Horizontal	0	1.00	-	28.91	21.95	3.40	27.68
PK	551.86M	27.30	46.00	-18.70	-0.20	3	Horizontal	0	1.00	-	27.50	23.91	3.91	28.02



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	5.15G	73.22	74.00	-0.78	3	Horizontal	151	1.60	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	AV	5.147G	53.46	54.00	-0.54	3	Vertical	347	1.52	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	AV	5.148G	53.15	54.00	-0.85	3	Vertical	17	1.60	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	AV	5.148G	53.14	54.00	-0.86	3	Vertical	15	1.62	-
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	5.3508G	53.33	54.00	-0.67	3	Vertical	210	1.49	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	AV	5.3504G	53.47	54.00	-0.53	3	Vertical	209	1.54	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	AV	5.3524G	53.24	54.00	-0.76	3	Vertical	240	1.39	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	AV	5.35G	53.42	54.00	-0.58	3	Vertical	212	1.44	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	5.7252G	67.38	68.20	-0.82	3	Vertical	18	1.66	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	PK	5.4696G	67.51	68.20	-0.69	3	Vertical	0	1.59	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	PK	5.851G	67.65	68.20	-0.55	3	Vertical	15	1.50	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	PK	5.464G	67.62	68.20	-0.58	3	Horizontal	275	1.40	-
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	AV	5.4512G	53.31	54.00	-0.69	3	Vertical	5	1.50	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	5.6514G	67.16	69.24	-2.08	3	Vertical	18	1.62	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	PK	5.6478G	65.82	68.20	-2.38	3	Vertical	17	1.49	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	PK	5.6434G	67.45	68.20	-0.75	3	Vertical	29	1.64	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	PK	5.6454G	67.65	68.20	-0.55	3	Vertical	29	1.66	-
5.15-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	AV	5.1348G	53.37	54.00	-0.63	3	Vertical	344	1.67	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1476G	52.55	54.00	-1.45	3	Vertical	0	1.51	-
5180MHz	Pass	AV	5.1866G	110.41	Inf	-Inf	3	Vertical	0	1.51	-
5180MHz	Pass	PK	5.1454G	71.07	74.00	-2.93	3	Vertical	0	1.51	-
5180MHz	Pass	PK	5.1852G	118.50	Inf	-Inf	3	Vertical	0	1.51	-
5180MHz	Pass	AV	5.15G	52.56	54.00	-1.44	3	Horizontal	151	1.60	-
5180MHz	Pass	AV	5.1724G	109.15	Inf	-Inf	3	Horizontal	151	1.60	-
5180MHz	Pass	PK	5.15G	73.22	74.00	-0.78	3	Horizontal	151	1.60	-
5180MHz	Pass	PK	5.1724G	116.55	Inf	-Inf	3	Horizontal	151	1.60	-
5180MHz	Pass	AV	15.53952G	45.13	54.00	-8.87	3	Vertical	170	1.42	-
5180MHz	Pass	PK	10.36636G	56.89	68.20	-11.31	3	Vertical	285	1.75	-
5180MHz	Pass	PK	15.54784G	56.98	74.00	-17.02	3	Vertical	170	1.42	-
5180MHz	Pass	AV	15.5492G	45.12	54.00	-8.88	3	Horizontal	113	1.97	-
5180MHz	Pass	PK	10.3592G	57.15	68.20	-11.05	3	Horizontal	117	1.66	-
5180MHz	Pass	PK	15.54076G	57.48	74.00	-16.52	3	Horizontal	113	1.97	-
5200MHz	Pass	AV	5.146G	52.88	54.00	-1.12	3	Vertical	16	1.66	-
5200MHz	Pass	AV	5.2052G	115.06	Inf	-Inf	3	Vertical	16	1.66	-
5200MHz	Pass	PK	5.146G	72.28	74.00	-1.72	3	Vertical	16	1.66	-
5200MHz	Pass	PK	5.2048G	123.65	Inf	-Inf	3	Vertical	16	1.66	-
5200MHz	Pass	AV	5.146G	50.48	54.00	-3.52	3	Horizontal	88	2.06	-
5200MHz	Pass	AV	5.194G	112.28	Inf	-Inf	3	Horizontal	88	2.06	-
5200MHz	Pass	PK	5.146G	68.90	74.00	-5.10	3	Horizontal	88	2.06	-
5200MHz	Pass	PK	5.1956G	120.75	Inf	-Inf	3	Horizontal	88	2.06	-
5200MHz	Pass	AV	15.59068G	44.64	54.00	-9.36	3	Vertical	263	2.29	-
5200MHz	Pass	PK	10.39332G	57.83	68.20	-10.37	3	Vertical	247	1.62	-
5200MHz	Pass	PK	15.60924G	56.85	74.00	-17.15	3	Vertical	263	2.29	-
5200MHz	Pass	AV	15.59028G	44.65	54.00	-9.35	3	Horizontal	148	2.31	-
5200MHz	Pass	PK	10.40684G	59.06	68.20	-9.14	3	Horizontal	244	1.50	-
5200MHz	Pass	PK	15.60652G	56.73	74.00	-17.27	3	Horizontal	148	2.31	-
5240MHz	Pass	AV	5.1494G	51.32	54.00	-2.68	3	Vertical	210	1.53	-
5240MHz	Pass	AV	5.2382G	115.93	Inf	-Inf	3	Vertical	210	1.53	-
5240MHz	Pass	AV	5.35G	48.40	54.00	-5.60	3	Vertical	210	1.53	-
5240MHz	Pass	PK	5.1422G	66.84	74.00	-7.16	3	Vertical	210	1.53	-
5240MHz	Pass	PK	5.2388G	125.24	Inf	-Inf	3	Vertical	210	1.53	-
5240MHz	Pass	PK	5.3504G	62.99	74.00	-11.01	3	Vertical	210	1.53	-
5240MHz	Pass	AV	5.1488G	49.17	54.00	-4.83	3	Horizontal	93	1.50	-
5240MHz	Pass	AV	5.237G	113.67	Inf	-Inf	3	Horizontal	93	1.50	-
5240MHz	Pass	AV	5.35G	47.70	54.00	-6.30	3	Horizontal	93	1.50	-
5240MHz	Pass	PK	5.1464G	64.49	74.00	-9.51	3	Horizontal	93	1.50	-
5240MHz	Pass	PK	5.2376G	122.90	Inf	-Inf	3	Horizontal	93	1.50	-
5240MHz	Pass	PK	5.3696G	63.15	74.00	-10.85	3	Horizontal	93	1.50	-
5240MHz	Pass	AV	15.72488G	44.61	54.00	-9.39	3	Vertical	289	1.09	-
5240MHz	Pass	PK	10.4779G	62.07	68.20	-6.13	3	Vertical	291	2.65	-
5240MHz	Pass	PK	15.71904G	56.69	74.00	-17.31	3	Vertical	289	1.09	-
5240MHz	Pass	AV	15.71G	44.46	54.00	-9.54	3	Horizontal	282	1.62	-
5240MHz	Pass	PK	10.472G	63.34	68.20	-4.86	3	Horizontal	311	1.33	-
5240MHz	Pass	PK	15.71472G	56.49	74.00	-17.51	3	Horizontal	282	1.62	-
5260MHz	Pass	AV	5.1496G	50.74	54.00	-3.26	3	Vertical	210	1.50	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5260MHz	Pass	AV	5.2588G	116.65	Inf	-Inf	3	Vertical	210	1.50	-
5260MHz	Pass	AV	5.3512G	53.26	54.00	-0.74	3	Vertical	210	1.50	-
5260MHz	Pass	PK	5.146G	66.82	74.00	-7.18	3	Vertical	210	1.50	-
5260MHz	Pass	PK	5.2588G	126.31	Inf	-Inf	3	Vertical	210	1.50	-
5260MHz	Pass	PK	5.3518G	69.29	74.00	-4.71	3	Vertical	210	1.50	-
5260MHz	Pass	AV	5.15G	49.24	54.00	-4.76	3	Horizontal	76	1.58	-
5260MHz	Pass	AV	5.2642G	115.32	Inf	-Inf	3	Horizontal	76	1.58	-
5260MHz	Pass	AV	5.3572G	49.64	54.00	-4.36	3	Horizontal	76	1.58	-
5260MHz	Pass	PK	5.1496G	63.02	74.00	-10.98	3	Horizontal	76	1.58	-
5260MHz	Pass	PK	5.2648G	124.38	Inf	-Inf	3	Horizontal	76	1.58	-
5260MHz	Pass	PK	5.368G	65.31	74.00	-8.69	3	Horizontal	76	1.58	-
5260MHz	Pass	AV	15.77012G	44.35	54.00	-9.65	3	Vertical	227	1.50	-
5260MHz	Pass	PK	10.51804G	63.34	68.20	-4.86	3	Vertical	291	2.67	-
5260MHz	Pass	PK	15.7736G	56.81	74.00	-17.19	3	Vertical	227	1.50	-
5260MHz	Pass	AV	15.77012G	44.35	54.00	-9.65	3	Vertical	227	1.50	-
5260MHz	Pass	PK	10.51804G	63.34	68.20	-4.86	3	Vertical	291	2.67	-
5260MHz	Pass	PK	15.7736G	56.81	74.00	-17.19	3	Vertical	227	1.50	-
5300MHz	Pass	AV	5.2992G	114.33	Inf	-Inf	3	Vertical	210	1.49	-
5300MHz	Pass	AV	5.3508G	53.33	54.00	-0.67	3	Vertical	210	1.49	-
5300MHz	Pass	PK	5.2988G	122.63	Inf	-Inf	3	Vertical	210	1.49	-
5300MHz	Pass	PK	5.3512G	72.40	74.00	-1.60	3	Vertical	210	1.49	-
5300MHz	Pass	AV	5.2932G	113.34	Inf	-Inf	3	Horizontal	87	2.28	-
5300MHz	Pass	AV	5.3512G	52.20	54.00	-1.80	3	Horizontal	87	2.28	-
5300MHz	Pass	PK	5.2932G	121.50	Inf	-Inf	3	Horizontal	87	2.28	-
5300MHz	Pass	PK	5.3516G	71.61	74.00	-2.39	3	Horizontal	87	2.28	-
5300MHz	Pass	AV	10.60096G	46.78	54.00	-7.22	3	Vertical	240	1.44	-
5300MHz	Pass	AV	15.90196G	43.89	54.00	-10.11	3	Vertical	133	2.16	-
5300MHz	Pass	PK	10.60024G	58.48	74.00	-15.52	3	Vertical	240	1.44	-
5300MHz	Pass	PK	15.89744G	56.82	74.00	-17.18	3	Vertical	133	2.16	-
5300MHz	Pass	AV	10.60007G	50.10	54.00	-3.90	3	Horizontal	241	1.95	-
5300MHz	Pass	AV	15.90256G	44.01	54.00	-9.99	3	Horizontal	336	1.84	-
5300MHz	Pass	PK	10.60007G	61.27	74.00	-12.73	3	Horizontal	241	1.95	-
5300MHz	Pass	PK	15.9066G	56.07	74.00	-17.93	3	Horizontal	336	1.84	-
5320MHz	Pass	AV	5.3222G	110.38	Inf	-Inf	3	Vertical	240	1.36	-
5320MHz	Pass	AV	5.3558G	50.24	54.00	-3.76	3	Vertical	240	1.36	-
5320MHz	Pass	PK	5.3224G	118.74	Inf	-Inf	3	Vertical	240	1.36	-
5320MHz	Pass	PK	5.3568G	69.73	74.00	-4.27	3	Vertical	240	1.36	-
5320MHz	Pass	AV	5.3276G	108.45	Inf	-Inf	3	Horizontal	274	1.51	-
5320MHz	Pass	AV	5.35G	53.32	54.00	-0.68	3	Horizontal	274	1.51	-
5320MHz	Pass	PK	5.3276G	116.62	Inf	-Inf	3	Horizontal	274	1.51	-
5320MHz	Pass	PK	5.35G	70.00	74.00	-4.00	3	Horizontal	274	1.51	-
5320MHz	Pass	AV	10.63552G	44.42	54.00	-9.58	3	Vertical	143	1.04	-
5320MHz	Pass	AV	15.95716G	43.73	54.00	-10.27	3	Vertical	3	2.08	-
5320MHz	Pass	PK	10.63876G	56.65	74.00	-17.35	3	Vertical	143	1.04	-
5320MHz	Pass	PK	15.95352G	56.40	74.00	-17.60	3	Vertical	3	2.08	-
5320MHz	Pass	AV	10.63772G	45.91	54.00	-8.09	3	Horizontal	227	1.93	-
5320MHz	Pass	AV	15.9564G	43.85	54.00	-10.15	3	Horizontal	80	1.92	-
5320MHz	Pass	PK	10.63828G	57.89	74.00	-16.11	3	Horizontal	227	1.93	-
5320MHz	Pass	PK	15.95056G	55.92	74.00	-18.08	3	Horizontal	80	1.92	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5500MHz	Pass	AV	5.4532G	46.19	54.00	-7.81	3	Vertical	0	1.50	-
5500MHz	Pass	AV	5.47G	47.35	Inf	-Inf	3	Vertical	0	1.50	-
5500MHz	Pass	AV	5.504G	105.37	Inf	-Inf	3	Vertical	0	1.50	-
5500MHz	Pass	PK	5.4548G	57.93	74.00	-16.07	3	Vertical	0	1.50	-
5500MHz	Pass	PK	5.4694G	66.91	68.20	-1.29	3	Vertical	0	1.50	-
5500MHz	Pass	PK	5.5024G	113.89	Inf	-Inf	3	Vertical	0	1.50	-
5500MHz	Pass	AV	5.4568G	45.60	54.00	-8.40	3	Horizontal	274	1.43	-
5500MHz	Pass	AV	5.4692G	45.97	Inf	-Inf	3	Horizontal	274	1.43	-
5500MHz	Pass	AV	5.5068G	104.90	Inf	-Inf	3	Horizontal	274	1.43	-
5500MHz	Pass	PK	5.4528G	56.80	74.00	-17.20	3	Horizontal	274	1.43	-
5500MHz	Pass	PK	5.4664G	59.98	68.20	-8.22	3	Horizontal	274	1.43	-
5500MHz	Pass	PK	5.5064G	113.35	Inf	-Inf	3	Horizontal	274	1.43	-
5500MHz	Pass	AV	11.00172G	44.48	54.00	-9.52	3	Vertical	357	2.30	-
5500MHz	Pass	PK	10.99804G	56.90	74.00	-17.10	3	Vertical	357	2.30	-
5500MHz	Pass	PK	16.49064G	57.55	68.20	-10.65	3	Vertical	263	1.48	-
5500MHz	Pass	AV	11.00928G	44.47	54.00	-9.53	3	Horizontal	278	2.27	-
5500MHz	Pass	PK	11.00664G	57.36	74.00	-16.64	3	Horizontal	278	2.27	-
5500MHz	Pass	PK	16.50124G	57.53	68.20	-10.67	3	Horizontal	359	1.22	-
5580MHz	Pass	AV	5.451G	48.56	54.00	-5.44	3	Vertical	0	1.60	-
5580MHz	Pass	AV	5.5824G	116.07	Inf	-Inf	3	Vertical	0	1.60	-
5580MHz	Pass	PK	5.4684G	65.51	68.20	-2.69	3	Vertical	0	1.60	-
5580MHz	Pass	PK	5.5818G	124.41	Inf	-Inf	3	Vertical	0	1.60	-
5580MHz	Pass	PK	5.73G	60.47	68.20	-7.73	3	Vertical	0	1.60	-
5580MHz	Pass	AV	5.4306G	47.76	54.00	-6.24	3	Horizontal	274	1.50	-
5580MHz	Pass	AV	5.5866G	113.72	Inf	-Inf	3	Horizontal	274	1.50	-
5580MHz	Pass	PK	5.4696G	60.30	68.20	-7.90	3	Horizontal	274	1.50	-
5580MHz	Pass	PK	5.586G	122.43	Inf	-Inf	3	Horizontal	274	1.50	-
5580MHz	Pass	PK	5.7258G	59.07	68.20	-9.13	3	Horizontal	274	1.50	-
5580MHz	Pass	AV	11.1642G	49.53	54.00	-4.47	3	Vertical	277	3.00	-
5580MHz	Pass	PK	11.16552G	61.76	74.00	-12.24	3	Vertical	277	3.00	-
5580MHz	Pass	PK	16.74424G	61.80	68.20	-6.40	3	Vertical	300	2.71	-
5580MHz	Pass	AV	11.1664G	50.34	54.00	-3.66	3	Horizontal	229	1.50	-
5580MHz	Pass	PK	11.16524G	62.38	74.00	-11.62	3	Horizontal	229	1.50	-
5580MHz	Pass	PK	16.73552G	62.24	68.20	-5.96	3	Horizontal	241	1.70	-
5700MHz	Pass	AV	5.702G	107.62	Inf	-Inf	3	Vertical	18	1.66	-
5700MHz	Pass	PK	5.7024G	116.28	Inf	-Inf	3	Vertical	18	1.66	-
5700MHz	Pass	PK	5.7252G	67.38	68.20	-0.82	3	Vertical	18	1.66	-
5700MHz	Pass	AV	5.6988G	105.80	Inf	-Inf	3	Horizontal	95	2.30	-
5700MHz	Pass	PK	5.6976G	115.41	Inf	-Inf	3	Horizontal	95	2.30	-
5700MHz	Pass	PK	5.7256G	61.38	68.20	-6.82	3	Horizontal	95	2.30	-
5700MHz	Pass	AV	11.39136G	44.07	54.00	-9.93	3	Vertical	53	1.48	-
5700MHz	Pass	PK	11.40576G	56.56	74.00	-17.44	3	Vertical	53	1.48	-
5700MHz	Pass	PK	17.10228G	60.25	68.20	-7.95	3	Vertical	246	2.00	-
5700MHz	Pass	AV	11.39636G	44.20	54.00	-9.80	3	Horizontal	145	2.11	-
5700MHz	Pass	PK	11.3918G	56.88	74.00	-17.12	3	Horizontal	145	2.11	-
5700MHz	Pass	PK	17.09988G	59.39	68.20	-8.81	3	Horizontal	231	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.45G	47.30	54.00	-6.70	3	Vertical	16	1.63	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7224G	116.11	Inf	-Inf	3	Vertical	16	1.63	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.46G	58.13	68.20	-10.07	3	Vertical	16	1.63	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7224G	124.15	Inf	-Inf	3	Vertical	16	1.63	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	60.49	68.20	-7.71	3	Vertical	16	1.63	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4272G	47.11	54.00	-6.89	3	Horizontal	86	2.20	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7152G	113.92	Inf	-Inf	3	Horizontal	86	2.20	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	58.81	68.20	-9.39	3	Horizontal	86	2.20	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7152G	123.10	Inf	-Inf	3	Horizontal	86	2.20	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9096G	60.28	68.20	-7.92	3	Horizontal	86	2.20	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43104G	45.96	54.00	-8.04	3	Vertical	303	1.10	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43248G	57.99	74.00	-16.01	3	Vertical	303	1.10	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15812G	61.89	68.20	-6.31	3	Vertical	236	1.56	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43628G	47.07	54.00	-6.93	3	Horizontal	157	1.57	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4366G	59.30	74.00	-14.70	3	Horizontal	157	1.57	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15812G	62.83	68.20	-5.37	3	Horizontal	240	1.50	-
5745MHz	Pass	AV	5.7486G	115.64	Inf	-Inf	3	Vertical	18	1.62	-
5745MHz	Pass	PK	5.6514G	67.16	69.24	-2.08	3	Vertical	18	1.62	-
5745MHz	Pass	PK	5.7486G	124.24	Inf	-Inf	3	Vertical	18	1.62	-
5745MHz	Pass	PK	5.9466G	59.68	68.20	-8.52	3	Vertical	18	1.62	-
5745MHz	Pass	AV	5.7426G	113.83	Inf	-Inf	3	Horizontal	95	2.32	-
5745MHz	Pass	PK	5.6466G	61.51	68.20	-6.69	3	Horizontal	95	2.32	-
5745MHz	Pass	PK	5.7426G	122.56	Inf	-Inf	3	Horizontal	95	2.32	-
5745MHz	Pass	PK	5.937G	59.58	68.20	-8.62	3	Horizontal	95	2.32	-
5745MHz	Pass	AV	11.49996G	43.96	54.00	-10.04	3	Vertical	55	2.06	-
5745MHz	Pass	PK	11.48216G	56.28	74.00	-17.72	3	Vertical	55	2.06	-
5745MHz	Pass	PK	17.23704G	61.20	68.20	-7.00	3	Vertical	178	2.08	-
5745MHz	Pass	AV	11.4816G	47.91	54.00	-6.09	3	Horizontal	231	1.48	-
5745MHz	Pass	PK	11.4824G	59.85	74.00	-14.15	3	Horizontal	231	1.48	-
5745MHz	Pass	PK	17.23012G	62.41	68.20	-5.79	3	Horizontal	239	1.44	-
5785MHz	Pass	AV	5.7874G	115.05	Inf	-Inf	3	Vertical	360	1.78	-
5785MHz	Pass	PK	5.6458G	59.47	68.20	-8.73	3	Vertical	360	1.78	-
5785MHz	Pass	PK	5.7874G	123.25	Inf	-Inf	3	Vertical	360	1.78	-
5785MHz	Pass	PK	5.9566G	59.48	68.20	-8.72	3	Vertical	360	1.78	-
5785MHz	Pass	AV	5.7838G	112.52	Inf	-Inf	3	Horizontal	95	1.50	-
5785MHz	Pass	PK	5.647G	58.76	68.20	-9.44	3	Horizontal	95	1.50	-
5785MHz	Pass	PK	5.7838G	121.22	Inf	-Inf	3	Horizontal	95	1.50	-
5785MHz	Pass	PK	5.9362G	59.50	68.20	-8.70	3	Horizontal	95	1.50	-
5785MHz	Pass	AV	11.56144G	47.71	54.00	-6.29	3	Vertical	226	1.39	-
5785MHz	Pass	PK	11.5622G	59.42	74.00	-14.58	3	Vertical	226	1.39	-
5785MHz	Pass	PK	17.34968G	59.96	68.20	-8.24	3	Vertical	189	1.32	-
5785MHz	Pass	AV	11.56928G	50.38	54.00	-3.62	3	Horizontal	114	2.32	-
5785MHz	Pass	PK	11.56852G	62.81	74.00	-11.19	3	Horizontal	114	2.32	-
5785MHz	Pass	PK	17.355G	62.16	68.20	-6.04	3	Horizontal	107	1.17	-
5825MHz	Pass	AV	5.8202G	110.83	Inf	-Inf	3	Vertical	236	1.59	-
5825MHz	Pass	PK	5.6474G	59.00	68.20	-9.20	3	Vertical	236	1.59	-
5825MHz	Pass	PK	5.8202G	119.99	Inf	-Inf	3	Vertical	236	1.59	-
5825MHz	Pass	PK	5.9318G	59.98	68.20	-8.22	3	Vertical	236	1.59	-
5825MHz	Pass	AV	5.825G	112.57	Inf	-Inf	3	Horizontal	95	2.23	-
5825MHz	Pass	PK	5.6438G	59.08	68.20	-9.12	3	Horizontal	95	2.23	-
5825MHz	Pass	PK	5.8238G	121.39	Inf	-Inf	3	Horizontal	95	2.23	-
5825MHz	Pass	PK	5.933G	60.12	68.20	-8.08	3	Horizontal	95	2.23	-





Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5825MHz	Pass	AV	11.641G	45.35	54.00	-8.65	3	Vertical	264	1.83	-
5825MHz	Pass	PK	11.65536G	57.42	74.00	-16.58	3	Vertical	264	1.83	-
5825MHz	Pass	PK	17.4808G	60.39	68.20	-7.81	3	Vertical	210	1.27	-
5825MHz	Pass	AV	11.65036G	50.21	54.00	-3.79	3	Horizontal	225	2.02	-
5825MHz	Pass	PK	11.64968G	61.84	74.00	-12.16	3	Horizontal	225	2.02	-
5825MHz	Pass	PK	17.47128G	60.54	68.20	-7.66	3	Horizontal	177	2.02	-
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1482G	53.24	54.00	-0.76	3	Vertical	15	1.50	-
5180MHz	Pass	AV	5.1782G	109.62	Inf	-Inf	3	Vertical	15	1.50	-
5180MHz	Pass	PK	5.148G	72.32	74.00	-1.68	3	Vertical	15	1.50	-
5180MHz	Pass	PK	5.1732G	121.03	Inf	-Inf	3	Vertical	15	1.50	-
5180MHz	Pass	AV	5.146G	50.48	54.00	-3.52	3	Horizontal	152	1.59	-
5180MHz	Pass	AV	5.1762G	107.63	Inf	-Inf	3	Horizontal	152	1.59	-
5180MHz	Pass	PK	5.146G	69.19	74.00	-4.81	3	Horizontal	152	1.59	-
5180MHz	Pass	PK	5.186G	118.96	Inf	-Inf	3	Horizontal	152	1.59	-
5180MHz	Pass	AV	15.55G	44.97	54.00	-9.03	3	Vertical	130	1.29	-
5180MHz	Pass	PK	10.36612G	56.18	68.20	-12.02	3	Vertical	276	1.39	-
5180MHz	Pass	PK	15.5472G	57.95	74.00	-16.05	3	Vertical	130	1.29	-
5180MHz	Pass	AV	15.54608G	44.98	54.00	-9.02	3	Horizontal	314	1.99	-
5180MHz	Pass	PK	10.3601G	56.42	68.20	-11.78	3	Horizontal	220	1.26	-
5180MHz	Pass	PK	15.54676G	57.12	74.00	-16.88	3	Horizontal	314	1.99	-
5200MHz	Pass	AV	5.148G	52.99	54.00	-1.01	3	Vertical	360	1.61	-
5200MHz	Pass	AV	5.198G	112.29	Inf	-Inf	3	Vertical	360	1.61	-
5200MHz	Pass	PK	5.1472G	68.54	74.00	-5.46	3	Vertical	360	1.61	-
5200MHz	Pass	PK	5.1932G	122.86	Inf	-Inf	3	Vertical	360	1.61	-
5200MHz	Pass	AV	5.1488G	50.28	54.00	-3.72	3	Horizontal	86	1.55	-
5200MHz	Pass	AV	5.1992G	109.63	Inf	-Inf	3	Horizontal	86	1.55	-
5200MHz	Pass	PK	5.1488G	64.01	74.00	-9.99	3	Horizontal	86	1.55	-
5200MHz	Pass	PK	5.204G	119.62	Inf	-Inf	3	Horizontal	86	1.55	-
5200MHz	Pass	AV	15.58232G	44.87	54.00	-9.13	3	Vertical	257	2.36	-
5200MHz	Pass	PK	10.3976G	56.61	68.20	-11.59	3	Vertical	9	1.70	-
5200MHz	Pass	PK	15.5824G	57.19	74.00	-16.81	3	Vertical	257	2.36	-
5200MHz	Pass	AV	15.58008G	44.90	54.00	-9.10	3	Horizontal	309	1.94	-
5200MHz	Pass	PK	10.3996G	58.54	68.20	-9.66	3	Horizontal	246	1.50	-
5200MHz	Pass	PK	15.58992G	57.21	74.00	-16.79	3	Horizontal	309	1.94	-
5240MHz	Pass	AV	5.147G	53.46	54.00	-0.54	3	Vertical	347	1.52	-
5240MHz	Pass	AV	5.2382G	114.48	Inf	-Inf	3	Vertical	347	1.52	-
5240MHz	Pass	AV	5.3522G	48.43	54.00	-5.57	3	Vertical	347	1.52	-
5240MHz	Pass	PK	5.147G	67.60	74.00	-6.40	3	Vertical	347	1.52	-
5240MHz	Pass	PK	5.2328G	124.73	Inf	-Inf	3	Vertical	347	1.52	-
5240MHz	Pass	PK	5.3516G	62.43	74.00	-11.57	3	Vertical	347	1.52	-
5240MHz	Pass	AV	5.1482G	49.92	54.00	-4.08	3	Horizontal	88	1.50	-
5240MHz	Pass	AV	5.2394G	112.63	Inf	-Inf	3	Horizontal	88	1.50	-
5240MHz	Pass	AV	5.35G	48.26	54.00	-5.74	3	Horizontal	88	1.50	-
5240MHz	Pass	PK	5.1476G	64.64	74.00	-9.36	3	Horizontal	88	1.50	-
5240MHz	Pass	PK	5.2442G	122.48	Inf	-Inf	3	Horizontal	88	1.50	-
5240MHz	Pass	PK	5.3552G	61.58	74.00	-12.42	3	Horizontal	88	1.50	-
5240MHz	Pass	AV	15.71168G	44.45	54.00	-9.55	3	Vertical	29	1.15	-
5240MHz	Pass	PK	10.47928G	61.54	68.20	-6.66	3	Vertical	293	2.15	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5240MHz	Pass	PK	15.72752G	57.12	74.00	-16.88	3	Vertical	29	1.15	-
5240MHz	Pass	AV	15.71736G	44.67	54.00	-9.33	3	Horizontal	306	1.50	-
5240MHz	Pass	PK	10.47944G	63.23	68.20	-4.97	3	Horizontal	239	1.54	-
5240MHz	Pass	PK	15.7108G	56.43	74.00	-17.57	3	Horizontal	306	1.50	-
5260MHz	Pass	AV	5.1496G	52.01	54.00	-1.99	3	Vertical	12	1.65	-
5260MHz	Pass	AV	5.2582G	115.59	Inf	-Inf	3	Vertical	12	1.65	-
5260MHz	Pass	AV	5.3512G	53.34	54.00	-0.66	3	Vertical	12	1.65	-
5260MHz	Pass	PK	5.1484G	66.80	74.00	-7.20	3	Vertical	12	1.65	-
5260MHz	Pass	PK	5.2528G	126.04	Inf	-Inf	3	Vertical	12	1.65	-
5260MHz	Pass	PK	5.3506G	67.95	74.00	-6.05	3	Vertical	12	1.65	-
5260MHz	Pass	AV	5.15G	49.05	54.00	-4.95	3	Horizontal	87	1.65	-
5260MHz	Pass	AV	5.2642G	112.34	Inf	-Inf	3	Horizontal	87	1.65	-
5260MHz	Pass	AV	5.3518G	50.75	54.00	-3.25	3	Horizontal	87	1.65	-
5260MHz	Pass	PK	5.1454G	61.99	74.00	-12.01	3	Horizontal	87	1.65	-
5260MHz	Pass	PK	5.2642G	122.35	Inf	-Inf	3	Horizontal	87	1.65	-
5260MHz	Pass	PK	5.3518G	65.63	74.00	-8.37	3	Horizontal	87	1.65	-
5260MHz	Pass	AV	15.77448G	44.33	54.00	-9.67	3	Vertical	320	1.08	-
5260MHz	Pass	PK	10.52896G	62.96	68.20	-5.24	3	Vertical	294	2.08	-
5260MHz	Pass	PK	15.77464G	56.92	74.00	-17.08	3	Vertical	320	1.08	-
5260MHz	Pass	AV	15.7772G	44.32	54.00	-9.68	3	Horizontal	296	2.05	-
5260MHz	Pass	PK	10.51912G	64.23	68.20	-3.97	3	Horizontal	241	1.57	-
5260MHz	Pass	PK	15.7604G	56.17	74.00	-17.83	3	Horizontal	296	2.05	-
5300MHz	Pass	AV	5.2948G	111.68	Inf	-Inf	3	Vertical	209	1.54	-
5300MHz	Pass	AV	5.3504G	53.47	54.00	-0.53	3	Vertical	209	1.54	-
5300MHz	Pass	PK	5.3044G	120.96	Inf	-Inf	3	Vertical	209	1.54	-
5300MHz	Pass	PK	5.3504G	69.80	74.00	-4.20	3	Vertical	209	1.54	-
5300MHz	Pass	AV	5.2984G	110.31	Inf	-Inf	3	Horizontal	80	2.18	-
5300MHz	Pass	AV	5.352G	51.64	54.00	-2.36	3	Horizontal	80	2.18	-
5300MHz	Pass	PK	5.2988G	120.73	Inf	-Inf	3	Horizontal	80	2.18	-
5300MHz	Pass	PK	5.3516G	68.93	74.00	-5.07	3	Horizontal	80	2.18	-
5300MHz	Pass	AV	15.89528G	43.97	54.00	-10.03	3	Vertical	86	1.65	-
5300MHz	Pass	PK	10.59904G	61.14	68.20	-7.06	3	Vertical	291	2.12	-
5300MHz	Pass	PK	15.91016G	56.16	74.00	-17.84	3	Vertical	86	1.65	-
5300MHz	Pass	AV	15.90576G	44.00	54.00	-10.00	3	Horizontal	229	1.78	-
5300MHz	Pass	PK	10.59944G	62.13	68.20	-6.07	3	Horizontal	241	1.50	-
5300MHz	Pass	PK	15.90544G	55.91	74.00	-18.09	3	Horizontal	229	1.78	-
5320MHz	Pass	AV	5.3128G	107.93	Inf	-Inf	3	Vertical	344	1.65	-
5320MHz	Pass	AV	5.353G	53.40	54.00	-0.60	3	Vertical	344	1.65	-
5320MHz	Pass	PK	5.313G	119.10	Inf	-Inf	3	Vertical	344	1.65	-
5320MHz	Pass	PK	5.3526G	71.98	74.00	-2.02	3	Vertical	344	1.65	-
5320MHz	Pass	AV	5.3218G	107.10	Inf	-Inf	3	Horizontal	88	1.97	-
5320MHz	Pass	AV	5.352G	51.87	54.00	-2.13	3	Horizontal	88	1.97	-
5320MHz	Pass	PK	5.3168G	118.64	Inf	-Inf	3	Horizontal	88	1.97	-
5320MHz	Pass	PK	5.352G	72.50	74.00	-1.50	3	Horizontal	88	1.97	-
5320MHz	Pass	AV	10.65472G	44.39	54.00	-9.61	3	Vertical	155	1.40	-
5320MHz	Pass	AV	15.95968G	43.86	54.00	-10.14	3	Vertical	103	2.41	-
5320MHz	Pass	PK	10.656G	56.62	74.00	-17.38	3	Vertical	155	1.40	-
5320MHz	Pass	PK	15.97712G	56.29	74.00	-17.71	3	Vertical	103	2.41	-
5320MHz	Pass	AV	10.64104G	44.97	54.00	-9.03	3	Horizontal	298	1.12	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5320MHz	Pass	AV	15.94728G	44.12	54.00	-9.88	3	Horizontal	173	2.27	-
5320MHz	Pass	PK	10.63928G	58.23	74.00	-15.77	3	Horizontal	298	1.12	-
5320MHz	Pass	PK	15.95776G	56.75	74.00	-17.25	3	Horizontal	173	2.27	-
5500MHz	Pass	AV	5.46G	47.22	54.00	-6.78	3	Vertical	0	1.50	-
5500MHz	Pass	AV	5.5008G	106.55	Inf	-Inf	3	Vertical	0	1.50	-
5500MHz	Pass	PK	5.4656G	67.41	68.20	-0.79	3	Vertical	0	1.50	-
5500MHz	Pass	PK	5.5058G	118.47	Inf	-Inf	3	Vertical	0	1.50	-
5500MHz	Pass	AV	5.4588G	46.24	54.00	-7.76	3	Horizontal	274	1.50	-
5500MHz	Pass	AV	5.4934G	104.99	Inf	-Inf	3	Horizontal	274	1.50	-
5500MHz	Pass	PK	5.469G	65.16	68.20	-3.04	3	Horizontal	274	1.50	-
5500MHz	Pass	PK	5.4932G	115.56	Inf	-Inf	3	Horizontal	274	1.50	-
5500MHz	Pass	AV	11.01936G	44.64	54.00	-9.36	3	Vertical	110	1.55	-
5500MHz	Pass	PK	10.98728G	56.83	74.00	-17.17	3	Vertical	110	1.55	-
5500MHz	Pass	PK	16.48064G	57.36	68.20	-10.84	3	Vertical	297	1.18	-
5500MHz	Pass	AV	11.01968G	44.65	54.00	-9.35	3	Horizontal	86	1.32	-
5500MHz	Pass	PK	11.01072G	56.81	74.00	-17.19	3	Horizontal	86	1.32	-
5500MHz	Pass	PK	16.48576G	57.69	68.20	-10.51	3	Horizontal	198	1.65	-
5580MHz	Pass	AV	5.4594G	50.51	54.00	-3.49	3	Vertical	0	1.59	-
5580MHz	Pass	AV	5.5854G	115.66	Inf	-Inf	3	Vertical	0	1.59	-
5580MHz	Pass	PK	5.4696G	67.51	68.20	-0.69	3	Vertical	0	1.59	-
5580MHz	Pass	PK	5.586G	126.25	Inf	-Inf	3	Vertical	0	1.59	-
5580MHz	Pass	PK	5.7276G	61.58	68.20	-6.62	3	Vertical	0	1.59	-
5580MHz	Pass	AV	5.457G	47.43	54.00	-6.57	3	Horizontal	89	1.86	-
5580MHz	Pass	AV	5.5818G	112.54	Inf	-Inf	3	Horizontal	89	1.86	-
5580MHz	Pass	PK	5.4684G	61.50	68.20	-6.70	3	Horizontal	89	1.86	-
5580MHz	Pass	PK	5.577G	124.22	Inf	-Inf	3	Horizontal	89	1.86	-
5580MHz	Pass	PK	5.7282G	59.17	68.20	-9.03	3	Horizontal	89	1.86	-
5580MHz	Pass	AV	11.15824G	51.39	54.00	-2.61	3	Vertical	261	3.00	-
5580MHz	Pass	PK	11.15824G	63.19	74.00	-10.81	3	Vertical	261	3.00	-
5580MHz	Pass	PK	16.74296G	49.08	68.20	-19.12	3	Vertical	302	1.50	-
5580MHz	Pass	AV	11.15848G	51.60	54.00	-2.40	3	Horizontal	231	1.49	-
5580MHz	Pass	PK	11.1684G	62.55	74.00	-11.45	3	Horizontal	231	1.49	-
5580MHz	Pass	PK	16.7376G	61.38	68.20	-6.82	3	Horizontal	241	1.68	-
5700MHz	Pass	AV	5.6956G	104.60	Inf	-Inf	3	Vertical	18	1.54	-
5700MHz	Pass	PK	5.7012G	114.54	Inf	-Inf	3	Vertical	18	1.54	-
5700MHz	Pass	PK	5.7312G	67.05	68.20	-1.15	3	Vertical	18	1.54	-
5700MHz	Pass	AV	5.6936G	101.58	Inf	-Inf	3	Horizontal	271	1.48	-
5700MHz	Pass	PK	5.704G	112.08	Inf	-Inf	3	Horizontal	271	1.48	-
5700MHz	Pass	PK	5.7292G	64.37	68.20	-3.83	3	Horizontal	271	1.48	-
5700MHz	Pass	AV	11.38152G	44.34	54.00	-9.66	3	Vertical	353	1.98	-
5700MHz	Pass	PK	11.41896G	56.34	74.00	-17.66	3	Vertical	353	1.98	-
5700MHz	Pass	PK	17.10552G	59.39	68.20	-8.81	3	Vertical	194	1.94	-
5700MHz	Pass	AV	11.38672G	44.21	54.00	-9.79	3	Horizontal	88	2.04	-
5700MHz	Pass	PK	11.38136G	56.59	74.00	-17.41	3	Horizontal	88	2.04	-
5700MHz	Pass	PK	17.09144G	59.48	68.20	-8.72	3	Horizontal	360	1.51	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4488G	47.14	54.00	-6.86	3	Vertical	17	1.51	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7164G	115.50	Inf	-Inf	3	Vertical	17	1.51	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	58.53	68.20	-9.67	3	Vertical	17	1.51	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.726G	125.42	Inf	-Inf	3	Vertical	17	1.51	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8544G	62.04	68.20	-6.16	3	Vertical	17	1.51	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4308G	46.58	54.00	-7.42	3	Horizontal	91	2.27	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7176G	112.31	Inf	-Inf	3	Horizontal	91	2.27	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	58.31	68.20	-9.89	3	Horizontal	91	2.27	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7164G	124.38	Inf	-Inf	3	Horizontal	91	2.27	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	60.25	68.20	-7.95	3	Horizontal	91	2.27	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4372G	45.50	54.00	-8.50	3	Vertical	337	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44256G	57.64	74.00	-16.36	3	Vertical	337	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16728G	61.78	68.20	-6.42	3	Vertical	239	1.73	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43632G	47.27	54.00	-6.73	3	Horizontal	158	1.49	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43672G	59.62	74.00	-14.38	3	Horizontal	158	1.49	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.1604G	60.57	68.20	-7.63	3	Horizontal	335	1.51	-
5745MHz	Pass	AV	5.7462G	113.86	Inf	-Inf	3	Vertical	17	1.49	-
5745MHz	Pass	PK	5.6478G	65.82	68.20	-2.38	3	Vertical	17	1.49	-
5745MHz	Pass	PK	5.7462G	124.78	Inf	-Inf	3	Vertical	17	1.49	-
5745MHz	Pass	PK	5.967G	59.27	68.20	-8.93	3	Vertical	17	1.49	-
5745MHz	Pass	AV	5.7474G	112.21	Inf	-Inf	3	Horizontal	93	1.93	-
5745MHz	Pass	PK	5.6442G	61.91	68.20	-6.29	3	Horizontal	93	1.93	-
5745MHz	Pass	PK	5.7426G	123.58	Inf	-Inf	3	Horizontal	93	1.93	-
5745MHz	Pass	PK	5.949G	58.90	68.20	-9.30	3	Horizontal	93	1.93	-
5745MHz	Pass	AV	11.48752G	46.00	54.00	-8.00	3	Vertical	303	1.91	-
5745MHz	Pass	PK	11.4924G	57.49	74.00	-16.51	3	Vertical	303	1.91	-
5745MHz	Pass	PK	17.23716G	63.91	68.20	-4.29	3	Vertical	245	2.49	-
5745MHz	Pass	AV	11.49152G	47.19	54.00	-6.81	3	Horizontal	158	1.56	-
5745MHz	Pass	PK	11.48656G	58.81	74.00	-15.19	3	Horizontal	158	1.56	-
5745MHz	Pass	PK	17.24076G	61.61	68.20	-6.59	3	Horizontal	309	1.27	-
5785MHz	Pass	AV	5.7862G	114.34	Inf	-Inf	3	Vertical	15	1.67	-
5785MHz	Pass	PK	5.6494G	60.28	68.20	-7.92	3	Vertical	15	1.67	-
5785MHz	Pass	PK	5.7862G	124.74	Inf	-Inf	3	Vertical	15	1.67	-
5785MHz	Pass	PK	5.929G	59.40	68.20	-8.80	3	Vertical	15	1.67	-
5785MHz	Pass	AV	5.7898G	111.96	Inf	-Inf	3	Horizontal	94	1.50	-
5785MHz	Pass	PK	5.6278G	58.63	68.20	-9.57	3	Horizontal	94	1.50	-
5785MHz	Pass	PK	5.7898G	122.36	Inf	-Inf	3	Horizontal	94	1.50	-
5785MHz	Pass	PK	5.941G	59.35	68.20	-8.85	3	Horizontal	94	1.50	-
5785MHz	Pass	AV	11.56936G	47.44	54.00	-6.56	3	Vertical	226	1.39	-
5785MHz	Pass	PK	11.5588G	58.72	74.00	-15.28	3	Vertical	226	1.39	-
5785MHz	Pass	PK	17.3598G	63.01	68.20	-5.19	3	Vertical	242	2.43	-
5785MHz	Pass	AV	11.56984G	50.67	54.00	-3.33	3	Horizontal	224	2.09	-
5785MHz	Pass	PK	11.57G	62.84	74.00	-11.16	3	Horizontal	224	2.09	-
5785MHz	Pass	PK	17.3626G	61.74	68.20	-6.46	3	Horizontal	218	1.53	-
5825MHz	Pass	AV	5.8286G	109.16	Inf	-Inf	3	Vertical	29	1.67	-
5825MHz	Pass	PK	5.6126G	58.69	68.20	-9.51	3	Vertical	29	1.67	-
5825MHz	Pass	PK	5.8286G	118.95	Inf	-Inf	3	Vertical	29	1.67	-
5825MHz	Pass	PK	5.927G	59.52	68.20	-8.68	3	Vertical	29	1.67	-
5825MHz	Pass	AV	5.8298G	112.07	Inf	-Inf	3	Horizontal	95	1.48	-
5825MHz	Pass	PK	5.6498G	58.45	68.20	-9.75	3	Horizontal	95	1.48	-
5825MHz	Pass	PK	5.8298G	123.08	Inf	-Inf	3	Horizontal	95	1.48	-
5825MHz	Pass	PK	5.9246G	63.15	68.50	-5.35	3	Horizontal	95	1.48	-
5825MHz	Pass	AV	11.64784G	47.40	54.00	-6.60	3	Vertical	291	2.18	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5825MHz	Pass	PK	11.65288G	58.79	74.00	-15.21	3	Vertical	291	2.18	-
5825MHz	Pass	PK	17.47548G	62.07	68.20	-6.13	3	Vertical	248	2.64	-
5825MHz	Pass	AV	11.65G	49.19	54.00	-4.81	3	Horizontal	227	1.47	-
5825MHz	Pass	PK	11.65088G	59.91	74.00	-14.09	3	Horizontal	227	1.47	-
5825MHz	Pass	PK	17.47644G	61.46	68.20	-6.74	3	Horizontal	306	1.59	-
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.148G	53.15	54.00	-0.85	3	Vertical	17	1.60	-
5190MHz	Pass	AV	5.1932G	102.65	Inf	-Inf	3	Vertical	17	1.60	-
5190MHz	Pass	PK	5.148G	65.06	74.00	-8.94	3	Vertical	17	1.60	-
5190MHz	Pass	PK	5.1828G	112.87	Inf	-Inf	3	Vertical	17	1.60	-
5190MHz	Pass	AV	5.1492G	52.10	54.00	-1.90	3	Horizontal	82	1.55	-
5190MHz	Pass	AV	5.196G	100.54	Inf	-Inf	3	Horizontal	82	1.55	-
5190MHz	Pass	PK	5.1492G	62.47	74.00	-11.53	3	Horizontal	82	1.55	-
5190MHz	Pass	PK	5.196G	111.21	Inf	-Inf	3	Horizontal	82	1.55	-
5190MHz	Pass	AV	15.54104G	45.69	54.00	-8.31	3	Vertical	184	2.01	-
5190MHz	Pass	PK	10.34016G	56.60	68.20	-11.60	3	Vertical	117	2.18	-
5190MHz	Pass	PK	15.56872G	57.59	74.00	-16.41	3	Vertical	184	2.01	-
5190MHz	Pass	AV	15.5564G	45.87	54.00	-8.13	3	Horizontal	278	2.14	-
5190MHz	Pass	PK	10.37296G	56.78	68.20	-11.42	3	Horizontal	351	2.47	-
5190MHz	Pass	PK	15.55912G	57.82	74.00	-16.18	3	Horizontal	278	2.14	-
5230MHz	Pass	AV	5.148G	52.51	54.00	-1.49	3	Vertical	2	1.68	-
5230MHz	Pass	AV	5.2228G	107.93	Inf	-Inf	3	Vertical	2	1.68	-
5230MHz	Pass	PK	5.1476G	65.80	74.00	-8.20	3	Vertical	2	1.68	-
5230MHz	Pass	PK	5.2276G	118.36	Inf	-Inf	3	Vertical	2	1.68	-
5230MHz	Pass	AV	5.1492G	49.49	54.00	-4.51	3	Horizontal	88	1.49	-
5230MHz	Pass	AV	5.2344G	105.91	Inf	-Inf	3	Horizontal	88	1.49	-
5230MHz	Pass	PK	5.1492G	62.97	74.00	-11.03	3	Horizontal	88	1.49	-
5230MHz	Pass	PK	5.2292G	115.70	Inf	-Inf	3	Horizontal	88	1.49	-
5230MHz	Pass	AV	15.65208G	45.17	54.00	-8.83	3	Vertical	296	2.39	-
5230MHz	Pass	PK	10.44128G	56.43	68.20	-11.77	3	Vertical	38	1.72	-
5230MHz	Pass	PK	15.6844G	56.27	74.00	-17.73	3	Vertical	296	2.39	-
5230MHz	Pass	AV	15.65176G	45.17	54.00	-8.83	3	Horizontal	171	1.27	-
5230MHz	Pass	PK	10.43488G	56.13	68.20	-12.07	3	Horizontal	230	1.32	-
5230MHz	Pass	PK	15.7188G	56.78	74.00	-17.22	3	Horizontal	171	1.27	-
5270MHz	Pass	AV	5.2604G	107.54	Inf	-Inf	3	Vertical	240	1.39	-
5270MHz	Pass	AV	5.3524G	53.24	54.00	-0.76	3	Vertical	240	1.39	-
5270MHz	Pass	PK	5.26G	118.24	Inf	-Inf	3	Vertical	240	1.39	-
5270MHz	Pass	PK	5.3524G	68.98	74.00	-5.02	3	Vertical	240	1.39	-
5270MHz	Pass	AV	5.2744G	106.17	Inf	-Inf	3	Horizontal	89	1.49	-
5270MHz	Pass	AV	5.3516G	51.34	54.00	-2.66	3	Horizontal	89	1.49	-
5270MHz	Pass	PK	5.2692G	116.64	Inf	-Inf	3	Horizontal	89	1.49	-
5270MHz	Pass	PK	5.3516G	64.96	74.00	-9.04	3	Horizontal	89	1.49	-
5270MHz	Pass	AV	15.77032G	44.97	54.00	-9.03	3	Vertical	122	1.07	-
5270MHz	Pass	PK	10.5664G	56.27	68.20	-11.93	3	Vertical	256	1.61	-
5270MHz	Pass	PK	15.80376G	56.52	74.00	-17.48	3	Vertical	122	1.07	-
5270MHz	Pass	AV	15.77112G	44.97	54.00	-9.03	3	Horizontal	169	1.50	-
5270MHz	Pass	PK	10.53872G	56.92	68.20	-11.28	3	Horizontal	152	1.25	-
5270MHz	Pass	PK	15.77112G	55.83	74.00	-18.17	3	Horizontal	169	1.50	-
5310MHz	Pass	AV	5.3148G	102.72	Inf	-Inf	3	Vertical	210	1.49	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5310MHz	Pass	AV	5.35G	52.65	54.00	-1.35	3	Vertical	210	1.49	-
5310MHz	Pass	PK	5.2948G	113.79	Inf	-Inf	3	Vertical	210	1.49	-
5310MHz	Pass	PK	5.35G	69.19	74.00	-4.81	3	Vertical	210	1.49	-
5310MHz	Pass	AV	5.314G	101.91	Inf	-Inf	3	Horizontal	88	1.55	-
5310MHz	Pass	AV	5.3536G	50.26	54.00	-3.74	3	Horizontal	88	1.55	-
5310MHz	Pass	PK	5.3092G	111.87	Inf	-Inf	3	Horizontal	88	1.55	-
5310MHz	Pass	PK	5.35G	65.39	74.00	-8.61	3	Horizontal	88	1.55	-
5310MHz	Pass	AV	10.6336G	44.93	54.00	-9.07	3	Vertical	312	1.56	-
5310MHz	Pass	AV	15.90344G	44.65	54.00	-9.35	3	Vertical	315	2.06	-
5310MHz	Pass	PK	10.6536G	56.27	74.00	-17.73	3	Vertical	312	1.56	-
5310MHz	Pass	PK	15.9212G	55.89	74.00	-18.11	3	Vertical	315	2.06	-
5310MHz	Pass	AV	10.65552G	45.28	54.00	-8.72	3	Horizontal	244	1.45	-
5310MHz	Pass	AV	15.92024G	44.72	54.00	-9.28	3	Horizontal	238	1.47	-
5310MHz	Pass	PK	10.62688G	56.96	74.00	-17.04	3	Horizontal	244	1.45	-
5310MHz	Pass	PK	15.95992G	55.76	74.00	-18.24	3	Horizontal	238	1.47	-
5510MHz	Pass	AV	5.46G	49.51	54.00	-4.49	3	Vertical	6	1.50	-
5510MHz	Pass	AV	5.5056G	103.96	Inf	-Inf	3	Vertical	6	1.50	-
5510MHz	Pass	PK	5.466G	66.84	68.20	-1.36	3	Vertical	6	1.50	-
5510MHz	Pass	PK	5.526G	114.29	Inf	-Inf	3	Vertical	6	1.50	-
5510MHz	Pass	AV	5.4588G	49.08	54.00	-4.92	3	Horizontal	275	1.42	-
5510MHz	Pass	AV	5.5036G	101.02	Inf	-Inf	3	Horizontal	275	1.42	-
5510MHz	Pass	PK	5.4688G	62.15	68.20	-6.05	3	Horizontal	275	1.42	-
5510MHz	Pass	PK	5.5036G	110.71	Inf	-Inf	3	Horizontal	275	1.42	-
5510MHz	Pass	AV	11.05936G	45.57	54.00	-8.43	3	Vertical	119	1.81	-
5510MHz	Pass	PK	11.04976G	56.83	74.00	-17.17	3	Vertical	119	1.81	-
5510MHz	Pass	PK	16.55064G	57.88	68.20	-10.32	3	Vertical	68	1.10	-
5510MHz	Pass	AV	11.05296G	45.82	54.00	-8.18	3	Horizontal	210	2.25	-
5510MHz	Pass	PK	11.04272G	56.54	74.00	-17.46	3	Horizontal	210	2.25	-
5510MHz	Pass	PK	16.55816G	58.58	68.20	-9.62	3	Horizontal	139	1.99	-
5550MHz	Pass	AV	5.4564G	51.89	54.00	-2.11	3	Vertical	0	1.50	-
5550MHz	Pass	AV	5.5456G	107.99	Inf	-Inf	3	Vertical	0	1.50	-
5550MHz	Pass	PK	5.466G	67.58	68.20	-0.62	3	Vertical	0	1.50	-
5550MHz	Pass	PK	5.5556G	119.14	Inf	-Inf	3	Vertical	0	1.50	-
5550MHz	Pass	AV	5.4588G	49.90	54.00	-4.10	3	Horizontal	89	1.37	-
5550MHz	Pass	AV	5.5444G	106.25	Inf	-Inf	3	Horizontal	89	1.37	-
5550MHz	Pass	PK	5.4688G	66.57	68.20	-1.63	3	Horizontal	89	1.37	-
5550MHz	Pass	PK	5.5492G	116.57	Inf	-Inf	3	Horizontal	89	1.37	-
5550MHz	Pass	AV	11.07856G	45.73	54.00	-8.27	3	Vertical	75	1.02	-
5550MHz	Pass	PK	11.0656G	56.70	74.00	-17.30	3	Vertical	75	1.02	-
5550MHz	Pass	PK	16.62968G	58.32	68.20	-9.88	3	Vertical	40	2.40	-
5550MHz	Pass	AV	11.06576G	45.71	54.00	-8.29	3	Horizontal	314	2.05	-
5550MHz	Pass	PK	11.09216G	57.12	74.00	-16.88	3	Horizontal	314	2.05	-
5550MHz	Pass	PK	16.66888G	57.80	68.20	-10.40	3	Horizontal	145	2.39	-
5670MHz	Pass	AV	5.6656G	105.83	Inf	-Inf	3	Vertical	15	1.55	-
5670MHz	Pass	PK	5.676G	115.89	Inf	-Inf	3	Vertical	15	1.55	-
5670MHz	Pass	PK	5.7264G	66.99	68.20	-1.21	3	Vertical	15	1.55	-
5670MHz	Pass	AV	5.6736G	102.55	Inf	-Inf	3	Horizontal	272	1.40	-
5670MHz	Pass	PK	5.674G	112.18	Inf	-Inf	3	Horizontal	272	1.40	-
5670MHz	Pass	PK	5.7256G	62.30	68.20	-5.90	3	Horizontal	272	1.40	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5670MHz	Pass	AV	11.31344G	45.12	54.00	-8.88	3	Vertical	199	1.94	-
5670MHz	Pass	PK	11.31392G	56.89	74.00	-17.11	3	Vertical	199	1.94	-
5670MHz	Pass	PK	17.00008G	59.33	68.20	-8.87	3	Vertical	331	1.09	-
5670MHz	Pass	AV	11.30864G	45.15	54.00	-8.85	3	Horizontal	285	1.69	-
5670MHz	Pass	PK	11.34592G	56.48	74.00	-17.52	3	Horizontal	285	1.69	-
5670MHz	Pass	PK	16.97944G	59.71	68.20	-8.49	3	Horizontal	96	1.66	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.716G	111.16	Inf	-Inf	3	Vertical	15	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	58.63	68.20	-9.57	3	Vertical	15	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.726G	121.83	Inf	-Inf	3	Vertical	15	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.851G	67.65	68.20	-0.55	3	Vertical	15	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.714G	107.86	Inf	-Inf	3	Horizontal	272	1.59	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.466G	56.75	68.20	-11.45	3	Horizontal	272	1.59	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.709G	116.48	Inf	-Inf	3	Horizontal	272	1.59	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.856G	61.93	68.20	-6.27	3	Horizontal	272	1.59	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.38544G	44.76	54.00	-9.24	3	Vertical	310	1.74	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.39664G	56.06	74.00	-17.94	3	Vertical	310	1.74	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.10808G	59.00	68.20	-9.20	3	Vertical	51	1.82	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.40896G	47.36	54.00	-6.64	3	Horizontal	233	1.44	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41104G	58.00	74.00	-16.00	3	Horizontal	233	1.44	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.09096G	59.42	68.20	-8.78	3	Horizontal	338	1.50	-
5755MHz	Pass	AV	5.7502G	109.39	Inf	-Inf	3	Vertical	29	1.64	-
5755MHz	Pass	PK	5.6434G	67.45	68.20	-0.75	3	Vertical	29	1.64	-
5755MHz	Pass	PK	5.7658G	120.15	Inf	-Inf	3	Vertical	29	1.64	-
5755MHz	Pass	PK	5.9314G	59.85	68.20	-8.35	3	Vertical	29	1.64	-
5755MHz	Pass	AV	5.7526G	107.49	Inf	-Inf	3	Horizontal	279	2.16	-
5755MHz	Pass	PK	5.6482G	65.60	68.20	-2.60	3	Horizontal	279	2.16	-
5755MHz	Pass	PK	5.7478G	117.76	Inf	-Inf	3	Horizontal	279	2.16	-
5755MHz	Pass	PK	5.9362G	59.86	68.20	-8.34	3	Horizontal	279	2.16	-
5755MHz	Pass	AV	11.54664G	45.52	54.00	-8.48	3	Vertical	169	1.79	-
5755MHz	Pass	PK	11.53768G	56.97	74.00	-17.03	3	Vertical	169	1.79	-
5755MHz	Pass	PK	17.2538G	58.63	68.20	-9.57	3	Vertical	117	1.43	-
5755MHz	Pass	AV	11.51G	46.06	54.00	-7.94	3	Horizontal	210	1.50	-
5755MHz	Pass	PK	11.5396G	57.40	74.00	-16.60	3	Horizontal	210	1.50	-
5755MHz	Pass	PK	17.2466G	58.67	68.20	-9.53	3	Horizontal	360	1.96	-
5795MHz	Pass	AV	5.7902G	110.62	Inf	-Inf	3	Vertical	27	1.62	-
5795MHz	Pass	PK	5.6498G	61.73	68.20	-6.47	3	Vertical	27	1.62	-
5795MHz	Pass	PK	5.8106G	121.26	Inf	-Inf	3	Vertical	27	1.62	-
5795MHz	Pass	PK	5.939G	66.92	68.20	-1.28	3	Vertical	27	1.62	-
5795MHz	Pass	AV	5.7998G	108.59	Inf	-Inf	3	Horizontal	95	1.48	-
5795MHz	Pass	PK	5.6498G	61.37	68.20	-6.83	3	Horizontal	95	1.48	-
5795MHz	Pass	PK	5.7794G	119.10	Inf	-Inf	3	Horizontal	95	1.48	-
5795MHz	Pass	PK	5.9342G	67.01	68.20	-1.19	3	Horizontal	95	1.48	-
5795MHz	Pass	AV	11.59176G	47.08	54.00	-6.92	3	Vertical	298	2.96	-
5795MHz	Pass	PK	11.5868G	57.98	74.00	-16.02	3	Vertical	298	2.96	-
5795MHz	Pass	PK	17.37492G	59.71	68.20	-8.49	3	Vertical	338	3.00	-
5795MHz	Pass	AV	11.59032G	49.45	54.00	-4.55	3	Horizontal	225	2.02	-
5795MHz	Pass	PK	11.59G	61.42	74.00	-12.58	3	Horizontal	225	2.02	-
5795MHz	Pass	PK	17.36372G	60.66	68.20	-7.54	3	Horizontal	218	1.50	-
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5210MHz	Pass	AV	5.148G	53.14	54.00	-0.86	3	Vertical	15	1.62	-
5210MHz	Pass	AV	5.223G	99.68	Inf	-Inf	3	Vertical	15	1.62	-
5210MHz	Pass	AV	5.416G	45.71	54.00	-8.29	3	Vertical	15	1.62	-
5210MHz	Pass	PK	5.148G	65.61	74.00	-8.39	3	Vertical	15	1.62	-
5210MHz	Pass	PK	5.198G	110.18	Inf	-Inf	3	Vertical	15	1.62	-
5210MHz	Pass	PK	5.416G	56.40	74.00	-17.60	3	Vertical	15	1.62	-
5210MHz	Pass	AV	5.146G	51.16	54.00	-2.84	3	Horizontal	82	1.51	-
5210MHz	Pass	AV	5.216G	96.98	Inf	-Inf	3	Horizontal	82	1.51	-
5210MHz	Pass	AV	5.389G	45.62	54.00	-8.38	3	Horizontal	82	1.51	-
5210MHz	Pass	PK	5.149G	66.15	74.00	-7.85	3	Horizontal	82	1.51	-
5210MHz	Pass	PK	5.201G	106.81	Inf	-Inf	3	Horizontal	82	1.51	-
5210MHz	Pass	PK	5.415G	56.85	74.00	-17.15	3	Horizontal	82	1.51	-
5210MHz	Pass	AV	15.6192G	45.45	54.00	-8.55	3	Vertical	148	2.36	-
5210MHz	Pass	PK	10.41994G	56.09	68.20	-12.11	3	Vertical	262	2.53	-
5210MHz	Pass	PK	15.61932G	56.88	74.00	-17.12	3	Vertical	148	2.36	-
5210MHz	Pass	AV	15.63672G	45.52	54.00	-8.48	3	Horizontal	121	2.42	-
5210MHz	Pass	PK	10.41184G	56.42	68.20	-11.78	3	Horizontal	209	1.26	-
5210MHz	Pass	PK	15.62352G	56.48	74.00	-17.52	3	Horizontal	121	2.42	-
5290MHz	Pass	AV	5.15G	48.80	54.00	-5.20	3	Vertical	212	1.44	-
5290MHz	Pass	AV	5.28G	101.01	Inf	-Inf	3	Vertical	212	1.44	-
5290MHz	Pass	AV	5.35G	53.42	54.00	-0.58	3	Vertical	212	1.44	-
5290MHz	Pass	PK	5.15G	59.69	74.00	-14.31	3	Vertical	212	1.44	-
5290MHz	Pass	PK	5.28G	111.80	Inf	-Inf	3	Vertical	212	1.44	-
5290MHz	Pass	PK	5.358G	70.80	74.00	-3.20	3	Vertical	212	1.44	-
5290MHz	Pass	AV	5.127G	47.80	54.00	-6.20	3	Horizontal	89	1.50	-
5290MHz	Pass	AV	5.279G	99.68	Inf	-Inf	3	Horizontal	89	1.50	-
5290MHz	Pass	AV	5.354G	53.10	54.00	-0.90	3	Horizontal	89	1.50	-
5290MHz	Pass	PK	5.142G	58.97	74.00	-15.03	3	Horizontal	89	1.50	-
5290MHz	Pass	PK	5.279G	108.73	Inf	-Inf	3	Horizontal	89	1.50	-
5290MHz	Pass	PK	5.355G	70.79	74.00	-3.21	3	Horizontal	89	1.50	-
5290MHz	Pass	AV	15.88368G	44.42	54.00	-9.58	3	Vertical	105	1.24	-
5290MHz	Pass	PK	10.56668G	55.86	68.20	-12.34	3	Vertical	161	1.43	-
5290MHz	Pass	PK	15.8775G	55.65	74.00	-18.35	3	Vertical	105	1.24	-
5290MHz	Pass	AV	15.87666G	44.48	54.00	-9.52	3	Horizontal	327	1.42	-
5290MHz	Pass	PK	10.58702G	56.45	68.20	-11.75	3	Horizontal	50	1.84	-
5290MHz	Pass	PK	15.86226G	55.76	74.00	-18.24	3	Horizontal	327	1.42	-
5530MHz	Pass	AV	5.46G	50.86	54.00	-3.14	3	Vertical	0	1.50	-
5530MHz	Pass	AV	5.541G	100.24	Inf	-Inf	3	Vertical	0	1.50	-
5530MHz	Pass	PK	5.465G	67.42	68.20	-0.78	3	Vertical	0	1.50	-
5530MHz	Pass	PK	5.536G	109.87	Inf	-Inf	3	Vertical	0	1.50	-
5530MHz	Pass	PK	5.732G	57.60	68.20	-10.60	3	Vertical	0	1.50	-
5530MHz	Pass	AV	5.458G	48.38	54.00	-5.62	3	Horizontal	275	1.40	-
5530MHz	Pass	AV	5.519G	97.88	Inf	-Inf	3	Horizontal	275	1.40	-
5530MHz	Pass	PK	5.464G	67.62	68.20	-0.58	3	Horizontal	275	1.40	-
5530MHz	Pass	PK	5.529G	108.18	Inf	-Inf	3	Horizontal	275	1.40	-
5530MHz	Pass	PK	5.749G	57.73	68.20	-10.47	3	Horizontal	275	1.40	-
5530MHz	Pass	AV	11.06199G	45.98	54.00	-8.02	3	Vertical	158	2.25	-
5530MHz	Pass	PK	11.06931G	57.22	74.00	-16.78	3	Vertical	158	2.25	-
5530MHz	Pass	PK	16.59288G	58.39	68.20	-9.81	3	Vertical	157	1.19	-





Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5530MHz	Pass	PK	11.06889G	57.52	74.00	-16.48	3	Horizontal	215	1.50	-
5530MHz	Pass	AV	11.06001G	46.58	54.00	-7.42	3	Horizontal	215	1.50	-
5530MHz	Pass	PK	16.5891G	58.25	68.20	-9.95	3	Horizontal	247	1.55	-
5610MHz	Pass	AV	5.456G	50.45	54.00	-3.55	3	Vertical	3	1.50	-
5610MHz	Pass	AV	5.606G	103.76	Inf	-Inf	3	Vertical	3	1.50	-
5610MHz	Pass	PK	5.466G	64.47	68.20	-3.73	3	Vertical	3	1.50	-
5610MHz	Pass	PK	5.591G	114.34	Inf	-Inf	3	Vertical	3	1.50	-
5610MHz	Pass	PK	5.726G	67.53	68.20	-0.67	3	Vertical	3	1.50	-
5610MHz	Pass	AV	5.459G	48.60	54.00	-5.40	3	Horizontal	91	1.44	-
5610MHz	Pass	AV	5.624G	100.60	Inf	-Inf	3	Horizontal	91	1.44	-
5610MHz	Pass	PK	5.469G	61.17	68.20	-7.03	3	Horizontal	91	1.44	-
5610MHz	Pass	PK	5.634G	110.31	Inf	-Inf	3	Horizontal	91	1.44	-
5610MHz	Pass	PK	5.728G	65.20	68.20	-3.00	3	Horizontal	91	1.44	-
5610MHz	Pass	AV	11.2071G	44.89	54.00	-9.11	3	Vertical	48	2.33	-
5610MHz	Pass	PK	11.2113G	56.46	74.00	-17.54	3	Vertical	48	2.33	-
5610MHz	Pass	PK	16.8369G	58.35	68.20	-9.85	3	Vertical	194	1.22	-
5610MHz	Pass	AV	11.21988G	45.63	54.00	-8.37	3	Horizontal	216	1.91	-
5610MHz	Pass	PK	11.22216G	56.46	74.00	-17.54	3	Horizontal	216	1.91	-
5610MHz	Pass	PK	16.81716G	58.96	68.20	-9.24	3	Horizontal	84	2.06	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.459G	47.98	54.00	-6.02	3	Vertical	16	1.55	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.696G	105.73	Inf	-Inf	3	Vertical	16	1.55	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.469G	59.03	68.20	-9.17	3	Vertical	16	1.55	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.671G	116.22	Inf	-Inf	3	Vertical	16	1.55	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.866G	67.13	68.20	-1.07	3	Vertical	16	1.55	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	45.94	54.00	-8.06	3	Horizontal	272	1.49	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.679G	103.15	Inf	-Inf	3	Horizontal	272	1.49	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.463G	58.76	68.20	-9.44	3	Horizontal	272	1.49	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.689G	113.38	Inf	-Inf	3	Horizontal	272	1.49	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.851G	64.86	68.20	-3.34	3	Horizontal	272	1.49	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37016G	45.43	54.00	-8.57	3	Vertical	301	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38228G	56.44	74.00	-17.56	3	Vertical	301	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.06028G	59.66	68.20	-8.54	3	Vertical	106	1.04	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37988G	46.23	54.00	-7.77	3	Horizontal	217	1.63	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37928G	57.04	74.00	-16.96	3	Horizontal	217	1.63	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.05746G	59.43	68.20	-8.77	3	Horizontal	300	1.53	-
5775MHz	Pass	AV	5.7858G	104.38	Inf	-Inf	3	Vertical	29	1.66	-
5775MHz	Pass	PK	5.6454G	67.65	68.20	-0.55	3	Vertical	29	1.66	-
5775MHz	Pass	PK	5.7654G	114.16	Inf	-Inf	3	Vertical	29	1.66	-
5775MHz	Pass	PK	5.931G	66.51	68.20	-1.69	3	Vertical	29	1.66	-
5775MHz	Pass	AV	5.7894G	101.44	Inf	-Inf	3	Horizontal	93	1.50	-
5775MHz	Pass	PK	5.649G	67.48	68.20	-0.72	3	Horizontal	93	1.50	-
5775MHz	Pass	PK	5.7846G	111.56	Inf	-Inf	3	Horizontal	93	1.50	-
5775MHz	Pass	PK	5.9322G	64.74	68.20	-3.46	3	Horizontal	93	1.50	-
5775MHz	Pass	AV	11.55876G	46.29	54.00	-7.71	3	Vertical	220	1.50	-
5775MHz	Pass	PK	11.56254G	57.74	74.00	-16.26	3	Vertical	220	1.50	-
5775MHz	Pass	PK	17.31276G	59.79	68.20	-8.41	3	Vertical	274	1.67	-
5775MHz	Pass	AV	11.55006G	47.40	54.00	-6.60	3	Horizontal	220	1.67	-
5775MHz	Pass	PK	11.56146G	58.25	74.00	-15.75	3	Horizontal	220	1.67	-
5775MHz	Pass	PK	17.33784G	60.62	68.20	-7.58	3	Horizontal	254	1.34	-



RSE TX above 1GHz\_Non-beamforming

Appendix E.2


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5250MHz	Pass	AV	5.1348G	53.37	54.00	-0.63	3	Vertical	344	1.67	-
5250MHz	Pass	AV	5.2332G	97.61	Inf	-Inf	3	Vertical	344	1.67	-
5250MHz	Pass	AV	5.3772G	50.43	54.00	-3.57	3	Vertical	344	1.67	-
5250MHz	Pass	PK	5.1348G	64.51	74.00	-9.49	3	Vertical	344	1.67	-
5250MHz	Pass	PK	5.2332G	107.76	Inf	-Inf	3	Vertical	344	1.67	-
5250MHz	Pass	PK	5.532G	57.24	68.20	-10.96	3	Vertical	344	1.67	-
5250MHz	Pass	AV	5.1468G	51.77	54.00	-2.23	3	Horizontal	89	1.55	-
5250MHz	Pass	AV	5.2596G	95.15	Inf	-Inf	3	Horizontal	89	1.55	-
5250MHz	Pass	AV	5.3796G	50.18	54.00	-3.82	3	Horizontal	89	1.55	-
5250MHz	Pass	PK	5.1432G	62.75	74.00	-11.25	3	Horizontal	89	1.55	-
5250MHz	Pass	PK	5.2536G	105.19	Inf	-Inf	3	Horizontal	89	1.55	-
5250MHz	Pass	PK	5.5092G	56.60	68.20	-11.60	3	Horizontal	89	1.55	-
5250MHz	Pass	AV	15.74832G	47.10	54.00	-6.90	3	Vertical	338	1.20	-
5250MHz	Pass	PK	10.49418G	56.15	68.20	-12.05	3	Vertical	111	1.50	-
5250MHz	Pass	PK	15.75G	57.60	74.00	-16.40	3	Vertical	338	1.20	-
5250MHz	Pass	AV	15.74616G	47.22	54.00	-6.78	3	Horizontal	166	2.39	-
5250MHz	Pass	PK	10.49216G	56.19	68.20	-12.01	3	Horizontal	213	1.25	-
5250MHz	Pass	PK	15.75762G	57.29	74.00	-16.71	3	Horizontal	166	2.39	-
5570MHz	Pass	AV	5.4512G	53.31	54.00	-0.69	3	Vertical	5	1.50	-
5570MHz	Pass	AV	5.5556G	96.78	Inf	-Inf	3	Vertical	5	1.50	-
5570MHz	Pass	PK	5.4668G	60.03	68.20	-8.17	3	Vertical	5	1.50	-
5570MHz	Pass	PK	5.5604G	106.68	Inf	-Inf	3	Vertical	5	1.50	-
5570MHz	Pass	PK	5.7344G	59.51	68.20	-8.69	3	Vertical	5	1.50	-
5570MHz	Pass	AV	5.4512G	49.28	54.00	-4.72	3	Horizontal	266	1.55	-
5570MHz	Pass	AV	5.5568G	93.24	Inf	-Inf	3	Horizontal	266	1.55	-
5570MHz	Pass	PK	5.4644G	60.76	68.20	-7.44	3	Horizontal	266	1.55	-
5570MHz	Pass	PK	5.5316G	102.21	Inf	-Inf	3	Horizontal	266	1.55	-
5570MHz	Pass	PK	5.7524G	57.87	68.20	-10.33	3	Horizontal	266	1.55	-
5570MHz	Pass	AV	11.12614G	46.85	54.00	-7.15	3	Vertical	333	1.18	-
5570MHz	Pass	PK	11.15098G	56.64	74.00	-17.36	3	Vertical	333	1.18	-
5570MHz	Pass	PK	16.70946G	59.18	68.20	-9.02	3	Vertical	53	1.78	-
5570MHz	Pass	AV	11.15002G	47.37	54.00	-6.63	3	Horizontal	240	1.78	-
5570MHz	Pass	PK	11.1304G	56.57	74.00	-17.43	3	Horizontal	240	1.78	-
5570MHz	Pass	PK	16.69968G	59.35	68.20	-8.85	3	Horizontal	235	2.25	-



802.11a\_Nss1,(6Mbps)\_4TX

18/07/2020

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1476G	52.55	54.00	-1.45	10.02	3	Vertical	0	1.51	-	42.53	32.00	7.35	29.33
AV	5.1866G	110.41	Inf	-Inf	9.90	3	Vertical	0	1.51	-	100.51	31.85	7.39	29.34
PK	5.1454G	71.07	74.00	-2.93	10.01	3	Vertical	0	1.51	-	61.06	31.99	7.35	29.33
PK	5.1852G	118.50	Inf	-Inf	9.91	3	Vertical	0	1.51	-	108.59	31.86	7.39	29.34



802.11a\_Nss1,(6Mbps)\_4TX

18/07/2020

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.56	54.00	-1.44	10.02	3	Horizontal	151	1.60	-	42.54	32.00	7.35	29.33
AV	5.1724G	109.15	Inf	-Inf	9.94	3	Horizontal	151	1.60	-	99.21	31.91	7.37	29.34
PK	5.15G	73.22	74.00	-0.78	10.02	3	Horizontal	151	1.60	-	63.20	32.00	7.35	29.33
PK	5.1724G	116.55	Inf	-Inf	9.94	3	Horizontal	151	1.60	-	106.61	31.91	7.37	29.34



802.11a\_Nss1,(6Mbps)\_4TX

18/07/2020

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53952G	45.13	54.00	-8.87	18.30	3	Vertical	170	1.42	-	26.83	38.32	11.84	31.86
PK	10.36636G	56.89	68.20	-11.31	18.62	3	Vertical	285	1.75	-	38.27	39.47	9.68	30.53
PK	15.54784G	56.98	74.00	-17.02	18.25	3	Vertical	170	1.42	-	38.73	38.27	11.84	31.86



802.11a\_Nss1,(6Mbps)\_4TX

18/07/2020

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5492G	45.12	54.00	-8.88	18.24	3	Horizontal	113	1.97	-	26.88	38.26	11.84	31.86
PK	10.3592G	57.15	68.20	-11.05	18.60	3	Horizontal	117	1.66	-	38.55	39.44	9.68	30.52
PK	15.54076G	57.48	74.00	-16.52	18.29	3	Horizontal	113	1.97	-	39.19	38.31	11.84	31.86



802.11a\_Nss1,(6Mbps)\_4TX

18/07/2020

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	52.88	54.00	-1.12	10.01	3	Vertical	16	1.66	-	42.87	31.99	7.35	29.33
AV	5.2052G	115.06	Inf	-Inf	9.82	3	Vertical	16	1.66	-	105.24	31.76	7.40	29.34
PK	5.146G	72.28	74.00	-1.72	10.01	3	Vertical	16	1.66	-	62.27	31.99	7.35	29.33
PK	5.2048G	123.65	Inf	-Inf	9.82	3	Vertical	16	1.66	-	113.83	31.76	7.40	29.34



802.11a\_Nss1,(6Mbps)\_4TX

18/07/2020

5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	50.48	54.00	-3.52	10.01	3	Horizontal	88	2.06	-	40.47	31.99	7.35	29.33
AV	5.194G	112.28	Inf	-Inf	9.87	3	Horizontal	88	2.06	-	102.41	31.82	7.39	29.34
PK	5.146G	68.90	74.00	-5.10	10.01	3	Horizontal	88	2.06	-	58.89	31.99	7.35	29.33
PK	5.1956G	120.75	Inf	-Inf	9.88	3	Horizontal	88	2.06	-	110.87	31.82	7.40	29.34






802.11a\_Nss1,(6Mbps)\_4TX

18/07/2020

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59068G	44.64	54.00	-9.36	17.96	3	Vertical	263	2.29	-	26.68	37.97	11.86	31.87
PK	10.39332G	57.83	68.20	-10.37	18.73	3	Vertical	247	1.62	-	39.10	39.57	9.70	30.54
PK	15.60924G	56.85	74.00	-17.15	17.87	3	Vertical	263	2.29	-	38.98	37.88	11.86	31.87



802.11a\_Nss1,(6Mbps)\_4TX

18/07/2020

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59028G	44.65	54.00	-9.35	17.96	3	Horizontal	148	2.31	-	26.69	37.97	11.86	31.87
PK	10.40684G	59.06	68.20	-9.14	18.77	3	Horizontal	244	1.50	-	40.29	39.61	9.70	30.54
PK	15.60652G	56.73	74.00	-17.27	17.88	3	Horizontal	148	2.31	-	38.85	37.89	11.86	31.87



802.11a\_Nss1,(6Mbps)\_4TX

18/07/2020

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	51.32	54.00	-2.68	10.02	3	Vertical	210	1.53	-	41.30	32.00	7.35	29.33
AV	5.2382G	115.93	Inf	-Inf	9.55	3	Vertical	210	1.53	-	106.38	31.49	7.40	29.34
AV	5.35G	48.40	54.00	-5.60	9.14	3	Vertical	210	1.53	-	39.26	31.10	7.40	29.36
PK	5.1422G	66.84	74.00	-7.16	9.99	3	Vertical	210	1.53	-	56.85	31.98	7.34	29.33
PK	5.2388G	125.24	Inf	-Inf	9.55	3	Vertical	210	1.53	-	115.69	31.49	7.40	29.34
PK	5.3504G	62.99	74.00	-11.01	9.14	3	Vertical	210	1.53	-	53.85	31.10	7.40	29.36



802.11a\_Nss1,(6Mbps)\_4TX

18/07/2020

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	49.17	54.00	-4.83	10.02	3	Horizontal	93	1.50	-	39.15	32.00	7.35	29.33
AV	5.237G	113.67	Inf	-Inf	9.56	3	Horizontal	93	1.50	-	104.11	31.50	7.40	29.34
AV	5.35G	47.70	54.00	-6.30	9.14	3	Horizontal	93	1.50	-	38.56	31.10	7.40	29.36
PK	5.1464G	64.49	74.00	-9.51	10.01	3	Horizontal	93	1.50	-	54.48	31.99	7.35	29.33
PK	5.2376G	122.90	Inf	-Inf	9.56	3	Horizontal	93	1.50	-	113.34	31.50	7.40	29.34
PK	5.3696G	63.15	74.00	-10.85	9.30	3	Horizontal	93	1.50	-	53.85	31.26	7.40	29.36



802.11a\_Nss1,(6Mbps)\_4TX

18/07/2020

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72488G	44.61	54.00	-9.39	17.65	3	Vertical	289	1.09	-	26.96	37.65	11.90	31.90
PK	10.4779G	62.07	68.20	-6.13	18.85	3	Vertical	291	2.65	-	43.22	39.68	9.74	30.57
PK	15.71904G	56.69	74.00	-17.31	17.66	3	Vertical	289	1.09	-	39.03	37.66	11.90	31.90



802.11a\_Nss1,(6Mbps)\_4TX

18/07/2020

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71G	44.46	54.00	-9.54	17.68	3	Horizontal	282	1.62	-	26.78	37.68	11.90	31.90
PK	10.472G	63.34	68.20	-4.86	18.84	3	Horizontal	311	1.33	-	44.50	39.67	9.74	30.57
PK	15.71472G	56.49	74.00	-17.51	17.67	3	Horizontal	282	1.62	-	38.82	37.67	11.90	31.90



802.11a\_Nss1,(6Mbps)\_4TX

18/07/2020

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	50.74	54.00	-3.26	10.02	3	Vertical	210	1.50	-	40.72	32.00	7.35	29.33
AV	5.2588G	116.65	Inf	-Inf	9.43	3	Vertical	210	1.50	-	107.22	31.38	7.40	29.35
AV	5.3512G	53.26	54.00	-0.74	9.15	3	Vertical	210	1.50	-	44.11	31.11	7.40	29.36
PK	5.146G	66.82	74.00	-7.18	10.01	3	Vertical	210	1.50	-	56.81	31.99	7.35	29.33
PK	5.2588G	126.31	Inf	-Inf	9.43	3	Vertical	210	1.50	-	116.88	31.38	7.40	29.35
PK	5.3518G	69.29	74.00	-4.71	9.15	3	Vertical	210	1.50	-	60.14	31.11	7.40	29.36



802.11a\_Nss1,(6Mbps)\_4TX

18/07/2020

5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.24	54.00	-4.76	10.02	3	Horizontal	76	1.58	-	39.22	32.00	7.35	29.33
AV	5.2642G	115.32	Inf	-Inf	9.42	3	Horizontal	76	1.58	-	105.90	31.37	7.40	29.35
AV	5.3572G	49.64	54.00	-4.36	9.20	3	Horizontal	76	1.58	-	40.44	31.16	7.40	29.36
PK	5.1496G	63.02	74.00	-10.98	10.02	3	Horizontal	76	1.58	-	53.00	32.00	7.35	29.33
PK	5.2648G	124.38	Inf	-Inf	9.42	3	Horizontal	76	1.58	-	114.96	31.37	7.40	29.35
PK	5.368G	65.31	74.00	-8.69	9.28	3	Horizontal	76	1.58	-	56.03	31.24	7.40	29.36






802.11a\_Nss1,(6Mbps)\_4TX

18/07/2020

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77012G	44.35	54.00	-9.65	17.57	3	Vertical	227	1.50	-	26.78	37.56	11.92	31.91
PK	10.51804G	63.34	68.20	-4.86	18.89	3	Vertical	291	2.67	-	44.45	39.72	9.76	30.59
PK	15.7736G	56.81	74.00	-17.19	17.56	3	Vertical	227	1.50	-	39.25	37.55	11.92	31.91



802.11a\_Nss1,(6Mbps)\_4TX

18/07/2020

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77024G	44.09	54.00	-9.91	17.57	3	Horizontal	354	2.49	-	26.52	37.56	11.92	31.91
PK	10.51764G	65.50	68.20	-2.70	18.89	3	Horizontal	240	1.59	-	46.61	39.72	9.76	30.59
PK	15.78156G	56.02	74.00	-17.98	17.55	3	Horizontal	354	2.49	-	38.47	37.54	11.92	31.91



802.11a\_Nss1,(6Mbps)\_4TX

18/07/2020

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2992G	114.33	Inf	-Inf	9.35	3	Vertical	210	1.49	-	104.98	31.30	7.40	29.35
AV	5.3508G	53.33	54.00	-0.67	9.15	3	Vertical	210	1.49	-	44.18	31.11	7.40	29.36
PK	5.2988G	122.63	Inf	-Inf	9.35	3	Vertical	210	1.49	-	113.28	31.30	7.40	29.35
PK	5.3512G	72.40	74.00	-1.60	9.15	3	Vertical	210	1.49	-	63.25	31.11	7.40	29.36



802.11a\_Nss1,(6Mbps)\_4TX

18/07/2020

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2932G	113.34	Inf	-Inf	9.36	3	Horizontal	87	2.28	-	103.98	31.31	7.40	29.35
AV	5.3512G	52.20	54.00	-1.80	9.15	3	Horizontal	87	2.28	-	43.05	31.11	7.40	29.36
PK	5.2932G	121.50	Inf	-Inf	9.36	3	Horizontal	87	2.28	-	112.14	31.31	7.40	29.35
PK	5.3516G	71.61	74.00	-2.39	9.15	3	Horizontal	87	2.28	-	62.46	31.11	7.40	29.36



802.11a\_Nss1,(6Mbps)\_4TX

18/07/2020

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60096G	46.78	54.00	-7.22	18.95	3	Vertical	240	1.44	-	27.83	39.80	9.80	30.65
AV	15.90196G	43.89	54.00	-10.11	17.23	3	Vertical	133	2.16	-	26.66	37.20	11.97	31.94
PK	10.60024G	58.48	74.00	-15.52	18.95	3	Vertical	240	1.44	-	39.53	39.80	9.80	30.65
PK	15.89744G	56.82	74.00	-17.18	17.23	3	Vertical	133	2.16	-	39.59	37.21	11.96	31.94



802.11a\_Nss1,(6Mbps)\_4TX

18/07/2020

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60007G	50.10	54.00	-3.90	18.95	3	Horizontal	241	1.95	-	31.15	39.80	9.80	30.65
AV	15.90256G	44.01	54.00	-9.99	17.22	3	Horizontal	336	1.84	-	26.79	37.19	11.97	31.94
PK	10.60007G	61.27	74.00	-12.73	18.95	3	Horizontal	241	1.95	-	42.32	39.80	9.80	30.65
PK	15.90666G	56.07	74.00	-17.93	17.22	3	Horizontal	336	1.84	-	38.85	37.19	11.97	31.94



802.11a\_Nss1,(6Mbps)\_4TX

18/07/2020

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3222G	110.38	Inf	-Inf	9.26	3	Vertical	240	1.36	-	101.12	31.21	7.40	29.35
AV	5.3558G	50.24	54.00	-3.76	9.19	3	Vertical	240	1.36	-	41.05	31.15	7.40	29.36
PK	5.3224G	118.74	Inf	-Inf	9.26	3	Vertical	240	1.36	-	109.48	31.21	7.40	29.35
PK	5.3568G	69.73	74.00	-4.27	9.19	3	Vertical	240	1.36	-	60.54	31.15	7.40	29.36



802.11a\_Nss1,(6Mbps)\_4TX

18/07/2020

5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3276G	108.45	Inf	-Inf	9.24	3	Horizontal	274	1.51	-	99.21	31.19	7.40	29.35
AV	5.35G	53.32	54.00	-0.68	9.14	3	Horizontal	274	1.51	-	44.18	31.10	7.40	29.36
PK	5.3276G	116.62	Inf	-Inf	9.24	3	Horizontal	274	1.51	-	107.38	31.19	7.40	29.35
PK	5.35G	70.00	74.00	-4.00	9.14	3	Horizontal	274	1.51	-	60.86	31.10	7.40	29.36






802.11a\_Nss1,(6Mbps)\_4TX

18/07/2020

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63552G	44.42	54.00	-9.58	18.91	3	Vertical	143	1.04	-	25.51	39.76	9.82	30.67
AV	15.95716G	43.73	54.00	-10.27	17.13	3	Vertical	3	2.08	-	26.60	37.09	11.99	31.95
PK	10.63876G	56.65	74.00	-17.35	18.91	3	Vertical	143	1.04	-	37.74	39.76	9.82	30.67
PK	15.95352G	56.40	74.00	-17.60	17.12	3	Vertical	3	2.08	-	39.28	37.09	11.98	31.95



802.11a\_Nss1,(6Mbps)\_4TX

18/07/2020

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63772G	45.91	54.00	-8.09	18.91	3	Horizontal	227	1.93	-	27.00	39.76	9.82	30.67
AV	15.9564G	43.85	54.00	-10.15	17.12	3	Horizontal	80	1.92	-	26.73	37.09	11.98	31.95
PK	10.63828G	57.89	74.00	-16.11	18.91	3	Horizontal	227	1.93	-	38.98	39.76	9.82	30.67
PK	15.95056G	55.92	74.00	-18.08	17.13	3	Horizontal	80	1.92	-	38.79	37.10	11.98	31.95



802.11a\_Nss1,(6Mbps)\_4TX

18/07/2020

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4532G	46.19	54.00	-7.81	9.67	3	Vertical	0	1.50	-	36.52	31.61	7.43	29.37
AV	5.47G	47.35	Inf	-Inf	9.75	3	Vertical	0	1.50	-	37.60	31.68	7.44	29.37
AV	5.504G	105.37	Inf	-Inf	9.88	3	Vertical	0	1.50	-	95.49	31.80	7.45	29.37
PK	5.4548G	57.93	74.00	-16.07	9.68	3	Vertical	0	1.50	-	48.25	31.62	7.43	29.37
PK	5.4694G	66.91	68.20	-1.29	9.74	3	Vertical	0	1.50	-	57.17	31.68	7.43	29.37
PK	5.5024G	113.89	Inf	-Inf	9.88	3	Vertical	0	1.50	-	104.01	31.80	7.45	29.37



802.11a\_Nss1,(6Mbps)\_4TX

18/07/2020

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4568G	45.60	54.00	-8.40	9.69	3	Horizontal	274	1.43	-	35.91	31.63	7.43	29.37
AV	5.4692G	45.97	Inf	-Inf	9.74	3	Horizontal	274	1.43	-	36.23	31.68	7.43	29.37
AV	5.5068G	104.90	Inf	-Inf	9.88	3	Horizontal	274	1.43	-	95.02	31.80	7.45	29.37
PK	5.4528G	56.80	74.00	-17.20	9.67	3	Horizontal	274	1.43	-	47.13	31.61	7.43	29.37
PK	5.4664G	59.98	68.20	-8.22	9.73	3	Horizontal	274	1.43	-	50.25	31.67	7.43	29.37
PK	5.5064G	113.35	Inf	-Inf	9.88	3	Horizontal	274	1.43	-	103.47	31.80	7.45	29.37



802.11a\_Nss1,(6Mbps)\_4TX

18/07/2020

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00172G	44.48	54.00	-9.52	19.27	3	Vertical	357	2.30	-	25.21	40.19	10.00	30.92
PK	10.99804G	56.90	74.00	-17.10	19.28	3	Vertical	357	2.30	-	37.62	40.20	10.00	30.92
PK	16.49064G	57.55	68.20	-10.65	19.37	3	Vertical	263	1.48	-	38.18	38.92	12.15	31.70



802.11a\_Nss1,(6Mbps)\_4TX

18/07/2020

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00928G	44.47	54.00	-9.53	19.25	3	Horizontal	278	2.27	-	25.22	40.17	10.00	30.92
PK	11.00664G	57.36	74.00	-16.64	19.26	3	Horizontal	278	2.27	-	38.10	40.18	10.00	30.92
PK	16.50124G	57.53	68.20	-10.67	19.46	3	Horizontal	359	1.22	-	38.07	39.00	12.15	31.69



802.11a\_Nss1,(6Mbps)\_4TX

18/07/2020

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.451G	48.56	54.00	-5.44	9.66	3	Vertical	0	1.60	-	38.90	31.60	7.43	29.37
AV	5.5824G	116.07	Inf	-Inf	9.98	3	Vertical	0	1.60	-	106.09	31.86	7.49	29.37
PK	5.4684G	65.51	68.20	-2.69	9.73	3	Vertical	0	1.60	-	55.78	31.67	7.43	29.37
PK	5.5818G	124.41	Inf	-Inf	9.98	3	Vertical	0	1.60	-	114.43	31.86	7.49	29.37
PK	5.73G	60.47	68.20	-7.73	10.23	3	Vertical	0	1.60	-	50.24	31.96	7.63	29.36



802.11a\_Nss1,(6Mbps)\_4TX

18/07/2020

5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4306G	47.76	54.00	-6.24	9.62	3	Horizontal	274	1.50	-	38.14	31.56	7.42	29.36
AV	5.5866G	113.72	Inf	-Inf	9.99	3	Horizontal	274	1.50	-	103.73	31.87	7.49	29.37
PK	5.4696G	60.30	68.20	-7.90	9.74	3	Horizontal	274	1.50	-	50.56	31.68	7.43	29.37
PK	5.586G	122.43	Inf	-Inf	9.99	3	Horizontal	274	1.50	-	112.44	31.87	7.49	29.37
PK	5.7258G	59.07	68.20	-9.13	10.22	3	Horizontal	274	1.50	-	48.85	31.95	7.63	29.36






802.11a\_Nss1,(6Mbps)\_4TX

18/07/2020

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1642G	49.53	54.00	-4.47	19.05	3	Vertical	277	3.00	-	30.48	39.84	10.08	30.87
PK	11.16552G	61.76	74.00	-12.24	19.04	3	Vertical	277	3.00	-	42.72	39.83	10.08	30.87
PK	16.74424G	61.80	68.20	-6.40	20.33	3	Vertical	300	2.71	-	41.47	39.80	12.22	31.69



802.11a\_Nss1,(6Mbps)\_4TX

18/07/2020

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1664G	50.34	54.00	-3.66	19.04	3	Horizontal	229	1.50	-	31.30	39.83	10.08	30.87
PK	11.16524G	62.38	74.00	-11.62	19.04	3	Horizontal	229	1.50	-	43.34	39.83	10.08	30.87
PK	16.73552G	62.24	68.20	-5.96	20.25	3	Horizontal	241	1.70	-	41.99	39.72	12.22	31.69



802.11a\_Nss1,(6Mbps)\_4TX

18/07/2020

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.702G	107.62	Inf	-Inf	10.14	3	Vertical	18	1.66	-	97.48	31.90	7.60	29.36
PK	5.7024G	116.28	Inf	-Inf	10.14	3	Vertical	18	1.66	-	106.14	31.90	7.60	29.36
PK	5.7252G	67.38	68.20	-0.82	10.22	3	Vertical	18	1.66	-	57.16	31.95	7.63	29.36



802.11a\_Nss1,(6Mbps)\_4TX

18/07/2020

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6988G	105.80	Inf	-Inf	10.14	3	Horizontal	95	2.30	-	95.66	31.90	7.60	29.36
PK	5.6976G	115.41	Inf	-Inf	10.13	3	Horizontal	95	2.30	-	105.28	31.89	7.60	29.36
PK	5.7256G	61.38	68.20	-6.82	10.22	3	Horizontal	95	2.30	-	51.16	31.95	7.63	29.36



802.11a\_Nss1,(6Mbps)\_4TX

18/07/2020

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39136G	44.07	54.00	-9.93	19.29	3	Vertical	53	1.48	-	24.78	39.89	10.20	30.80
PK	11.40576G	56.56	74.00	-17.44	19.31	3	Vertical	53	1.48	-	37.25	39.91	10.20	30.80
PK	17.10228G	60.25	68.20	-7.95	20.99	3	Vertical	246	2.00	-	39.26	40.30	12.33	31.64



802.11a\_Nss1,(6Mbps)\_4TX

18/07/2020

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39636G	44.20	54.00	-9.80	19.30	3	Horizontal	145	2.11	-	24.90	39.90	10.20	30.80
PK	11.3918G	56.88	74.00	-17.12	19.29	3	Horizontal	145	2.11	-	37.59	39.89	10.20	30.80
PK	17.09988G	59.39	68.20	-8.81	20.99	3	Horizontal	231	1.50	-	38.40	40.30	12.33	31.64



802.11a\_Nss1,(6Mbps)\_4TX

18/07/2020

5720MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.45G	47.30	54.00	-6.70	9.66	3	Vertical	16	1.63	-	37.64	31.60	7.43	29.37
AV	5.7224G	116.11	Inf	-Inf	10.20	3	Vertical	16	1.63	-	105.91	31.94	7.62	29.36
PK	5.46G	58.13	68.20	-10.07	9.70	3	Vertical	16	1.63	-	48.43	31.64	7.43	29.37
PK	5.7224G	124.15	Inf	-Inf	10.20	3	Vertical	16	1.63	-	113.95	31.94	7.62	29.36
PK	5.8508G	60.49	68.20	-7.71	10.49	3	Vertical	16	1.63	-	50.00	32.10	7.75	29.36



802.11a\_Nss1,(6Mbps)\_4TX

18/07/2020

5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4272G	47.11	54.00	-6.89	9.60	3	Horizontal	86	2.20	-	37.51	31.55	7.41	29.36
AV	5.7152G	113.92	Inf	-Inf	10.19	3	Horizontal	86	2.20	-	103.73	31.93	7.62	29.36
PK	5.4644G	58.81	68.20	-9.39	9.72	3	Horizontal	86	2.20	-	49.09	31.66	7.43	29.37
PK	5.7152G	123.10	Inf	-Inf	10.19	3	Horizontal	86	2.20	-	112.91	31.93	7.62	29.36
PK	5.9096G	60.28	68.20	-7.92	10.70	3	Horizontal	86	2.20	-	49.58	32.24	7.81	29.35






802.11a\_Nss1,(6Mbps)\_4TX

18/07/2020

5720MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43104G	45.96	54.00	-8.04	19.36	3	Vertical	303	1.10	-	26.60	39.93	10.22	30.79
PK	11.43248G	57.99	74.00	-16.01	19.36	3	Vertical	303	1.10	-	38.63	39.93	10.22	30.79
PK	17.15812G	61.89	68.20	-6.31	21.10	3	Vertical	236	1.56	-	40.79	40.36	12.35	31.61



802.11a\_Nss1,(6Mbps)\_4TX

18/07/2020

5720MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43628G	47.07	54.00	-6.93	19.37	3	Horizontal	157	1.57	-	27.70	39.94	10.22	30.79
PK	11.4366G	59.30	74.00	-14.70	19.37	3	Horizontal	157	1.57	-	39.93	39.94	10.22	30.79
PK	17.15812G	62.83	68.20	-5.37	21.10	3	Horizontal	240	1.50	-	41.73	40.36	12.35	31.61



802.11a\_Nss1,(6Mbps)\_4TX

18/07/2020

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7486G	115.64	Inf	-Inf	10.29	3	Vertical	18	1.62	-	105.35	32.00	7.65	29.36
PK	5.6514G	67.16	69.24	-2.08	9.90	3	Vertical	18	1.62	-	57.26	31.71	7.55	29.36
PK	5.7486G	124.24	Inf	-Inf	10.29	3	Vertical	18	1.62	-	113.95	32.00	7.65	29.36
PK	5.9466G	59.68	68.20	-8.52	10.89	3	Vertical	18	1.62	-	48.79	32.39	7.85	29.35



802.11a\_Nss1,(6Mbps)\_4TX

18/07/2020

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7426G	113.83	Inf	-Inf	10.27	3	Horizontal	95	2.32	-	103.56	31.99	7.64	29.36
PK	5.6466G	61.51	68.20	-6.69	9.90	3	Horizontal	95	2.32	-	51.61	31.71	7.55	29.36
PK	5.7426G	122.56	Inf	-Inf	10.27	3	Horizontal	95	2.32	-	112.29	31.99	7.64	29.36
PK	5.937G	59.58	68.20	-8.62	10.84	3	Horizontal	95	2.32	-	48.74	32.35	7.84	29.35



802.11a\_Nss1,(6Mbps)\_4TX

18/07/2020

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49996G	43.96	54.00	-10.04	19.48	3	Vertical	55	2.06	-	24.48	40.00	10.25	30.77
PK	11.48216G	56.28	74.00	-17.72	19.44	3	Vertical	55	2.06	-	36.84	39.98	10.24	30.78
PK	17.23704G	61.20	68.20	-7.00	21.24	3	Vertical	178	2.08	-	39.96	40.44	12.37	31.57



802.11a\_Nss1,(6Mbps)\_4TX

18/07/2020

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4816G	47.91	54.00	-6.09	19.44	3	Horizontal	231	1.48	-	28.47	39.98	10.24	30.78
PK	11.4824G	59.85	74.00	-14.15	19.44	3	Horizontal	231	1.48	-	40.41	39.98	10.24	30.78
PK	17.23012G	62.41	68.20	-5.79	21.23	3	Horizontal	239	1.44	-	41.18	40.43	12.37	31.57



802.11a\_Nss1,(6Mbps)\_4TX

18/07/2020

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7874G	115.05	Inf	-Inf	10.33	3	Vertical	360	1.78	-	104.72	32.00	7.69	29.36
PK	5.6458G	59.47	68.20	-8.73	9.91	3	Vertical	360	1.78	-	49.56	31.72	7.55	29.36
PK	5.7874G	123.25	Inf	-Inf	10.33	3	Vertical	360	1.78	-	112.92	32.00	7.69	29.36
PK	5.9566G	59.48	68.20	-8.72	10.90	3	Vertical	360	1.78	-	48.58	32.39	7.86	29.35



802.11a\_Nss1,(6Mbps)\_4TX

18/07/2020

5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7838G	112.52	Inf	-Inf	10.32	3	Horizontal	95	1.50	-	102.20	32.00	7.68	29.36
PK	5.647G	58.76	68.20	-9.44	9.90	3	Horizontal	95	1.50	-	48.86	31.71	7.55	29.36
PK	5.7838G	121.22	Inf	-Inf	10.32	3	Horizontal	95	1.50	-	110.90	32.00	7.68	29.36
PK	5.9362G	59.50	68.20	-8.70	10.83	3	Horizontal	95	1.50	-	48.67	32.34	7.84	29.35






802.11a\_Nss1,(6Mbps)\_4TX

18/07/2020

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56144G	47.71	54.00	-6.29	19.44	3	Vertical	226	1.39	-	28.27	39.94	10.28	30.78
PK	11.5622G	59.42	74.00	-14.58	19.44	3	Vertical	226	1.39	-	39.98	39.94	10.28	30.78
PK	17.34968G	59.96	68.20	-8.24	21.73	3	Vertical	189	1.32	-	38.23	40.85	12.40	31.52



802.11a\_Nss1,(6Mbps)\_4TX

18/07/2020

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56928G	50.38	54.00	-3.62	19.43	3	Horizontal	114	2.32	-	30.95	39.93	10.28	30.78
PK	11.56852G	62.81	74.00	-11.19	19.43	3	Horizontal	114	2.32	-	43.38	39.93	10.28	30.78
PK	17.355G	62.16	68.20	-6.04	21.79	3	Horizontal	107	1.17	-	40.37	40.89	12.41	31.51



802.11a\_Nss1,(6Mbps)\_4TX

18/07/2020

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8202G	110.83	Inf	-Inf	10.40	3	Vertical	236	1.59	-	100.43	32.04	7.72	29.36
PK	5.6474G	59.00	68.20	-9.20	9.90	3	Vertical	236	1.59	-	49.10	31.71	7.55	29.36
PK	5.8202G	119.99	Inf	-Inf	10.40	3	Vertical	236	1.59	-	109.59	32.04	7.72	29.36
PK	5.9318G	59.98	68.20	-8.22	10.81	3	Vertical	236	1.59	-	49.17	32.33	7.83	29.35



802.11a\_Nss1,(6Mbps)\_4TX

18/07/2020

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.825G	112.57	Inf	-Inf	10.42	3	Horizontal	95	2.23	-	102.15	32.05	7.73	29.36
PK	5.6438G	59.08	68.20	-9.12	9.90	3	Horizontal	95	2.23	-	49.18	31.72	7.54	29.36
PK	5.8238G	121.39	Inf	-Inf	10.41	3	Horizontal	95	2.23	-	110.98	32.05	7.72	29.36
PK	5.933G	60.12	68.20	-8.08	10.81	3	Horizontal	95	2.23	-	49.31	32.33	7.83	29.35



802.11a\_Nss1,(6Mbps)\_4TX

18/07/2020

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.641G	45.35	54.00	-8.65	19.18	3	Vertical	264	1.83	-	26.17	39.65	10.32	30.79
PK	11.65536G	57.42	74.00	-16.58	19.11	3	Vertical	264	1.83	-	38.31	39.57	10.33	30.79
PK	17.4808G	60.39	68.20	-7.81	22.27	3	Vertical	210	1.27	-	38.12	41.28	12.44	31.45



802.11a\_Nss1,(6Mbps)\_4TX

18/07/2020

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65036G	50.21	54.00	-3.79	19.14	3	Horizontal	225	2.02	-	31.07	39.60	10.33	30.79
PK	11.64968G	61.84	74.00	-12.16	19.13	3	Horizontal	225	2.02	-	42.71	39.60	10.32	30.79
PK	17.47128G	60.54	68.20	-7.66	22.26	3	Horizontal	177	2.02	-	38.28	41.27	12.44	31.45



802.11ax HEW20\_Nss1,(MCS0)\_4TX

19/07/2020

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1482G	53.24	54.00	-0.76	10.02	3	Vertical	15	1.50	-	43.22	32.00	7.35	29.33
AV	5.1782G	109.62	Inf	-Inf	9.93	3	Vertical	15	1.50	-	99.69	31.89	7.38	29.34
PK	5.148G	72.32	74.00	-1.68	10.02	3	Vertical	15	1.50	-	62.30	32.00	7.35	29.33
PK	5.1732G	121.03	Inf	-Inf	9.94	3	Vertical	15	1.50	-	111.09	31.91	7.37	29.34



802.11ax HEW20\_Nss1,(MCS0)\_4TX

19/07/2020

5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	50.48	54.00	-3.52	10.01	3	Horizontal	152	1.59	-	40.47	31.99	7.35	29.33
AV	5.176G	107.63	Inf	-Inf	9.94	3	Horizontal	152	1.59	-	97.69	31.90	7.38	29.34
PK	5.146G	69.19	74.00	-4.81	10.01	3	Horizontal	152	1.59	-	59.18	31.99	7.35	29.33
PK	5.186G	118.96	Inf	-Inf	9.91	3	Horizontal	152	1.59	-	109.05	31.86	7.39	29.34






802.11ax HEW20\_Nss1,(MCS0)\_4TX

19/07/2020

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55G	44.97	54.00	-9.03	18.23	3	Vertical	130	1.29	-	26.74	38.25	11.84	31.86
PK	10.36612G	56.18	68.20	-12.02	18.61	3	Vertical	276	1.39	-	37.57	39.46	9.68	30.53
PK	15.5472G	57.95	74.00	-16.05	18.25	3	Vertical	130	1.29	-	39.70	38.27	11.84	31.86



802.11ax HEW20\_Nss1,(MCS0)\_4TX

19/07/2020

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54608G	44.98	54.00	-9.02	18.26	3	Horizontal	314	1.99	-	26.72	38.28	11.84	31.86
PK	10.3601G	56.42	68.20	-11.78	18.60	3	Horizontal	220	1.26	-	37.82	39.44	9.68	30.52
PK	15.54676G	57.12	74.00	-16.88	18.25	3	Horizontal	314	1.99	-	38.87	38.27	11.84	31.86



802.11ax HEW20\_Nss1,(MCS0)\_4TX

19/07/2020

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	52.99	54.00	-1.01	10.02	3	Vertical	360	1.61	-	42.97	32.00	7.35	29.33
AV	5.198G	112.29	Inf	-Inf	9.87	3	Vertical	360	1.61	-	102.42	31.81	7.40	29.34
PK	5.1472G	68.54	74.00	-5.46	10.01	3	Vertical	360	1.61	-	58.53	31.99	7.35	29.33
PK	5.1932G	122.86	Inf	-Inf	9.88	3	Vertical	360	1.61	-	112.98	31.83	7.39	29.34



802.11ax HEW20\_Nss1,(MCS0)\_4TX

19/07/2020

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	50.28	54.00	-3.72	10.02	3	Horizontal	86	1.55	-	40.26	32.00	7.35	29.33
AV	5.1992G	109.63	Inf	-Inf	9.86	3	Horizontal	86	1.55	-	99.77	31.80	7.40	29.34
PK	5.1488G	64.01	74.00	-9.99	10.02	3	Horizontal	86	1.55	-	53.99	32.00	7.35	29.33
PK	5.204G	119.62	Inf	-Inf	9.83	3	Horizontal	86	1.55	-	109.79	31.77	7.40	29.34



802.11ax HEW20\_Nss1,(MCS0)\_4TX

19/07/2020

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.58232G	44.87	54.00	-9.13	18.00	3	Vertical	257	2.36	-	26.87	38.02	11.85	31.87
PK	10.3976G	56.61	68.20	-11.59	18.75	3	Vertical	9	1.70	-	37.86	39.59	9.70	30.54
PK	15.5824G	57.19	74.00	-16.81	18.00	3	Vertical	257	2.36	-	39.19	38.02	11.85	31.87



802.11ax HEW20\_Nss1,(MCS0)\_4TX

19/07/2020

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.58008G	44.90	54.00	-9.10	18.02	3	Horizontal	309	1.94	-	26.88	38.04	11.85	31.87
PK	10.3996G	58.54	68.20	-9.66	18.76	3	Horizontal	246	1.50	-	39.78	39.60	9.70	30.54
PK	15.58992G	57.21	74.00	-16.79	17.96	3	Horizontal	309	1.94	-	39.25	37.97	11.86	31.87



802.11ax HEW20\_Nss1,(MCS0)\_4TX

19/07/2020

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	53.46	54.00	-0.54	10.01	3	Vertical	347	1.52	-	43.45	31.99	7.35	29.33
AV	5.2382G	114.48	Inf	-Inf	9.55	3	Vertical	347	1.52	-	104.93	31.49	7.40	29.34
AV	5.3522G	48.43	54.00	-5.57	9.16	3	Vertical	347	1.52	-	39.27	31.12	7.40	29.36
PK	5.147G	67.60	74.00	-6.40	10.01	3	Vertical	347	1.52	-	57.59	31.99	7.35	29.33
PK	5.2328G	124.73	Inf	-Inf	9.60	3	Vertical	347	1.52	-	115.13	31.54	7.40	29.34
PK	5.3516G	62.43	74.00	-11.57	9.15	3	Vertical	347	1.52	-	53.28	31.11	7.40	29.36

802.11ax HEW20\_Nss1,(MCS0)\_4TX

19/07/2020

5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1482G	49.92	54.00	-4.08	10.02	3	Horizontal	88	1.50	-	39.90	32.00	7.35	29.33
AV	5.2394G	112.63	Inf	-Inf	9.54	3	Horizontal	88	1.50	-	103.09	31.48	7.40	29.34
AV	5.35G	48.26	54.00	-5.74	9.14	3	Horizontal	88	1.50	-	39.12	31.10	7.40	29.36
PK	5.1476G	64.64	74.00	-9.36	10.02	3	Horizontal	88	1.50	-	54.62	32.00	7.35	29.33
PK	5.2442G	122.48	Inf	-Inf	9.51	3	Horizontal	88	1.50	-	112.97	31.45	7.40	29.34
PK	5.3552G	61.58	74.00	-12.42	9.18	3	Horizontal	88	1.50	-	52.40	31.14	7.40	29.36






802.11ax HEW20\_Nss1,(MCS0)\_4TX

19/07/2020

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71168G	44.45	54.00	-9.55	17.68	3	Vertical	29	1.15	-	26.77	37.68	11.90	31.90
PK	10.47928G	61.54	68.20	-6.66	18.85	3	Vertical	293	2.15	-	42.69	39.68	9.74	30.57
PK	15.72752G	57.12	74.00	-16.88	17.64	3	Vertical	29	1.15	-	39.48	37.64	11.90	31.90



802.11ax HEW20\_Nss1,(MCS0)\_4TX

19/07/2020

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71736G	44.67	54.00	-9.33	17.67	3	Horizontal	306	1.50	-	27.00	37.67	11.90	31.90
PK	10.47944G	63.23	68.20	-4.97	18.85	3	Horizontal	239	1.54	-	44.38	39.68	9.74	30.57
PK	15.7108G	56.43	74.00	-17.57	17.68	3	Horizontal	306	1.50	-	38.75	37.68	11.90	31.90



802.11ax HEW20\_Nss1,(MCS0)\_4TX

19/07/2020

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	52.01	54.00	-1.99	10.02	3	Vertical	12	1.65	-	41.99	32.00	7.35	29.33
AV	5.2582G	115.59	Inf	-Inf	9.43	3	Vertical	12	1.65	-	106.16	31.38	7.40	29.35
AV	5.3512G	53.34	54.00	-0.66	9.15	3	Vertical	12	1.65	-	44.19	31.11	7.40	29.36
PK	5.1484G	66.80	74.00	-7.20	10.02	3	Vertical	12	1.65	-	56.78	32.00	7.35	29.33
PK	5.2528G	126.04	Inf	-Inf	9.44	3	Vertical	12	1.65	-	116.60	31.39	7.40	29.35
PK	5.3506G	67.95	74.00	-6.05	9.14	3	Vertical	12	1.65	-	58.81	31.10	7.40	29.36



802.11ax HEW20\_Nss1,(MCS0)\_4TX

19/07/2020

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.05	54.00	-4.95	10.02	3	Horizontal	87	1.65	-	39.03	32.00	7.35	29.33
AV	5.2642G	112.34	Inf	-Inf	9.42	3	Horizontal	87	1.65	-	102.92	31.37	7.40	29.35
AV	5.3518G	50.75	54.00	-3.25	9.15	3	Horizontal	87	1.65	-	41.60	31.11	7.40	29.36
PK	5.1454G	61.99	74.00	-12.01	10.01	3	Horizontal	87	1.65	-	51.98	31.99	7.35	29.33
PK	5.2642G	122.35	Inf	-Inf	9.42	3	Horizontal	87	1.65	-	112.93	31.37	7.40	29.35
PK	5.3518G	65.63	74.00	-8.37	9.15	3	Horizontal	87	1.65	-	56.48	31.11	7.40	29.36



802.11ax HEW20\_Nss1,(MCS0)\_4TX

19/07/2020

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77448G	44.33	54.00	-9.67	17.56	3	Vertical	320	1.08	-	26.77	37.55	11.92	31.91
PK	10.52896G	62.96	68.20	-5.24	18.89	3	Vertical	294	2.08	-	44.07	39.73	9.76	30.60
PK	15.77464G	56.92	74.00	-17.08	17.56	3	Vertical	320	1.08	-	39.36	37.55	11.92	31.91



802.11ax HEW20\_Nss1,(MCS0)\_4TX

19/07/2020

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7772G	44.32	54.00	-9.68	17.56	3	Horizontal	296	2.05	-	26.76	37.55	11.92	31.91
PK	10.51912G	64.23	68.20	-3.97	18.89	3	Horizontal	241	1.57	-	45.34	39.72	9.76	30.59
PK	15.7604G	56.17	74.00	-17.83	17.59	3	Horizontal	296	2.05	-	38.58	37.58	11.92	31.91



802.11ax HEW20\_Nss1,(MCS0)\_4TX

19/07/2020

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2948G	111.68	Inf	-Inf	9.36	3	Vertical	209	1.54	-	102.32	31.31	7.40	29.35
AV	5.3504G	53.47	54.00	-0.53	9.14	3	Vertical	209	1.54	-	44.33	31.10	7.40	29.36
PK	5.3044G	120.96	Inf	-Inf	9.33	3	Vertical	209	1.54	-	111.63	31.28	7.40	29.35
PK	5.3504G	69.80	74.00	-4.20	9.14	3	Vertical	209	1.54	-	60.66	31.10	7.40	29.36



802.11ax HEW20\_Nss1,(MCS0)\_4TX

19/07/2020

5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2984G	110.31	Inf	-Inf	9.35	3	Horizontal	80	2.18	-	100.96	31.30	7.40	29.35
AV	5.352G	51.64	54.00	-2.36	9.16	3	Horizontal	80	2.18	-	42.48	31.12	7.40	29.36
PK	5.2988G	120.73	Inf	-Inf	9.35	3	Horizontal	80	2.18	-	111.38	31.30	7.40	29.35
PK	5.3516G	68.93	74.00	-5.07	9.15	3	Horizontal	80	2.18	-	59.78	31.11	7.40	29.36






802.11ax HEW20\_Nss1,(MCS0)\_4TX

19/07/2020

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89528G	43.97	54.00	-10.03	17.23	3	Vertical	86	1.65	-	26.74	37.21	11.96	31.94
PK	10.59904G	61.14	68.20	-7.06	18.95	3	Vertical	291	2.12	-	42.19	39.80	9.80	30.65
PK	15.91016G	56.16	74.00	-17.84	17.21	3	Vertical	86	1.65	-	38.95	37.18	11.97	31.94



802.11ax HEW20\_Nss1,(MCS0)\_4TX

19/07/2020

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90576G	44.00	54.00	-10.00	17.22	3	Horizontal	229	1.78	-	26.78	37.19	11.97	31.94
PK	10.59944G	62.13	68.20	-6.07	18.95	3	Horizontal	241	1.50	-	43.18	39.80	9.80	30.65
PK	15.90544G	55.91	74.00	-18.09	17.22	3	Horizontal	229	1.78	-	38.69	37.19	11.97	31.94



802.11ax HEW20\_Nss1,(MCS0)\_4TX

19/07/2020

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3128G	107.93	Inf	-Inf	9.30	3	Vertical	344	1.65	-	98.63	31.25	7.40	29.35
AV	5.353G	53.40	54.00	-0.60	9.16	3	Vertical	344	1.65	-	44.24	31.12	7.40	29.36
PK	5.313G	119.10	Inf	-Inf	9.30	3	Vertical	344	1.65	-	109.80	31.25	7.40	29.35
PK	5.3526G	71.98	74.00	-2.02	9.16	3	Vertical	344	1.65	-	62.82	31.12	7.40	29.36



802.11ax HEW20\_Nss1,(MCS0)\_4TX

19/07/2020

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3218G	107.10	Inf	-Inf	9.26	3	Horizontal	88	1.97	-	97.84	31.21	7.40	29.35
AV	5.352G	51.87	54.00	-2.13	9.16	3	Horizontal	88	1.97	-	42.71	31.12	7.40	29.36
PK	5.3168G	118.64	Inf	-Inf	9.28	3	Horizontal	88	1.97	-	109.36	31.23	7.40	29.35
PK	5.352G	72.50	74.00	-1.50	9.16	3	Horizontal	88	1.97	-	63.34	31.12	7.40	29.36



802.11ax HEW20\_Nss1,(MCS0)\_4TX

19/07/2020

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.65472G	44.39	54.00	-9.61	18.89	3	Vertical	155	1.40	-	25.50	39.75	9.83	30.69
AV	15.95968G	43.86	54.00	-10.14	17.12	3	Vertical	103	2.41	-	26.74	37.08	11.99	31.95
PK	10.656G	56.62	74.00	-17.38	18.88	3	Vertical	155	1.40	-	37.74	39.74	9.83	30.69
PK	15.97712G	56.29	74.00	-17.71	17.09	3	Vertical	103	2.41	-	39.20	37.05	11.99	31.95



802.11ax HEW20\_Nss1,(MCS0)\_4TX

19/07/2020

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64104G	44.97	54.00	-9.03	18.90	3	Horizontal	298	1.12	-	26.07	39.76	9.82	30.68
AV	15.94728G	44.12	54.00	-9.88	17.14	3	Horizontal	173	2.27	-	26.98	37.11	11.98	31.95
PK	10.63928G	58.23	74.00	-15.77	18.91	3	Horizontal	298	1.12	-	39.32	39.76	9.82	30.67
PK	15.95776G	56.75	74.00	-17.25	17.12	3	Horizontal	173	2.27	-	39.63	37.08	11.99	31.95



802.11ax HEW20\_Nss1,(MCS0)\_4TX

19/07/2020

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	47.22	54.00	-6.78	9.70	3	Vertical	0	1.50	-	37.52	31.64	7.43	29.37
AV	5.5008G	106.55	Inf	-Inf	9.88	3	Vertical	0	1.50	-	96.67	31.80	7.45	29.37
PK	5.4656G	67.41	68.20	-0.79	9.72	3	Vertical	0	1.50	-	57.69	31.66	7.43	29.37
PK	5.5058G	118.47	Inf	-Inf	9.88	3	Vertical	0	1.50	-	108.59	31.80	7.45	29.37



802.11ax HEW20\_Nss1,(MCS0)\_4TX

19/07/2020

5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	46.24	54.00	-7.76	9.70	3	Horizontal	274	1.50	-	36.54	31.64	7.43	29.37
AV	5.4934G	104.99	Inf	-Inf	9.85	3	Horizontal	274	1.50	-	95.14	31.77	7.45	29.37
PK	5.469G	65.16	68.20	-3.04	9.74	3	Horizontal	274	1.50	-	55.42	31.68	7.43	29.37
PK	5.4932G	115.56	Inf	-Inf	9.85	3	Horizontal	274	1.50	-	105.71	31.77	7.45	29.37






802.11ax HEW20\_Nss1,(MCS0)\_4TX

19/07/2020

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01936G	44.64	54.00	-9.36	19.24	3	Vertical	110	1.55	-	25.40	40.14	10.01	30.91
PK	10.98728G	56.83	74.00	-17.17	19.25	3	Vertical	110	1.55	-	37.58	40.17	9.99	30.91
PK	16.48064G	57.36	68.20	-10.84	19.27	3	Vertical	297	1.18	-	38.09	38.83	12.14	31.70



802.11ax HEW20\_Nss1,(MCS0)\_4TX

19/07/2020

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01968G	44.65	54.00	-9.35	19.24	3	Horizontal	86	1.32	-	25.41	40.14	10.01	30.91
PK	11.01072G	56.81	74.00	-17.19	19.26	3	Horizontal	86	1.32	-	37.55	40.17	10.01	30.92
PK	16.48576G	57.69	68.20	-10.51	19.32	3	Horizontal	198	1.65	-	38.37	38.87	12.15	31.70



802.11ax HEW20\_Nss1,(MCS0)\_4TX

19/07/2020

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	50.51	54.00	-3.49	9.70	3	Vertical	0	1.59	-	40.81	31.64	7.43	29.37
AV	5.5854G	115.66	Inf	-Inf	9.99	3	Vertical	0	1.59	-	105.67	31.87	7.49	29.37
PK	5.4696G	67.51	68.20	-0.69	9.74	3	Vertical	0	1.59	-	57.77	31.68	7.43	29.37
PK	5.586G	126.25	Inf	-Inf	9.99	3	Vertical	0	1.59	-	116.26	31.87	7.49	29.37
PK	5.7276G	61.58	68.20	-6.62	10.23	3	Vertical	0	1.59	-	51.35	31.96	7.63	29.36



802.11ax HEW20\_Nss1,(MCS0)\_4TX

19/07/2020

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	47.43	54.00	-6.57	9.69	3	Horizontal	89	1.86	-	37.74	31.63	7.43	29.37
AV	5.5818G	112.54	Inf	-Inf	9.98	3	Horizontal	89	1.86	-	102.56	31.86	7.49	29.37
PK	5.4684G	61.50	68.20	-6.70	9.73	3	Horizontal	89	1.86	-	51.77	31.67	7.43	29.37
PK	5.577G	124.22	Inf	-Inf	9.97	3	Horizontal	89	1.86	-	114.25	31.85	7.49	29.37
PK	5.7282G	59.17	68.20	-9.03	10.23	3	Horizontal	89	1.86	-	48.94	31.96	7.63	29.36



802.11ax HEW20\_Nss1,(MCS0)\_4TX

19/07/2020

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15824G	51.39	54.00	-2.61	19.05	3	Vertical	261	3.00	-	32.34	39.84	10.08	30.87
PK	11.15824G	63.19	74.00	-10.81	19.05	3	Vertical	261	3.00	-	44.14	39.84	10.08	30.87
PK	16.74296G	49.08	68.20	-19.12	20.32	3	Vertical	302	1.50	-	28.76	39.79	12.22	31.69



802.11ax HEW20\_Nss1,(MCS0)\_4TX

19/07/2020

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15848G	51.60	54.00	-2.40	19.05	3	Horizontal	231	1.49	-	32.55	39.84	10.08	30.87
PK	11.1684G	62.55	74.00	-11.45	19.04	3	Horizontal	231	1.49	-	43.51	39.83	10.08	30.87
PK	16.7376G	61.38	68.20	-6.82	20.27	3	Horizontal	241	1.68	-	41.11	39.74	12.22	31.69



802.11ax HEW20\_Nss1,(MCS0)\_4TX

19/07/2020

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6956G	104.60	Inf	-Inf	10.12	3	Vertical	18	1.54	-	94.48	31.88	7.60	29.36
PK	5.7012G	114.54	Inf	-Inf	10.14	3	Vertical	18	1.54	-	104.40	31.90	7.60	29.36
PK	5.7312G	67.05	68.20	-1.15	10.23	3	Vertical	18	1.54	-	56.82	31.96	7.63	29.36



802.11ax HEW20\_Nss1,(MCS0)\_4TX

19/07/2020

5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6936G	101.58	Inf	-Inf	10.10	3	Horizontal	271	1.48	-	91.48	31.87	7.59	29.36
PK	5.704G	112.08	Inf	-Inf	10.15	3	Horizontal	271	1.48	-	101.93	31.91	7.60	29.36
PK	5.7292G	64.37	68.20	-3.83	10.23	3	Horizontal	271	1.48	-	54.14	31.96	7.63	29.36






802.11ax HEW20\_Nss1,(MCS0)\_4TX

19/07/2020

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38152G	44.34	54.00	-9.66	19.26	3	Vertical	353	1.98	-	25.08	39.88	10.19	30.81
PK	11.41896G	56.34	74.00	-17.66	19.34	3	Vertical	353	1.98	-	37.00	39.92	10.21	30.79
PK	17.10552G	59.39	68.20	-8.81	21.00	3	Vertical	194	1.94	-	38.39	40.31	12.33	31.64



802.11ax HEW20\_Nss1,(MCS0)\_4TX

19/07/2020

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38672G	44.21	54.00	-9.79	19.28	3	Horizontal	88	2.04	-	24.93	39.89	10.19	30.80
PK	11.38136G	56.59	74.00	-17.41	19.26	3	Horizontal	88	2.04	-	37.33	39.88	10.19	30.81
PK	17.09144G	59.48	68.20	-8.72	20.99	3	Horizontal	360	1.51	-	38.49	40.30	12.33	31.64



802.11ax HEW20\_Nss1,(MCS0)\_4TX

19/07/2020

5720MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4488G	47.14	54.00	-6.86	9.66	3	Vertical	17	1.51	-	37.48	31.60	7.42	29.36
AV	5.7164G	115.50	Inf	-Inf	10.19	3	Vertical	17	1.51	-	105.31	31.93	7.62	29.36
PK	5.4656G	58.53	68.20	-9.67	9.72	3	Vertical	17	1.51	-	48.81	31.66	7.43	29.37
PK	5.726G	125.42	Inf	-Inf	10.22	3	Vertical	17	1.51	-	115.20	31.95	7.63	29.36
PK	5.8544G	62.04	68.20	-6.16	10.50	3	Vertical	17	1.51	-	51.54	32.11	7.75	29.36



802.11ax HEW20\_Nss1,(MCS0)\_4TX

19/07/2020

5720MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4308G	46.58	54.00	-7.42	9.62	3	Horizontal	91	2.27	-	36.96	31.56	7.42	29.36
AV	5.7176G	112.31	Inf	-Inf	10.20	3	Horizontal	91	2.27	-	102.11	31.94	7.62	29.36
PK	5.468G	58.31	68.20	-9.89	9.73	3	Horizontal	91	2.27	-	48.58	31.67	7.43	29.37
PK	5.7164G	124.38	Inf	-Inf	10.19	3	Horizontal	91	2.27	-	114.19	31.93	7.62	29.36
PK	5.8508G	60.25	68.20	-7.95	10.49	3	Horizontal	91	2.27	-	49.76	32.10	7.75	29.36



**802.11ax HEW20\_Nss1,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TX**

19/07/2020




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4372G	45.50	54.00	-8.50	19.37	3	Vertical	337	1.50	-	26.13	39.94	10.22	30.79
PK	11.44256G	57.64	74.00	-16.36	19.37	3	Vertical	337	1.50	-	38.27	39.94	10.22	30.79
PK	17.16728G	61.78	68.20	-6.42	21.11	3	Vertical	239	1.73	-	40.67	40.37	12.35	31.61



802.11ax HEW20\_Nss1,(MCS0)\_4TX

19/07/2020

5720MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43632G	47.27	54.00	-6.73	19.37	3	Horizontal	158	1.49	-	27.90	39.94	10.22	30.79
PK	11.43672G	59.62	74.00	-14.38	19.37	3	Horizontal	158	1.49	-	40.25	39.94	10.22	30.79
PK	17.1604G	60.57	68.20	-7.63	21.10	3	Horizontal	335	1.51	-	39.47	40.36	12.35	31.61



802.11ax HEW20\_Nss1,(MCS0)\_4TX

19/07/2020

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7462G	113.86	Inf	-Inf	10.28	3	Vertical	17	1.49	-	103.58	31.99	7.65	29.36
PK	5.6478G	65.82	68.20	-2.38	9.90	3	Vertical	17	1.49	-	55.92	31.71	7.55	29.36
PK	5.7462G	124.78	Inf	-Inf	10.28	3	Vertical	17	1.49	-	114.50	31.99	7.65	29.36
PK	5.967G	59.27	68.20	-8.93	10.89	3	Vertical	17	1.49	-	48.38	32.37	7.87	29.35



802.11ax HEW20\_Nss1,(MCS0)\_4TX

19/07/2020

5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	112.21	Inf	-Inf	10.28	3	Horizontal	93	1.93	-	101.93	31.99	7.65	29.36
PK	5.6442G	61.91	68.20	-6.29	9.90	3	Horizontal	93	1.93	-	52.01	31.72	7.54	29.36
PK	5.7426G	123.58	Inf	-Inf	10.27	3	Horizontal	93	1.93	-	113.31	31.99	7.64	29.36
PK	5.949G	58.90	68.20	-9.30	10.90	3	Horizontal	93	1.93	-	48.00	32.40	7.85	29.35






802.11ax HEW20\_Nss1,(MCS0)\_4TX

19/07/2020

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48752G	46.00	54.00	-8.00	19.46	3	Vertical	303	1.91	-	26.54	39.99	10.24	30.77
PK	11.4924G	57.49	74.00	-16.51	19.47	3	Vertical	303	1.91	-	38.02	39.99	10.25	30.77
PK	17.23716G	63.91	68.20	-4.29	21.24	3	Vertical	245	2.49	-	42.67	40.44	12.37	31.57



802.11ax HEW20\_Nss1,(MCS0)\_4TX

19/07/2020

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49152G	47.19	54.00	-6.81	19.47	3	Horizontal	158	1.56	-	27.72	39.99	10.25	30.77
PK	11.48656G	58.81	74.00	-15.19	19.46	3	Horizontal	158	1.56	-	39.35	39.99	10.24	30.77
PK	17.24076G	61.61	68.20	-6.59	21.24	3	Horizontal	309	1.27	-	40.37	40.44	12.37	31.57



802.11ax HEW20\_Nss1,(MCS0)\_4TX

19/07/2020

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7862G	114.34	Inf	-Inf	10.33	3	Vertical	15	1.67	-	104.01	32.00	7.69	29.36
PK	5.6494G	60.28	68.20	-7.92	9.89	3	Vertical	15	1.67	-	50.39	31.70	7.55	29.36
PK	5.7862G	124.74	Inf	-Inf	10.33	3	Vertical	15	1.67	-	114.41	32.00	7.69	29.36
PK	5.929G	59.40	68.20	-8.80	10.80	3	Vertical	15	1.67	-	48.60	32.32	7.83	29.35



802.11ax HEW20\_Nss1,(MCS0)\_4TX

19/07/2020

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7898G	111.96	Inf	-Inf	10.33	3	Horizontal	94	1.50	-	101.63	32.00	7.69	29.36
PK	5.6278G	58.63	68.20	-9.57	9.96	3	Horizontal	94	1.50	-	48.67	31.79	7.53	29.36
PK	5.7898G	122.36	Inf	-Inf	10.33	3	Horizontal	94	1.50	-	112.03	32.00	7.69	29.36
PK	5.941G	59.35	68.20	-8.85	10.85	3	Horizontal	94	1.50	-	48.50	32.36	7.84	29.35



802.11ax HEW20\_Nss1,(MCS0)\_4TX

19/07/2020

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56936G	47.44	54.00	-6.56	19.43	3	Vertical	226	1.39	-	28.01	39.93	10.28	30.78
PK	11.5588G	58.72	74.00	-15.28	19.44	3	Vertical	226	1.39	-	39.28	39.94	10.28	30.78
PK	17.3598G	63.01	68.20	-5.19	21.82	3	Vertical	242	2.43	-	41.19	40.92	12.41	31.51



802.11ax HEW20\_Nss1,(MCS0)\_4TX

19/07/2020

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56984G	50.67	54.00	-3.33	19.43	3	Horizontal	224	2.09	-	31.24	39.93	10.28	30.78
PK	11.57G	62.84	74.00	-11.16	19.43	3	Horizontal	224	2.09	-	43.41	39.93	10.28	30.78
PK	17.3626G	61.74	68.20	-6.46	21.84	3	Horizontal	218	1.53	-	39.90	40.94	12.41	31.51



802.11ax HEW20\_Nss1,(MCS0)\_4TX

19/07/2020

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	109.16	Inf	-Inf	10.43	3	Vertical	29	1.67	-	98.73	32.06	7.73	29.36
PK	5.6126G	58.69	68.20	-9.51	9.99	3	Vertical	29	1.67	-	48.70	31.85	7.51	29.37
PK	5.8286G	118.95	Inf	-Inf	10.43	3	Vertical	29	1.67	-	108.52	32.06	7.73	29.36
PK	5.927G	59.52	68.20	-8.68	10.79	3	Vertical	29	1.67	-	48.73	32.31	7.83	29.35



802.11ax HEW20\_Nss1,(MCS0)\_4TX

19/07/2020

5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8298G	112.07	Inf	-Inf	10.43	3	Horizontal	95	1.48	-	101.64	32.06	7.73	29.36
PK	5.6498G	58.45	68.20	-9.75	9.89	3	Horizontal	95	1.48	-	48.56	31.70	7.55	29.36
PK	5.8298G	123.08	Inf	-Inf	10.43	3	Horizontal	95	1.48	-	112.65	32.06	7.73	29.36
PK	5.9246G	63.15	68.50	-5.35	10.77	3	Horizontal	95	1.48	-	52.38	32.30	7.82	29.35






802.11ax HEW20\_Nss1,(MCS0)\_4TX

19/07/2020

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64784G	47.40	54.00	-6.60	19.14	3	Vertical	291	2.18	-	28.26	39.61	10.32	30.79
PK	11.65288G	58.79	74.00	-15.21	19.12	3	Vertical	291	2.18	-	39.67	39.58	10.33	30.79
PK	17.47548G	62.07	68.20	-6.13	22.27	3	Vertical	248	2.64	-	39.80	41.28	12.44	31.45



802.11ax HEW20\_Nss1,(MCS0)\_4TX

19/07/2020

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65G	49.19	54.00	-4.81	19.14	3	Horizontal	227	1.47	-	30.05	39.60	10.33	30.79
PK	11.65088G	59.91	74.00	-14.09	19.13	3	Horizontal	227	1.47	-	40.78	39.59	10.33	30.79
PK	17.47644G	61.46	68.20	-6.74	22.27	3	Horizontal	306	1.59	-	39.19	41.28	12.44	31.45



802.11ax HEW40\_Nss1,(MCS0)\_4TX

19/07/2020

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	53.15	54.00	-0.85	10.02	3	Vertical	17	1.60	-	43.13	32.00	7.35	29.33
AV	5.1932G	102.65	Inf	-Inf	9.88	3	Vertical	17	1.60	-	92.77	31.83	7.39	29.34
PK	5.148G	65.06	74.00	-8.94	10.02	3	Vertical	17	1.60	-	55.04	32.00	7.35	29.33
PK	5.1828G	112.87	Inf	-Inf	9.91	3	Vertical	17	1.60	-	102.96	31.87	7.38	29.34



802.11ax HEW40\_Nss1,(MCS0)\_4TX

19/07/2020

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	52.10	54.00	-1.90	10.02	3	Horizontal	82	1.55	-	42.08	32.00	7.35	29.33
AV	5.196G	100.54	Inf	-Inf	9.88	3	Horizontal	82	1.55	-	90.66	31.82	7.40	29.34
PK	5.1492G	62.47	74.00	-11.53	10.02	3	Horizontal	82	1.55	-	52.45	32.00	7.35	29.33
PK	5.196G	111.21	Inf	-Inf	9.88	3	Horizontal	82	1.55	-	101.33	31.82	7.40	29.34



802.11ax HEW40\_Nss1,(MCS0)\_4TX

19/07/2020

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54104G	45.69	54.00	-8.31	18.29	3	Vertical	184	2.01	-	27.40	38.31	11.84	31.86
PK	10.34016G	56.60	68.20	-11.60	18.51	3	Vertical	117	2.18	-	38.09	39.36	9.67	30.52
PK	15.56872G	57.59	74.00	-16.41	18.10	3	Vertical	184	2.01	-	39.49	38.12	11.85	31.87



802.11ax HEW40\_Nss1,(MCS0)\_4TX

19/07/2020

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5564G	45.87	54.00	-8.13	18.19	3	Horizontal	278	2.14	-	27.68	38.21	11.84	31.86
PK	10.37296G	56.78	68.20	-11.42	18.65	3	Horizontal	351	2.47	-	38.13	39.49	9.69	30.53
PK	15.55912G	57.82	74.00	-16.18	18.18	3	Horizontal	278	2.14	-	39.64	38.19	11.85	31.86



802.11ax HEW40\_Nss1,(MCS0)\_4TX

19/07/2020

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	52.51	54.00	-1.49	10.02	3	Vertical	2	1.68	-	42.49	32.00	7.35	29.33
AV	5.2228G	107.93	Inf	-Inf	9.68	3	Vertical	2	1.68	-	98.25	31.62	7.40	29.34
PK	5.1476G	65.80	74.00	-8.20	10.02	3	Vertical	2	1.68	-	55.78	32.00	7.35	29.33
PK	5.2276G	118.36	Inf	-Inf	9.64	3	Vertical	2	1.68	-	108.72	31.58	7.40	29.34

802.11ax HEW40\_Nss1,(MCS0)\_4TX

19/07/2020

5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	49.49	54.00	-4.51	10.02	3	Horizontal	88	1.49	-	39.47	32.00	7.35	29.33
AV	5.2344G	105.91	Inf	-Inf	9.58	3	Horizontal	88	1.49	-	96.33	31.52	7.40	29.34
PK	5.1492G	62.97	74.00	-11.03	10.02	3	Horizontal	88	1.49	-	52.95	32.00	7.35	29.33
PK	5.2292G	115.70	Inf	-Inf	9.63	3	Horizontal	88	1.49	-	106.07	31.57	7.40	29.34






802.11ax HEW40\_Nss1,(MCS0)\_4TX

19/07/2020

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.65208G	45.17	54.00	-8.83	17.80	3	Vertical	296	2.39	-	27.37	37.80	11.88	31.88
PK	10.44128G	56.43	68.20	-11.77	18.80	3	Vertical	38	1.72	-	37.63	39.64	9.72	30.56
PK	15.6844G	56.27	74.00	-17.73	17.73	3	Vertical	296	2.39	-	38.54	37.73	11.89	31.89



802.11ax HEW40\_Nss1,(MCS0)\_4TX

19/07/2020

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.65176G	45.17	54.00	-8.83	17.80	3	Horizontal	171	1.27	-	27.37	37.80	11.88	31.88
PK	10.43488G	56.13	68.20	-12.07	18.80	3	Horizontal	230	1.32	-	37.33	39.63	9.72	30.55
PK	15.7188G	56.78	74.00	-17.22	17.66	3	Horizontal	171	1.27	-	39.12	37.66	11.90	31.90



802.11ax HEW40\_Nss1,(MCS0)\_4TX

19/07/2020

5270MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2604G	107.54	Inf	-Inf	9.43	3	Vertical	240	1.39	-	98.11	31.38	7.40	29.35
AV	5.3524G	53.24	54.00	-0.76	9.16	3	Vertical	240	1.39	-	44.08	31.12	7.40	29.36
PK	5.26G	118.24	Inf	-Inf	9.43	3	Vertical	240	1.39	-	108.81	31.38	7.40	29.35
PK	5.3524G	68.98	74.00	-5.02	9.16	3	Vertical	240	1.39	-	59.82	31.12	7.40	29.36



802.11ax HEW40\_Nss1,(MCS0)\_4TX

19/07/2020

5270MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2744G	106.17	Inf	-Inf	9.40	3	Horizontal	89	1.49	-	96.77	31.35	7.40	29.35
AV	5.3516G	51.34	54.00	-2.66	9.15	3	Horizontal	89	1.49	-	42.19	31.11	7.40	29.36
PK	5.2692G	116.64	Inf	-Inf	9.41	3	Horizontal	89	1.49	-	107.23	31.36	7.40	29.35
PK	5.3516G	64.96	74.00	-9.04	9.15	3	Horizontal	89	1.49	-	55.81	31.11	7.40	29.36



802.11ax HEW40\_Nss1,(MCS0)\_4TX

19/07/2020

5270MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77032G	44.97	54.00	-9.03	17.57	3	Vertical	122	1.07	-	27.40	37.56	11.92	31.91
PK	10.5664G	56.27	68.20	-11.93	18.92	3	Vertical	256	1.61	-	37.35	39.77	9.78	30.63
PK	15.80376G	56.52	74.00	-17.48	17.50	3	Vertical	122	1.07	-	39.02	37.49	11.93	31.92



802.11ax HEW40\_Nss1,(MCS0)\_4TX

19/07/2020

5270MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77112G	44.97	54.00	-9.03	17.57	3	Horizontal	169	1.50	-	27.40	37.56	11.92	31.91
PK	10.53872G	56.92	68.20	-11.28	18.90	3	Horizontal	152	1.25	-	38.02	39.74	9.77	30.61
PK	15.77112G	55.83	74.00	-18.17	17.57	3	Horizontal	169	1.50	-	38.26	37.56	11.92	31.91



802.11ax HEW40\_Nss1,(MCS0)\_4TX

19/07/2020

5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3148G	102.72	Inf	-Inf	9.29	3	Vertical	210	1.49	-	93.43	31.24	7.40	29.35
AV	5.35G	52.65	54.00	-1.35	9.14	3	Vertical	210	1.49	-	43.51	31.10	7.40	29.36
PK	5.2948G	113.79	Inf	-Inf	9.36	3	Vertical	210	1.49	-	104.43	31.31	7.40	29.35
PK	5.35G	69.19	74.00	-4.81	9.14	3	Vertical	210	1.49	-	60.05	31.10	7.40	29.36



802.11ax HEW40\_Nss1,(MCS0)\_4TX

19/07/2020

5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.314G	101.91	Inf	-Inf	9.29	3	Horizontal	88	1.55	-	92.62	31.24	7.40	29.35
AV	5.3536G	50.26	54.00	-3.74	9.17	3	Horizontal	88	1.55	-	41.09	31.13	7.40	29.36
PK	5.3092G	111.87	Inf	-Inf	9.31	3	Horizontal	88	1.55	-	102.56	31.26	7.40	29.35
PK	5.35G	65.39	74.00	-8.61	9.14	3	Horizontal	88	1.55	-	56.25	31.10	7.40	29.36






802.11ax HEW40\_Nss1,(MCS0)\_4TX

19/07/2020

5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6336G	44.93	54.00	-9.07	18.92	3	Vertical	312	1.56	-	26.01	39.77	9.82	30.67
AV	15.90344G	44.65	54.00	-9.35	17.22	3	Vertical	315	2.06	-	27.43	37.19	11.97	31.94
PK	10.6536G	56.27	74.00	-17.73	18.90	3	Vertical	312	1.56	-	37.37	39.75	9.83	30.68
PK	15.9212G	55.89	74.00	-18.11	17.19	3	Vertical	315	2.06	-	38.70	37.16	11.97	31.94



802.11ax HEW40\_Nss1,(MCS0)\_4TX

19/07/2020

5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.65552G	45.28	54.00	-8.72	18.88	3	Horizontal	244	1.45	-	26.40	39.74	9.83	30.69
AV	15.92024G	44.72	54.00	-9.28	17.19	3	Horizontal	238	1.47	-	27.53	37.16	11.97	31.94
PK	10.62688G	56.96	74.00	-17.04	18.91	3	Horizontal	244	1.45	-	38.05	39.77	9.81	30.67
PK	15.95992G	55.76	74.00	-18.24	17.12	3	Horizontal	238	1.47	-	38.64	37.08	11.99	31.95



802.11ax HEW40\_Nss1,(MCS0)\_4TX

19/07/2020

5510MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.51	54.00	-4.49	9.70	3	Vertical	6	1.50	-	39.81	31.64	7.43	29.37
AV	5.5056G	103.96	Inf	-Inf	9.88	3	Vertical	6	1.50	-	94.08	31.80	7.45	29.37
PK	5.466G	66.84	68.20	-1.36	9.72	3	Vertical	6	1.50	-	57.12	31.66	7.43	29.37
PK	5.526G	114.29	Inf	-Inf	9.89	3	Vertical	6	1.50	-	104.40	31.80	7.46	29.37



802.11ax HEW40\_Nss1,(MCS0)\_4TX

19/07/2020

5510MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	49.08	54.00	-4.92	9.70	3	Horizontal	275	1.42	-	39.38	31.64	7.43	29.37
AV	5.5036G	101.02	Inf	-Inf	9.88	3	Horizontal	275	1.42	-	91.14	31.80	7.45	29.37
PK	5.4688G	62.15	68.20	-6.05	9.74	3	Horizontal	275	1.42	-	52.41	31.68	7.43	29.37
PK	5.5036G	110.71	Inf	-Inf	9.88	3	Horizontal	275	1.42	-	100.83	31.80	7.45	29.37



802.11ax HEW40\_Nss1,(MCS0)\_4TX

19/07/2020

5510MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05936G	45.57	54.00	-8.43	19.15	3	Vertical	119	1.81	-	26.42	40.02	10.03	30.90
PK	11.04976G	56.83	74.00	-17.17	19.16	3	Vertical	119	1.81	-	37.67	40.05	10.02	30.91
PK	16.55064G	57.88	68.20	-10.32	19.38	3	Vertical	68	1.10	-	38.50	38.90	12.17	31.69



802.11ax HEW40\_Nss1,(MCS0)\_4TX

19/07/2020

5510MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05296G	45.82	54.00	-8.18	19.17	3	Horizontal	210	2.25	-	26.65	40.04	10.03	30.90
PK	11.04272G	56.54	74.00	-17.46	19.18	3	Horizontal	210	2.25	-	37.36	40.07	10.02	30.91
PK	16.55816G	58.58	68.20	-9.62	19.36	3	Horizontal	139	1.99	-	39.22	38.88	12.17	31.69



802.11ax HEW40\_Nss1,(MCS0)\_4TX

19/07/2020

5550MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4564G	51.89	54.00	-2.11	9.69	3	Vertical	0	1.50	-	42.20	31.63	7.43	29.37
AV	5.5456G	107.99	Inf	-Inf	9.90	3	Vertical	0	1.50	-	98.09	31.80	7.47	29.37
PK	5.466G	67.58	68.20	-0.62	9.72	3	Vertical	0	1.50	-	57.86	31.66	7.43	29.37
PK	5.5556G	119.14	Inf	-Inf	9.92	3	Vertical	0	1.50	-	109.22	31.81	7.48	29.37



802.11ax HEW40\_Nss1,(MCS0)\_4TX

19/07/2020

5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	49.90	54.00	-4.10	9.70	3	Horizontal	89	1.37	-	40.20	31.64	7.43	29.37
AV	5.5444G	106.25	Inf	-Inf	9.90	3	Horizontal	89	1.37	-	96.35	31.80	7.47	29.37
PK	5.4688G	66.57	68.20	-1.63	9.74	3	Horizontal	89	1.37	-	56.83	31.68	7.43	29.37
PK	5.5492G	116.57	Inf	-Inf	9.90	3	Horizontal	89	1.37	-	106.67	31.80	7.47	29.37






802.11ax HEW40\_Nss1,(MCS0)\_4TX

19/07/2020

5550MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.07856G	45.73	54.00	-8.27	19.10	3	Vertical	75	1.02	-	26.63	39.96	10.04	30.90
PK	11.0656G	56.70	74.00	-17.30	19.13	3	Vertical	75	1.02	-	37.57	40.00	10.03	30.90
PK	16.62968G	58.32	68.20	-9.88	19.48	3	Vertical	40	2.40	-	38.84	38.98	12.19	31.69



802.11ax HEW40\_Nss1,(MCS0)\_4TX

19/07/2020

5550MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06576G	45.71	54.00	-8.29	19.13	3	Horizontal	314	2.05	-	26.58	40.00	10.03	30.90
PK	11.09216G	57.12	74.00	-16.88	19.08	3	Horizontal	314	2.05	-	38.04	39.92	10.05	30.89
PK	16.66888G	57.80	68.20	-10.40	19.72	3	Horizontal	145	2.39	-	38.08	39.21	12.20	31.69



802.11ax HEW40\_Nss1,(MCS0)\_4TX

19/07/2020

5670MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6656G	105.83	Inf	-Inf	9.97	3	Vertical	15	1.55	-	95.86	31.76	7.57	29.36
PK	5.676G	115.89	Inf	-Inf	10.02	3	Vertical	15	1.55	-	105.87	31.80	7.58	29.36
PK	5.7264G	66.99	68.20	-1.21	10.22	3	Vertical	15	1.55	-	56.77	31.95	7.63	29.36



802.11ax HEW40\_Nss1,(MCS0)\_4TX

19/07/2020

5670MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6736G	102.55	Inf	-Inf	10.00	3	Horizontal	272	1.40	-	92.55	31.79	7.57	29.36
PK	5.674G	112.18	Inf	-Inf	10.01	3	Horizontal	272	1.40	-	102.17	31.80	7.57	29.36
PK	5.7256G	62.30	68.20	-5.90	10.22	3	Horizontal	272	1.40	-	52.08	31.95	7.63	29.36



802.11ax HEW40\_Nss1,(MCS0)\_4TX

19/07/2020

5670MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.31344G	45.12	54.00	-8.88	19.14	3	Vertical	199	1.94	-	25.98	39.81	10.16	30.83
PK	11.31392G	56.89	74.00	-17.11	19.14	3	Vertical	199	1.94	-	37.75	39.81	10.16	30.83
PK	17.00008G	59.33	68.20	-8.87	20.91	3	Vertical	331	1.09	-	38.42	40.30	12.30	31.69



802.11ax HEW40\_Nss1,(MCS0)\_4TX

19/07/2020

5670MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.30864G	45.15	54.00	-8.85	19.13	3	Horizontal	285	1.69	-	26.02	39.81	10.15	30.83
PK	11.34592G	56.48	74.00	-17.52	19.20	3	Horizontal	285	1.69	-	37.28	39.85	10.17	30.82
PK	16.97944G	59.71	68.20	-8.49	20.90	3	Horizontal	96	1.66	-	38.81	40.30	12.29	31.69



**802.11ax HEW40\_Nss1,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TX**

19/07/2020




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.716G	111.16	Inf	-Inf	10.19	3	Vertical	15	1.50	-	100.97	31.93	7.62	29.36
PK	5.468G	58.63	68.20	-9.57	9.73	3	Vertical	15	1.50	-	48.90	31.67	7.43	29.37
PK	5.726G	121.83	Inf	-Inf	10.22	3	Vertical	15	1.50	-	111.61	31.95	7.63	29.36
PK	5.851G	67.65	68.20	-0.55	10.49	3	Vertical	15	1.50	-	57.16	32.10	7.75	29.36



802.11ax HEW40\_Nss1,(MCS0)\_4TX

19/07/2020

5710MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.714G	107.86	Inf	-Inf	10.18	3	Horizontal	272	1.59	-	97.68	31.93	7.61	29.36
PK	5.466G	56.75	68.20	-11.45	9.72	3	Horizontal	272	1.59	-	47.03	31.66	7.43	29.37
PK	5.709G	116.48	Inf	-Inf	10.17	3	Horizontal	272	1.59	-	106.31	31.92	7.61	29.36
PK	5.856G	61.93	68.20	-6.27	10.51	3	Horizontal	272	1.59	-	51.42	32.11	7.76	29.36






802.11ax HEW40\_Nss1,(MCS0)\_4TX

19/07/2020

5710MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38544G	44.76	54.00	-9.24	19.28	3	Vertical	310	1.74	-	25.48	39.89	10.19	30.80
PK	11.39664G	56.06	74.00	-17.94	19.30	3	Vertical	310	1.74	-	36.76	39.90	10.20	30.80
PK	17.10808G	59.00	68.20	-9.20	21.00	3	Vertical	51	1.82	-	38.00	40.31	12.33	31.64



**802.11ax HEW40\_Nss1,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TX**

19/07/2020




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40896G	47.36	54.00	-6.64	19.31	3	Horizontal	233	1.44	-	28.05	39.91	10.20	30.80
PK	11.41104G	58.00	74.00	-16.00	19.32	3	Horizontal	233	1.44	-	38.68	39.91	10.21	30.80
PK	17.09096G	59.42	68.20	-8.78	20.99	3	Horizontal	338	1.50	-	38.43	40.30	12.33	31.64



802.11ax HEW40\_Nss1,(MCS0)\_4TX

19/07/2020

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7502G	109.39	Inf	-Inf	10.29	3	Vertical	29	1.64	-	99.10	32.00	7.65	29.36
PK	5.6434G	67.45	68.20	-0.75	9.91	3	Vertical	29	1.64	-	57.54	31.73	7.54	29.36
PK	5.7658G	120.15	Inf	-Inf	10.31	3	Vertical	29	1.64	-	109.84	32.00	7.67	29.36
PK	5.9314G	59.85	68.20	-8.35	10.81	3	Vertical	29	1.64	-	49.04	32.33	7.83	29.35



802.11ax HEW40\_Nss1,(MCS0)\_4TX

19/07/2020

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7526G	107.49	Inf	-Inf	10.29	3	Horizontal	279	2.16	-	97.20	32.00	7.65	29.36
PK	5.6482G	65.60	68.20	-2.60	9.90	3	Horizontal	279	2.16	-	55.70	31.71	7.55	29.36
PK	5.7478G	117.76	Inf	-Inf	10.29	3	Horizontal	279	2.16	-	107.47	32.00	7.65	29.36
PK	5.9362G	59.86	68.20	-8.34	10.83	3	Horizontal	279	2.16	-	49.03	32.34	7.84	29.35



802.11ax HEW40\_Nss1,(MCS0)\_4TX

19/07/2020

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54664G	45.52	54.00	-8.48	19.44	3	Vertical	169	1.79	-	26.08	39.95	10.27	30.78
PK	11.53768G	56.97	74.00	-17.03	19.46	3	Vertical	169	1.79	-	37.51	39.96	10.27	30.77
PK	17.2538G	58.63	68.20	-9.57	21.27	3	Vertical	117	1.43	-	37.36	40.45	12.38	31.56



802.11ax HEW40\_Nss1,(MCS0)\_4TX

19/07/2020

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51G	46.06	54.00	-7.94	19.48	3	Horizontal	210	1.50	-	26.58	39.99	10.26	30.77
PK	11.5396G	57.40	74.00	-16.60	19.46	3	Horizontal	210	1.50	-	37.94	39.96	10.27	30.77
PK	17.2466G	58.67	68.20	-9.53	21.25	3	Horizontal	360	1.96	-	37.42	40.45	12.37	31.57



802.11ax HEW40\_Nss1,(MCS0)\_4TX

19/07/2020

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7902G	110.62	Inf	-Inf	10.33	3	Vertical	27	1.62	-	100.29	32.00	7.69	29.36
PK	5.6498G	61.73	68.20	-6.47	9.89	3	Vertical	27	1.62	-	51.84	31.70	7.55	29.36
PK	5.8106G	121.26	Inf	-Inf	10.37	3	Vertical	27	1.62	-	110.89	32.02	7.71	29.36
PK	5.939G	66.92	68.20	-1.28	10.85	3	Vertical	27	1.62	-	56.07	32.36	7.84	29.35



802.11ax HEW40\_Nss1,(MCS0)\_4TX

19/07/2020

5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7998G	108.59	Inf	-Inf	10.34	3	Horizontal	95	1.48	-	98.25	32.00	7.70	29.36
PK	5.6498G	61.37	68.20	-6.83	9.89	3	Horizontal	95	1.48	-	51.48	31.70	7.55	29.36
PK	5.7794G	119.10	Inf	-Inf	10.32	3	Horizontal	95	1.48	-	108.78	32.00	7.68	29.36
PK	5.9342G	67.01	68.20	-1.19	10.82	3	Horizontal	95	1.48	-	56.19	32.34	7.83	29.35






802.11ax HEW40\_Nss1,(MCS0)\_4TX

19/07/2020

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59176G	47.08	54.00	-6.92	19.43	3	Vertical	298	2.96	-	27.65	39.91	10.30	30.78
PK	11.5868G	57.98	74.00	-16.02	19.42	3	Vertical	298	2.96	-	38.56	39.91	10.29	30.78
PK	17.37492G	59.71	68.20	-8.49	21.93	3	Vertical	338	3.00	-	37.78	41.02	12.41	31.50



802.11ax HEW40\_Nss1,(MCS0)\_4TX

19/07/2020

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59032G	49.45	54.00	-4.55	19.43	3	Horizontal	225	2.02	-	30.02	39.91	10.30	30.78
PK	11.59G	61.42	74.00	-12.58	19.43	3	Horizontal	225	2.02	-	41.99	39.91	10.30	30.78
PK	17.36372G	60.66	68.20	-7.54	21.85	3	Horizontal	218	1.50	-	38.81	40.95	12.41	31.51

802.11ax HEW80\_Nss1,(MCS0)\_4TX

19/07/2020

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	53.14	54.00	-0.86	10.02	3	Vertical	15	1.62	-	43.12	32.00	7.35	29.33
AV	5.223G	99.68	Inf	-Inf	9.68	3	Vertical	15	1.62	-	90.00	31.62	7.40	29.34
AV	5.416G	45.71	54.00	-8.29	9.58	3	Vertical	15	1.62	-	36.13	31.53	7.41	29.36
PK	5.148G	65.61	74.00	-8.39	10.02	3	Vertical	15	1.62	-	55.59	32.00	7.35	29.33
PK	5.198G	110.18	Inf	-Inf	9.87	3	Vertical	15	1.62	-	100.31	31.81	7.40	29.34
PK	5.416G	56.40	74.00	-17.60	9.58	3	Vertical	15	1.62	-	46.82	31.53	7.41	29.36



802.11ax HEW80\_Nss1,(MCS0)\_4TX

19/07/2020

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	51.16	54.00	-2.84	10.01	3	Horizontal	82	1.51	-	41.15	31.99	7.35	29.33
AV	5.216G	96.98	Inf	-Inf	9.73	3	Horizontal	82	1.51	-	87.25	31.67	7.40	29.34
AV	5.389G	45.62	54.00	-8.38	9.45	3	Horizontal	82	1.51	-	36.17	31.41	7.40	29.36
PK	5.149G	66.15	74.00	-7.85	10.02	3	Horizontal	82	1.51	-	56.13	32.00	7.35	29.33
PK	5.201G	106.81	Inf	-Inf	9.85	3	Horizontal	82	1.51	-	96.96	31.79	7.40	29.34
PK	5.415G	56.85	74.00	-17.15	9.58	3	Horizontal	82	1.51	-	47.27	31.53	7.41	29.36



802.11ax HEW80\_Nss1,(MCS0)\_4TX

19/07/2020

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6192G	45.45	54.00	-8.55	17.85	3	Vertical	148	2.36	-	27.60	37.86	11.87	31.88
PK	10.41994G	56.09	68.20	-12.11	18.78	3	Vertical	262	2.53	-	37.31	39.62	9.71	30.55
PK	15.61932G	56.88	74.00	-17.12	17.85	3	Vertical	148	2.36	-	39.03	37.86	11.87	31.88



802.11ax HEW80\_Nss1,(MCS0)\_4TX

19/07/2020

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.63672G	45.52	54.00	-8.48	17.82	3	Horizontal	121	2.42	-	27.70	37.83	11.87	31.88
PK	10.41184G	56.42	68.20	-11.78	18.78	3	Horizontal	209	1.26	-	37.64	39.61	9.71	30.54
PK	15.62352G	56.48	74.00	-17.52	17.84	3	Horizontal	121	2.42	-	38.64	37.85	11.87	31.88



802.11ax HEW80\_Nss1,(MCS0)\_4TX

19/07/2020

5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.80	54.00	-5.20	10.02	3	Vertical	212	1.44	-	38.78	32.00	7.35	29.33
AV	5.28G	101.01	Inf	-Inf	9.39	3	Vertical	212	1.44	-	91.62	31.34	7.40	29.35
AV	5.35G	53.42	54.00	-0.58	9.14	3	Vertical	212	1.44	-	44.28	31.10	7.40	29.36
PK	5.15G	59.69	74.00	-14.31	10.02	3	Vertical	212	1.44	-	49.67	32.00	7.35	29.33
PK	5.28G	111.80	Inf	-Inf	9.39	3	Vertical	212	1.44	-	102.41	31.34	7.40	29.35
PK	5.358G	70.80	74.00	-3.20	9.20	3	Vertical	212	1.44	-	61.60	31.16	7.40	29.36

802.11ax HEW80\_Nss1,(MCS0)\_4TX

19/07/2020

5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.127G	47.80	54.00	-6.20	9.95	3	Horizontal	89	1.50	-	37.85	31.95	7.33	29.33
AV	5.279G	99.68	Inf	-Inf	9.39	3	Horizontal	89	1.50	-	90.29	31.34	7.40	29.35
AV	5.354G	53.10	54.00	-0.90	9.17	3	Horizontal	89	1.50	-	43.93	31.13	7.40	29.36
PK	5.142G	58.97	74.00	-15.03	9.99	3	Horizontal	89	1.50	-	48.98	31.98	7.34	29.33
PK	5.279G	108.73	Inf	-Inf	9.39	3	Horizontal	89	1.50	-	99.34	31.34	7.40	29.35
PK	5.355G	70.79	74.00	-3.21	9.18	3	Horizontal	89	1.50	-	61.61	31.14	7.40	29.36






802.11ax HEW80\_Nss1,(MCS0)\_4TX

19/07/2020

5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.88368G	44.42	54.00	-9.58	17.28	3	Vertical	105	1.24	-	27.14	37.25	11.96	31.93
PK	10.56668G	55.86	68.20	-12.34	18.92	3	Vertical	161	1.43	-	36.94	39.77	9.78	30.63
PK	15.8775G	55.65	74.00	-18.35	17.30	3	Vertical	105	1.24	-	38.35	37.27	11.96	31.93



802.11ax HEW80\_Nss1,(MCS0)\_4TX

19/07/2020

5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.87666G	44.48	54.00	-9.52	17.30	3	Horizontal	327	1.42	-	27.18	37.27	11.96	31.93
PK	10.58702G	56.45	68.20	-11.75	18.94	3	Horizontal	50	1.84	-	37.51	39.79	9.79	30.64
PK	15.86226G	55.76	74.00	-18.24	17.33	3	Horizontal	327	1.42	-	38.43	37.31	11.95	31.93



802.11ax HEW80\_Nss1,(MCS0)\_4TX

19/07/2020

5530MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	50.86	54.00	-3.14	9.70	3	Vertical	0	1.50	-	41.16	31.64	7.43	29.37
AV	5.541G	100.24	Inf	-Inf	9.90	3	Vertical	0	1.50	-	90.34	31.80	7.47	29.37
PK	5.465G	67.42	68.20	-0.78	9.72	3	Vertical	0	1.50	-	57.70	31.66	7.43	29.37
PK	5.536G	109.87	Inf	-Inf	9.90	3	Vertical	0	1.50	-	99.97	31.80	7.47	29.37
PK	5.732G	57.60	68.20	-10.60	10.23	3	Vertical	0	1.50	-	47.37	31.96	7.63	29.36

802.11ax HEW80\_Nss1,(MCS0)\_4TX

19/07/2020

5530MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	48.38	54.00	-5.62	9.69	3	Horizontal	275	1.40	-	38.69	31.63	7.43	29.37
AV	5.519G	97.88	Inf	-Inf	9.89	3	Horizontal	275	1.40	-	87.99	31.80	7.46	29.37
PK	5.464G	67.62	68.20	-0.58	9.72	3	Horizontal	275	1.40	-	57.90	31.66	7.43	29.37
PK	5.529G	108.18	Inf	-Inf	9.89	3	Horizontal	275	1.40	-	98.29	31.80	7.46	29.37
PK	5.749G	57.73	68.20	-10.47	10.29	3	Horizontal	275	1.40	-	47.44	32.00	7.65	29.36



802.11ax HEW80\_Nss1,(MCS0)\_4TX

19/07/2020

5530MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06199G	45.98	54.00	-8.02	19.14	3	Vertical	158	2.25	-	26.84	40.01	10.03	30.90
PK	11.06931G	57.22	74.00	-16.78	19.12	3	Vertical	158	2.25	-	38.10	39.99	10.03	30.90
PK	16.59288G	58.39	68.20	-9.81	19.30	3	Vertical	157	1.19	-	39.09	38.81	12.18	31.69



802.11ax HEW80\_Nss1,(MCS0)\_4TX

19/07/2020

5530MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	11.06889G	57.52	74.00	-16.48	19.12	3	Horizontal	215	1.50	-	38.40	39.99	10.03	30.90
AV	11.06001G	46.58	54.00	-7.42	19.15	3	Horizontal	215	1.50	-	27.43	40.02	10.03	30.90
PK	16.5891G	58.25	68.20	-9.95	19.31	3	Horizontal	247	1.55	-	38.94	38.82	12.18	31.69



802.11ax HEW80\_Nss1,(MCS0)\_4TX

19/07/2020

5610MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	50.45	54.00	-3.55	9.68	3	Vertical	3	1.50	-	40.77	31.62	7.43	29.37
AV	5.606G	103.76	Inf	-Inf	10.02	3	Vertical	3	1.50	-	93.74	31.88	7.51	29.37
PK	5.466G	64.47	68.20	-3.73	9.72	3	Vertical	3	1.50	-	54.75	31.66	7.43	29.37
PK	5.591G	114.34	Inf	-Inf	10.01	3	Vertical	3	1.50	-	104.33	31.88	7.50	29.37
PK	5.726G	67.53	68.20	-0.67	10.22	3	Vertical	3	1.50	-	57.31	31.95	7.63	29.36

802.11ax HEW80\_Nss1,(MCS0)\_4TX

19/07/2020

5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	48.60	54.00	-5.40	9.70	3	Horizontal	91	1.44	-	38.90	31.64	7.43	29.37
AV	5.624G	100.60	Inf	-Inf	9.95	3	Horizontal	91	1.44	-	90.65	31.80	7.52	29.37
PK	5.469G	61.17	68.20	-7.03	9.74	3	Horizontal	91	1.44	-	51.43	31.68	7.43	29.37
PK	5.634G	110.31	Inf	-Inf	9.93	3	Horizontal	91	1.44	-	100.38	31.76	7.53	29.36
PK	5.728G	65.20	68.20	-3.00	10.23	3	Horizontal	91	1.44	-	54.97	31.96	7.63	29.36






802.11ax HEW80\_Nss1,(MCS0)\_4TX

19/07/2020

5610MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.2071G	44.89	54.00	-9.11	19.04	3	Vertical	48	2.33	-	25.85	39.80	10.10	30.86
PK	11.2113G	56.46	74.00	-17.54	19.05	3	Vertical	48	2.33	-	37.41	39.80	10.11	30.86
PK	16.8369G	58.35	68.20	-9.85	20.86	3	Vertical	194	1.22	-	37.49	40.30	12.25	31.69



802.11ax HEW80\_Nss1,(MCS0)\_4TX

19/07/2020

5610MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21988G	45.63	54.00	-8.37	19.06	3	Horizontal	216	1.91	-	26.57	39.80	10.11	30.85
PK	11.22216G	56.46	74.00	-17.54	19.06	3	Horizontal	216	1.91	-	37.40	39.80	10.11	30.85
PK	16.81716G	58.96	68.20	-9.24	20.86	3	Horizontal	84	2.06	-	38.10	40.30	12.25	31.69



802.11ax HEW80\_Nss1,(MCS0)\_4TX

19/07/2020

5690MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	47.98	54.00	-6.02	9.70	3	Vertical	16	1.55	-	38.28	31.64	7.43	29.37
AV	5.696G	105.73	Inf	-Inf	10.12	3	Vertical	16	1.55	-	95.61	31.88	7.60	29.36
PK	5.469G	59.03	68.20	-9.17	9.74	3	Vertical	16	1.55	-	49.29	31.68	7.43	29.37
PK	5.671G	116.22	Inf	-Inf	9.99	3	Vertical	16	1.55	-	106.23	31.78	7.57	29.36
PK	5.866G	67.13	68.20	-1.07	10.54	3	Vertical	16	1.55	-	56.59	32.13	7.77	29.36

802.11ax HEW80\_Nss1,(MCS0)\_4TX

19/07/2020

5690MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	45.94	54.00	-8.06	9.70	3	Horizontal	272	1.49	-	36.24	31.64	7.43	29.37
AV	5.679G	103.15	Inf	-Inf	10.04	3	Horizontal	272	1.49	-	93.11	31.82	7.58	29.36
PK	5.463G	58.76	68.20	-9.44	9.71	3	Horizontal	272	1.49	-	49.05	31.65	7.43	29.37
PK	5.689G	113.38	Inf	-Inf	10.09	3	Horizontal	272	1.49	-	103.29	31.86	7.59	29.36
PK	5.851G	64.86	68.20	-3.34	10.49	3	Horizontal	272	1.49	-	54.37	32.10	7.75	29.36



802.11ax HEW80\_Nss1,(MCS0)\_4TX

19/07/2020

5690MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.37016G	45.43	54.00	-8.57	19.25	3	Vertical	301	1.50	-	26.18	39.87	10.19	30.81
PK	11.38228G	56.44	74.00	-17.56	19.26	3	Vertical	301	1.50	-	37.18	39.88	10.19	30.81
PK	17.06028G	59.66	68.20	-8.54	20.96	3	Vertical	106	1.04	-	38.70	40.30	12.32	31.66



802.11ax HEW80\_Nss1,(MCS0)\_4TX

19/07/2020

5690MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.37988G	46.23	54.00	-7.77	19.26	3	Horizontal	217	1.63	-	26.97	39.88	10.19	30.81
PK	11.37928G	57.04	74.00	-16.96	19.26	3	Horizontal	217	1.63	-	37.78	39.88	10.19	30.81
PK	17.05746G	59.43	68.20	-8.77	20.96	3	Horizontal	300	1.53	-	38.47	40.30	12.32	31.66



802.11ax HEW80\_Nss1,(MCS0)\_4TX

19/07/2020

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7858G	104.38	Inf	-Inf	10.33	3	Vertical	29	1.66	-	94.05	32.00	7.69	29.36
PK	5.6454G	67.65	68.20	-0.55	9.91	3	Vertical	29	1.66	-	57.74	31.72	7.55	29.36
PK	5.7654G	114.16	Inf	-Inf	10.31	3	Vertical	29	1.66	-	103.85	32.00	7.67	29.36
PK	5.931G	66.51	68.20	-1.69	10.80	3	Vertical	29	1.66	-	55.71	32.32	7.83	29.35



802.11ax HEW80\_Nss1,(MCS0)\_4TX

19/07/2020

5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7894G	101.44	Inf	-Inf	10.33	3	Horizontal	93	1.50	-	91.11	32.00	7.69	29.36
PK	5.649G	67.48	68.20	-0.72	9.89	3	Horizontal	93	1.50	-	57.59	31.70	7.55	29.36
PK	5.7846G	111.56	Inf	-Inf	10.32	3	Horizontal	93	1.50	-	101.24	32.00	7.68	29.36
PK	5.9322G	64.74	68.20	-3.46	10.81	3	Horizontal	93	1.50	-	53.93	32.33	7.83	29.35






802.11ax HEW80\_Nss1,(MCS0)\_4TX

19/07/2020

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55876G	46.29	54.00	-7.71	19.44	3	Vertical	220	1.50	-	26.85	39.94	10.28	30.78
PK	11.56254G	57.74	74.00	-16.26	19.44	3	Vertical	220	1.50	-	38.30	39.94	10.28	30.78
PK	17.31276G	59.79	68.20	-8.41	21.45	3	Vertical	274	1.67	-	38.34	40.59	12.39	31.53



802.11ax HEW80\_Nss1,(MCS0)\_4TX

19/07/2020

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55006G	47.40	54.00	-6.60	19.45	3	Horizontal	220	1.67	-	27.95	39.95	10.28	30.78
PK	11.56146G	58.25	74.00	-15.75	19.44	3	Horizontal	220	1.67	-	38.81	39.94	10.28	30.78
PK	17.33784G	60.62	68.20	-7.58	21.64	3	Horizontal	254	1.34	-	38.98	40.76	12.40	31.52



802.11ax HEW160\_Nss1,(MCS0)\_4TX

19/07/2020

5250MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1348G	53.37	54.00	-0.63	9.97	3	Vertical	344	1.67	-	43.40	31.97	7.33	29.33
AV	5.2332G	97.61	Inf	-Inf	9.59	3	Vertical	344	1.67	-	88.02	31.53	7.40	29.34
AV	5.3772G	50.43	54.00	-3.57	9.36	3	Vertical	344	1.67	-	41.07	31.32	7.40	29.36
PK	5.1348G	64.51	74.00	-9.49	9.97	3	Vertical	344	1.67	-	54.54	31.97	7.33	29.33
PK	5.2332G	107.76	Inf	-Inf	9.59	3	Vertical	344	1.67	-	98.17	31.53	7.40	29.34
PK	5.532G	57.24	68.20	-10.96	9.90	3	Vertical	344	1.67	-	47.34	31.80	7.47	29.37



802.11ax HEW160\_Nss1,(MCS0)\_4TX

19/07/2020

5250MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1468G	51.77	54.00	-2.23	10.01	3	Horizontal	89	1.55	-	41.76	31.99	7.35	29.33
AV	5.2596G	95.15	Inf	-Inf	9.43	3	Horizontal	89	1.55	-	85.72	31.38	7.40	29.35
AV	5.3796G	50.18	54.00	-3.82	9.38	3	Horizontal	89	1.55	-	40.80	31.34	7.40	29.36
PK	5.1432G	62.75	74.00	-11.25	10.00	3	Horizontal	89	1.55	-	52.75	31.99	7.34	29.33
PK	5.2536G	105.19	Inf	-Inf	9.44	3	Horizontal	89	1.55	-	95.75	31.39	7.40	29.35
PK	5.5092G	56.60	68.20	-11.60	9.88	3	Horizontal	89	1.55	-	46.72	31.80	7.45	29.37



802.11ax HEW160\_Nss1,(MCS0)\_4TX

19/07/2020

5250MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.74832G	47.10	54.00	-6.90	17.61	3	Vertical	338	1.20	-	29.49	37.60	11.91	31.90
PK	10.49418G	56.15	68.20	-12.05	18.86	3	Vertical	111	1.50	-	37.29	39.69	9.75	30.58
PK	15.75G	57.60	74.00	-16.40	17.60	3	Vertical	338	1.20	-	40.00	37.60	11.91	31.91



802.11ax HEW160\_Nss1,(MCS0)\_4TX

19/07/2020

5250MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.74616G	47.22	54.00	-6.78	17.62	3	Horizontal	166	2.39	-	29.60	37.61	11.91	31.90
PK	10.49216G	56.19	68.20	-12.01	18.86	3	Horizontal	213	1.25	-	37.33	39.69	9.75	30.58
PK	15.75762G	57.29	74.00	-16.71	17.59	3	Horizontal	166	2.39	-	39.70	37.58	11.92	31.91

802.11ax HEW160\_Nss1,(MCS0)\_4TX

19/07/2020

5570MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4512G	53.31	54.00	-0.69	9.66	3	Vertical	5	1.50	-	43.65	31.60	7.43	29.37
AV	5.5556G	96.78	Inf	-Inf	9.92	3	Vertical	5	1.50	-	86.86	31.81	7.48	29.37
PK	5.4668G	60.03	68.20	-8.17	9.73	3	Vertical	5	1.50	-	50.30	31.67	7.43	29.37
PK	5.5604G	106.68	Inf	-Inf	9.93	3	Vertical	5	1.50	-	96.75	31.82	7.48	29.37
PK	5.7344G	59.51	68.20	-8.69	10.24	3	Vertical	5	1.50	-	49.27	31.97	7.63	29.36



802.11ax HEW160\_Nss1,(MCS0)\_4TX

19/07/2020

5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4512G	49.28	54.00	-4.72	9.66	3	Horizontal	266	1.55	-	39.62	31.60	7.43	29.37
AV	5.5568G	93.24	Inf	-Inf	9.92	3	Horizontal	266	1.55	-	83.32	31.81	7.48	29.37
PK	5.4644G	60.76	68.20	-7.44	9.72	3	Horizontal	266	1.55	-	51.04	31.66	7.43	29.37
PK	5.5316G	102.21	Inf	-Inf	9.90	3	Horizontal	266	1.55	-	92.31	31.80	7.47	29.37
PK	5.7524G	57.87	68.20	-10.33	10.29	3	Horizontal	266	1.55	-	47.58	32.00	7.65	29.36






802.11ax HEW160\_Nss1,(MCS0)\_4TX

19/07/2020

5570MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.12614G	46.85	54.00	-7.15	19.05	3	Vertical	333	1.18	-	27.80	39.87	10.06	30.88
PK	11.15098G	56.64	74.00	-17.36	19.06	3	Vertical	333	1.18	-	37.58	39.85	10.08	30.87
PK	16.70946G	59.18	68.20	-9.02	20.01	3	Vertical	53	1.78	-	39.17	39.49	12.21	31.69



802.11ax HEW160\_Nss1,(MCS0)\_4TX

19/07/2020

5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15002G	47.37	54.00	-6.63	19.06	3	Horizontal	240	1.78	-	28.31	39.85	10.08	30.87
PK	11.1304G	56.57	74.00	-17.43	19.06	3	Horizontal	240	1.78	-	37.51	39.87	10.07	30.88
PK	16.69968G	59.35	68.20	-8.85	19.92	3	Horizontal	235	2.25	-	39.43	39.40	12.21	31.69



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	QP	57.16M	36.96	40.00	-3.04	3	Vertical	35	1.00	-



Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5250MHz_Adapter	Pass	PK	117.3M	30.13	43.50	-13.37	3	Vertical	360	1.00	-
5250MHz_Adapter	Pass	PK	348.16M	26.95	46.00	-19.05	3	Vertical	360	1.00	-
5250MHz_Adapter	Pass	PK	450.98M	31.20	46.00	-14.80	3	Vertical	360	1.00	-
5250MHz_Adapter	Pass	PK	487.84M	29.49	46.00	-16.51	3	Vertical	360	1.00	-
5250MHz_Adapter	Pass	QP	39.7M	36.43	40.00	-3.57	3	Vertical	17	1.00	-
5250MHz_Adapter	Pass	QP	57.16M	36.96	40.00	-3.04	3	Vertical	35	1.00	-
5250MHz_Adapter	Pass	PK	39.7M	36.01	40.00	-3.99	3	Horizontal	0	1.00	-
5250MHz_Adapter	Pass	PK	57.16M	35.35	40.00	-4.65	3	Horizontal	0	1.00	-
5250MHz_Adapter	Pass	PK	284.14M	32.19	46.00	-13.81	3	Horizontal	0	1.00	-
5250MHz_Adapter	Pass	PK	350.1M	30.21	46.00	-15.79	3	Horizontal	0	1.00	-
5250MHz_Adapter	Pass	PK	441.28M	30.05	46.00	-15.95	3	Horizontal	0	1.00	-
5250MHz_Adapter	Pass	PK	544.1M	28.16	46.00	-17.84	3	Horizontal	0	1.00	-



802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

17/08/2020

5250MHz\_Adapter




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	117.3M	30.13	43.50	-13.37	-8.30	3	Vertical	360	1.00	-	38.43	17.23	1.77	27.30
PK	348.16M	26.95	46.00	-19.05	-4.42	3	Vertical	360	1.00	-	31.37	19.42	3.09	26.93
PK	450.98M	31.20	46.00	-14.80	-2.29	3	Vertical	360	1.00	-	33.49	21.99	3.41	27.69
PK	487.84M	29.49	46.00	-16.51	-1.67	3	Vertical	360	1.00	-	31.16	22.47	3.63	27.77
QP	39.7M	36.43	40.00	-3.57	-8.75	3	Vertical	17	1.00	-	45.18	17.81	0.99	27.55
QP	57.16M	36.96	40.00	-3.04	-14.71	3	Vertical	35	1.00	-	51.67	11.59	1.20	27.50



802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

26/07/2020

5250MHz\_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	39.7M	36.01	40.00	-3.99	-8.75	3	Horizontal	0	1.00	-	44.76	17.81	0.99	27.55
PK	57.16M	35.35	40.00	-4.65	-14.71	3	Horizontal	0	1.00	-	50.06	11.59	1.20	27.50
PK	284.14M	32.19	46.00	-13.81	-5.82	3	Horizontal	0	1.00	-	38.01	18.05	2.80	26.67
PK	350.1M	30.21	46.00	-15.79	-4.33	3	Horizontal	0	1.00	-	34.54	19.51	3.10	26.94
PK	441.28M	30.05	46.00	-15.95	-2.34	3	Horizontal	0	1.00	-	32.39	21.89	3.38	27.61
PK	544.1M	28.16	46.00	-17.84	-0.16	3	Horizontal	0	1.00	-	28.32	23.95	3.88	27.99



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	5.1492G	53.29	54.00	-0.71	3	Vertical	347	1.72	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	5.1484G	53.50	54.00	-0.50	3	Vertical	340	1.78	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.15G	53.43	54.00	-0.57	3	Vertical	350	1.50	-
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	10.60016G	53.43	54.00	-0.57	3	Horizontal	247	2.22	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	5.35G	53.49	54.00	-0.51	3	Vertical	0	1.50	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.35G	52.94	54.00	-1.06	3	Vertical	0	1.53	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	PK	17.15736G	67.70	68.20	-0.50	3	Vertical	302	2.66	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.85G	67.30	68.20	-0.90	3	Vertical	4	2.50	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	PK	5.725G	67.65	68.20	-0.55	3	Horizontal	91	1.84	-
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	PK	5.468G	67.50	68.20	-0.70	3	Vertical	344	1.50	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	PK	17.22652G	67.41	68.20	-0.79	3	Vertical	298	2.76	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.925G	67.36	68.20	-0.84	3	Horizontal	89	1.78	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	PK	5.631G	67.70	68.20	-0.50	3	Horizontal	279	2.30	-
5.15-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	AV	5.1384G	53.32	54.00	-0.68	3	Vertical	360	1.50	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1492G	53.29	54.00	-0.71	3	Vertical	347	1.72	-
5180MHz	Pass	AV	5.171G	113.72	Inf	-Inf	3	Vertical	347	1.72	-
5180MHz	Pass	PK	5.1496G	70.53	74.00	-3.47	3	Vertical	347	1.72	-
5180MHz	Pass	PK	5.172G	123.99	Inf	-Inf	3	Vertical	347	1.72	-
5180MHz	Pass	AV	5.1492G	50.22	54.00	-3.78	3	Horizontal	83	1.50	-
5180MHz	Pass	AV	5.1746G	109.64	Inf	-Inf	3	Horizontal	83	1.50	-
5180MHz	Pass	PK	5.1496G	62.40	74.00	-11.60	3	Horizontal	83	1.50	-
5180MHz	Pass	PK	5.174G	119.73	Inf	-Inf	3	Horizontal	83	1.50	-
5180MHz	Pass	AV	15.53164G	45.70	54.00	-8.30	3	Vertical	339	1.88	-
5180MHz	Pass	PK	10.3644G	58.28	68.20	-9.92	3	Vertical	290	2.76	-
5180MHz	Pass	PK	15.5418G	57.74	74.00	-16.26	3	Vertical	339	1.88	-
5180MHz	Pass	AV	15.54452G	45.84	54.00	-8.16	3	Horizontal	345	2.05	-
5180MHz	Pass	PK	10.36564G	58.98	68.20	-9.22	3	Horizontal	237	1.60	-
5180MHz	Pass	PK	15.53764G	57.63	74.00	-16.37	3	Horizontal	345	2.05	-
5200MHz	Pass	AV	5.1492G	53.11	54.00	-0.89	3	Vertical	219	1.51	-
5200MHz	Pass	AV	5.2084G	113.62	Inf	-Inf	3	Vertical	219	1.51	-
5200MHz	Pass	PK	5.1444G	70.29	74.00	-3.71	3	Vertical	219	1.51	-
5200MHz	Pass	PK	5.208G	123.41	Inf	-Inf	3	Vertical	219	1.51	-
5200MHz	Pass	AV	5.15G	49.00	54.00	-5.00	3	Horizontal	84	1.58	-
5200MHz	Pass	AV	5.1916G	114.66	Inf	-Inf	3	Horizontal	84	1.58	-
5200MHz	Pass	PK	5.1476G	63.95	74.00	-10.05	3	Horizontal	84	1.58	-
5200MHz	Pass	PK	5.192G	125.05	Inf	-Inf	3	Horizontal	84	1.58	-
5200MHz	Pass	AV	15.59004G	45.41	54.00	-8.59	3	Vertical	329	1.77	-
5200MHz	Pass	PK	10.40476G	60.16	68.20	-8.04	3	Vertical	293	1.53	-
5200MHz	Pass	PK	15.60228G	57.29	74.00	-16.71	3	Vertical	329	1.77	-
5200MHz	Pass	AV	15.5986G	45.60	54.00	-8.40	3	Horizontal	213	3.00	-
5200MHz	Pass	PK	10.40024G	63.08	68.20	-5.12	3	Horizontal	249	1.64	-
5200MHz	Pass	PK	15.5926G	57.76	74.00	-16.24	3	Horizontal	213	3.00	-
5240MHz	Pass	AV	5.15G	52.93	54.00	-1.07	3	Vertical	15	1.50	-
5240MHz	Pass	AV	5.2388G	115.60	Inf	-Inf	3	Vertical	15	1.50	-
5240MHz	Pass	AV	5.35G	51.35	54.00	-2.65	3	Vertical	15	1.50	-
5240MHz	Pass	PK	5.1494G	66.28	74.00	-7.72	3	Vertical	15	1.50	-
5240MHz	Pass	PK	5.2418G	125.61	Inf	-Inf	3	Vertical	15	1.50	-
5240MHz	Pass	PK	5.3558G	66.56	74.00	-7.44	3	Vertical	15	1.50	-
5240MHz	Pass	AV	5.15G	52.60	54.00	-1.40	3	Horizontal	76	1.50	-
5240MHz	Pass	AV	5.2322G	117.93	Inf	-Inf	3	Horizontal	76	1.50	-
5240MHz	Pass	AV	5.3522G	50.00	54.00	-4.00	3	Horizontal	76	1.50	-
5240MHz	Pass	PK	5.1488G	69.00	74.00	-5.00	3	Horizontal	76	1.50	-
5240MHz	Pass	PK	5.2322G	127.39	Inf	-Inf	3	Horizontal	76	1.50	-
5240MHz	Pass	PK	5.3516G	64.91	74.00	-9.09	3	Horizontal	76	1.50	-
5240MHz	Pass	AV	15.72016G	47.33	54.00	-6.67	3	Vertical	304	2.61	-
5240MHz	Pass	PK	10.48752G	63.79	68.20	-4.41	3	Vertical	293	2.31	-
5240MHz	Pass	PK	15.7188G	59.56	74.00	-14.44	3	Vertical	304	2.61	-
5240MHz	Pass	AV	15.71816G	48.88	54.00	-5.12	3	Horizontal	217	2.99	-
5240MHz	Pass	PK	10.4788G	67.22	68.20	-0.98	3	Horizontal	246	1.88	-
5240MHz	Pass	PK	15.71744G	60.70	74.00	-13.30	3	Horizontal	217	2.99	-
5260MHz	Pass	AV	5.1448G	49.45	54.00	-4.55	3	Vertical	351	1.66	-





Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5260MHz	Pass	AV	5.2684G	115.12	Inf	-Inf	3	Vertical	351	1.66	-
5260MHz	Pass	AV	5.35G	52.67	54.00	-1.33	3	Vertical	351	1.66	-
5260MHz	Pass	PK	5.1388G	63.00	74.00	-11.00	3	Vertical	351	1.66	-
5260MHz	Pass	PK	5.2678G	124.83	Inf	-Inf	3	Vertical	351	1.66	-
5260MHz	Pass	PK	5.3518G	69.93	74.00	-4.07	3	Vertical	351	1.66	-
5260MHz	Pass	AV	5.146G	47.55	54.00	-6.45	3	Horizontal	275	1.59	-
5260MHz	Pass	AV	5.251G	114.44	Inf	-Inf	3	Horizontal	275	1.59	-
5260MHz	Pass	AV	5.3554G	47.46	54.00	-6.54	3	Horizontal	275	1.59	-
5260MHz	Pass	PK	5.1328G	59.47	74.00	-14.53	3	Horizontal	275	1.59	-
5260MHz	Pass	PK	5.251G	123.99	Inf	-Inf	3	Horizontal	275	1.59	-
5260MHz	Pass	PK	5.3578G	59.50	74.00	-14.50	3	Horizontal	275	1.59	-
5260MHz	Pass	AV	15.77736G	46.13	54.00	-7.87	3	Vertical	263	2.46	-
5260MHz	Pass	PK	10.51568G	61.05	68.20	-7.15	3	Vertical	294	2.75	-
5260MHz	Pass	PK	15.78216G	58.93	74.00	-15.07	3	Vertical	263	2.46	-
5260MHz	Pass	AV	15.77536G	45.79	54.00	-8.21	3	Horizontal	235	2.99	-
5260MHz	Pass	PK	10.53192G	64.02	68.20	-4.18	3	Horizontal	212	1.74	-
5260MHz	Pass	PK	15.78112G	57.79	74.00	-16.21	3	Horizontal	235	2.99	-
5300MHz	Pass	AV	5.3088G	115.17	Inf	-Inf	3	Vertical	24	1.55	-
5300MHz	Pass	AV	5.3504G	51.46	54.00	-2.54	3	Vertical	24	1.55	-
5300MHz	Pass	PK	5.3084G	124.71	Inf	-Inf	3	Vertical	24	1.55	-
5300MHz	Pass	PK	5.3516G	66.81	74.00	-7.19	3	Vertical	24	1.55	-
5300MHz	Pass	AV	5.3088G	115.19	Inf	-Inf	3	Horizontal	90	1.40	-
5300MHz	Pass	AV	5.3516G	50.18	54.00	-3.82	3	Horizontal	90	1.40	-
5300MHz	Pass	PK	5.3088G	124.85	Inf	-Inf	3	Horizontal	90	1.40	-
5300MHz	Pass	PK	5.3588G	66.34	74.00	-7.66	3	Horizontal	90	1.40	-
5300MHz	Pass	AV	10.6004G	46.68	54.00	-7.32	3	Vertical	237	1.52	-
5300MHz	Pass	AV	15.89328G	45.06	54.00	-8.94	3	Vertical	305	1.50	-
5300MHz	Pass	PK	10.598G	58.82	68.20	-9.38	3	Vertical	237	1.52	-
5300MHz	Pass	PK	15.88792G	57.03	74.00	-16.97	3	Vertical	305	1.50	-
5300MHz	Pass	AV	10.60016G	53.43	54.00	-0.57	3	Horizontal	247	2.22	-
5300MHz	Pass	AV	15.89968G	45.35	54.00	-8.65	3	Horizontal	297	1.50	-
5300MHz	Pass	PK	10.5988G	65.58	68.20	-2.62	3	Horizontal	247	2.22	-
5300MHz	Pass	PK	15.89304G	57.71	74.00	-16.29	3	Horizontal	297	1.50	-
5320MHz	Pass	AV	5.3278G	109.08	Inf	-Inf	3	Vertical	28	1.50	-
5320MHz	Pass	AV	5.3504G	53.25	54.00	-0.75	3	Vertical	28	1.50	-
5320MHz	Pass	PK	5.326G	119.55	Inf	-Inf	3	Vertical	28	1.50	-
5320MHz	Pass	PK	5.35G	72.02	74.00	-1.98	3	Vertical	28	1.50	-
5320MHz	Pass	AV	5.3288G	106.61	Inf	-Inf	3	Horizontal	276	1.51	-
5320MHz	Pass	AV	5.3506G	48.27	54.00	-5.73	3	Horizontal	276	1.51	-
5320MHz	Pass	PK	5.3284G	116.42	Inf	-Inf	3	Horizontal	276	1.51	-
5320MHz	Pass	PK	5.3534G	62.68	74.00	-11.32	3	Horizontal	276	1.51	-
5320MHz	Pass	AV	10.63992G	46.60	54.00	-7.40	3	Vertical	279	2.41	-
5320MHz	Pass	AV	15.97024G	44.25	54.00	-9.75	3	Vertical	184	1.50	-
5320MHz	Pass	PK	10.6416G	58.10	74.00	-15.90	3	Vertical	279	2.41	-
5320MHz	Pass	PK	15.95976G	57.46	74.00	-16.54	3	Vertical	184	1.50	-
5320MHz	Pass	AV	10.64008G	47.56	54.00	-6.44	3	Horizontal	219	1.50	-
5320MHz	Pass	AV	15.9728G	44.26	54.00	-9.74	3	Horizontal	349	1.50	-
5320MHz	Pass	PK	10.65608G	59.98	74.00	-14.02	3	Horizontal	219	1.50	-
5320MHz	Pass	PK	15.97256G	56.75	74.00	-17.25	3	Horizontal	349	1.50	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5500MHz	Pass	AV	5.4536G	47.61	54.00	-6.39	3	Vertical	325	1.44	-
5500MHz	Pass	AV	5.4924G	106.67	Inf	-Inf	3	Vertical	325	1.44	-
5500MHz	Pass	PK	5.4692G	67.44	68.20	-0.76	3	Vertical	325	1.44	-
5500MHz	Pass	PK	5.4918G	117.69	Inf	-Inf	3	Vertical	325	1.44	-
5500MHz	Pass	AV	5.4506G	46.47	54.00	-7.53	3	Horizontal	113	2.60	-
5500MHz	Pass	AV	5.491G	107.32	Inf	-Inf	3	Horizontal	113	2.60	-
5500MHz	Pass	PK	5.47G	59.82	68.20	-8.38	3	Horizontal	113	2.60	-
5500MHz	Pass	PK	5.492G	118.57	Inf	-Inf	3	Horizontal	113	2.60	-
5500MHz	Pass	AV	11.01992G	45.21	54.00	-8.79	3	Vertical	124	1.50	-
5500MHz	Pass	PK	10.98408G	57.50	74.00	-16.50	3	Vertical	124	1.50	-
5500MHz	Pass	PK	16.49G	58.85	68.20	-9.35	3	Vertical	69	1.73	-
5500MHz	Pass	AV	11G	46.87	54.00	-7.13	3	Horizontal	221	1.86	-
5500MHz	Pass	PK	11.00008G	57.78	74.00	-16.22	3	Horizontal	221	1.86	-
5500MHz	Pass	PK	16.48248G	58.50	68.20	-9.70	3	Horizontal	8	1.51	-
5580MHz	Pass	AV	5.454G	48.96	54.00	-5.04	3	Vertical	0	2.73	-
5580MHz	Pass	AV	5.5872G	114.77	Inf	-Inf	3	Vertical	0	2.73	-
5580MHz	Pass	PK	5.4654G	63.14	68.20	-5.06	3	Vertical	0	2.73	-
5580MHz	Pass	PK	5.5848G	125.30	Inf	-Inf	3	Vertical	0	2.73	-
5580MHz	Pass	PK	5.727G	60.80	68.20	-7.40	3	Vertical	0	2.73	-
5580MHz	Pass	AV	5.4576G	49.47	54.00	-4.53	3	Horizontal	43	1.43	-
5580MHz	Pass	AV	5.589G	114.93	Inf	-Inf	3	Horizontal	43	1.43	-
5580MHz	Pass	PK	5.4684G	65.61	68.20	-2.59	3	Horizontal	43	1.43	-
5580MHz	Pass	PK	5.5878G	124.51	Inf	-Inf	3	Horizontal	43	1.43	-
5580MHz	Pass	PK	5.73G	59.51	68.20	-8.69	3	Horizontal	43	1.43	-
5580MHz	Pass	AV	11.15888G	46.70	54.00	-7.30	3	Vertical	226	1.50	-
5580MHz	Pass	PK	11.14792G	58.50	74.00	-15.50	3	Vertical	226	1.50	-
5580MHz	Pass	PK	16.74632G	66.86	68.20	-1.34	3	Vertical	302	1.53	-
5580MHz	Pass	AV	11.16336G	49.35	54.00	-4.65	3	Horizontal	228	1.88	-
5580MHz	Pass	PK	11.16208G	61.55	74.00	-12.45	3	Horizontal	228	1.88	-
5580MHz	Pass	PK	16.74056G	65.38	68.20	-2.82	3	Horizontal	213	1.50	-
5700MHz	Pass	AV	5.7032G	108.48	Inf	-Inf	3	Vertical	14	2.45	-
5700MHz	Pass	PK	5.7008G	119.36	Inf	-Inf	3	Vertical	14	2.45	-
5700MHz	Pass	PK	5.7252G	64.22	68.20	-3.98	3	Vertical	14	2.45	-
5700MHz	Pass	AV	5.7084G	109.25	Inf	-Inf	3	Horizontal	254	2.39	-
5700MHz	Pass	PK	5.708G	119.85	Inf	-Inf	3	Horizontal	254	2.39	-
5700MHz	Pass	PK	5.7292G	67.11	68.20	-1.09	3	Horizontal	254	2.39	-
5700MHz	Pass	AV	11.38984G	45.33	54.00	-8.67	3	Vertical	286	2.67	-
5700MHz	Pass	PK	11.38472G	57.10	74.00	-16.90	3	Vertical	286	2.67	-
5700MHz	Pass	PK	17.11336G	61.00	68.20	-7.20	3	Vertical	206	1.50	-
5700MHz	Pass	AV	11.4G	46.57	54.00	-7.43	3	Horizontal	222	1.39	-
5700MHz	Pass	PK	11.40032G	57.34	74.00	-16.66	3	Horizontal	222	1.39	-
5700MHz	Pass	PK	17.10088G	60.22	68.20	-7.98	3	Horizontal	206	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.712G	116.90	Inf	-Inf	3	Vertical	7	2.35	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.716G	127.22	Inf	-Inf	3	Vertical	7	2.35	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.927G	60.94	68.20	-7.26	3	Vertical	7	2.35	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.715G	113.68	Inf	-Inf	3	Horizontal	258	2.44	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.717G	124.08	Inf	-Inf	3	Horizontal	258	2.44	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.856G	60.37	68.20	-7.83	3	Horizontal	258	2.44	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44112G	51.04	54.00	-2.96	3	Vertical	303	2.37	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44336G	62.77	74.00	-11.23	3	Vertical	303	2.37	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15736G	67.70	68.20	-0.50	3	Vertical	302	2.66	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44512G	50.84	54.00	-3.16	3	Horizontal	218	1.55	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4424G	62.58	74.00	-11.42	3	Horizontal	218	1.55	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.14624G	66.25	68.20	-1.95	3	Horizontal	222	1.56	-
5745MHz	Pass	AV	5.7486G	112.85	Inf	-Inf	3	Vertical	46	2.58	-
5745MHz	Pass	PK	5.6418G	60.83	68.20	-7.37	3	Vertical	46	2.58	-
5745MHz	Pass	PK	5.7474G	123.61	Inf	-Inf	3	Vertical	46	2.58	-
5745MHz	Pass	PK	5.9442G	60.20	68.20	-8.00	3	Vertical	46	2.58	-
5745MHz	Pass	AV	5.7522G	114.80	Inf	-Inf	3	Horizontal	264	1.54	-
5745MHz	Pass	PK	5.6478G	59.41	68.20	-8.79	3	Horizontal	264	1.54	-
5745MHz	Pass	PK	5.7522G	124.78	Inf	-Inf	3	Horizontal	264	1.54	-
5745MHz	Pass	PK	5.931G	59.74	68.20	-8.46	3	Horizontal	264	1.54	-
5745MHz	Pass	AV	11.49024G	46.35	54.00	-7.65	3	Vertical	295	1.50	-
5745MHz	Pass	PK	11.48256G	58.22	74.00	-15.78	3	Vertical	295	1.50	-
5745MHz	Pass	PK	17.22652G	67.41	68.20	-0.79	3	Vertical	298	2.76	-
5745MHz	Pass	AV	11.48944G	50.91	54.00	-3.09	3	Horizontal	217	1.25	-
5745MHz	Pass	PK	11.4896G	62.91	74.00	-11.09	3	Horizontal	217	1.25	-
5745MHz	Pass	PK	17.2314G	65.04	68.20	-3.16	3	Horizontal	244	1.50	-
5785MHz	Pass	AV	5.7802G	115.76	Inf	-Inf	3	Vertical	210	1.38	-
5785MHz	Pass	PK	5.6494G	62.63	68.20	-5.57	3	Vertical	210	1.38	-
5785MHz	Pass	PK	5.7814G	126.08	Inf	-Inf	3	Vertical	210	1.38	-
5785MHz	Pass	PK	5.9302G	62.14	68.20	-6.06	3	Vertical	210	1.38	-
5785MHz	Pass	AV	5.7754G	119.01	Inf	-Inf	3	Horizontal	86	1.93	-
5785MHz	Pass	PK	5.5018G	60.75	68.20	-7.45	3	Horizontal	86	1.93	-
5785MHz	Pass	PK	5.7766G	127.82	Inf	-Inf	3	Horizontal	86	1.93	-
5785MHz	Pass	PK	5.941G	60.57	68.20	-7.63	3	Horizontal	86	1.93	-
5785MHz	Pass	AV	11.57144G	49.27	54.00	-4.73	3	Vertical	303	2.31	-
5785MHz	Pass	PK	11.56904G	60.81	74.00	-13.19	3	Vertical	303	2.31	-
5785MHz	Pass	PK	17.3582G	62.50	68.20	-5.70	3	Vertical	319	1.50	-
5785MHz	Pass	AV	11.57064G	52.33	54.00	-1.67	3	Horizontal	210	1.50	-
5785MHz	Pass	PK	11.57112G	64.23	74.00	-9.77	3	Horizontal	210	1.50	-
5785MHz	Pass	PK	17.35164G	67.16	68.20	-1.04	3	Horizontal	243	1.52	-
5825MHz	Pass	AV	5.831G	113.61	Inf	-Inf	3	Vertical	75	1.38	-
5825MHz	Pass	PK	5.6234G	59.44	68.20	-8.76	3	Vertical	75	1.38	-
5825MHz	Pass	PK	5.8298G	123.37	Inf	-Inf	3	Vertical	75	1.38	-
5825MHz	Pass	PK	5.9282G	61.83	68.20	-6.37	3	Vertical	75	1.38	-
5825MHz	Pass	AV	5.8226G	113.93	Inf	-Inf	3	Horizontal	245	2.63	-
5825MHz	Pass	PK	5.609G	59.05	68.20	-9.15	3	Horizontal	245	2.63	-
5825MHz	Pass	PK	5.8226G	124.05	Inf	-Inf	3	Horizontal	245	2.63	-
5825MHz	Pass	PK	5.9306G	61.86	68.20	-6.34	3	Horizontal	245	2.63	-
5825MHz	Pass	AV	11.64464G	47.38	54.00	-6.62	3	Vertical	328	1.49	-
5825MHz	Pass	PK	11.6488G	59.27	74.00	-14.73	3	Vertical	328	1.49	-
5825MHz	Pass	PK	17.46716G	64.23	68.20	-3.97	3	Vertical	244	1.62	-
5825MHz	Pass	AV	11.65048G	53.13	54.00	-0.87	3	Horizontal	216	1.40	-
5825MHz	Pass	PK	11.65128G	64.88	74.00	-9.12	3	Horizontal	216	1.40	-
5825MHz	Pass	PK	17.4838G	66.20	68.20	-2.00	3	Horizontal	246	1.49	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	52.88	54.00	-1.12	3	Vertical	220	1.50	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5190MHz	Pass	AV	5.2076G	101.73	Inf	-Inf	3	Vertical	220	1.50	-
5190MHz	Pass	PK	5.1464G	65.11	74.00	-8.89	3	Vertical	220	1.50	-
5190MHz	Pass	PK	5.208G	112.38	Inf	-Inf	3	Vertical	220	1.50	-
5190MHz	Pass	AV	5.15G	47.67	54.00	-6.33	3	Horizontal	83	1.50	-
5190MHz	Pass	AV	5.1752G	102.01	Inf	-Inf	3	Horizontal	83	1.50	-
5190MHz	Pass	PK	5.1476G	61.37	74.00	-12.63	3	Horizontal	83	1.50	-
5190MHz	Pass	PK	5.1756G	114.13	Inf	-Inf	3	Horizontal	83	1.50	-
5190MHz	Pass	AV	15.56952G	45.90	54.00	-8.10	3	Vertical	59	1.44	-
5190MHz	Pass	PK	10.36032G	56.88	68.20	-11.32	3	Vertical	189	1.65	-
5190MHz	Pass	PK	15.53192G	58.27	74.00	-15.73	3	Vertical	59	1.44	-
5190MHz	Pass	AV	15.5604G	45.88	54.00	-8.12	3	Horizontal	122	1.25	-
5190MHz	Pass	PK	10.4176G	57.29	68.20	-10.91	3	Horizontal	84	1.21	-
5190MHz	Pass	PK	15.58216G	57.70	74.00	-16.30	3	Horizontal	122	1.25	-
5230MHz	Pass	AV	5.1484G	53.50	54.00	-0.50	3	Vertical	340	1.78	-
5230MHz	Pass	AV	5.218G	110.48	Inf	-Inf	3	Vertical	340	1.78	-
5230MHz	Pass	PK	5.1472G	66.82	74.00	-7.18	3	Vertical	340	1.78	-
5230MHz	Pass	PK	5.2244G	120.55	Inf	-Inf	3	Vertical	340	1.78	-
5230MHz	Pass	AV	5.1496G	49.36	54.00	-4.64	3	Horizontal	80	1.50	-
5230MHz	Pass	AV	5.2324G	110.27	Inf	-Inf	3	Horizontal	80	1.50	-
5230MHz	Pass	PK	5.1432G	63.73	74.00	-10.27	3	Horizontal	80	1.50	-
5230MHz	Pass	PK	5.2332G	120.61	Inf	-Inf	3	Horizontal	80	1.50	-
5230MHz	Pass	AV	15.72968G	45.17	54.00	-8.83	3	Vertical	138	1.50	-
5230MHz	Pass	PK	10.46016G	58.98	68.20	-9.22	3	Vertical	292	2.50	-
5230MHz	Pass	PK	15.71976G	57.29	74.00	-16.71	3	Vertical	138	1.50	-
5230MHz	Pass	AV	15.71592G	45.24	54.00	-8.76	3	Horizontal	167	1.48	-
5230MHz	Pass	PK	10.46768G	59.87	68.20	-8.33	3	Horizontal	252	1.61	-
5230MHz	Pass	PK	15.66984G	57.28	74.00	-16.72	3	Horizontal	167	1.48	-
5270MHz	Pass	AV	5.2668G	110.72	Inf	-Inf	3	Vertical	0	1.50	-
5270MHz	Pass	AV	5.35G	53.49	54.00	-0.51	3	Vertical	0	1.50	-
5270MHz	Pass	PK	5.2772G	119.85	Inf	-Inf	3	Vertical	0	1.50	-
5270MHz	Pass	PK	5.3544G	68.39	74.00	-5.61	3	Vertical	0	1.50	-
5270MHz	Pass	AV	5.2568G	107.07	Inf	-Inf	3	Horizontal	81	1.50	-
5270MHz	Pass	AV	5.3532G	47.84	54.00	-6.16	3	Horizontal	81	1.50	-
5270MHz	Pass	PK	5.2568G	116.21	Inf	-Inf	3	Horizontal	81	1.50	-
5270MHz	Pass	PK	5.3528G	59.92	74.00	-14.08	3	Horizontal	81	1.50	-
5270MHz	Pass	AV	15.77416G	45.09	54.00	-8.91	3	Vertical	116	2.42	-
5270MHz	Pass	PK	10.53696G	58.02	68.20	-10.18	3	Vertical	141	1.55	-
5270MHz	Pass	PK	15.802G	56.93	74.00	-17.07	3	Vertical	116	2.42	-
5270MHz	Pass	AV	15.7724G	45.10	54.00	-8.90	3	Horizontal	232	2.21	-
5270MHz	Pass	PK	10.53904G	57.71	68.20	-10.49	3	Horizontal	165	2.37	-
5270MHz	Pass	PK	15.81016G	56.77	74.00	-17.23	3	Horizontal	232	2.21	-
5310MHz	Pass	AV	5.3076G	106.78	Inf	-Inf	3	Vertical	9	1.50	-
5310MHz	Pass	AV	5.3528G	53.11	54.00	-0.89	3	Vertical	9	1.50	-
5310MHz	Pass	PK	5.296G	116.94	Inf	-Inf	3	Vertical	9	1.50	-
5310MHz	Pass	PK	5.3524G	70.69	74.00	-3.31	3	Vertical	9	1.50	-
5310MHz	Pass	AV	5.3272G	104.69	Inf	-Inf	3	Horizontal	87	2.09	-
5310MHz	Pass	AV	5.3536G	52.49	54.00	-1.51	3	Horizontal	87	2.09	-
5310MHz	Pass	PK	5.328G	115.25	Inf	-Inf	3	Horizontal	87	2.09	-
5310MHz	Pass	PK	5.3596G	67.44	74.00	-6.56	3	Horizontal	87	2.09	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5310MHz	Pass	AV	10.64128G	45.41	54.00	-8.59	3	Vertical	224	1.49	-
5310MHz	Pass	AV	15.89432G	44.70	54.00	-9.30	3	Vertical	298	1.94	-
5310MHz	Pass	PK	10.58608G	57.94	68.20	-10.26	3	Vertical	224	1.49	-
5310MHz	Pass	PK	15.9044G	56.65	74.00	-17.35	3	Vertical	298	1.94	-
5310MHz	Pass	AV	10.65056G	45.34	54.00	-8.66	3	Horizontal	234	2.07	-
5310MHz	Pass	AV	15.89816G	44.59	54.00	-9.41	3	Horizontal	107	1.96	-
5310MHz	Pass	PK	10.6536G	57.37	74.00	-16.63	3	Horizontal	234	2.07	-
5310MHz	Pass	PK	15.90328G	56.65	74.00	-17.35	3	Horizontal	107	1.96	-
5510MHz	Pass	AV	5.4588G	49.66	54.00	-4.34	3	Vertical	336	1.42	-
5510MHz	Pass	AV	5.5056G	104.16	Inf	-Inf	3	Vertical	336	1.42	-
5510MHz	Pass	PK	5.4692G	67.06	68.20	-1.14	3	Vertical	336	1.42	-
5510MHz	Pass	PK	5.5176G	115.04	Inf	-Inf	3	Vertical	336	1.42	-
5510MHz	Pass	AV	5.4584G	49.53	54.00	-4.47	3	Horizontal	111	2.59	-
5510MHz	Pass	AV	5.492G	107.67	Inf	-Inf	3	Horizontal	111	2.59	-
5510MHz	Pass	PK	5.4608G	61.55	68.20	-6.65	3	Horizontal	111	2.59	-
5510MHz	Pass	PK	5.4916G	117.70	Inf	-Inf	3	Horizontal	111	2.59	-
5510MHz	Pass	AV	11.05968G	45.86	54.00	-8.14	3	Vertical	271	1.50	-
5510MHz	Pass	PK	11.05168G	58.61	74.00	-15.39	3	Vertical	271	1.50	-
5510MHz	Pass	PK	16.53464G	58.83	68.20	-9.37	3	Vertical	33	2.04	-
5510MHz	Pass	AV	11.05872G	45.86	54.00	-8.14	3	Horizontal	259	1.42	-
5510MHz	Pass	PK	11.03904G	57.80	74.00	-16.20	3	Horizontal	259	1.42	-
5510MHz	Pass	PK	16.52776G	59.27	68.20	-8.93	3	Horizontal	235	1.64	-
5550MHz	Pass	AV	5.4596G	50.41	54.00	-3.59	3	Vertical	42	2.37	-
5550MHz	Pass	AV	5.544G	106.17	Inf	-Inf	3	Vertical	42	2.37	-
5550MHz	Pass	PK	5.4516G	65.00	74.00	-9.00	3	Vertical	42	2.37	-
5550MHz	Pass	PK	5.464G	67.16	68.20	-1.04	3	Vertical	42	2.37	-
5550MHz	Pass	PK	5.5468G	118.49	Inf	-Inf	3	Vertical	42	2.37	-
5550MHz	Pass	AV	5.4532G	46.86	54.00	-7.14	3	Horizontal	101	1.63	-
5550MHz	Pass	AV	5.5668G	107.67	Inf	-Inf	3	Horizontal	101	1.63	-
5550MHz	Pass	PK	5.468G	57.42	68.20	-10.78	3	Horizontal	101	1.63	-
5550MHz	Pass	PK	5.5656G	119.34	Inf	-Inf	3	Horizontal	101	1.63	-
5550MHz	Pass	AV	11.0896G	45.79	54.00	-8.21	3	Vertical	169	1.16	-
5550MHz	Pass	PK	11.11856G	57.60	74.00	-16.40	3	Vertical	169	1.16	-
5550MHz	Pass	PK	16.6604G	58.89	68.20	-9.31	3	Vertical	138	1.22	-
5550MHz	Pass	AV	11.08976G	45.93	54.00	-8.07	3	Horizontal	228	2.37	-
5550MHz	Pass	PK	11.09392G	58.09	74.00	-15.91	3	Horizontal	228	2.37	-
5550MHz	Pass	PK	16.68456G	59.29	68.20	-8.91	3	Horizontal	270	1.89	-
5670MHz	Pass	AV	5.6656G	106.25	Inf	-Inf	3	Vertical	49	2.37	-
5670MHz	Pass	PK	5.656G	118.63	Inf	-Inf	3	Vertical	49	2.37	-
5670MHz	Pass	PK	5.7344G	67.08	68.20	-1.12	3	Vertical	49	2.37	-
5670MHz	Pass	AV	5.6884G	105.24	Inf	-Inf	3	Horizontal	256	2.28	-
5670MHz	Pass	PK	5.6876G	116.38	Inf	-Inf	3	Horizontal	256	2.28	-
5670MHz	Pass	PK	5.7396G	65.44	68.20	-2.76	3	Horizontal	256	2.28	-
5670MHz	Pass	AV	11.36496G	45.33	54.00	-8.67	3	Vertical	186	2.47	-
5670MHz	Pass	PK	11.3368G	57.40	74.00	-16.60	3	Vertical	186	2.47	-
5670MHz	Pass	PK	16.99512G	60.33	68.20	-7.87	3	Vertical	99	1.40	-
5670MHz	Pass	AV	11.37328G	45.34	54.00	-8.66	3	Horizontal	35	1.43	-
5670MHz	Pass	PK	11.36944G	57.91	74.00	-16.09	3	Horizontal	35	1.43	-
5670MHz	Pass	PK	17.04424G	61.28	68.20	-6.92	3	Horizontal	45	1.10	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	47.62	54.00	-6.38	3	Vertical	4	2.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.701G	114.29	Inf	-Inf	3	Vertical	4	2.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.467G	60.54	68.20	-7.66	3	Vertical	4	2.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.699G	124.91	Inf	-Inf	3	Vertical	4	2.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.85G	67.30	68.20	-0.90	3	Vertical	4	2.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	47.03	54.00	-6.97	3	Horizontal	254	1.79	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.722G	114.18	Inf	-Inf	3	Horizontal	254	1.79	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.466G	58.99	68.20	-9.21	3	Horizontal	254	1.79	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.718G	122.68	Inf	-Inf	3	Horizontal	254	1.79	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.864G	65.87	68.20	-2.33	3	Horizontal	254	1.79	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.4304G	45.28	54.00	-8.72	3	Vertical	320	1.42	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.39664G	57.20	74.00	-16.80	3	Vertical	320	1.42	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.13104G	64.45	68.20	-3.75	3	Vertical	310	2.57	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.40816G	47.57	54.00	-6.43	3	Horizontal	234	1.45	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.40752G	59.21	74.00	-14.79	3	Horizontal	234	1.45	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.11304G	64.54	68.20	-3.66	3	Horizontal	224	1.55	-
5755MHz	Pass	AV	5.744G	107.88	Inf	-Inf	3	Vertical	202	1.34	-
5755MHz	Pass	PK	5.648G	63.79	68.20	-4.41	3	Vertical	202	1.34	-
5755MHz	Pass	PK	5.75G	119.91	Inf	-Inf	3	Vertical	202	1.34	-
5755MHz	Pass	PK	5.928G	60.38	68.20	-7.82	3	Vertical	202	1.34	-
5755MHz	Pass	AV	5.742G	111.95	Inf	-Inf	3	Horizontal	102	1.88	-
5755MHz	Pass	PK	5.65G	67.29	68.20	-0.91	3	Horizontal	102	1.88	-
5755MHz	Pass	PK	5.741G	123.30	Inf	-Inf	3	Horizontal	102	1.88	-
5755MHz	Pass	PK	5.935G	61.43	68.20	-6.77	3	Horizontal	102	1.88	-
5755MHz	Pass	AV	11.51G	46.67	54.00	-7.33	3	Vertical	330	1.50	-
5755MHz	Pass	PK	11.51016G	60.52	74.00	-13.48	3	Vertical	330	1.50	-
5755MHz	Pass	PK	17.29396G	60.99	68.20	-7.21	3	Vertical	310	1.50	-
5755MHz	Pass	AV	11.51G	48.71	54.00	-5.29	3	Horizontal	218	1.46	-
5755MHz	Pass	PK	11.50984G	63.30	74.00	-10.70	3	Horizontal	218	1.46	-
5755MHz	Pass	PK	17.27364G	61.62	68.20	-6.58	3	Horizontal	220	1.35	-
5795MHz	Pass	AV	5.783G	110.32	Inf	-Inf	3	Vertical	207	1.50	-
5795MHz	Pass	PK	5.646G	59.96	68.20	-8.24	3	Vertical	207	1.50	-
5795MHz	Pass	PK	5.785G	120.59	Inf	-Inf	3	Vertical	207	1.50	-
5795MHz	Pass	PK	5.928G	62.23	68.20	-5.97	3	Vertical	207	1.50	-
5795MHz	Pass	AV	5.777G	113.96	Inf	-Inf	3	Horizontal	89	1.78	-
5795MHz	Pass	PK	5.641G	66.10	68.20	-2.10	3	Horizontal	89	1.78	-
5795MHz	Pass	PK	5.778G	123.28	Inf	-Inf	3	Horizontal	89	1.78	-
5795MHz	Pass	PK	5.925G	67.36	68.20	-0.84	3	Horizontal	89	1.78	-
5795MHz	Pass	AV	11.57G	47.56	54.00	-6.44	3	Vertical	328	1.48	-
5795MHz	Pass	PK	11.59G	60.75	74.00	-13.25	3	Vertical	328	1.48	-
5795MHz	Pass	PK	17.39716G	61.43	68.20	-6.77	3	Vertical	310	1.50	-
5795MHz	Pass	AV	11.57096G	51.45	54.00	-2.55	3	Horizontal	219	1.43	-
5795MHz	Pass	PK	11.59016G	66.57	74.00	-7.43	3	Horizontal	219	1.43	-
5795MHz	Pass	PK	17.4242G	61.87	68.20	-6.33	3	Horizontal	337	1.50	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	53.43	54.00	-0.57	3	Vertical	350	1.50	-
5210MHz	Pass	AV	5.186G	101.14	Inf	-Inf	3	Vertical	350	1.50	-
5210MHz	Pass	AV	5.359G	46.81	54.00	-7.19	3	Vertical	350	1.50	-
5210MHz	Pass	PK	5.15G	66.48	74.00	-7.52	3	Vertical	350	1.50	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5210MHz	Pass	PK	5.217G	111.49	Inf	-Inf	3	Vertical	350	1.50	-
5210MHz	Pass	PK	5.371G	58.43	74.00	-15.57	3	Vertical	350	1.50	-
5210MHz	Pass	AV	5.148G	50.77	54.00	-3.23	3	Horizontal	85	2.17	-
5210MHz	Pass	AV	5.22G	102.34	Inf	-Inf	3	Horizontal	85	2.17	-
5210MHz	Pass	AV	5.361G	45.68	54.00	-8.32	3	Horizontal	85	2.17	-
5210MHz	Pass	PK	5.149G	63.29	74.00	-10.71	3	Horizontal	85	2.17	-
5210MHz	Pass	PK	5.217G	113.25	Inf	-Inf	3	Horizontal	85	2.17	-
5210MHz	Pass	PK	5.414G	57.70	74.00	-16.30	3	Horizontal	85	2.17	-
5210MHz	Pass	AV	15.59016G	44.97	54.00	-9.03	3	Vertical	246	1.28	-
5210MHz	Pass	PK	10.392G	57.51	68.20	-10.69	3	Vertical	151	1.17	-
5210MHz	Pass	PK	15.6548G	57.39	74.00	-16.61	3	Vertical	246	1.28	-
5210MHz	Pass	AV	15.59592G	45.05	54.00	-8.95	3	Horizontal	115	2.20	-
5210MHz	Pass	PK	10.4504G	57.45	68.20	-10.75	3	Horizontal	110	1.04	-
5210MHz	Pass	PK	15.60392G	57.21	74.00	-16.79	3	Horizontal	115	2.20	-
5290MHz	Pass	AV	5.149G	47.14	54.00	-6.86	3	Vertical	0	1.53	-
5290MHz	Pass	AV	5.262G	102.04	Inf	-Inf	3	Vertical	0	1.53	-
5290MHz	Pass	AV	5.35G	52.94	54.00	-1.06	3	Vertical	0	1.53	-
5290MHz	Pass	PK	5.138G	58.60	74.00	-15.40	3	Vertical	0	1.53	-
5290MHz	Pass	PK	5.275G	113.27	Inf	-Inf	3	Vertical	0	1.53	-
5290MHz	Pass	PK	5.354G	70.84	74.00	-3.16	3	Vertical	0	1.53	-
5290MHz	Pass	AV	5.15G	47.14	54.00	-6.86	3	Horizontal	87	1.51	-
5290MHz	Pass	AV	5.307G	101.33	Inf	-Inf	3	Horizontal	87	1.51	-
5290MHz	Pass	AV	5.35G	48.85	54.00	-5.15	3	Horizontal	87	1.51	-
5290MHz	Pass	PK	5.14G	58.47	74.00	-15.53	3	Horizontal	87	1.51	-
5290MHz	Pass	PK	5.307G	112.32	Inf	-Inf	3	Horizontal	87	1.51	-
5290MHz	Pass	PK	5.495G	56.96	68.20	-11.24	3	Horizontal	87	1.51	-
5290MHz	Pass	AV	15.89016G	44.14	54.00	-9.86	3	Vertical	83	1.24	-
5290MHz	Pass	PK	10.564G	57.83	68.20	-10.37	3	Vertical	232	1.81	-
5290MHz	Pass	PK	15.90168G	57.68	74.00	-16.32	3	Vertical	83	1.24	-
5290MHz	Pass	AV	15.89992G	44.21	54.00	-9.79	3	Horizontal	258	2.03	-
5290MHz	Pass	PK	10.5544G	57.54	68.20	-10.66	3	Horizontal	58	2.22	-
5290MHz	Pass	PK	15.83896G	57.69	74.00	-16.31	3	Horizontal	258	2.03	-
5530MHz	Pass	AV	5.46G	49.88	54.00	-4.12	3	Vertical	345	1.41	-
5530MHz	Pass	AV	5.505G	100.98	Inf	-Inf	3	Vertical	345	1.41	-
5530MHz	Pass	PK	5.462G	67.33	68.20	-0.87	3	Vertical	345	1.41	-
5530MHz	Pass	PK	5.548G	112.19	Inf	-Inf	3	Vertical	345	1.41	-
5530MHz	Pass	PK	5.737G	58.31	68.20	-9.89	3	Vertical	345	1.41	-
5530MHz	Pass	AV	5.457G	48.04	54.00	-5.96	3	Horizontal	107	2.03	-
5530MHz	Pass	AV	5.492G	103.00	Inf	-Inf	3	Horizontal	107	2.03	-
5530MHz	Pass	PK	5.47G	59.04	68.20	-9.16	3	Horizontal	107	2.03	-
5530MHz	Pass	PK	5.493G	114.43	Inf	-Inf	3	Horizontal	107	2.03	-
5530MHz	Pass	PK	5.729G	58.29	68.20	-9.91	3	Horizontal	107	2.03	-
5530MHz	Pass	AV	11.08608G	45.50	54.00	-8.50	3	Vertical	7	2.38	-
5530MHz	Pass	PK	11.0888G	57.83	74.00	-16.17	3	Vertical	7	2.38	-
5530MHz	Pass	PK	16.5836G	58.89	68.20	-9.31	3	Vertical	101	1.36	-
5530MHz	Pass	AV	11.09408G	45.53	54.00	-8.47	3	Horizontal	181	1.48	-
5530MHz	Pass	PK	11.06992G	57.92	74.00	-16.08	3	Horizontal	181	1.48	-
5530MHz	Pass	PK	16.55144G	59.27	68.20	-8.93	3	Horizontal	57	1.95	-
5610MHz	Pass	AV	5.457G	48.85	54.00	-5.15	3	Vertical	324	1.44	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5610MHz	Pass	AV	5.585G	103.95	Inf	-Inf	3	Vertical	324	1.44	-
5610MHz	Pass	PK	5.466G	63.03	68.20	-5.17	3	Vertical	324	1.44	-
5610MHz	Pass	PK	5.587G	116.20	Inf	-Inf	3	Vertical	324	1.44	-
5610MHz	Pass	PK	5.728G	66.06	68.20	-2.14	3	Vertical	324	1.44	-
5610MHz	Pass	AV	5.455G	49.31	54.00	-4.69	3	Horizontal	91	1.84	-
5610MHz	Pass	AV	5.647G	105.64	Inf	-Inf	3	Horizontal	91	1.84	-
5610MHz	Pass	PK	5.469G	65.73	68.20	-2.47	3	Horizontal	91	1.84	-
5610MHz	Pass	PK	5.648G	115.95	Inf	-Inf	3	Horizontal	91	1.84	-
5610MHz	Pass	PK	5.725G	67.65	68.20	-0.55	3	Horizontal	91	1.84	-
5610MHz	Pass	AV	11.19008G	44.97	54.00	-9.03	3	Vertical	206	1.54	-
5610MHz	Pass	PK	11.2352G	57.61	74.00	-16.39	3	Vertical	206	1.54	-
5610MHz	Pass	PK	16.85384G	60.42	68.20	-7.78	3	Vertical	129	1.70	-
5610MHz	Pass	AV	11.18G	45.05	54.00	-8.95	3	Horizontal	223	2.38	-
5610MHz	Pass	PK	11.25408G	57.66	74.00	-16.34	3	Horizontal	223	2.38	-
5610MHz	Pass	PK	16.80632G	60.36	68.20	-7.84	3	Horizontal	301	2.36	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.452G	45.52	54.00	-8.48	3	Vertical	269	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.711G	104.16	Inf	-Inf	3	Vertical	269	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.466G	61.51	68.20	-6.69	3	Vertical	269	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.667G	117.84	Inf	-Inf	3	Vertical	269	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.852G	67.14	68.20	-1.06	3	Vertical	269	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.454G	47.12	54.00	-6.88	3	Horizontal	294	2.57	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.653G	108.86	Inf	-Inf	3	Horizontal	294	2.57	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.464G	60.19	68.20	-8.01	3	Horizontal	294	2.57	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.653G	119.68	Inf	-Inf	3	Horizontal	294	2.57	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.854G	64.32	68.20	-3.88	3	Horizontal	294	2.57	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.356G	44.79	54.00	-9.21	3	Vertical	78	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.4192G	57.46	74.00	-16.54	3	Vertical	78	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.04392G	60.75	68.20	-7.45	3	Vertical	80	1.69	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38G	46.45	54.00	-7.55	3	Horizontal	221	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37616G	57.79	74.00	-16.21	3	Horizontal	221	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.06056G	61.10	68.20	-7.10	3	Horizontal	288	2.03	-
5775MHz	Pass	AV	5.7606G	103.47	Inf	-Inf	3	Vertical	268	1.50	-
5775MHz	Pass	PK	5.6202G	66.84	68.20	-1.36	3	Vertical	268	1.50	-
5775MHz	Pass	PK	5.7498G	115.73	Inf	-Inf	3	Vertical	268	1.50	-
5775MHz	Pass	PK	5.943G	65.87	68.20	-2.33	3	Vertical	268	1.50	-
5775MHz	Pass	AV	5.7786G	108.71	Inf	-Inf	3	Horizontal	279	2.30	-
5775MHz	Pass	PK	5.631G	67.70	68.20	-0.50	3	Horizontal	279	2.30	-
5775MHz	Pass	PK	5.7786G	120.40	Inf	-Inf	3	Horizontal	279	2.30	-
5775MHz	Pass	PK	5.9346G	64.58	68.20	-3.62	3	Horizontal	279	2.30	-
5775MHz	Pass	AV	11.56248G	45.20	54.00	-8.80	3	Vertical	183	1.72	-
5775MHz	Pass	PK	11.53224G	57.63	74.00	-16.37	3	Vertical	183	1.72	-
5775MHz	Pass	PK	17.35604G	60.56	68.20	-7.64	3	Vertical	157	1.22	-
5775MHz	Pass	AV	11.54184G	45.23	54.00	-8.77	3	Horizontal	299	2.11	-
5775MHz	Pass	PK	11.5188G	58.26	74.00	-15.74	3	Horizontal	299	2.11	-
5775MHz	Pass	PK	17.31028G	60.36	68.20	-7.84	3	Horizontal	232	1.90	-
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5250MHz	Pass	AV	5.1384G	53.32	54.00	-0.68	3	Vertical	360	1.50	-
5250MHz	Pass	AV	5.1804G	99.75	Inf	-Inf	3	Vertical	360	1.50	-
5250MHz	Pass	AV	5.376G	52.30	54.00	-1.70	3	Vertical	360	1.50	-






Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5250MHz	Pass	PK	5.1372G	72.62	74.00	-1.38	3	Vertical	360	1.50	-
5250MHz	Pass	PK	5.1864G	110.91	Inf	-Inf	3	Vertical	360	1.50	-
5250MHz	Pass	PK	5.3748G	69.63	74.00	-4.37	3	Vertical	360	1.50	-
5250MHz	Pass	AV	5.1384G	51.03	54.00	-2.97	3	Horizontal	74	1.50	-
5250MHz	Pass	AV	5.1852G	100.66	Inf	-Inf	3	Horizontal	74	1.50	-
5250MHz	Pass	AV	5.3556G	47.95	54.00	-6.05	3	Horizontal	74	1.50	-
5250MHz	Pass	PK	5.1348G	67.29	74.00	-6.71	3	Horizontal	74	1.50	-
5250MHz	Pass	PK	5.1852G	109.64	Inf	-Inf	3	Horizontal	74	1.50	-
5250MHz	Pass	PK	5.3736G	67.91	74.00	-6.09	3	Horizontal	74	1.50	-
5250MHz	Pass	AV	15.74308G	45.09	54.00	-8.91	3	Vertical	206	2.02	-
5250MHz	Pass	PK	10.54928G	57.71	68.20	-10.49	3	Vertical	325	1.73	-
5250MHz	Pass	PK	15.75724G	57.03	74.00	-16.97	3	Vertical	206	2.02	-
5250MHz	Pass	AV	15.75388G	45.03	54.00	-8.97	3	Horizontal	80	1.69	-
5250MHz	Pass	PK	10.49984G	57.83	68.20	-10.37	3	Horizontal	221	1.50	-
5250MHz	Pass	PK	15.7588G	57.42	74.00	-16.58	3	Horizontal	80	1.69	-
5570MHz	Pass	AV	5.4572G	50.95	54.00	-3.05	3	Vertical	344	1.50	-
5570MHz	Pass	AV	5.5592G	93.65	Inf	-Inf	3	Vertical	344	1.50	-
5570MHz	Pass	PK	5.468G	67.50	68.20	-0.70	3	Vertical	344	1.50	-
5570MHz	Pass	PK	5.522G	107.01	Inf	-Inf	3	Vertical	344	1.50	-
5570MHz	Pass	PK	5.7404G	58.98	68.20	-9.22	3	Vertical	344	1.50	-
5570MHz	Pass	AV	5.4584G	46.36	54.00	-7.64	3	Horizontal	300	1.61	-
5570MHz	Pass	AV	5.594G	94.93	Inf	-Inf	3	Horizontal	300	1.61	-
5570MHz	Pass	PK	5.4632G	67.42	68.20	-0.78	3	Horizontal	300	1.61	-
5570MHz	Pass	PK	5.594G	106.13	Inf	-Inf	3	Horizontal	300	1.61	-
5570MHz	Pass	PK	5.8352G	57.58	68.20	-10.62	3	Horizontal	300	1.61	-
5570MHz	Pass	AV	11.1523G	45.65	54.00	-8.35	3	Vertical	197	1.50	-
5570MHz	Pass	PK	11.137G	57.89	74.00	-16.11	3	Vertical	197	1.50	-
5570MHz	Pass	PK	16.76888G	61.43	68.20	-6.77	3	Vertical	265	1.32	-
5570MHz	Pass	AV	11.14G	46.30	54.00	-7.70	3	Horizontal	217	1.42	-
5570MHz	Pass	PK	11.12336G	57.52	74.00	-16.48	3	Horizontal	217	1.42	-
5570MHz	Pass	PK	16.77144G	61.24	68.20	-6.96	3	Horizontal	101	1.34	-



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

25/07/2020

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	53.29	54.00	-0.71	9.92	3	Vertical	347	1.72	-	43.37	31.90	7.35	29.33
AV	5.171G	113.72	Inf	-Inf	9.80	3	Vertical	347	1.72	-	103.92	31.77	7.37	29.34
PK	5.1496G	70.53	74.00	-3.47	9.92	3	Vertical	347	1.72	-	60.61	31.90	7.35	29.33
PK	5.172G	123.99	Inf	-Inf	9.80	3	Vertical	347	1.72	-	114.19	31.77	7.37	29.34



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

25/07/2020

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	50.22	54.00	-3.78	9.92	3	Horizontal	83	1.50	-	40.30	31.90	7.35	29.33
AV	5.1746G	109.64	Inf	-Inf	9.78	3	Horizontal	83	1.50	-	99.86	31.75	7.37	29.34
PK	5.1496G	62.40	74.00	-11.60	9.92	3	Horizontal	83	1.50	-	52.48	31.90	7.35	29.33
PK	5.174G	119.73	Inf	-Inf	9.79	3	Horizontal	83	1.50	-	109.94	31.76	7.37	29.34



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

26/07/2020

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53164G	45.70	54.00	-8.30	18.09	3	Vertical	339	1.88	-	27.61	38.11	11.84	31.86
PK	10.3644G	58.28	68.20	-9.92	18.54	3	Vertical	290	2.76	-	39.74	39.39	9.68	30.53
PK	15.5418G	57.74	74.00	-16.26	18.03	3	Vertical	339	1.88	-	39.71	38.05	11.84	31.86



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

26/07/2020

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54452G	45.84	54.00	-8.16	18.01	3	Horizontal	345	2.05	-	27.83	38.03	11.84	31.86
PK	10.36564G	58.98	68.20	-9.22	18.54	3	Horizontal	237	1.60	-	40.44	39.39	9.68	30.53
PK	15.53764G	57.63	74.00	-16.37	18.05	3	Horizontal	345	2.05	-	39.58	38.07	11.84	31.86



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

25/07/2020

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	53.11	54.00	-0.89	9.92	3	Vertical	219	1.51	-	43.19	31.90	7.35	29.33
AV	5.2084G	113.62	Inf	-Inf	9.61	3	Vertical	219	1.51	-	104.01	31.55	7.40	29.34
PK	5.1444G	70.29	74.00	-3.71	9.90	3	Vertical	219	1.51	-	60.39	31.89	7.34	29.33
PK	5.208G	123.41	Inf	-Inf	9.61	3	Vertical	219	1.51	-	113.80	31.55	7.40	29.34



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

25/07/2020

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.00	54.00	-5.00	9.92	3	Horizontal	84	1.58	-	39.08	31.90	7.35	29.33
AV	5.1916G	114.66	Inf	-Inf	9.70	3	Horizontal	84	1.58	-	104.96	31.65	7.39	29.34
PK	5.1476G	63.95	74.00	-10.05	9.92	3	Horizontal	84	1.58	-	54.03	31.90	7.35	29.33
PK	5.192G	125.05	Inf	-Inf	9.70	3	Horizontal	84	1.58	-	115.35	31.65	7.39	29.34



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

26/07/2020

5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59004G	45.41	54.00	-8.59	17.75	3	Vertical	329	1.77	-	27.66	37.76	11.86	31.87
PK	10.40476G	60.16	68.20	-8.04	18.76	3	Vertical	293	1.53	-	41.40	39.60	9.70	30.54
PK	15.60228G	57.29	74.00	-16.71	17.68	3	Vertical	329	1.77	-	39.61	37.69	11.86	31.87






802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

26/07/2020

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5986G	45.60	54.00	-8.40	17.70	3	Horizontal	213	3.00	-	27.90	37.71	11.86	31.87
PK	10.40024G	63.08	68.20	-5.12	18.76	3	Horizontal	249	1.64	-	44.32	39.60	9.70	30.54
PK	15.5926G	57.76	74.00	-16.24	17.73	3	Horizontal	213	3.00	-	40.03	37.74	11.86	31.87



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

25/07/2020

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.93	54.00	-1.07	9.92	3	Vertical	15	1.50	-	43.01	31.90	7.35	29.33
AV	5.2388G	115.60	Inf	-Inf	9.43	3	Vertical	15	1.50	-	106.17	31.37	7.40	29.34
AV	5.35G	51.35	54.00	-2.65	9.24	3	Vertical	15	1.50	-	42.11	31.20	7.40	29.36
PK	5.1494G	66.28	74.00	-7.72	9.92	3	Vertical	15	1.50	-	56.36	31.90	7.35	29.33
PK	5.2418G	125.61	Inf	-Inf	9.41	3	Vertical	15	1.50	-	116.20	31.35	7.40	29.34
PK	5.3558G	66.56	74.00	-7.44	9.27	3	Vertical	15	1.50	-	57.29	31.23	7.40	29.36



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

25/07/2020

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.60	54.00	-1.40	9.92	3	Horizontal	76	1.50	-	42.68	31.90	7.35	29.33
AV	5.2322G	117.93	Inf	-Inf	9.47	3	Horizontal	76	1.50	-	108.46	31.41	7.40	29.34
AV	5.3522G	50.00	54.00	-4.00	9.25	3	Horizontal	76	1.50	-	40.75	31.21	7.40	29.36
PK	5.1488G	69.00	74.00	-5.00	9.92	3	Horizontal	76	1.50	-	59.08	31.90	7.35	29.33
PK	5.2322G	127.39	Inf	-Inf	9.47	3	Horizontal	76	1.50	-	117.92	31.41	7.40	29.34
PK	5.3516G	64.91	74.00	-9.09	9.25	3	Horizontal	76	1.50	-	55.66	31.21	7.40	29.36



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

26/07/2020

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72016G	47.33	54.00	-6.67	17.28	3	Vertical	304	2.61	-	30.05	37.28	11.90	31.90
PK	10.48752G	63.79	68.20	-4.41	18.85	3	Vertical	293	2.31	-	44.94	39.69	9.74	30.58
PK	15.7188G	59.56	74.00	-14.44	17.28	3	Vertical	304	2.61	-	42.28	37.28	11.90	31.90



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

26/07/2020

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71816G	48.88	54.00	-5.12	17.28	3	Horizontal	217	2.99	-	31.60	37.28	11.90	31.90
PK	10.4788G	67.22	68.20	-0.98	18.85	3	Horizontal	246	1.88	-	48.37	39.68	9.74	30.57
PK	15.71744G	60.70	74.00	-13.30	17.28	3	Horizontal	217	2.99	-	43.42	37.28	11.90	31.90



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

25/07/2020

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1448G	49.45	54.00	-4.55	9.90	3	Vertical	351	1.66	-	39.55	31.89	7.34	29.33
AV	5.2684G	115.12	Inf	-Inf	9.35	3	Vertical	351	1.66	-	105.77	31.30	7.40	29.35
AV	5.35G	52.67	54.00	-1.33	9.24	3	Vertical	351	1.66	-	43.43	31.20	7.40	29.36
PK	5.1388G	63.00	74.00	-11.00	9.89	3	Vertical	351	1.66	-	53.11	31.88	7.34	29.33
PK	5.2678G	124.83	Inf	-Inf	9.35	3	Vertical	351	1.66	-	115.48	31.30	7.40	29.35
PK	5.3518G	69.93	74.00	-4.07	9.25	3	Vertical	351	1.66	-	60.68	31.21	7.40	29.36



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

25/07/2020

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	47.55	54.00	-6.45	9.91	3	Horizontal	275	1.59	-	37.64	31.89	7.35	29.33
AV	5.251G	114.44	Inf	-Inf	9.35	3	Horizontal	275	1.59	-	105.09	31.30	7.40	29.35
AV	5.3554G	47.46	54.00	-6.54	9.27	3	Horizontal	275	1.59	-	38.19	31.23	7.40	29.36
PK	5.1328G	59.47	74.00	-14.53	9.87	3	Horizontal	275	1.59	-	49.60	31.87	7.33	29.33
PK	5.251G	123.99	Inf	-Inf	9.35	3	Horizontal	275	1.59	-	114.64	31.30	7.40	29.35
PK	5.3578G	59.50	74.00	-14.50	9.29	3	Horizontal	275	1.59	-	50.21	31.25	7.40	29.36



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

26/07/2020

5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77736G	46.13	54.00	-7.87	17.23	3	Vertical	263	2.46	-	28.90	37.22	11.92	31.91
PK	10.51568G	61.05	68.20	-7.15	18.87	3	Vertical	294	2.75	-	42.18	39.70	9.76	30.59
PK	15.78216G	58.93	74.00	-15.07	17.23	3	Vertical	263	2.46	-	41.70	37.22	11.92	31.91






802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

26/07/2020

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77536G	45.79	54.00	-8.21	17.23	3	Horizontal	235	2.99	-	28.56	37.22	11.92	31.91
PK	10.53192G	64.02	68.20	-4.18	18.87	3	Horizontal	212	1.74	-	45.15	39.70	9.77	30.60
PK	15.78112G	57.79	74.00	-16.21	17.23	3	Horizontal	235	2.99	-	40.56	37.22	11.92	31.91



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

26/07/2020

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3088G	115.17	Inf	-Inf	9.33	3	Vertical	24	1.55	-	105.84	31.28	7.40	29.35
AV	5.3504G	51.46	54.00	-2.54	9.24	3	Vertical	24	1.55	-	42.22	31.20	7.40	29.36
PK	5.3084G	124.71	Inf	-Inf	9.33	3	Vertical	24	1.55	-	115.38	31.28	7.40	29.35
PK	5.3516G	66.81	74.00	-7.19	9.25	3	Vertical	24	1.55	-	57.56	31.21	7.40	29.36



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

26/07/2020

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3088G	115.19	Inf	-Inf	9.33	3	Horizontal	90	1.40	-	105.86	31.28	7.40	29.35
AV	5.3516G	50.18	54.00	-3.82	9.25	3	Horizontal	90	1.40	-	40.93	31.21	7.40	29.36
PK	5.3088G	124.85	Inf	-Inf	9.33	3	Horizontal	90	1.40	-	115.52	31.28	7.40	29.35
PK	5.3588G	66.34	74.00	-7.66	9.29	3	Horizontal	90	1.40	-	57.05	31.25	7.40	29.36



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

26/07/2020

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6004G	46.68	54.00	-7.32	18.85	3	Vertical	237	1.52	-	27.83	39.70	9.80	30.65
AV	15.89328G	45.06	54.00	-8.94	16.75	3	Vertical	305	1.50	-	28.31	36.73	11.96	31.94
PK	10.598G	58.82	68.20	-9.38	18.85	3	Vertical	237	1.52	-	39.97	39.70	9.80	30.65
PK	15.88792G	57.03	74.00	-16.97	16.78	3	Vertical	305	1.50	-	40.25	36.76	11.96	31.94



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

26/07/2020

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60016G	53.43	54.00	-0.57	18.85	3	Horizontal	247	2.22	-	34.58	39.70	9.80	30.65
AV	15.89968G	45.35	54.00	-8.65	16.72	3	Horizontal	297	1.50	-	28.63	36.70	11.96	31.94
PK	10.5988G	65.58	68.20	-2.62	18.85	3	Horizontal	247	2.22	-	46.73	39.70	9.80	30.65
PK	15.89304G	57.71	74.00	-16.29	16.75	3	Horizontal	297	1.50	-	40.96	36.73	11.96	31.94



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

25/07/2020

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3278G	109.08	Inf	-Inf	9.29	3	Vertical	28	1.50	-	99.79	31.24	7.40	29.35
AV	5.3504G	53.25	54.00	-0.75	9.24	3	Vertical	28	1.50	-	44.01	31.20	7.40	29.36
PK	5.326G	119.55	Inf	-Inf	9.30	3	Vertical	28	1.50	-	110.25	31.25	7.40	29.35
PK	5.35G	72.02	74.00	-1.98	9.24	3	Vertical	28	1.50	-	62.78	31.20	7.40	29.36



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

25/07/2020

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3288G	106.61	Inf	-Inf	9.29	3	Horizontal	276	1.51	-	97.32	31.24	7.40	29.35
AV	5.3506G	48.27	54.00	-5.73	9.24	3	Horizontal	276	1.51	-	39.03	31.20	7.40	29.36
PK	5.3284G	116.42	Inf	-Inf	9.29	3	Horizontal	276	1.51	-	107.13	31.24	7.40	29.35
PK	5.3534G	62.68	74.00	-11.32	9.26	3	Horizontal	276	1.51	-	53.42	31.22	7.40	29.36



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

26/07/2020

5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63992G	46.60	54.00	-7.40	18.76	3	Vertical	279	2.41	-	27.84	39.62	9.82	30.68
AV	15.97024G	44.25	54.00	-9.75	16.67	3	Vertical	184	1.50	-	27.58	36.63	11.99	31.95
PK	10.6416G	58.10	74.00	-15.90	18.76	3	Vertical	279	2.41	-	39.34	39.62	9.82	30.68
PK	15.95976G	57.46	74.00	-16.54	16.68	3	Vertical	184	1.50	-	40.78	36.64	11.99	31.95






802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

26/07/2020

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64008G	47.56	54.00	-6.44	18.76	3	Horizontal	219	1.50	-	28.80	39.62	9.82	30.68
AV	15.9728G	44.26	54.00	-9.74	16.67	3	Horizontal	349	1.50	-	27.59	36.63	11.99	31.95
PK	10.65608G	59.98	74.00	-14.02	18.73	3	Horizontal	219	1.50	-	41.25	39.59	9.83	30.69
PK	15.97256G	56.75	74.00	-17.25	16.67	3	Horizontal	349	1.50	-	40.08	36.63	11.99	31.95



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

25/07/2020

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4536G	47.61	54.00	-6.39	9.68	3	Vertical	325	1.44	-	37.93	31.62	7.43	29.37
AV	5.4924G	106.67	Inf	-Inf	9.93	3	Vertical	325	1.44	-	96.74	31.85	7.45	29.37
PK	5.4692G	67.44	68.20	-0.76	9.78	3	Vertical	325	1.44	-	57.66	31.72	7.43	29.37
PK	5.4918G	117.69	Inf	-Inf	9.93	3	Vertical	325	1.44	-	107.76	31.85	7.45	29.37



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

25/07/2020

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4506G	46.47	54.00	-7.53	9.66	3	Horizontal	113	2.60	-	36.81	31.60	7.43	29.37
AV	5.491G	107.32	Inf	-Inf	9.93	3	Horizontal	113	2.60	-	97.39	31.85	7.45	29.37
PK	5.47G	59.82	68.20	-8.38	9.79	3	Horizontal	113	2.60	-	50.03	31.72	7.44	29.37
PK	5.492G	118.57	Inf	-Inf	9.93	3	Horizontal	113	2.60	-	108.64	31.85	7.45	29.37



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

26/07/2020

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01992G	45.21	54.00	-8.79	19.24	3	Vertical	124	1.50	-	25.97	40.14	10.01	30.91
PK	10.98408G	57.50	74.00	-16.50	19.25	3	Vertical	124	1.50	-	38.25	40.17	9.99	30.91
PK	16.49G	58.85	68.20	-9.35	18.97	3	Vertical	69	1.73	-	39.88	38.52	12.15	31.70



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

26/07/2020

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11G	46.87	54.00	-7.13	19.28	3	Horizontal	221	1.86	-	27.59	40.20	10.00	30.92
PK	11.00008G	57.78	74.00	-16.22	19.28	3	Horizontal	221	1.86	-	38.50	40.20	10.00	30.92
PK	16.48248G	58.50	68.20	-9.70	18.90	3	Horizontal	8	1.51	-	39.60	38.46	12.14	31.70



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

25/07/2020

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.454G	48.96	54.00	-5.04	9.68	3	Vertical	0	2.73	-	39.28	31.62	7.43	29.37
AV	5.5872G	114.77	Inf	-Inf	9.79	3	Vertical	0	2.73	-	104.98	31.67	7.49	29.37
PK	5.4654G	63.14	68.20	-5.06	9.75	3	Vertical	0	2.73	-	53.39	31.69	7.43	29.37
PK	5.5848G	125.30	Inf	-Inf	9.79	3	Vertical	0	2.73	-	115.51	31.67	7.49	29.37
PK	5.727G	60.80	68.20	-7.40	10.12	3	Vertical	0	2.73	-	50.68	31.85	7.63	29.36



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

25/07/2020

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4576G	49.47	54.00	-4.53	9.71	3	Horizontal	43	1.43	-	39.76	31.65	7.43	29.37
AV	5.589G	114.93	Inf	-Inf	9.80	3	Horizontal	43	1.43	-	105.13	31.68	7.49	29.37
PK	5.4684G	65.61	68.20	-2.59	9.77	3	Horizontal	43	1.43	-	55.84	31.71	7.43	29.37
PK	5.5878G	124.51	Inf	-Inf	9.80	3	Horizontal	43	1.43	-	114.71	31.68	7.49	29.37
PK	5.73G	59.51	68.20	-8.69	10.13	3	Horizontal	43	1.43	-	49.38	31.86	7.63	29.36



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

26/07/2020

5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15888G	46.70	54.00	-7.30	18.87	3	Vertical	226	1.50	-	27.83	39.66	10.08	30.87
PK	11.14792G	58.50	74.00	-15.50	18.90	3	Vertical	226	1.50	-	39.60	39.71	10.07	30.88
PK	16.74632G	66.86	68.20	-1.34	20.25	3	Vertical	302	1.53	-	46.61	39.72	12.22	31.69






802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

26/07/2020

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16336G	49.35	54.00	-4.65	18.86	3	Horizontal	228	1.88	-	30.49	39.65	10.08	30.87
PK	11.16208G	61.55	74.00	-12.45	18.86	3	Horizontal	228	1.88	-	42.69	39.65	10.08	30.87
PK	16.74056G	65.38	68.20	-2.82	20.20	3	Horizontal	213	1.50	-	45.18	39.67	12.22	31.69



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

25/07/2020

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7032G	108.48	Inf	-Inf	10.05	3	Vertical	14	2.45	-	98.43	31.81	7.60	29.36
PK	5.7008G	119.36	Inf	-Inf	10.04	3	Vertical	14	2.45	-	109.32	31.80	7.60	29.36
PK	5.7252G	64.22	68.20	-3.98	10.12	3	Vertical	14	2.45	-	54.10	31.85	7.63	29.36



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

25/07/2020

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7084G	109.25	Inf	-Inf	10.07	3	Horizontal	254	2.39	-	99.18	31.82	7.61	29.36
PK	5.708G	119.85	Inf	-Inf	10.07	3	Horizontal	254	2.39	-	109.78	31.82	7.61	29.36
PK	5.7292G	67.11	68.20	-1.09	10.13	3	Horizontal	254	2.39	-	56.98	31.86	7.63	29.36



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

26/07/2020

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38984G	45.33	54.00	-8.67	19.17	3	Vertical	286	2.67	-	26.16	39.78	10.19	30.80
PK	11.38472G	57.10	74.00	-16.90	19.16	3	Vertical	286	2.67	-	37.94	39.77	10.19	30.80
PK	17.11336G	61.00	68.20	-7.20	20.90	3	Vertical	206	1.50	-	40.10	40.20	12.33	31.63



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

26/07/2020

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4G	46.57	54.00	-7.43	19.20	3	Horizontal	222	1.39	-	27.37	39.80	10.20	30.80
PK	11.40032G	57.34	74.00	-16.66	19.20	3	Horizontal	222	1.39	-	38.14	39.80	10.20	30.80
PK	17.10088G	60.22	68.20	-7.98	20.89	3	Horizontal	206	1.50	-	39.33	40.20	12.33	31.64



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

26/07/2020

5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.712G	116.90	Inf	-Inf	10.07	3	Vertical	7	2.35	-	106.83	31.82	7.61	29.36
PK	5.716G	127.22	Inf	-Inf	10.09	3	Vertical	7	2.35	-	117.13	31.83	7.62	29.36
PK	5.927G	60.94	68.20	-7.26	10.73	3	Vertical	7	2.35	-	50.21	32.25	7.83	29.35