




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

26/07/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.715G	113.68	Inf	-Inf	10.09	3	Horizontal	258	2.44	-	103.59	31.83	7.62	29.36
PK	5.717G	124.08	Inf	-Inf	10.09	3	Horizontal	258	2.44	-	113.99	31.83	7.62	29.36
PK	5.856G	60.37	68.20	-7.83	10.42	3	Horizontal	258	2.44	-	49.95	32.02	7.76	29.36



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

26/07/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44112G	51.04	54.00	-2.96	19.23	3	Vertical	303	2.37	-	31.81	39.80	10.22	30.79
PK	11.44336G	62.77	74.00	-11.23	19.23	3	Vertical	303	2.37	-	43.54	39.80	10.22	30.79
PK	17.15736G	67.70	68.20	-0.50	20.94	3	Vertical	302	2.66	-	46.76	40.20	12.35	31.61



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

26/07/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44512G	50.84	54.00	-3.16	19.23	3	Horizontal	218	1.55	-	31.61	39.80	10.22	30.79
PK	11.4424G	62.58	74.00	-11.42	19.23	3	Horizontal	218	1.55	-	43.35	39.80	10.22	30.79
PK	17.14624G	66.25	68.20	-1.95	20.92	3	Horizontal	222	1.56	-	45.33	40.20	12.34	31.62



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

26/07/2020

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7486G	112.85	Inf	-Inf	10.19	3	Vertical	46	2.58	-	102.66	31.90	7.65	29.36
PK	5.6418G	60.83	68.20	-7.37	9.80	3	Vertical	46	2.58	-	51.03	31.62	7.54	29.36
PK	5.7474G	123.61	Inf	-Inf	10.18	3	Vertical	46	2.58	-	113.43	31.89	7.65	29.36
PK	5.9442G	60.20	68.20	-8.00	10.78	3	Vertical	46	2.58	-	49.42	32.29	7.84	29.35



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

26/07/2020

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7522G	114.80	Inf	-Inf	10.19	3	Horizontal	264	1.54	-	104.61	31.90	7.65	29.36
PK	5.6478G	59.41	68.20	-8.79	9.79	3	Horizontal	264	1.54	-	49.62	31.60	7.55	29.36
PK	5.7522G	124.78	Inf	-Inf	10.19	3	Horizontal	264	1.54	-	114.59	31.90	7.65	29.36
PK	5.931G	59.74	68.20	-8.46	10.74	3	Horizontal	264	1.54	-	49.00	32.26	7.83	29.35



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

26/07/2020

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49024G	46.35	54.00	-7.65	19.28	3	Vertical	295	1.50	-	27.07	39.80	10.25	30.77
PK	11.48256G	58.22	74.00	-15.78	19.26	3	Vertical	295	1.50	-	38.96	39.80	10.24	30.78
PK	17.22652G	67.41	68.20	-0.79	20.96	3	Vertical	298	2.76	-	46.45	40.17	12.37	31.58



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

26/07/2020

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48944G	50.91	54.00	-3.09	19.27	3	Horizontal	217	1.25	-	31.64	39.80	10.24	30.77
PK	11.4896G	62.91	74.00	-11.09	19.27	3	Horizontal	217	1.25	-	43.64	39.80	10.24	30.77
PK	17.2314G	65.04	68.20	-3.16	20.97	3	Horizontal	244	1.50	-	44.07	40.17	12.37	31.57



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

25/07/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7802G	115.76	Inf	-Inf	10.28	3	Vertical	210	1.38	-	105.48	31.96	7.68	29.36
PK	5.6494G	62.63	68.20	-5.57	9.79	3	Vertical	210	1.38	-	52.84	31.60	7.55	29.36
PK	5.7814G	126.08	Inf	-Inf	10.28	3	Vertical	210	1.38	-	115.80	31.96	7.68	29.36
PK	5.9302G	62.14	68.20	-6.06	10.74	3	Vertical	210	1.38	-	51.40	32.26	7.83	29.35



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

25/07/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7754G	119.01	Inf	-Inf	10.27	3	Horizontal	86	1.93	-	108.74	31.95	7.68	29.36
PK	5.5018G	60.75	68.20	-7.45	9.97	3	Horizontal	86	1.93	-	50.78	31.89	7.45	29.37
PK	5.7766G	127.82	Inf	-Inf	10.27	3	Horizontal	86	1.93	-	117.55	31.95	7.68	29.36
PK	5.941G	60.57	68.20	-7.63	10.77	3	Horizontal	86	1.93	-	49.80	32.28	7.84	29.35



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

26/07/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57144G	49.27	54.00	-4.73	19.17	3	Vertical	303	2.31	-	30.10	39.66	10.29	30.78
PK	11.56904G	60.81	74.00	-13.19	19.16	3	Vertical	303	2.31	-	41.65	39.66	10.28	30.78
PK	17.3582G	62.50	68.20	-5.70	21.35	3	Vertical	319	1.50	-	41.15	40.45	12.41	31.51



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

26/07/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57064G	52.33	54.00	-1.67	19.17	3	Horizontal	210	1.50	-	33.16	39.66	10.29	30.78
PK	11.57112G	64.23	74.00	-9.77	19.17	3	Horizontal	210	1.50	-	45.06	39.66	10.29	30.78
PK	17.35164G	67.16	68.20	-1.04	21.31	3	Horizontal	243	1.52	-	45.85	40.41	12.41	31.51



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

26/07/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.831G	113.61	Inf	-Inf	10.37	3	Vertical	75	1.38	-	103.24	32.00	7.73	29.36
PK	5.6234G	59.44	68.20	-8.76	9.80	3	Vertical	75	1.38	-	49.64	31.65	7.52	29.37
PK	5.8298G	123.37	Inf	-Inf	10.37	3	Vertical	75	1.38	-	113.00	32.00	7.73	29.36
PK	5.9282G	61.83	68.20	-6.37	10.74	3	Vertical	75	1.38	-	51.09	32.26	7.83	29.35



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

26/07/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8226G	113.93	Inf	-Inf	10.36	3	Horizontal	245	2.63	-	103.57	32.00	7.72	29.36
PK	5.609G	59.05	68.20	-9.15	9.82	3	Horizontal	245	2.63	-	49.23	31.68	7.51	29.37
PK	5.8226G	124.05	Inf	-Inf	10.36	3	Horizontal	245	2.63	-	113.69	32.00	7.72	29.36
PK	5.9306G	61.86	68.20	-6.34	10.74	3	Horizontal	245	2.63	-	51.12	32.26	7.83	29.35



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

26/07/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64464G	47.38	54.00	-6.62	18.95	3	Vertical	328	1.49	-	28.43	39.42	10.32	30.79
PK	11.6488G	59.27	74.00	-14.73	18.93	3	Vertical	328	1.49	-	40.34	39.40	10.32	30.79
PK	17.46716G	64.23	68.20	-3.97	21.88	3	Vertical	244	1.62	-	42.35	40.90	12.44	31.46



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

26/07/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65048G	53.13	54.00	-0.87	18.94	3	Horizontal	216	1.40	-	34.19	39.40	10.33	30.79
PK	11.65128G	64.88	74.00	-9.12	18.93	3	Horizontal	216	1.40	-	45.95	39.39	10.33	30.79
PK	17.4838G	66.20	68.20	-2.00	21.95	3	Horizontal	246	1.49	-	44.25	40.95	12.45	31.45



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/07/2020

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.88	54.00	-1.12	9.92	3	Vertical	220	1.50	-	42.96	31.90	7.35	29.33
AV	5.2076G	101.73	Inf	-Inf	9.61	3	Vertical	220	1.50	-	92.12	31.55	7.40	29.34
PK	5.1464G	65.11	74.00	-8.89	9.91	3	Vertical	220	1.50	-	55.20	31.89	7.35	29.33
PK	5.208G	112.38	Inf	-Inf	9.61	3	Vertical	220	1.50	-	102.77	31.55	7.40	29.34



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/07/2020

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.67	54.00	-6.33	9.92	3	Horizontal	83	1.50	-	37.75	31.90	7.35	29.33
AV	5.1752G	102.01	Inf	-Inf	9.79	3	Horizontal	83	1.50	-	92.22	31.75	7.38	29.34
PK	5.1476G	61.37	74.00	-12.63	9.92	3	Horizontal	83	1.50	-	51.45	31.90	7.35	29.33
PK	5.1756G	114.13	Inf	-Inf	9.79	3	Horizontal	83	1.50	-	104.34	31.75	7.38	29.34



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

26/07/2020

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56952G	45.90	54.00	-8.10	17.86	3	Vertical	59	1.44	-	28.04	37.88	11.85	31.87
PK	10.36032G	56.88	68.20	-11.32	18.52	3	Vertical	189	1.65	-	38.36	39.36	9.68	30.52
PK	15.53192G	58.27	74.00	-15.73	18.09	3	Vertical	59	1.44	-	40.18	38.11	11.84	31.86



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

26/07/2020

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5604G	45.88	54.00	-8.12	17.93	3	Horizontal	122	1.25	-	27.95	37.94	11.85	31.86
PK	10.4176G	57.29	68.20	-10.91	18.78	3	Horizontal	84	1.21	-	38.51	39.62	9.71	30.55
PK	15.58216G	57.70	74.00	-16.30	17.79	3	Horizontal	122	1.25	-	39.91	37.81	11.85	31.87



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/07/2020

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	53.50	54.00	-0.50	9.92	3	Vertical	340	1.78	-	43.58	31.90	7.35	29.33
AV	5.218G	110.48	Inf	-Inf	9.55	3	Vertical	340	1.78	-	100.93	31.49	7.40	29.34
PK	5.1472G	66.82	74.00	-7.18	9.91	3	Vertical	340	1.78	-	56.91	31.89	7.35	29.33
PK	5.2244G	120.55	Inf	-Inf	9.51	3	Vertical	340	1.78	-	111.04	31.45	7.40	29.34



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/07/2020

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	49.36	54.00	-4.64	9.92	3	Horizontal	80	1.50	-	39.44	31.90	7.35	29.33
AV	5.2324G	110.27	Inf	-Inf	9.47	3	Horizontal	80	1.50	-	100.80	31.41	7.40	29.34
PK	5.1432G	63.73	74.00	-10.27	9.90	3	Horizontal	80	1.50	-	53.83	31.89	7.34	29.33
PK	5.2332G	120.61	Inf	-Inf	9.46	3	Horizontal	80	1.50	-	111.15	31.40	7.40	29.34



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

26/07/2020

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72968G	45.17	54.00	-8.83	17.28	3	Vertical	138	1.50	-	27.89	37.27	11.91	31.90
PK	10.46016G	58.98	68.20	-9.22	18.83	3	Vertical	292	2.50	-	40.15	39.66	9.73	30.56
PK	15.71976G	57.29	74.00	-16.71	17.28	3	Vertical	138	1.50	-	40.01	37.28	11.90	31.90



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

26/07/2020

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71592G	45.24	54.00	-8.76	17.28	3	Horizontal	167	1.48	-	27.96	37.28	11.90	31.90
PK	10.46768G	59.87	68.20	-8.33	18.83	3	Horizontal	252	1.61	-	41.04	39.67	9.73	30.57
PK	15.66984G	57.28	74.00	-16.72	17.41	3	Horizontal	167	1.48	-	39.87	37.42	11.88	31.89



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/07/2020

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2668G	110.72	Inf	-Inf	9.35	3	Vertical	0	1.50	-	101.37	31.30	7.40	29.35
AV	5.35G	53.49	54.00	-0.51	9.24	3	Vertical	0	1.50	-	44.25	31.20	7.40	29.36
PK	5.2772G	119.85	Inf	-Inf	9.35	3	Vertical	0	1.50	-	110.50	31.30	7.40	29.35
PK	5.3544G	68.39	74.00	-5.61	9.27	3	Vertical	0	1.50	-	59.12	31.23	7.40	29.36



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/07/2020

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2568G	107.07	Inf	-Inf	9.35	3	Horizontal	81	1.50	-	97.72	31.30	7.40	29.35
AV	5.3532G	47.84	54.00	-6.16	9.26	3	Horizontal	81	1.50	-	38.58	31.22	7.40	29.36
PK	5.2568G	116.21	Inf	-Inf	9.35	3	Horizontal	81	1.50	-	106.86	31.30	7.40	29.35
PK	5.3528G	59.92	74.00	-14.08	9.26	3	Horizontal	81	1.50	-	50.66	31.22	7.40	29.36



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

26/07/2020

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77416G	45.09	54.00	-8.91	17.24	3	Vertical	116	2.42	-	27.85	37.23	11.92	31.91
PK	10.53696G	58.02	68.20	-10.18	18.86	3	Vertical	141	1.55	-	39.16	39.70	9.77	30.61
PK	15.802G	56.93	74.00	-17.07	17.20	3	Vertical	116	2.42	-	39.73	37.19	11.93	31.92



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

26/07/2020

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7724G	45.10	54.00	-8.90	17.24	3	Horizontal	232	2.21	-	27.86	37.23	11.92	31.91
PK	10.53904G	57.71	68.20	-10.49	18.86	3	Horizontal	165	2.37	-	38.85	39.70	9.77	30.61
PK	15.81016G	56.77	74.00	-17.23	17.16	3	Horizontal	232	2.21	-	39.61	37.15	11.93	31.92



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/07/2020

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3076G	106.78	Inf	-Inf	9.33	3	Vertical	9	1.50	-	97.45	31.28	7.40	29.35
AV	5.3528G	53.11	54.00	-0.89	9.26	3	Vertical	9	1.50	-	43.85	31.22	7.40	29.36
PK	5.296G	116.94	Inf	-Inf	9.35	3	Vertical	9	1.50	-	107.59	31.30	7.40	29.35
PK	5.3524G	70.69	74.00	-3.31	9.25	3	Vertical	9	1.50	-	61.44	31.21	7.40	29.36



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/07/2020

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3272G	104.69	Inf	-Inf	9.30	3	Horizontal	87	2.09	-	95.39	31.25	7.40	29.35
AV	5.3536G	52.49	54.00	-1.51	9.26	3	Horizontal	87	2.09	-	43.23	31.22	7.40	29.36
PK	5.328G	115.25	Inf	-Inf	9.29	3	Horizontal	87	2.09	-	105.96	31.24	7.40	29.35
PK	5.3596G	67.44	74.00	-6.56	9.30	3	Horizontal	87	2.09	-	58.14	31.26	7.40	29.36



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

26/07/2020

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64128G	45.41	54.00	-8.59	18.76	3	Vertical	224	1.49	-	26.65	39.62	9.82	30.68
AV	15.89432G	44.70	54.00	-9.30	16.75	3	Vertical	298	1.94	-	27.95	36.73	11.96	31.94
PK	10.58608G	57.94	68.20	-10.26	18.85	3	Vertical	224	1.49	-	39.09	39.70	9.79	30.64
PK	15.9044G	56.65	74.00	-17.35	16.73	3	Vertical	298	1.94	-	39.92	36.70	11.97	31.94



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

26/07/2020

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.65056G	45.34	54.00	-8.66	18.75	3	Horizontal	234	2.07	-	26.59	39.60	9.83	30.68
AV	15.89816G	44.59	54.00	-9.41	16.73	3	Horizontal	107	1.96	-	27.86	36.71	11.96	31.94
PK	10.6536G	57.37	74.00	-16.63	18.74	3	Horizontal	234	2.07	-	38.63	39.59	9.83	30.68
PK	15.90328G	56.65	74.00	-17.35	16.73	3	Horizontal	107	1.96	-	39.92	36.70	11.97	31.94



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/07/2020

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	49.66	54.00	-4.34	9.71	3	Vertical	336	1.42	-	39.95	31.65	7.43	29.37
AV	5.5056G	104.16	Inf	-Inf	9.95	3	Vertical	336	1.42	-	94.21	31.87	7.45	29.37
PK	5.4692G	67.06	68.20	-1.14	9.78	3	Vertical	336	1.42	-	57.28	31.72	7.43	29.37
PK	5.5176G	115.04	Inf	-Inf	9.88	3	Vertical	336	1.42	-	105.16	31.79	7.46	29.37



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/07/2020

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	49.53	54.00	-4.47	9.71	3	Horizontal	111	2.59	-	39.82	31.65	7.43	29.37
AV	5.492G	107.67	Inf	-Inf	9.93	3	Horizontal	111	2.59	-	97.74	31.85	7.45	29.37
PK	5.4608G	61.55	68.20	-6.65	9.72	3	Horizontal	111	2.59	-	51.83	31.66	7.43	29.37
PK	5.4916G	117.70	Inf	-Inf	9.93	3	Horizontal	111	2.59	-	107.77	31.85	7.45	29.37



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

26/07/2020

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05968G	45.86	54.00	-8.14	19.15	3	Vertical	271	1.50	-	26.71	40.02	10.03	30.90
PK	11.05168G	58.61	74.00	-15.39	19.17	3	Vertical	271	1.50	-	39.44	40.04	10.03	30.90
PK	16.53464G	58.83	68.20	-9.37	19.07	3	Vertical	33	2.04	-	39.76	38.60	12.16	31.69



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

26/07/2020

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05872G	45.86	54.00	-8.14	19.15	3	Horizontal	259	1.42	-	26.71	40.02	10.03	30.90
PK	11.03904G	57.80	74.00	-16.20	19.19	3	Horizontal	259	1.42	-	38.61	40.08	10.02	30.91
PK	16.52776G	59.27	68.20	-8.93	19.07	3	Horizontal	235	1.64	-	40.20	38.60	12.16	31.69



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

26/07/2020

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	50.41	54.00	-3.59	9.72	3	Vertical	42	2.37	-	40.69	31.66	7.43	29.37
AV	5.544G	106.17	Inf	-Inf	9.74	3	Vertical	42	2.37	-	96.43	31.64	7.47	29.37
PK	5.4516G	65.00	74.00	-9.00	9.67	3	Vertical	42	2.37	-	55.33	31.61	7.43	29.37
PK	5.464G	67.16	68.20	-1.04	9.74	3	Vertical	42	2.37	-	57.42	31.68	7.43	29.37
PK	5.5468G	118.49	Inf	-Inf	9.72	3	Vertical	42	2.37	-	108.77	31.62	7.47	29.37



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/07/2020

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4532G	46.86	54.00	-7.14	9.68	3	Horizontal	101	1.63	-	37.18	31.62	7.43	29.37
AV	5.5668G	107.67	Inf	-Inf	9.74	3	Horizontal	101	1.63	-	97.93	31.63	7.48	29.37
PK	5.468G	57.42	68.20	-10.78	9.77	3	Horizontal	101	1.63	-	47.65	31.71	7.43	29.37
PK	5.5656G	119.34	Inf	-Inf	9.74	3	Horizontal	101	1.63	-	109.60	31.63	7.48	29.37



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

26/07/2020

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0896G	45.79	54.00	-8.21	19.08	3	Vertical	169	1.16	-	26.71	39.93	10.04	30.89
PK	11.11856G	57.60	74.00	-16.40	19.01	3	Vertical	169	1.16	-	38.59	39.83	10.06	30.88
PK	16.6604G	58.89	68.20	-9.31	19.53	3	Vertical	138	1.22	-	39.36	39.02	12.20	31.69



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

26/07/2020

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.08976G	45.93	54.00	-8.07	19.08	3	Horizontal	228	2.37	-	26.85	39.93	10.04	30.89
PK	11.09392G	58.09	74.00	-15.91	19.08	3	Horizontal	228	2.37	-	39.01	39.92	10.05	30.89
PK	16.68456G	59.29	68.20	-8.91	19.71	3	Horizontal	270	1.89	-	39.58	39.19	12.21	31.69



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

26/07/2020

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6656G	106.25	Inf	-Inf	9.87	3	Vertical	49	2.37	-	96.38	31.66	7.57	29.36
PK	5.656G	118.63	Inf	-Inf	9.82	3	Vertical	49	2.37	-	108.81	31.62	7.56	29.36
PK	5.7344G	67.08	68.20	-1.12	10.14	3	Vertical	49	2.37	-	56.94	31.87	7.63	29.36



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/07/2020

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6884G	105.24	Inf	-Inf	9.98	3	Horizontal	256	2.28	-	95.26	31.75	7.59	29.36
PK	5.6876G	116.38	Inf	-Inf	9.98	3	Horizontal	256	2.28	-	106.40	31.75	7.59	29.36
PK	5.7396G	65.44	68.20	-2.76	10.16	3	Horizontal	256	2.28	-	55.28	31.88	7.64	29.36



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

26/07/2020

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.36496G	45.33	54.00	-8.67	19.10	3	Vertical	186	2.47	-	26.23	39.73	10.18	30.81
PK	11.3368G	57.40	74.00	-16.60	19.02	3	Vertical	186	2.47	-	38.38	39.67	10.17	30.82
PK	16.99512G	60.33	68.20	-7.87	20.71	3	Vertical	99	1.40	-	39.62	40.10	12.30	31.69



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

26/07/2020

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.37328G	45.34	54.00	-8.66	19.13	3	Horizontal	35	1.43	-	26.21	39.75	10.19	30.81
PK	11.36944G	57.91	74.00	-16.09	19.11	3	Horizontal	35	1.43	-	38.80	39.74	10.18	30.81
PK	17.04424G	61.28	68.20	-6.92	20.78	3	Horizontal	45	1.10	-	40.50	40.14	12.31	31.67

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/07/2020

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	47.62	54.00	-6.38	9.72	3	Vertical	4	2.50	-	37.90	31.66	7.43	29.37
AV	5.701G	114.29	Inf	-Inf	10.04	3	Vertical	4	2.50	-	104.25	31.80	7.60	29.36
PK	5.467G	60.54	68.20	-7.66	9.76	3	Vertical	4	2.50	-	50.78	31.70	7.43	29.37
PK	5.699G	124.91	Inf	-Inf	10.04	3	Vertical	4	2.50	-	114.87	31.80	7.60	29.36
PK	5.85G	67.30	68.20	-0.90	10.39	3	Vertical	4	2.50	-	56.91	32.00	7.75	29.36



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/07/2020

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	47.03	54.00	-6.97	9.72	3	Horizontal	254	1.79	-	37.31	31.66	7.43	29.37
AV	5.722G	114.18	Inf	-Inf	10.10	3	Horizontal	254	1.79	-	104.08	31.84	7.62	29.36
PK	5.466G	58.99	68.20	-9.21	9.76	3	Horizontal	254	1.79	-	49.23	31.70	7.43	29.37
PK	5.718G	122.68	Inf	-Inf	10.10	3	Horizontal	254	1.79	-	112.58	31.84	7.62	29.36
PK	5.864G	65.87	68.20	-2.33	10.46	3	Horizontal	254	1.79	-	55.41	32.06	7.76	29.36



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

26/07/2020

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4304G	45.28	54.00	-8.72	19.23	3	Vertical	320	1.42	-	26.05	39.80	10.22	30.79
PK	11.39664G	57.20	74.00	-16.80	19.19	3	Vertical	320	1.42	-	38.01	39.79	10.20	30.80
PK	17.13104G	64.45	68.20	-3.75	20.92	3	Vertical	310	2.57	-	43.53	40.20	12.34	31.62



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

26/07/2020

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40816G	47.57	54.00	-6.43	19.20	3	Horizontal	234	1.45	-	28.37	39.80	10.20	30.80
PK	11.40752G	59.21	74.00	-14.79	19.20	3	Horizontal	234	1.45	-	40.01	39.80	10.20	30.80
PK	17.11304G	64.54	68.20	-3.66	20.90	3	Horizontal	224	1.55	-	43.64	40.20	12.33	31.63



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/07/2020

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.744G	107.88	Inf	-Inf	10.17	3	Vertical	202	1.34	-	97.71	31.89	7.64	29.36
PK	5.648G	63.79	68.20	-4.41	9.79	3	Vertical	202	1.34	-	54.00	31.60	7.55	29.36
PK	5.75G	119.91	Inf	-Inf	10.19	3	Vertical	202	1.34	-	109.72	31.90	7.65	29.36
PK	5.928G	60.38	68.20	-7.82	10.74	3	Vertical	202	1.34	-	49.64	32.26	7.83	29.35



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/07/2020

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.742G	111.95	Inf	-Inf	10.16	3	Horizontal	102	1.88	-	101.79	31.88	7.64	29.36
PK	5.65G	67.29	68.20	-0.91	9.79	3	Horizontal	102	1.88	-	57.50	31.60	7.55	29.36
PK	5.741G	123.30	Inf	-Inf	10.16	3	Horizontal	102	1.88	-	113.14	31.88	7.64	29.36
PK	5.935G	61.43	68.20	-6.77	10.76	3	Horizontal	102	1.88	-	50.67	32.27	7.84	29.35



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

26/07/2020

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51G	46.67	54.00	-7.33	19.27	3	Vertical	330	1.50	-	27.40	39.78	10.26	30.77
PK	11.51016G	60.52	74.00	-13.48	19.27	3	Vertical	330	1.50	-	41.25	39.78	10.26	30.77
PK	17.29396G	60.99	68.20	-7.21	20.96	3	Vertical	310	1.50	-	40.03	40.11	12.39	31.54



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

26/07/2020

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51G	48.71	54.00	-5.29	19.27	3	Horizontal	218	1.46	-	29.44	39.78	10.26	30.77
PK	11.50984G	63.30	74.00	-10.70	19.26	3	Horizontal	218	1.46	-	44.04	39.78	10.25	30.77
PK	17.27364G	61.62	68.20	-6.58	20.96	3	Horizontal	220	1.35	-	40.66	40.13	12.38	31.55



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

25/07/2020

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.783G	110.32	Inf	-Inf	10.29	3	Vertical	207	1.50	-	100.03	31.97	7.68	29.36
PK	5.646G	59.96	68.20	-8.24	9.80	3	Vertical	207	1.50	-	50.16	31.61	7.55	29.36
PK	5.785G	120.59	Inf	-Inf	10.30	3	Vertical	207	1.50	-	110.29	31.97	7.69	29.36
PK	5.928G	62.23	68.20	-5.97	10.74	3	Vertical	207	1.50	-	51.49	32.26	7.83	29.35



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

26/07/2020

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.777G	113.96	Inf	-Inf	10.27	3	Horizontal	89	1.78	-	103.69	31.95	7.68	29.36
PK	5.641G	66.10	68.20	-2.10	9.80	3	Horizontal	89	1.78	-	56.30	31.62	7.54	29.36
PK	5.778G	123.28	Inf	-Inf	10.28	3	Horizontal	89	1.78	-	113.00	31.96	7.68	29.36
PK	5.925G	67.36	68.20	-0.84	10.73	3	Horizontal	89	1.78	-	56.63	32.25	7.83	29.35



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

26/07/2020

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57G	47.56	54.00	-6.44	19.16	3	Vertical	328	1.48	-	28.40	39.66	10.28	30.78
PK	11.59G	60.75	74.00	-13.25	19.14	3	Vertical	328	1.48	-	41.61	39.62	10.30	30.78
PK	17.39716G	61.43	68.20	-6.77	21.61	3	Vertical	310	1.50	-	39.82	40.68	12.42	31.49



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

26/07/2020

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57096G	51.45	54.00	-2.55	19.17	3	Horizontal	219	1.43	-	32.28	39.66	10.29	30.78
PK	11.59016G	66.57	74.00	-7.43	19.14	3	Horizontal	219	1.43	-	47.43	39.62	10.30	30.78
PK	17.4242G	61.87	68.20	-6.33	21.72	3	Horizontal	337	1.50	-	40.15	40.77	12.43	31.48



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

25/07/2020

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.43	54.00	-0.57	9.92	3	Vertical	350	1.50	-	43.51	31.90	7.35	29.33
AV	5.186G	101.14	Inf	-Inf	9.73	3	Vertical	350	1.50	-	91.41	31.68	7.39	29.34
AV	5.359G	46.81	54.00	-7.19	9.29	3	Vertical	350	1.50	-	37.52	31.25	7.40	29.36
PK	5.15G	66.48	74.00	-7.52	9.92	3	Vertical	350	1.50	-	56.56	31.90	7.35	29.33
PK	5.217G	111.49	Inf	-Inf	9.56	3	Vertical	350	1.50	-	101.93	31.50	7.40	29.34
PK	5.371G	58.43	74.00	-15.57	9.37	3	Vertical	350	1.50	-	49.06	31.33	7.40	29.36



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

25/07/2020

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	50.77	54.00	-3.23	9.92	3	Horizontal	85	2.17	-	40.85	31.90	7.35	29.33
AV	5.22G	102.34	Inf	-Inf	9.54	3	Horizontal	85	2.17	-	92.80	31.48	7.40	29.34
AV	5.361G	45.68	54.00	-8.32	9.31	3	Horizontal	85	2.17	-	36.37	31.27	7.40	29.36
PK	5.149G	63.29	74.00	-10.71	9.92	3	Horizontal	85	2.17	-	53.37	31.90	7.35	29.33
PK	5.217G	113.25	Inf	-Inf	9.56	3	Horizontal	85	2.17	-	103.69	31.50	7.40	29.34
PK	5.414G	57.70	74.00	-16.30	9.58	3	Horizontal	85	2.17	-	48.12	31.53	7.41	29.36



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

26/07/2020

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59016G	44.97	54.00	-9.03	17.75	3	Vertical	246	1.28	-	27.22	37.76	11.86	31.87
PK	10.392G	57.51	68.20	-10.69	18.71	3	Vertical	151	1.17	-	38.80	39.55	9.70	30.54
PK	15.6548G	57.39	74.00	-16.61	17.48	3	Vertical	246	1.28	-	39.91	37.48	11.88	31.88



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

26/07/2020

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59592G	45.05	54.00	-8.95	17.71	3	Horizontal	115	2.20	-	27.34	37.72	11.86	31.87
PK	10.4504G	57.45	68.20	-10.75	18.82	3	Horizontal	110	1.04	-	38.63	39.65	9.73	30.56
PK	15.60392G	57.21	74.00	-16.79	17.67	3	Horizontal	115	2.20	-	39.54	37.68	11.86	31.87

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

25/07/2020

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	47.14	54.00	-6.86	9.92	3	Vertical	0	1.53	-	37.22	31.90	7.35	29.33
AV	5.262G	102.04	Inf	-Inf	9.35	3	Vertical	0	1.53	-	92.69	31.30	7.40	29.35
AV	5.35G	52.94	54.00	-1.06	9.24	3	Vertical	0	1.53	-	43.70	31.20	7.40	29.36
PK	5.138G	58.60	74.00	-15.40	9.89	3	Vertical	0	1.53	-	48.71	31.88	7.34	29.33
PK	5.275G	113.27	Inf	-Inf	9.35	3	Vertical	0	1.53	-	103.92	31.30	7.40	29.35
PK	5.354G	70.84	74.00	-3.16	9.26	3	Vertical	0	1.53	-	61.58	31.22	7.40	29.36



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

25/07/2020

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.14	54.00	-6.86	9.92	3	Horizontal	87	1.51	-	37.22	31.90	7.35	29.33
AV	5.307G	101.33	Inf	-Inf	9.34	3	Horizontal	87	1.51	-	91.99	31.29	7.40	29.35
AV	5.35G	48.85	54.00	-5.15	9.24	3	Horizontal	87	1.51	-	39.61	31.20	7.40	29.36
PK	5.14G	58.47	74.00	-15.53	9.89	3	Horizontal	87	1.51	-	48.58	31.88	7.34	29.33
PK	5.307G	112.32	Inf	-Inf	9.34	3	Horizontal	87	1.51	-	102.98	31.29	7.40	29.35
PK	5.495G	56.96	68.20	-11.24	9.95	3	Horizontal	87	1.51	-	47.01	31.87	7.45	29.37



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

26/07/2020

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89016G	44.14	54.00	-9.86	16.77	3	Vertical	83	1.24	-	27.37	36.75	11.96	31.94
PK	10.564G	57.83	68.20	-10.37	18.86	3	Vertical	232	1.81	-	38.97	39.70	9.78	30.62
PK	15.90168G	57.68	74.00	-16.32	16.73	3	Vertical	83	1.24	-	40.95	36.70	11.97	31.94



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

26/07/2020

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89992G	44.21	54.00	-9.79	16.72	3	Horizontal	258	2.03	-	27.49	36.70	11.96	31.94
PK	10.5544G	57.54	68.20	-10.66	18.86	3	Horizontal	58	2.22	-	38.68	39.70	9.78	30.62
PK	15.83896G	57.69	74.00	-16.31	17.03	3	Horizontal	258	2.03	-	40.66	37.01	11.94	31.92



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

25/07/2020

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.88	54.00	-4.12	9.72	3	Vertical	345	1.41	-	40.16	31.66	7.43	29.37
AV	5.505G	100.98	Inf	-Inf	9.95	3	Vertical	345	1.41	-	91.03	31.87	7.45	29.37
PK	5.462G	67.33	68.20	-0.87	9.73	3	Vertical	345	1.41	-	57.60	31.67	7.43	29.37
PK	5.548G	112.19	Inf	-Inf	9.71	3	Vertical	345	1.41	-	102.48	31.61	7.47	29.37
PK	5.737G	58.31	68.20	-9.89	10.15	3	Vertical	345	1.41	-	48.16	31.87	7.64	29.36



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

25/07/2020

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	48.04	54.00	-5.96	9.70	3	Horizontal	107	2.03	-	38.34	31.64	7.43	29.37
AV	5.492G	103.00	Inf	-Inf	9.93	3	Horizontal	107	2.03	-	93.07	31.85	7.45	29.37
PK	5.47G	59.04	68.20	-9.16	9.79	3	Horizontal	107	2.03	-	49.25	31.72	7.44	29.37
PK	5.493G	114.43	Inf	-Inf	9.94	3	Horizontal	107	2.03	-	104.49	31.86	7.45	29.37
PK	5.729G	58.29	68.20	-9.91	10.13	3	Horizontal	107	2.03	-	48.16	31.86	7.63	29.36



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

26/07/2020

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.08608G	45.50	54.00	-8.50	19.09	3	Vertical	7	2.38	-	26.41	39.94	10.04	30.89
PK	11.0888G	57.83	74.00	-16.17	19.08	3	Vertical	7	2.38	-	38.75	39.93	10.04	30.89
PK	16.5836G	58.89	68.20	-9.31	19.09	3	Vertical	101	1.36	-	39.80	38.60	12.18	31.69



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

26/07/2020

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09408G	45.53	54.00	-8.47	19.08	3	Horizontal	181	1.48	-	26.45	39.92	10.05	30.89
PK	11.06992G	57.92	74.00	-16.08	19.12	3	Horizontal	181	1.48	-	38.80	39.99	10.03	30.90
PK	16.55144G	59.27	68.20	-8.93	19.08	3	Horizontal	57	1.95	-	40.19	38.60	12.17	31.69



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

26/07/2020

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	48.85	54.00	-5.15	9.70	3	Vertical	324	1.44	-	39.15	31.64	7.43	29.37
AV	5.585G	103.95	Inf	-Inf	9.79	3	Vertical	324	1.44	-	94.16	31.67	7.49	29.37
PK	5.466G	63.03	68.20	-5.17	9.76	3	Vertical	324	1.44	-	53.27	31.70	7.43	29.37
PK	5.587G	116.20	Inf	-Inf	9.79	3	Vertical	324	1.44	-	106.41	31.67	7.49	29.37
PK	5.728G	66.06	68.20	-2.14	10.13	3	Vertical	324	1.44	-	55.93	31.86	7.63	29.36

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

26/07/2020

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.455G	49.31	54.00	-4.69	9.69	3	Horizontal	91	1.84	-	39.62	31.63	7.43	29.37
AV	5.647G	105.64	Inf	-Inf	9.80	3	Horizontal	91	1.84	-	95.84	31.61	7.55	29.36
PK	5.469G	65.73	68.20	-2.47	9.77	3	Horizontal	91	1.84	-	55.96	31.71	7.43	29.37
PK	5.648G	115.95	Inf	-Inf	9.79	3	Horizontal	91	1.84	-	106.16	31.60	7.55	29.36
PK	5.725G	67.65	68.20	-0.55	10.11	3	Horizontal	91	1.84	-	57.54	31.85	7.62	29.36



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

26/07/2020

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.19008G	44.97	54.00	-9.03	18.78	3	Vertical	206	1.54	-	26.19	39.54	10.10	30.86
PK	11.2352G	57.61	74.00	-16.39	18.81	3	Vertical	206	1.54	-	38.80	39.54	10.12	30.85
PK	16.85384G	60.42	68.20	-7.78	20.72	3	Vertical	129	1.70	-	39.70	40.15	12.26	31.69



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

26/07/2020

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.18G	45.05	54.00	-8.95	18.80	3	Horizontal	223	2.38	-	26.25	39.58	10.09	30.87
PK	11.25408G	57.66	74.00	-16.34	18.84	3	Horizontal	223	2.38	-	38.82	39.55	10.13	30.84
PK	16.80632G	60.36	68.20	-7.84	20.74	3	Horizontal	301	2.36	-	39.62	40.19	12.24	31.69



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

26/07/2020

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.452G	45.52	54.00	-8.48	9.67	3	Vertical	269	1.50	-	35.85	31.61	7.43	29.37
AV	5.711G	104.16	Inf	-Inf	10.07	3	Vertical	269	1.50	-	94.09	31.82	7.61	29.36
PK	5.466G	61.51	68.20	-6.69	9.76	3	Vertical	269	1.50	-	51.75	31.70	7.43	29.37
PK	5.667G	117.84	Inf	-Inf	9.88	3	Vertical	269	1.50	-	107.96	31.67	7.57	29.36
PK	5.852G	67.14	68.20	-1.06	10.40	3	Vertical	269	1.50	-	56.74	32.01	7.75	29.36



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

26/07/2020

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.454G	47.12	54.00	-6.88	9.68	3	Horizontal	294	2.57	-	37.44	31.62	7.43	29.37
AV	5.653G	108.86	Inf	-Inf	9.80	3	Horizontal	294	2.57	-	99.06	31.61	7.55	29.36
PK	5.464G	60.19	68.20	-8.01	9.74	3	Horizontal	294	2.57	-	50.45	31.68	7.43	29.37
PK	5.653G	119.68	Inf	-Inf	9.80	3	Horizontal	294	2.57	-	109.88	31.61	7.55	29.36
PK	5.854G	64.32	68.20	-3.88	10.41	3	Horizontal	294	2.57	-	53.91	32.02	7.75	29.36



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

26/07/2020

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.356G	44.79	54.00	-9.21	19.08	3	Vertical	78	1.50	-	25.71	39.71	10.18	30.81
PK	11.4192G	57.46	74.00	-16.54	19.22	3	Vertical	78	1.50	-	38.24	39.80	10.21	30.79
PK	17.04392G	60.75	68.20	-7.45	20.78	3	Vertical	80	1.69	-	39.97	40.14	12.31	31.67



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

26/07/2020

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38G	46.45	54.00	-7.55	19.14	3	Horizontal	221	1.50	-	27.31	39.76	10.19	30.81
PK	11.37616G	57.79	74.00	-16.21	19.13	3	Horizontal	221	1.50	-	38.66	39.75	10.19	30.81
PK	17.06056G	61.10	68.20	-7.10	20.82	3	Horizontal	288	2.03	-	40.28	40.16	12.32	31.66



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

26/07/2020

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7606G	103.47	Inf	-Inf	10.22	3	Vertical	268	1.50	-	93.25	31.92	7.66	29.36
PK	5.6202G	66.84	68.20	-1.36	9.81	3	Vertical	268	1.50	-	57.03	31.66	7.52	29.37
PK	5.7498G	115.73	Inf	-Inf	10.19	3	Vertical	268	1.50	-	105.54	31.90	7.65	29.36
PK	5.943G	65.87	68.20	-2.33	10.78	3	Vertical	268	1.50	-	55.09	32.29	7.84	29.35



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

26/07/2020

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7786G	108.71	Inf	-Inf	10.28	3	Horizontal	279	2.30	-	98.43	31.96	7.68	29.36
PK	5.631G	67.70	68.20	-0.50	9.81	3	Horizontal	279	2.30	-	57.89	31.64	7.53	29.36
PK	5.7786G	120.40	Inf	-Inf	10.28	3	Horizontal	279	2.30	-	110.12	31.96	7.68	29.36
PK	5.9346G	64.58	68.20	-3.62	10.75	3	Horizontal	279	2.30	-	53.83	32.27	7.83	29.35



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

26/07/2020

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56248G	45.20	54.00	-8.80	19.18	3	Vertical	183	1.72	-	26.02	39.68	10.28	30.78
PK	11.53224G	57.63	74.00	-16.37	19.24	3	Vertical	183	1.72	-	38.39	39.74	10.27	30.77
PK	17.35604G	60.56	68.20	-7.64	21.34	3	Vertical	157	1.22	-	39.22	40.44	12.41	31.51



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

26/07/2020

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54184G	45.23	54.00	-8.77	19.21	3	Horizontal	299	2.11	-	26.02	39.72	10.27	30.78
PK	11.5188G	58.26	74.00	-15.74	19.25	3	Horizontal	299	2.11	-	39.01	39.76	10.26	30.77
PK	17.31028G	60.36	68.20	-7.84	21.02	3	Horizontal	232	1.90	-	39.34	40.16	12.39	31.53



802.11ax HEW160-BF_Nss1,(MCS0)_4TX

26/07/2020

5250MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1384G	53.32	54.00	-0.68	9.89	3	Vertical	360	1.50	-	43.43	31.88	7.34	29.33
AV	5.1804G	99.75	Inf	-Inf	9.76	3	Vertical	360	1.50	-	89.99	31.72	7.38	29.34
AV	5.376G	52.30	54.00	-1.70	9.40	3	Vertical	360	1.50	-	42.90	31.36	7.40	29.36
PK	5.1372G	72.62	74.00	-1.38	9.88	3	Vertical	360	1.50	-	62.74	31.87	7.34	29.33
PK	5.1864G	110.91	Inf	-Inf	9.73	3	Vertical	360	1.50	-	101.18	31.68	7.39	29.34
PK	5.3748G	69.63	74.00	-4.37	9.39	3	Vertical	360	1.50	-	60.24	31.35	7.40	29.36



802.11ax HEW160-BF_Nss1,(MCS0)_4TX

26/07/2020

5250MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1384G	51.03	54.00	-2.97	9.89	3	Horizontal	74	1.50	-	41.14	31.88	7.34	29.33
AV	5.1852G	100.66	Inf	-Inf	9.74	3	Horizontal	74	1.50	-	90.92	31.69	7.39	29.34
AV	5.3556G	47.95	54.00	-6.05	9.27	3	Horizontal	74	1.50	-	38.68	31.23	7.40	29.36
PK	5.1348G	67.29	74.00	-6.71	9.87	3	Horizontal	74	1.50	-	57.42	31.87	7.33	29.33
PK	5.1852G	109.64	Inf	-Inf	9.74	3	Horizontal	74	1.50	-	99.90	31.69	7.39	29.34
PK	5.3736G	67.91	74.00	-6.09	9.38	3	Horizontal	74	1.50	-	58.53	31.34	7.40	29.36



802.11ax HEW160-BF_Nss1,(MCS0)_4TX

26/07/2020

5250MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.74308G	45.09	54.00	-8.91	17.27	3	Vertical	206	2.02	-	27.82	37.26	11.91	31.90
PK	10.54928G	57.71	68.20	-10.49	18.86	3	Vertical	325	1.73	-	38.85	39.70	9.77	30.61
PK	15.75724G	57.03	74.00	-16.97	17.25	3	Vertical	206	2.02	-	39.78	37.24	11.92	31.91



802.11ax HEW160-BF_Nss1,(MCS0)_4TX

26/07/2020

5250MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.75388G	45.03	54.00	-8.97	17.25	3	Horizontal	80	1.69	-	27.78	37.25	11.91	31.91
PK	10.49984G	57.83	68.20	-10.37	18.87	3	Horizontal	221	1.50	-	38.96	39.70	9.75	30.58
PK	15.7588G	57.42	74.00	-16.58	17.25	3	Horizontal	80	1.69	-	40.17	37.24	11.92	31.91



802.11ax HEW160-BF_Nss1,(MCS0)_4TX

26/07/2020

5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	50.95	54.00	-3.05	9.70	3	Vertical	344	1.50	-	41.25	31.64	7.43	29.37
AV	5.5592G	93.65	Inf	-Inf	9.73	3	Vertical	344	1.50	-	83.92	31.62	7.48	29.37
PK	5.468G	67.50	68.20	-0.70	9.77	3	Vertical	344	1.50	-	57.73	31.71	7.43	29.37
PK	5.522G	107.01	Inf	-Inf	9.86	3	Vertical	344	1.50	-	97.15	31.77	7.46	29.37
PK	5.7404G	58.98	68.20	-9.22	10.16	3	Vertical	344	1.50	-	48.82	31.88	7.64	29.36



802.11ax HEW160-BF_Nss1,(MCS0)_4TX

26/07/2020

5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	46.36	54.00	-7.64	9.71	3	Horizontal	300	1.61	-	36.65	31.65	7.43	29.37
AV	5.594G	94.93	Inf	-Inf	9.82	3	Horizontal	300	1.61	-	85.11	31.69	7.50	29.37
PK	5.4632G	67.42	68.20	-0.78	9.74	3	Horizontal	300	1.61	-	57.68	31.68	7.43	29.37
PK	5.594G	106.13	Inf	-Inf	9.82	3	Horizontal	300	1.61	-	96.31	31.69	7.50	29.37
PK	5.8352G	57.58	68.20	-10.62	10.38	3	Horizontal	300	1.61	-	47.20	32.00	7.74	29.36



802.11ax HEW160-BF_Nss1,(MCS0)_4TX

26/07/2020

5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1523G	45.65	54.00	-8.35	18.90	3	Vertical	197	1.50	-	26.75	39.69	10.08	30.87
PK	11.137G	57.89	74.00	-16.11	18.94	3	Vertical	197	1.50	-	38.95	39.75	10.07	30.88
PK	16.76888G	61.43	68.20	-6.77	20.46	3	Vertical	265	1.32	-	40.97	39.92	12.23	31.69



802.11ax HEW160-BF_Nss1,(MCS0)_4TX

26/07/2020

5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14G	46.30	54.00	-7.70	18.93	3	Horizontal	217	1.42	-	27.37	39.74	10.07	30.88
PK	11.12336G	57.52	74.00	-16.48	18.99	3	Horizontal	217	1.42	-	38.53	39.81	10.06	30.88
PK	16.77144G	61.24	68.20	-6.96	20.48	3	Horizontal	101	1.34	-	40.76	39.94	12.23	31.69



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Condition
Mode 1	Pass	AV	3.664G	49.77	54.00	-4.23	5.73	Horizontal

Mode Configure

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition	Comments	Raw (dBuV)	AF (dB)
Mode 1	Pass	AV	1.318G	26.07	54.00	-27.93	Vertical	-	28.36	25.87
Mode 1	Pass	AV	3.502G	46.27	68.20	-21.93	Vertical	-	41.21	28.61
Mode 1	Pass	AV	3.664G	46.56	54.00	-7.44	Vertical	"Worst"	40.83	29.10
Mode 1	Pass	PK	1.318G	40.49	74.00	-33.51	Vertical	-	42.78	25.87
Mode 1	Pass	PK	3.502G	48.14	68.20	-20.06	Vertical	-	43.08	28.61
Mode 1	Pass	PK	3.664G	49.14	74.00	-24.86	Vertical	-	43.41	29.10
Mode 1	Pass	AV	3.502G	46.15	68.20	-22.05	Horizontal	-	41.09	28.61
Mode 1	Pass	AV	3.664G	49.77	54.00	-4.23	Horizontal	"Worst"	44.04	29.10
Mode 1	Pass	AV	4G	46.39	54.00	-7.61	Horizontal	-	39.67	29.60
Mode 1	Pass	PK	3.502G	47.97	68.20	-20.23	Horizontal	-	42.91	28.61
Mode 1	Pass	PK	3.664G	51.22	74.00	-22.78	Horizontal	-	45.49	29.10
Mode 1	Pass	PK	4G	48.56	74.00	-25.44	Horizontal	-	41.84	29.60

Radiated Emissions above 1GHz_Mode 1


27/07/2020



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	1.318G	26.07	54.00	-27.93	-2.29	3	Vertical	0	1.50	-	28.36	25.87	3.78	31.94
AV	3.502G	46.27	68.20	-21.93	5.06	3	Vertical	258	1.59	-	41.21	28.61	6.25	29.80
AV	3.664G	46.56	54.00	-7.44	5.73	3	Vertical	238	1.08	"Worst"	40.83	29.10	6.36	29.73
PK	1.318G	40.49	74.00	-33.51	-2.29	3	Vertical	0	1.50	-	42.78	25.87	3.78	31.94
PK	3.502G	48.14	68.20	-20.06	5.06	3	Vertical	258	1.59	-	43.08	28.61	6.25	29.80
PK	3.664G	49.14	74.00	-24.86	5.73	3	Vertical	238	1.08	-	43.41	29.10	6.36	29.73

Radiated Emissions above 1GHz_Mode 1

27/07/2020



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.502G	46.15	68.20	-22.05	5.06	3	Horizontal	266	1.73	-	41.09	28.61	6.25	29.80
AV	3.664G	49.77	54.00	-4.23	5.73	3	Horizontal	269	1.09	"Worst"	44.04	29.10	6.36	29.73
AV	4G	46.39	54.00	-7.61	6.72	3	Horizontal	137	2.09	-	39.67	29.60	6.70	29.58
PK	3.502G	47.97	68.20	-20.23	5.06	3	Horizontal	266	1.73	-	42.91	28.61	6.25	29.80
PK	3.664G	51.22	74.00	-22.78	5.73	3	Horizontal	269	1.09	-	45.49	29.10	6.36	29.73
PK	4G	48.56	74.00	-25.44	6.72	3	Horizontal	137	2.09	-	41.84	29.60	6.70	29.58