



Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	4.95
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	4.96
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	4.89
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	4.98
6.425-6.525GHz	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	4.88
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	4.90
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	4.92
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	4.96
6.525-6.875GHz	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	4.94
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	4.90
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	4.89
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	4.98
6.875-7.125GHz	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	4.86
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	4.94
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	4.91
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	4.90



RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;







Result



Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-
5935MHz	Pass	3.46	5.00
5955MHz	Pass	4.77	5.00
6195MHz	Pass	4.73	5.00
6415MHz	Pass	4.95	5.00
6435MHz	Pass	4.88	5.00
6475MHz	Pass	4.80	5.00
6515MHz	Pass	4.69	5.00
6535MHz	Pass	4.82	5.00
6695MHz	Pass	4.81	5.00
6875MHz Straddle 6.525-6.875GHz	Pass	4.94	5.00
6895MHz	Pass	4.83	5.00
6995MHz	Pass	4.86	5.00
7095MHz	Pass	4.78	5.00
7115MHz	Pass	1.61	5.00
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	4.82	5.00
6205MHz	Pass	4.96	5.00
6405MHz	Pass	4.82	5.00
6445MHz	Pass	4.81	5.00
6485MHz	Pass	4.90	5.00
6525MHz Straddle 6.425-6.525GHz	Pass	4.79	5.00
6565MHz	Pass	4.78	5.00
6685MHz	Pass	4.90	5.00
6885MHz Straddle 6.525-6.875GHz	Pass	4.83	5.00
6925MHz	Pass	4.94	5.00
7005MHz	Pass	4.77	5.00
7085MHz	Pass	4.68	5.00
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	4.88	5.00
6225MHz	Pass	4.88	5.00
6385MHz	Pass	4.89	5.00
6465MHz	Pass	4.87	5.00
6545MHz Straddle 6.425-6.525GHz	Pass	4.92	5.00
6625MHz	Pass	4.89	5.00
6705MHz	Pass	4.80	5.00
6785MHz	Pass	4.81	5.00
6865MHz Straddle 6.525-6.875GHz	Pass	4.82	5.00
6945MHz	Pass	4.81	5.00
7025MHz	Pass	4.91	5.00
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	4.88	5.00
6185MHz	Pass	4.98	5.00
6345MHz	Pass	4.93	5.00
6505MHz Straddle 6.425-6.525GHz	Pass	4.96	5.00
6665MHz	Pass	4.94	5.00
6825MHz Straddle 6.525-6.875GHz	Pass	4.98	5.00
6985MHz	Pass	4.90	5.00



DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

















































































Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	5.93852G	-8.47	6.03136G	-63.54	-48.47	-15.07	2
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	6.41368G	-8.64	6.36396G	-54.69	-48.64	-6.05	1
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	6.39885G	-6.63	6.33372G	-52.87	-46.63	-6.24	1
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	6.15731G	-0.9	6.27172G	-46.43	-40.9	-5.53	1
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	6.3696G	2.3	6.98388G	-43.22	-37.7	-5.52	1
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	6.47126G	-8.74	6.44288G	-66.76	-48.74	-18.02	1
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	6.43258G	-8.38	6.3679G	-54.78	-48.38	-6.4	1
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	6.52016G	-6.46	6.38816G	-52.73	-46.46	-6.27	1
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	6.55731G	-1.66	6.97708G	-46.2	-41.66	-4.54	1
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	6.4312G	4.82	6.84644G	-40.97	-35.13	-5.84	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	6.69852G	-8.03	6.70644G	-45.11	-27.33	-17.78	2
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	6.87368G	-9.12	6.98302G	-53.16	-49.12	-4.04	1
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	6.87885G	-6.78	6.9642G	-51.09	-46.78	-4.31	1
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	6.85621G	-2.01	6.99172G	-45.54	-42.01	-3.53	1
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	6.6509G	1.89	7.0082G	-43.4	-38.11	-5.29	1
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	7.1106G	-13.89	7.0831G	-69.29	-53.89	-15.40	1
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	6.89192G	-9.4	6.96034G	-53.12	-49.4	-3.72	1
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	7.07269G	-8.1	6.99656G	-51.03	-48.1	-2.93	1
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	6.93621G	-1.13	6.82004G	-46.18	-41.13	-5.05	2
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	6.9569G	3.81	6.59076G	-42.08	-36.19	-5.89	2



Result



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
5935MHz	Pass	5.94159G	-8.37	6.02916G	-63.51	-48.37	-15.14	1
5935MHz	Pass	5.93852G	-8.47	6.03136G	-63.54	-48.47	-15.07	2
5955MHz	Pass	5.95984G	-8.8	6.05444G	-65.41	-48.8	-16.61	1
5955MHz	Pass	5.95852G	-8.75	6.0529G	-64.25	-48.75	-15.5	2
6195MHz	Pass	6.20027G	-8.55	6.23636G	-65.88	-48.55	-17.33	1
6195MHz	Pass	6.19258G	-7.6	6.23592G	-65.94	-47.6	-18.34	2
6415MHz	Pass	6.41632G	-8.5	6.4469G	-66.69	-48.5	-18.19	1
6415MHz	Pass	6.41786G	-7.83	6.46054G	-65.74	-47.83	-17.91	2
6435MHz	Pass	6.43126G	-8.69	6.4031G	-67.07	-48.69	-18.38	1
6435MHz	Pass	6.43808G	-7.88	6.4669G	-66.28	-47.88	-18.4	2
6475MHz	Pass	6.47126G	-8.74	6.44288G	-66.76	-48.74	-18.02	1
6475MHz	Pass	6.47412G	-7.95	6.5069G	-66.42	-47.95	-18.47	2
6515MHz	Pass	6.50973G	-8.94	6.48024G	-66.98	-48.94	-18.04	1
6515MHz	Pass	6.51566G	-7.86	6.48354G	-66.29	-47.69	-18.6	2
6535MHz	Pass	6.53346G	-9.1	6.50024G	-67.1	-49.1	-18	1
6535MHz	Pass	6.53786G	-8.14	6.56646G	-66.19	-48.08	-18.11	2
6695MHz	Pass	6.69412G	-8.82	6.66244G	-66.88	-48.82	-18.06	1
6695MHz	Pass	6.69852G	-8.03	6.70644G	-45.11	-27.33	-17.78	2
6875MHz	Pass	6.87214G	-8.59	6.9069G	-66.58	-48.55	-18.03	1
6875MHz	Pass	6.86753G	-7.65	6.90668G	-66.17	-47.65	-18.52	2
6895MHz	Pass	6.89566G	-8.72	6.86222G	-66.67	-48.72	-17.95	1
6895MHz	Pass	6.89412G	-7.63	6.86288G	-66.19	-47.63	-18.56	2
6995MHz	Pass	7.00005G	-8.72	6.96288G	-66.81	-48.72	-18.09	1
6995MHz	Pass	6.99192G	-7.82	6.96222G	-66.43	-47.82	-18.61	2
7095MHz	Pass	7.09258G	-8.77	7.0631G	-66.09	-48.77	-17.32	1
7095MHz	Pass	7.09214G	-7.78	7.06354G	-65.81	-47.61	-18.2	2
7115MHz	Pass	7.1106G	-13.89	7.0831G	-69.29	-53.89	-15.40	1
7115MHz	Pass	7.11214G	-13.00	7.08354G	-68.96	-52.94	-16.02	2
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5935MHz	Pass	5.94247G	-11.06	5.96932G	-64.67	-51.06	-13.61	1
5935MHz	Pass	5.94049G	-10.84	5.96954G	-65.33	-50.84	-14.49	2
5955MHz	Pass	5.96247G	-8.21	6.04872G	-54.94	-48.21	-6.73	1
5955MHz	Pass	5.95632G	-7.94	6.05268G	-55.03	-47.94	-7.09	2
6195MHz	Pass	6.19258G	-8.15	6.25022G	-54.67	-48.15	-6.52	1
6195MHz	Pass	6.19236G	-7.23	6.23152G	-54.71	-47.23	-7.48	2
6415MHz	Pass	6.41368G	-8.64	6.36396G	-54.69	-48.64	-6.05	1
6415MHz	Pass	6.41368G	-7.97	6.38002G	-54.72	-47.97	-6.75	2
6435MHz	Pass	6.43258G	-8.38	6.3679G	-54.78	-48.38	-6.4	1
6435MHz	Pass	6.43874G	-7.61	6.38638G	-54.67	-47.61	-7.06	2
6475MHz	Pass	6.47258G	-7.95	6.37138G	-54.73	-47.95	-6.78	1
6475MHz	Pass	6.48071G	-7.19	6.3881G	-54.73	-47.19	-7.54	2
6515MHz	Pass	6.51258G	-8.46	6.54888G	-54.92	-48.46	-6.46	1
6515MHz	Pass	6.51566G	-7.78	6.56142G	-54.75	-47.78	-6.97	2
6535MHz	Pass	6.53258G	-9.16	6.5724G	-54.91	-49.16	-5.75	1
6535MHz	Pass	6.53632G	-8.09	6.5713G	-54.74	-48.09	-6.65	2
6695MHz	Pass	6.69258G	-9.16	6.78674G	-54.15	-49.16	-4.99	1
6695MHz	Pass	6.69082G	-8.64	6.79576G	-54.36	-48.64	-5.72	2
6875MHz	Pass	6.87368G	-9.12	6.98302G	-53.16	-49.12	-4.04	1
6875MHz	Pass	6.86995G	-8.23	6.97884G	-53.16	-48.23	-4.93	2
6895MHz	Pass	6.89192G	-9.4	6.96034G	-53.12	-49.4	-3.72	1
6895MHz	Pass	6.89258G	-8.7	6.98322G	-53.07	-48.7	-4.37	2
6995MHz	Pass	6.99258G	-8.62	6.96178G	-53.22	-48.62	-4.6	1
6995MHz	Pass	6.99126G	-8.15	6.96244G	-53.22	-48.15	-5.07	2
7095MHz	Pass	7.09324G	-8.97	6.98522G	-53.79	-48.97	-4.82	1





Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
7095MHz	Pass	7.08995G	-7.79	7.00612G	-53.79	-47.79	-6	2
7115MHz	Pass	7.11632G	-11.23	7.0842G	-65.75	-49.61	-16.14	1
7115MHz	Pass	7.11258G	-10.62	7.08442G	-64.87	-48.93	-15.94	2
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.97071G	-6.22	6.05872G	-52.95	-46.22	-6.73	1
5965MHz	Pass	5.97863G	-6.32	6.0486G	-52.92	-46.32	-6.6	2
6165MHz	Pass	6.17115G	-6.09	6.231G	-52.53	-46.09	-6.44	1
6165MHz	Pass	6.16984G	-5.14	6.22616G	-52.48	-45.14	-7.34	2
6405MHz	Pass	6.39885G	-6.63	6.33372G	-52.87	-46.63	-6.24	1
6405MHz	Pass	6.40104G	-6.08	6.33768G	-52.62	-46.08	-6.54	2
6445MHz	Pass	6.44016G	-5.39	6.36228G	-52.5	-45.39	-7.11	1
6445MHz	Pass	6.45115G	-4.84	6.38384G	-52.46	-44.84	-7.62	2
6485MHz	Pass	6.47885G	-5.71	6.40668G	-52.6	-45.71	-6.89	1
6485MHz	Pass	6.48016G	-5.17	6.5466G	-52.56	-45.17	-7.39	2
6525MHz	Pass	6.52016G	-6.46	6.38816G	-52.73	-46.46	-6.27	1
6525MHz	Pass	6.52984G	-5.57	6.59056G	-52.64	-45.57	-7.07	2
6565MHz	Pass	6.56764G	-6.43	6.77224G	-52.65	-46.43	-6.22	1
6565MHz	Pass	6.57115G	-5.56	6.77884G	-52.7	-45.56	-7.14	2
6685MHz	Pass	6.68984G	-6.54	6.8412G	-52.29	-46.54	-5.75	1
6685MHz	Pass	6.68016G	-6.29	6.82096G	-52.28	-46.29	-5.99	2
6885MHz	Pass	6.87885G	-6.78	6.9642G	-51.09	-46.78	-4.31	1
6885MHz	Pass	6.88852G	-6.15	6.97916G	-50.89	-46.15	-4.74	2
6925MHz	Pass	6.93115G	-7.94	6.98792G	-51.12	-47.94	-3.18	1
6925MHz	Pass	6.92016G	-6.7	6.98616G	-50.82	-46.7	-4.12	2
7005MHz	Pass	6.99929G	-6.97	6.9434G	-51.5	-46.97	-4.53	1
7005MHz	Pass	6.99973G	-6.44	6.94516G	-51.4	-46.44	-4.96	2
7085MHz	Pass	7.07269G	-8.1	6.99656G	-51.03	-48.1	-2.93	1
7085MHz	Pass	7.07885G	-7.31	6.98028G	-50.97	-47.31	-3.66	2
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.99643G	-0.05	6.1082G	-46.91	-40.05	-6.86	1
6145MHz	Pass	6.15731G	-0.9	6.27172G	-46.43	-40.9	-5.53	1
6385MHz	Pass	6.37621G	-1.34	6.2618G	-47.08	-41.34	-5.74	1
6465MHz	Pass	6.45269G	-1.01	6.34268G	-46.98	-40.98	-6	1
6465MHz	Pass	6.47291G	-0.58	6.5882G	-46.63	-40.58	-6.05	2
6545MHz	Pass	6.55731G	-1.66	6.97708G	-46.2	-41.66	-4.54	1
6545MHz	Pass	6.55907G	-1	6.985G	-46.11	-41	-5.11	2
6625MHz	Pass	6.61269G	-0.87	6.98404G	-46.12	-40.87	-5.25	1
6625MHz	Pass	6.61357G	-1.34	6.98932G	-46.11	-41.34	-4.77	2
6705MHz	Pass	6.69269G	-1.49	6.96636G	-46.13	-41.49	-4.64	1
6705MHz	Pass	6.69797G	-1.71	6.97604G	-46.13	-41.71	-4.42	2
6785MHz	Pass	6.79819G	-1.53	6.97508G	-45.87	-41.53	-4.34	1
6785MHz	Pass	6.77445G	-1.87	6.97156G	-45.98	-41.87	-4.11	2
6865MHz	Pass	6.85621G	-2.01	6.99172G	-45.54	-42.01	-3.53	1
6865MHz	Pass	6.85445G	-2.04	6.9882G	-45.64	-42.04	-3.6	2
6945MHz	Pass	6.95995G	-0.85	6.8218G	-46.19	-40.85	-5.34	1
6945MHz	Pass	6.93621G	-1.13	6.82004G	-46.18	-41.13	-5.05	2
7025MHz	Pass	6.99335G	2.43	6.88156G	-43.38	-37.57	-5.81	1
7025MHz	Pass	6.99599G	2.34	6.85604G	-44.86	-37.66	-7.2	2
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.0479G	2.64	6.38228G	-43.37	-37.36	-6.01	1
6025MHz	Pass	6.083G	3.94	6.38052G	-43.11	-36.06	-7.05	2
6185MHz	Pass	6.2606G	2.68	6.98404G	-43.06	-37.32	-5.74	1
6185MHz	Pass	6.1569G	2.74	6.98932G	-43.1	-37.26	-5.84	2
6345MHz	Pass	6.3696G	2.3	6.98388G	-43.22	-37.7	-5.52	1
6345MHz	Pass	6.3995G	2.85	6.99092G	-43.11	-37.15	-5.96	2
6505MHz	Pass	6.4312G	4.82	6.84644G	-40.97	-35.13	-5.84	1





Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6505MHz	Pass	6.5296G	4.84	6.97844G	-41.15	-35.16	-5.99	2
6665MHz	Pass	6.6509G	1.89	7.0082G	-43.4	-38.11	-5.29	1
6665MHz	Pass	6.6087G	2.21	6.9994G	-42.69	-37.07	-5.62	2
6825MHz	Pass	6.7986G	3.09	6.45364G	-42.22	-36.91	-5.31	1
6825MHz	Pass	6.7969G	3.19	6.4466G	-42.25	-36.81	-5.44	2
6985MHz	Pass	6.9586G	3.98	6.28452G	-41.94	-36.02	-5.92	1
6985MHz	Pass	6.9569G	3.81	6.59076G	-42.08	-36.19	-5.89	2














6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6995MHz_TX

27/04/2023

CF Freq
6.995GHz

Span
220MHz

RBW
200kHz

VBW
1MHz

Sweep Time
20ms


Detector Type
RMS





Port 1 


Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.00005G	-8.72	6.96288G	-66.81	-48.72	-18.09	1
6.99192G	-7.82	6.96222G	-66.43	-47.82	-18.61	2




















6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

7115MHz_TX

13/04/2023

CF Freq
7.115GHz

Span
220MHz

RBW
200kHz

VBW
1MHz

Sweep Time
20ms


Detector Type
RMS






Port 1


Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.11632G	-11.23	7.0842G	-65.75	-49.61	-16.14	1
7.11258G	-10.62	7.08442G	-64.87	-48.93	-15.94	2

























6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

CF Freq
6.785GHz

Span
880MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS





02/03/2023

Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.79819G	-1.53	6.97508G	-45.87	-41.53	-4.34	1
6.77445G	-1.87	6.97156G	-45.98	-41.87	-4.11	2





5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

02/03/2023

CF Freq
6.025GHz

Span
1.76GHz

RBW
2MHz

VBW
10MHz

Sweep Time
20ms


Detector Type
RMS




Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.0479G	2.64	6.38228G	-43.37	-37.36	-6.01	1
6.083G	3.94	6.38052G	-43.11	-36.06	-7.05	2





6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

02/03/2023

CF Freq
6.665GHz

Span
1.76GHz

RBW
2MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6509G	1.89	7.0082G	-43.40	-38.11	-5.29	1
6.6087G	2.21	6.9994G	-42.69	-37.07	-5.62	2





Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	6.42027G	-8.20	6.37056G	-59.48	-48.20	-11.28	1
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	5.98258G	-8.42	6.02616G	-57.39	-48.42	-8.97	2
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	6.01577G	0.08	6.10644G	-48.32	-39.92	-8.40	2
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	Pass	6.4065G	0.20	6.67412G	-47.58	-39.80	-7.78	2
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	6.4361G	-10.01	6.37868G	-59.60	-50.01	-9.59	1
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	6.51973G	-7.39	6.58704G	-57.30	-47.39	-9.91	1
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	6.53181G	-0.55	6.4218G	-49.67	-40.55	-9.12	1
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	Pass	6.4312G	3.06	6.74964G	-41.32	-36.94	-4.38	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	6.69742G	-10.03	6.74802G	-59.98	-50.03	-9.95	1
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	6.89379G	-6.87	6.9752G	-56.77	-46.87	-9.90	1
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	6.61621G	-0.25	6.5018G	-48.94	-40.25	-8.69	1
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	Pass	6.6017G	-0.15	6.42212G	-45.40	-40.15	-5.25	2
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	6.89368G	-11.11	6.9632G	-59.30	-51.11	-8.19	1
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	7.08236G	-7.56	7.02296G	-56.50	-47.56	-8.94	1
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	7.00038G	1.17	6.90268G	-46.64	-38.83	-7.81	1
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	Pass	6.9217G	2.52	6.55204G	-46.70	-37.48	-9.22	2






Result


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5935MHz	Pass	5.94071G	-11.00	5.96976G	-62.99	-51.00	-11.99	1
5935MHz	Pass	5.94247G	-10.77	6.03796G	-63.23	-50.77	-12.46	2
5955MHz	Pass	5.96137G	-7.27	5.98976G	-58.73	-47.27	-11.46	1
5955MHz	Pass	5.96005G	-7.35	5.98998G	-58.84	-47.35	-11.49	2
6195MHz	Pass	6.19632G	-7.85	6.23526G	-59.60	-47.85	-11.75	1
6195MHz	Pass	6.19654G	-7.09	6.23526G	-59.54	-47.09	-12.45	2
6415MHz	Pass	6.42027G	-8.20	6.37056G	-59.48	-48.20	-11.28	1
6415MHz	Pass	6.41258G	-7.43	6.38244G	-59.36	-47.43	-11.93	2
6435MHz	Pass	6.4361G	-10.01	6.37868G	-59.60	-50.01	-9.59	1
6435MHz	Pass	6.43368G	-9.78	6.3822G	-59.60	-49.78	-9.82	2
6475MHz	Pass	6.47324G	-8.06	6.52098G	-59.55	-48.06	-11.49	1
6475MHz	Pass	6.47566G	-7.36	6.55948G	-59.14	-47.36	-11.78	2
6515MHz	Pass	6.51742G	-7.42	6.55086G	-59.28	-47.42	-11.86	1
6515MHz	Pass	6.51896G	-6.81	6.5612G	-58.80	-46.81	-11.99	2
6535MHz	Pass	6.5372G	-8.87	6.5735G	-59.54	-48.87	-10.67	1
6535MHz	Pass	6.53742G	-8.32	6.568G	-59.23	-48.32	-10.91	2
6695MHz	Pass	6.69742G	-10.03	6.74802G	-59.98	-50.03	-9.95	1
6695MHz	Pass	6.69346G	-9.19	6.58588G	-59.81	-49.19	-10.62	2
6875MHz	Pass	6.87742G	-8.67	6.95882G	-59.04	-48.67	-10.37	1
6875MHz	Pass	6.87852G	-7.88	6.96586G	-58.94	-47.88	-11.06	2
6895MHz	Pass	6.89368G	-11.11	6.9632G	-59.30	-51.11	-8.19	1
6895MHz	Pass	6.89302G	-10.31	6.97134G	-59.18	-50.31	-8.87	2
6995MHz	Pass	7.00027G	-6.31	6.96024G	-58.69	-46.31	-12.38	1
6995MHz	Pass	7.00071G	-5.80	6.96112G	-58.60	-45.80	-12.80	2
7095MHz	Pass	7.09544G	-8.78	6.9993G	-59.42	-48.78	-10.64	1
7095MHz	Pass	7.0939G	-7.78	6.9927G	-59.08	-47.78	-11.30	2
7115MHz	Pass	7.11632G	-12.45	7.01754G	-62.20	-52.45	-9.75	1
7115MHz	Pass	7.11742G	-11.85	7.00566G	-62.45	-51.85	-10.60	2
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.97863G	-7.65	6.02748G	-58.14	-47.65	-10.49	1
5965MHz	Pass	5.98258G	-8.42	6.02616G	-57.39	-48.42	-8.97	2
6205MHz	Pass	6.20984G	-7.23	6.3656G	-57.54	-47.23	-10.31	1
6205MHz	Pass	6.19841G	-6.51	6.38584G	-57.45	-46.51	-10.94	2
6405MHz	Pass	6.39973G	-7.23	6.3434G	-57.49	-47.23	-10.26	1
6405MHz	Pass	6.39885G	-6.79	6.3434G	-57.20	-46.79	-10.41	2
6445MHz	Pass	6.44984G	-7.33	6.37856G	-57.27	-47.33	-9.94	1
6445MHz	Pass	6.45115G	-6.96	6.55764G	-56.96	-46.96	-10.00	2
6485MHz	Pass	6.48148G	-6.83	6.5466G	-57.00	-46.83	-10.17	1
6485MHz	Pass	6.48016G	-6.27	6.54616G	-56.73	-46.27	-10.46	2
6525MHz	Pass	6.51973G	-7.39	6.58704G	-57.30	-47.39	-9.91	1
6525MHz	Pass	6.51885G	-6.61	6.5866G	-56.92	-46.61	-10.31	2
6565MHz	Pass	6.55753G	-7.02	6.50384G	-57.38	-47.02	-10.36	1
6565MHz	Pass	6.55709G	-6.33	6.50252G	-57.10	-46.33	-10.77	2
6685MHz	Pass	6.69247G	-2.72	6.7466G	-54.33	-42.72	-11.61	1
6685MHz	Pass	6.67797G	-2.06	6.74616G	-54.27	-42.06	-12.21	2
6885MHz	Pass	6.89379G	-6.87	6.9752G	-56.77	-46.87	-9.90	1
6885MHz	Pass	6.87841G	-6.34	6.97652G	-56.54	-46.34	-10.20	2
6925MHz	Pass	6.91885G	-4.36	6.98616G	-55.66	-44.36	-11.30	1
6925MHz	Pass	6.92104G	-3.41	6.98616G	-54.94	-43.41	-11.53	2
7005MHz	Pass	7.0006G	-7.05	6.94384G	-56.70	-47.05	-9.65	1
7005MHz	Pass	7.00148G	-5.94	6.9434G	-56.42	-45.94	-10.48	2
7085MHz	Pass	7.08236G	-7.56	7.02296G	-56.50	-47.56	-8.94	1
7085MHz	Pass	7.07973G	-6.58	7.0234G	-55.91	-46.58	-9.33	2
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5985MHz	Pass	5.99643G	-0.51	6.1126G	-50.36	-40.51	-9.85	1
5985MHz	Pass	6.01577G	0.08	6.10644G	-48.32	-39.92	-8.40	2
6225MHz	Pass	6.23819G	0.14	6.34732G	-48.83	-39.86	-8.97	1
6225MHz	Pass	6.2083G	-0.14	6.35172G	-48.82	-40.14	-8.68	2
6385MHz	Pass	6.37269G	-0.91	6.5082G	-50.49	-40.91	-9.58	1
6385MHz	Pass	6.39555G	-0.32	6.5082G	-49.22	-40.32	-8.90	2
6465MHz	Pass	6.45269G	-0.69	6.34356G	-49.82	-40.69	-9.13	1
6465MHz	Pass	6.47555G	-0.24	6.58732G	-49.56	-40.24	-9.32	2
6545MHz	Pass	6.53181G	-0.55	6.4218G	-49.67	-40.55	-9.12	1
6545MHz	Pass	6.53357G	-0.14	6.6682G	-49.77	-40.14	-9.63	2
6625MHz	Pass	6.61621G	-0.25	6.5018G	-48.94	-40.25	-8.69	1
6625MHz	Pass	6.61445G	-0.46	6.50356G	-49.23	-40.46	-8.77	2
6705MHz	Pass	6.69533G	0.08	6.58268G	-48.90	-39.92	-8.98	1
6705MHz	Pass	6.69005G	-0.10	6.58268G	-48.99	-40.10	-8.89	2
6785MHz	Pass	6.77181G	-0.24	6.90732G	-49.17	-40.24	-8.93	1
6785MHz	Pass	6.79995G	-0.41	6.66268G	-49.40	-40.41	-8.99	2
6865MHz	Pass	6.87995G	-0.28	6.98732G	-49.13	-40.28	-8.85	1
6865MHz	Pass	6.85181G	-0.29	6.74356G	-49.38	-40.29	-9.09	2
6945MHz	Pass	6.93357G	0.77	6.82268G	-47.44	-39.23	-8.21	1
6945MHz	Pass	6.93445G	0.92	6.82268G	-47.57	-39.08	-8.49	2
7025MHz	Pass	7.00038G	1.17	6.90268G	-46.64	-38.83	-7.81	1
7025MHz	Pass	7.01093G	1.19	6.90356G	-46.63	-38.81	-7.82	2
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.0057G	0.09	6.3682G	-47.87	-39.91	-7.96	1
6025MHz	Pass	6.1006G	2.00	6.3506G	-46.93	-38.00	-8.93	2
6185MHz	Pass	6.2465G	3.22	6.88372G	-47.26	-36.78	-10.48	1
6185MHz	Pass	6.1569G	2.42	6.88372G	-47.12	-37.58	-9.54	2
6345MHz	Pass	6.3696G	0.01	6.66708G	-48.32	-39.99	-8.33	1
6345MHz	Pass	6.4065G	0.20	6.67412G	-47.58	-39.80	-7.78	2
6505MHz	Pass	6.4312G	3.06	6.74964G	-41.32	-36.94	-4.38	1
6505MHz	Pass	6.5331G	1.78	6.96612G	-47.31	-38.22	-9.09	2
6665MHz	Pass	6.7388G	-0.59	5.99796G	-49.31	-40.59	-8.72	1
6665MHz	Pass	6.6017G	-0.15	6.42212G	-45.40	-40.15	-5.25	2
6825MHz	Pass	6.7512G	0.83	6.38852G	-47.38	-39.17	-8.21	1
6825MHz	Pass	6.8021G	1.10	6.385G	-47.69	-38.90	-8.79	2
6985MHz	Pass	6.9112G	2.77	6.28452G	-46.83	-37.23	-9.60	1
6985MHz	Pass	6.9217G	2.52	6.55204G	-46.70	-37.48	-9.22	2







6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6475MHz_TX

CF Freq
6.475GHz

Span
220MHz

RBW
200kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS





17/04/2023


Port 1 


Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.47324G	-8.06	6.52098G	-59.55	-48.06	-11.49	1
6.47566G	-7.36	6.55948G	-59.14	-47.36	-11.78	2














































5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

CF Freq
6.345GHz

Span
1.76GHz

RBW
2MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS




17/04/2023

Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3696G	0.01	6.66708G	-48.32	-39.99	-8.33	1
6.4065G	0.20	6.67412G	-47.58	-39.80	-7.78	2





6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

MASK

6985MHz_TX 17/04/2023

CF Freq
6.985GHz

Span
1.76GHz

RBW
3MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	PK	875.84M	41.10	46.00	-4.90	3	Horizontal	0	1.00




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6985MHz	Pass	PK	45.52M	35.04	40.00	-4.96	3	Vertical	360	1.00
6985MHz	Pass	PK	72.68M	34.07	40.00	-5.93	3	Vertical	360	1.00
6985MHz	Pass	PK	136.7M	31.63	43.50	-11.87	3	Vertical	360	1.00
6985MHz	Pass	PK	375.32M	39.67	46.00	-6.33	3	Vertical	360	1.00
6985MHz	Pass	PK	625.58M	38.33	46.00	-7.67	3	Vertical	360	1.00
6985MHz	Pass	PK	875.84M	39.94	46.00	-6.06	3	Vertical	360	1.00
6985MHz	Pass	PK	70.74M	26.35	40.00	-13.65	3	Horizontal	0	1.00
6985MHz	Pass	PK	101.78M	28.24	43.50	-15.26	3	Horizontal	0	1.00
6985MHz	Pass	PK	163.86M	28.21	43.50	-15.29	3	Horizontal	0	1.00
6985MHz	Pass	PK	375.32M	39.17	46.00	-6.83	3	Horizontal	0	1.00
6985MHz	Pass	PK	625.58M	39.15	46.00	-6.85	3	Horizontal	0	1.00
6985MHz	Pass	PK	875.84M	41.10	46.00	-4.90	3	Horizontal	0	1.00

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6985MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	45.52M	35.04	40.00	-4.96	-11.50	3	Vertical	360	1.00	46.54	14.92	1.09	27.51
PK	72.68M	34.07	40.00	-5.93	-14.49	3	Vertical	360	1.00	48.56	11.58	1.38	27.45
PK	136.7M	31.63	43.50	-11.87	-8.56	3	Vertical	360	1.00	40.19	16.72	1.92	27.20
PK	375.32M	39.67	46.00	-6.33	-3.77	3	Vertical	360	1.00	43.44	20.00	3.26	27.03
PK	625.58M	38.33	46.00	-7.67	0.44	3	Vertical	360	1.00	37.89	24.13	4.30	27.99
PK	875.84M	39.94	46.00	-6.06	3.69	3	Vertical	360	1.00	36.25	26.04	5.18	27.53

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6985MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	70.74M	26.35	40.00	-13.65	-14.55	3	Horizontal	0	1.00	40.90	11.54	1.36	27.45
PK	101.78M	28.24	43.50	-15.26	-9.14	3	Horizontal	0	1.00	37.38	16.55	1.65	27.34
PK	163.86M	28.21	43.50	-15.29	-10.07	3	Horizontal	0	1.00	38.28	14.91	2.11	27.09
PK	375.32M	39.17	46.00	-6.83	-3.77	3	Horizontal	0	1.00	42.94	20.00	3.26	27.03
PK	625.58M	39.15	46.00	-6.85	0.44	3	Horizontal	0	1.00	38.71	24.13	4.30	27.99
PK	875.84M	41.10	46.00	-4.90	3.69	3	Horizontal	0	1.00	37.41	26.04	5.18	27.53



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.925G	86.79	88.20	-1.41	3	Vertical	289	1.81
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	5.9245G	67.84	68.20	-0.36	3	Vertical	286	1.58
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	12.3899G	44.71	54.00	-9.29	3	Vertical	182	1.50
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	12.44955G	44.58	54.00	-9.42	3	Vertical	18	2.97
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	5.911G	67.54	68.20	-0.66	3	Vertical	300	1.47
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	7.2024G	51.94	68.20	-16.26	3	Horizontal	227	1.15
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	7.215G	51.07	68.20	-17.13	3	Horizontal	165	1.38
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	7.2068G	52.25	68.20	-15.95	3	Horizontal	165	1.36
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	7.245G	52.55	68.20	-15.65	3	Vertical	189	1.60
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	7.1966G	53.67	68.20	-14.53	3	Vertical	294	1.50
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	13.38935G	45.56	54.00	-8.44	3	Vertical	25	2.36
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	13.39999G	45.04	54.00	-8.96	3	Horizontal	360	2.00
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	13.39568G	46.34	54.00	-7.66	3	Vertical	126	1.50
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	7.2238G	52.63	68.20	-15.57	3	Horizontal	143	1.35
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	13.33038G	47.12	54.00	-6.88	3	Horizontal	52	2.07
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	7.1255G	67.85	68.20	-0.35	3	Vertical	186	1.68
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	7.1255G	67.88	68.20	-0.32	3	Vertical	190	1.40
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	7.2317G	52.66	68.20	-15.54	3	Vertical	188	1.42
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	7.2192G	52.61	68.20	-15.59	3	Vertical	188	1.64
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	7.13G	66.83	68.20	-1.37	3	Vertical	187	1.64



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5935MHz	Pass	AV	5.925G	59.08	68.20	-9.12	3	Vertical	289	1.81
5935MHz	Pass	AV	5.9395G	97.94	Inf	-Inf	3	Vertical	289	1.81
5935MHz	Pass	PK	5.925G	86.79	88.20	-1.41	3	Vertical	289	1.81
5935MHz	Pass	PK	5.9343G	106.86	Inf	-Inf	3	Vertical	289	1.81
5935MHz	Pass	AV	5.925G	57.49	68.20	-10.71	3	Horizontal	164	1.50
5935MHz	Pass	AV	5.9376G	94.02	Inf	-Inf	3	Horizontal	164	1.50
5935MHz	Pass	PK	5.9248G	85.18	88.20	-3.02	3	Horizontal	164	1.50
5935MHz	Pass	PK	5.9371G	104.26	Inf	-Inf	3	Horizontal	164	1.50
5935MHz	Pass	AV	11.87524G	40.81	54.00	-13.19	3	Vertical	245	2.16
5935MHz	Pass	PK	11.86802G	53.42	74.00	-20.58	3	Vertical	245	2.16
5935MHz	Pass	AV	11.86528G	40.72	54.00	-13.28	3	Horizontal	219	2.15
5935MHz	Pass	PK	11.87296G	52.73	74.00	-21.27	3	Horizontal	219	2.15
5955MHz	Pass	AV	5.9016G	48.24	68.20	-19.96	3	Vertical	288	1.58
5955MHz	Pass	AV	5.9604G	97.81	Inf	-Inf	3	Vertical	288	1.58
5955MHz	Pass	PK	5.8605G	60.91	88.20	-27.29	3	Vertical	288	1.58
5955MHz	Pass	PK	5.9601G	107.99	Inf	-Inf	3	Vertical	288	1.58
5955MHz	Pass	AV	5.8812G	48.24	68.20	-19.96	3	Horizontal	164	1.09
5955MHz	Pass	AV	5.9592G	93.48	Inf	-Inf	3	Horizontal	164	1.09
5955MHz	Pass	PK	5.8752G	61.48	88.20	-26.72	3	Horizontal	164	1.09
5955MHz	Pass	PK	5.9595G	102.10	Inf	-Inf	3	Horizontal	164	1.09
5955MHz	Pass	AV	11.92491G	43.80	54.00	-10.20	3	Vertical	98	1.34
5955MHz	Pass	PK	11.89746G	55.64	74.00	-18.36	3	Vertical	98	1.34
5955MHz	Pass	AV	11.91969G	43.86	54.00	-10.14	3	Horizontal	307	1.50
5955MHz	Pass	PK	11.91624G	55.86	74.00	-18.14	3	Horizontal	307	1.50
6195MHz	Pass	AV	5.9004G	49.68	68.20	-18.52	3	Vertical	287	1.70
6195MHz	Pass	AV	6.1902G	99.53	Inf	-Inf	3	Vertical	287	1.70
6195MHz	Pass	PK	5.9166G	60.26	88.20	-27.94	3	Vertical	287	1.70
6195MHz	Pass	PK	6.1998G	107.35	Inf	-Inf	3	Vertical	287	1.70
6195MHz	Pass	AV	5.8998G	49.49	68.20	-18.71	3	Horizontal	165	1.16
6195MHz	Pass	AV	6.1992G	92.62	Inf	-Inf	3	Horizontal	165	1.16
6195MHz	Pass	PK	5.922G	61.33	88.20	-26.87	3	Horizontal	165	1.16
6195MHz	Pass	PK	6.1986G	100.31	Inf	-Inf	3	Horizontal	165	1.16
6195MHz	Pass	AV	12.40392G	44.00	54.00	-10.00	3	Vertical	95	1.50
6195MHz	Pass	PK	12.38286G	56.27	74.00	-17.73	3	Vertical	95	1.50
6195MHz	Pass	AV	12.384G	43.86	54.00	-10.14	3	Horizontal	271	1.50
6195MHz	Pass	PK	12.38121G	56.56	74.00	-17.44	3	Horizontal	271	1.50
6415MHz	Pass	AV	5.8858G	49.67	68.20	-18.53	3	Vertical	192	1.50
6415MHz	Pass	AV	6.4186G	99.05	Inf	-Inf	3	Vertical	192	1.50
6415MHz	Pass	PK	5.8918G	60.71	88.20	-27.49	3	Vertical	192	1.50
6415MHz	Pass	PK	6.4078G	107.23	Inf	-Inf	3	Vertical	192	1.50
6415MHz	Pass	AV	5.8966G	49.48	68.20	-18.72	3	Horizontal	168	1.30
6415MHz	Pass	AV	6.415G	91.90	Inf	-Inf	3	Horizontal	168	1.30
6415MHz	Pass	PK	5.8306G	60.91	88.20	-27.29	3	Horizontal	168	1.30
6415MHz	Pass	PK	6.4198G	99.74	Inf	-Inf	3	Horizontal	168	1.30
6415MHz	Pass	AV	12.83936G	45.26	68.20	-22.94	3	Vertical	356	1.50
6415MHz	Pass	PK	12.8261G	58.04	88.20	-30.16	3	Vertical	356	1.50
6415MHz	Pass	AV	12.83189G	45.48	68.20	-22.72	3	Horizontal	286	2.54
6415MHz	Pass	PK	12.82982G	57.34	88.20	-30.86	3	Horizontal	286	2.54
6435MHz	Pass	AV	5.8938G	49.67	68.20	-18.53	3	Vertical	294	1.67
6435MHz	Pass	AV	6.4302G	99.07	Inf	-Inf	3	Vertical	294	1.67
6435MHz	Pass	PK	5.919G	60.95	88.20	-27.25	3	Vertical	294	1.67
6435MHz	Pass	PK	6.4362G	106.92	Inf	-Inf	3	Vertical	294	1.67
6435MHz	Pass	AV	5.8926G	49.49	68.20	-18.71	3	Horizontal	230	1.03
6435MHz	Pass	AV	6.4338G	92.45	Inf	-Inf	3	Horizontal	230	1.03
6435MHz	Pass	PK	5.9082G	60.46	88.20	-27.74	3	Horizontal	230	1.03
6435MHz	Pass	PK	6.4398G	100.96	Inf	-Inf	3	Horizontal	230	1.03
6435MHz	Pass	AV	12.86625G	45.25	68.20	-22.95	3	Vertical	272	2.00
6435MHz	Pass	PK	12.8688G	57.55	88.20	-30.65	3	Vertical	272	2.00
6435MHz	Pass	AV	12.88008G	45.25	68.20	-22.95	3	Horizontal	91	2.02
6435MHz	Pass	PK	12.87816G	57.98	88.20	-30.22	3	Horizontal	91	2.02



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6475MHz	Pass	AV	5.8968G	49.47	68.20	-18.73	3	Vertical	280	1.64
6475MHz	Pass	AV	6.4764G	99.21	Inf	-Inf	3	Vertical	280	1.64
6475MHz	Pass	AV	7.1722G	51.54	68.20	-16.66	3	Vertical	280	1.64
6475MHz	Pass	PK	5.9094G	60.82	88.20	-27.38	3	Vertical	280	1.64
6475MHz	Pass	PK	6.4806G	107.41	Inf	-Inf	3	Vertical	280	1.64
6475MHz	Pass	PK	7.1694G	63.49	88.20	-24.71	3	Vertical	280	1.64
6475MHz	Pass	AV	5.8982G	49.48	68.20	-18.72	3	Horizontal	229	1.11
6475MHz	Pass	AV	6.4792G	92.51	Inf	-Inf	3	Horizontal	229	1.11
6475MHz	Pass	AV	7.1722G	51.54	68.20	-16.66	3	Horizontal	229	1.11
6475MHz	Pass	PK	5.8898G	61.23	88.20	-26.97	3	Horizontal	229	1.11
6475MHz	Pass	PK	6.4806G	100.55	Inf	-Inf	3	Horizontal	229	1.11
6475MHz	Pass	PK	7.1358G	62.46	88.20	-25.74	3	Horizontal	229	1.11
6475MHz	Pass	AV	12.9494G	44.32	68.20	-23.88	3	Vertical	342	1.12
6475MHz	Pass	PK	12.94928G	56.54	88.20	-31.66	3	Vertical	342	1.12
6475MHz	Pass	AV	12.94998G	44.66	68.20	-23.54	3	Horizontal	50	1.74
6475MHz	Pass	PK	12.95045G	56.84	88.20	-31.36	3	Horizontal	50	1.74
6515MHz	Pass	AV	5.8962G	49.48	68.20	-18.72	3	Vertical	277	1.54
6515MHz	Pass	AV	6.5108G	99.27	Inf	-Inf	3	Vertical	277	1.54
6515MHz	Pass	AV	7.187G	51.66	68.20	-16.54	3	Vertical	277	1.54
6515MHz	Pass	PK	5.8318G	61.22	88.20	-26.98	3	Vertical	277	1.54
6515MHz	Pass	PK	6.5164G	107.17	Inf	-Inf	3	Vertical	277	1.54
6515MHz	Pass	PK	7.2024G	62.87	88.20	-25.33	3	Vertical	277	1.54
6515MHz	Pass	AV	5.8976G	49.49	68.20	-18.71	3	Horizontal	227	1.15
6515MHz	Pass	AV	6.515G	92.60	Inf	-Inf	3	Horizontal	227	1.15
6515MHz	Pass	AV	7.2024G	51.94	68.20	-16.26	3	Horizontal	227	1.15
6515MHz	Pass	PK	5.871G	60.56	88.20	-27.64	3	Horizontal	227	1.15
6515MHz	Pass	PK	6.515G	101.56	Inf	-Inf	3	Horizontal	227	1.15
6515MHz	Pass	PK	7.1968G	62.75	88.20	-25.45	3	Horizontal	227	1.15
6515MHz	Pass	AV	13.02924G	44.76	68.20	-23.44	3	Vertical	93	1.02
6515MHz	Pass	PK	13.02951G	56.55	88.20	-31.65	3	Vertical	93	1.02
6515MHz	Pass	AV	13.02908G	44.86	68.20	-23.34	3	Horizontal	53	1.48
6515MHz	Pass	PK	13.03068G	56.21	88.20	-31.99	3	Horizontal	53	1.48
6535MHz	Pass	AV	6.5308G	99.32	Inf	-Inf	3	Vertical	263	1.63
6535MHz	Pass	AV	5.891G	49.49	68.20	-18.71	3	Vertical	263	1.63
6535MHz	Pass	AV	7.235G	51.89	68.20	-16.31	3	Vertical	263	1.63
6535MHz	Pass	PK	5.9162G	60.09	88.20	-28.11	3	Vertical	263	1.63
6535MHz	Pass	PK	6.5406G	107.44	Inf	-Inf	3	Vertical	263	1.63
6535MHz	Pass	PK	7.1566G	62.53	88.20	-25.67	3	Vertical	263	1.63
6535MHz	Pass	AV	5.891G	49.49	68.20	-18.71	3	Horizontal	230	1.08
6535MHz	Pass	AV	6.5392G	91.93	Inf	-Inf	3	Horizontal	230	1.08
6535MHz	Pass	AV	7.235G	51.72	68.20	-16.48	3	Horizontal	230	1.08
6535MHz	Pass	PK	5.8672G	61.90	88.20	-26.30	3	Horizontal	230	1.08
6535MHz	Pass	PK	6.5392G	100.75	Inf	-Inf	3	Horizontal	230	1.08
6535MHz	Pass	PK	7.1972G	62.85	88.20	-25.35	3	Horizontal	230	1.08
6535MHz	Pass	AV	13.07023G	44.75	68.20	-23.45	3	Vertical	336	1.06
6535MHz	Pass	PK	13.06961G	56.88	88.20	-31.32	3	Vertical	336	1.06
6535MHz	Pass	AV	13.07064G	44.85	68.20	-23.35	3	Horizontal	202	2.46
6535MHz	Pass	PK	13.06936G	56.19	88.20	-32.01	3	Horizontal	202	2.46
6695MHz	Pass	AV	6.697G	99.01	Inf	-Inf	3	Vertical	274	1.54
6695MHz	Pass	AV	7.18G	51.77	68.20	-16.43	3	Vertical	274	1.54
6695MHz	Pass	PK	6.691G	106.94	Inf	-Inf	3	Vertical	274	1.54
6695MHz	Pass	PK	7.143G	62.95	88.20	-25.25	3	Vertical	274	1.54
6695MHz	Pass	AV	6.696G	93.80	Inf	-Inf	3	Horizontal	228	1.35
6695MHz	Pass	AV	7.188G	51.67	68.20	-16.53	3	Horizontal	228	1.35
6695MHz	Pass	PK	6.696G	102.35	Inf	-Inf	3	Horizontal	228	1.35
6695MHz	Pass	PK	7.138G	63.40	88.20	-24.80	3	Horizontal	228	1.35
6695MHz	Pass	AV	13.38935G	45.56	54.00	-8.44	3	Vertical	25	2.36
6695MHz	Pass	PK	13.391G	57.00	74.00	-17.00	3	Vertical	25	2.36
6695MHz	Pass	AV	13.38928G	45.55	54.00	-8.45	3	Horizontal	188	1.88
6695MHz	Pass	PK	13.389G	57.37	74.00	-16.63	3	Horizontal	188	1.88
6875MHz Straddle 6.525-6.875GHz	Pass	AV	6.8778G	99.07	Inf	-Inf	3	Vertical	191	1.68
6875MHz Straddle 6.525-6.875GHz	Pass	AV	7.225G	51.86	68.20	-16.34	3	Vertical	191	1.68



RSE TX above 1GHz_Non-Beamforming

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6875MHz Straddle 6.525-6.875GHz	Pass	PK	6.868G	106.97	Inf	-Inf	3	Vertical	191	1.68
6875MHz Straddle 6.525-6.875GHz	Pass	PK	7.2215G	63.85	88.20	-24.35	3	Vertical	191	1.68
6875MHz Straddle 6.525-6.875GHz	Pass	AV	6.8806G	93.14	Inf	-Inf	3	Horizontal	224	1.50
6875MHz Straddle 6.525-6.875GHz	Pass	AV	7.2173G	51.83	68.20	-16.37	3	Horizontal	224	1.50
6875MHz Straddle 6.525-6.875GHz	Pass	PK	6.8806G	101.50	Inf	-Inf	3	Horizontal	224	1.50
6875MHz Straddle 6.525-6.875GHz	Pass	PK	7.1788G	63.33	88.20	-24.87	3	Horizontal	224	1.50
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.7495G	45.70	68.20	-22.50	3	Vertical	258	1.50
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.75032G	56.75	88.20	-31.45	3	Vertical	258	1.50
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.7491G	45.59	68.20	-22.61	3	Horizontal	329	1.00
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.74918G	57.32	88.20	-30.88	3	Horizontal	329	1.00
6895MHz	Pass	AV	6.8964G	99.35	Inf	-Inf	3	Vertical	55	1.50
6895MHz	Pass	AV	7.245G	52.10	68.20	-16.10	3	Vertical	55	1.50
6895MHz	Pass	PK	6.8957G	107.06	Inf	-Inf	3	Vertical	55	1.50
6895MHz	Pass	PK	7.196G	63.39	88.20	-24.81	3	Vertical	55	1.50
6895MHz	Pass	AV	6.9006G	93.17	Inf	-Inf	3	Horizontal	225	1.50
6895MHz	Pass	AV	7.2443G	52.10	68.20	-16.10	3	Horizontal	225	1.50
6895MHz	Pass	PK	6.8999G	101.70	Inf	-Inf	3	Horizontal	225	1.50
6895MHz	Pass	PK	7.2191G	63.67	88.20	-24.53	3	Horizontal	225	1.50
6895MHz	Pass	AV	13.78925G	46.02	68.20	-22.18	3	Vertical	203	2.48
6895MHz	Pass	PK	13.78908G	58.76	88.20	-29.44	3	Vertical	203	2.48
6895MHz	Pass	AV	13.78935G	46.02	68.20	-22.18	3	Horizontal	119	2.22
6895MHz	Pass	PK	13.79039G	57.90	88.20	-30.30	3	Horizontal	119	2.22
6995MHz	Pass	AV	6.9935G	99.39	Inf	-Inf	3	Vertical	190	1.66
6995MHz	Pass	AV	7.2395G	52.09	68.20	-16.11	3	Vertical	190	1.66
6995MHz	Pass	PK	6.989G	107.55	Inf	-Inf	3	Vertical	190	1.66
6995MHz	Pass	PK	7.1775G	63.03	88.20	-25.17	3	Vertical	190	1.66
6995MHz	Pass	AV	6.9905G	93.67	Inf	-Inf	3	Horizontal	228	1.07
6995MHz	Pass	AV	7.242G	51.93	68.20	-16.27	3	Horizontal	228	1.07
6995MHz	Pass	PK	6.995G	102.55	Inf	-Inf	3	Horizontal	228	1.07
6995MHz	Pass	PK	7.2425G	64.06	88.20	-24.14	3	Horizontal	228	1.07
6995MHz	Pass	AV	13.99091G	46.18	68.20	-22.02	3	Vertical	249	2.40
6995MHz	Pass	PK	13.98975G	57.24	88.20	-30.96	3	Vertical	249	2.40
6995MHz	Pass	AV	13.9891G	46.19	68.20	-22.01	3	Horizontal	98	2.86
6995MHz	Pass	PK	13.99019G	57.46	88.20	-30.74	3	Horizontal	98	2.86
7095MHz	Pass	AV	7.0887G	99.32	Inf	-Inf	3	Vertical	190	1.68
7095MHz	Pass	AV	7.2444G	52.10	68.20	-16.10	3	Vertical	190	1.68
7095MHz	Pass	PK	7.089G	107.55	Inf	-Inf	3	Vertical	190	1.68
7095MHz	Pass	PK	7.1538G	64.25	88.20	-23.95	3	Vertical	190	1.68
7095MHz	Pass	AV	7.0902G	92.74	Inf	-Inf	3	Horizontal	227	1.09
7095MHz	Pass	AV	7.2396G	52.09	68.20	-16.11	3	Horizontal	227	1.09
7095MHz	Pass	PK	7.0944G	101.40	Inf	-Inf	3	Horizontal	227	1.09
7095MHz	Pass	PK	7.2015G	63.86	88.20	-24.34	3	Horizontal	227	1.09
7095MHz	Pass	PK	14.17653G	58.32	88.20	-29.88	3	Vertical	147	1.70
7095MHz	Pass	AV	14.19156G	46.55	68.20	-21.65	3	Vertical	147	1.70
7095MHz	Pass	PK	14.19897G	58.34	88.20	-29.86	3	Horizontal	121	2.24
7095MHz	Pass	AV	14.18724G	46.66	68.20	-21.54	3	Horizontal	121	2.24
7115MHz	Pass	AV	7.1185G	96.86	Inf	-Inf	3	Vertical	186	1.68
7115MHz	Pass	AV	7.1255G	67.85	68.20	-0.35	3	Vertical	186	1.68
7115MHz	Pass	PK	7.1185G	102.40	Inf	-Inf	3	Vertical	186	1.68
7115MHz	Pass	PK	7.1255G	75.16	88.20	-13.04	3	Vertical	186	1.68
7115MHz	Pass	AV	7.1215G	87.22	Inf	-Inf	3	Horizontal	94	1.53
7115MHz	Pass	AV	7.1255G	59.76	68.20	-8.44	3	Horizontal	94	1.53
7115MHz	Pass	PK	7.1215G	93.51	Inf	-Inf	3	Horizontal	94	1.53
7115MHz	Pass	PK	7.1255G	67.64	88.20	-20.56	3	Horizontal	94	1.53
7115MHz	Pass	AV	14.2313G	44.03	68.20	-24.17	3	Vertical	157	2.58
7115MHz	Pass	PK	14.22136G	56.50	88.20	-31.70	3	Vertical	157	2.58
7115MHz	Pass	AV	14.22468G	43.96	68.20	-24.24	3	Horizontal	306	1.70
7115MHz	Pass	PK	14.23696G	56.27	88.20	-31.93	3	Horizontal	306	1.70
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5935MHz	Pass	AV	5.9245G	67.84	68.20	-0.36	3	Vertical	286	1.58
5935MHz	Pass	AV	5.94253G	98.14	Inf	-Inf	3	Vertical	286	1.58
5935MHz	Pass	PK	5.9245G	78.39	88.20	-9.81	3	Vertical	286	1.58



RSE TX above 1GHz_Non-Beamforming

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5935MHz	Pass	PK	5.94053G	103.60	Inf	-Inf	3	Vertical	286	1.58
5935MHz	Pass	AV	5.9245G	63.66	68.20	-4.54	3	Horizontal	165	1.33
5935MHz	Pass	AV	5.94153G	94.45	Inf	-Inf	3	Horizontal	165	1.33
5935MHz	Pass	PK	5.9245G	73.64	88.20	-14.56	3	Horizontal	165	1.33
5935MHz	Pass	PK	5.93653G	99.88	Inf	-Inf	3	Horizontal	165	1.33
5935MHz	Pass	AV	11.86098G	40.05	54.00	-13.95	3	Vertical	0	2.75
5935MHz	Pass	PK	11.87628G	52.15	74.00	-21.85	3	Vertical	0	2.75
5935MHz	Pass	AV	11.87308G	40.09	54.00	-13.91	3	Horizontal	214	1.14
5935MHz	Pass	PK	11.86508G	51.97	74.00	-22.03	3	Horizontal	214	1.14
5955MHz	Pass	AV	5.9235G	48.78	68.20	-19.42	3	Vertical	284	1.97
5955MHz	Pass	AV	5.9595G	97.78	Inf	-Inf	3	Vertical	284	1.97
5955MHz	Pass	PK	5.8764G	60.85	88.20	-27.35	3	Vertical	284	1.97
5955MHz	Pass	PK	5.9595G	108.15	Inf	-Inf	3	Vertical	284	1.97
5955MHz	Pass	AV	5.8965G	48.83	68.20	-19.37	3	Horizontal	165	1.00
5955MHz	Pass	AV	5.9601G	91.84	Inf	-Inf	3	Horizontal	165	1.00
5955MHz	Pass	PK	5.8848G	61.45	88.20	-26.75	3	Horizontal	165	1.00
5955MHz	Pass	PK	5.9574G	102.67	Inf	-Inf	3	Horizontal	165	1.00
5955MHz	Pass	AV	11.92047G	42.64	54.00	-11.36	3	Vertical	265	1.50
5955MHz	Pass	PK	11.90124G	56.02	74.00	-17.98	3	Vertical	265	1.50
5955MHz	Pass	AV	11.92089G	42.64	54.00	-11.36	3	Horizontal	186	1.50
5955MHz	Pass	PK	11.89788G	55.42	74.00	-18.58	3	Horizontal	186	1.50
6195MHz	Pass	AV	5.8992G	48.84	68.20	-19.36	3	Vertical	297	1.59
6195MHz	Pass	AV	6.2004G	97.89	Inf	-Inf	3	Vertical	297	1.59
6195MHz	Pass	PK	5.8998G	60.89	88.20	-27.31	3	Vertical	297	1.59
6195MHz	Pass	PK	6.2004G	107.97	Inf	-Inf	3	Vertical	297	1.59
6195MHz	Pass	AV	5.898G	48.84	68.20	-19.36	3	Horizontal	138	1.76
6195MHz	Pass	AV	6.198G	92.13	Inf	-Inf	3	Horizontal	138	1.76
6195MHz	Pass	PK	5.8956G	60.72	88.20	-27.48	3	Horizontal	138	1.76
6195MHz	Pass	PK	6.2028G	102.23	Inf	-Inf	3	Horizontal	138	1.76
6195MHz	Pass	AV	12.39045G	43.52	54.00	-10.48	3	Vertical	298	1.50
6195MHz	Pass	PK	12.40323G	56.59	74.00	-17.41	3	Vertical	298	1.50
6195MHz	Pass	AV	12.38163G	43.41	54.00	-10.59	3	Horizontal	75	1.50
6195MHz	Pass	PK	12.40335G	56.17	74.00	-17.83	3	Horizontal	75	1.50
6415MHz	Pass	AV	5.8846G	48.62	68.20	-19.58	3	Vertical	190	1.64
6415MHz	Pass	AV	6.4186G	97.79	Inf	-Inf	3	Vertical	190	1.64
6415MHz	Pass	PK	5.911G	60.93	88.20	-27.27	3	Vertical	190	1.64
6415MHz	Pass	PK	6.4186G	107.92	Inf	-Inf	3	Vertical	190	1.64
6415MHz	Pass	AV	5.8966G	48.83	68.20	-19.37	3	Horizontal	166	1.31
6415MHz	Pass	AV	6.4174G	91.53	Inf	-Inf	3	Horizontal	166	1.31
6415MHz	Pass	PK	5.8558G	60.24	88.20	-27.96	3	Horizontal	166	1.31
6415MHz	Pass	PK	6.4078G	100.79	Inf	-Inf	3	Horizontal	166	1.31
6415MHz	Pass	AV	12.84344G	45.04	68.20	-23.16	3	Vertical	15	1.50
6415MHz	Pass	PK	12.83831G	58.04	88.20	-30.16	3	Vertical	15	1.50
6415MHz	Pass	AV	12.83756G	44.99	68.20	-23.21	3	Horizontal	77	1.50
6415MHz	Pass	PK	12.83543G	57.41	88.20	-30.79	3	Horizontal	77	1.50
6435MHz	Pass	AV	5.8974G	48.62	68.20	-19.58	3	Vertical	189	1.61
6435MHz	Pass	AV	6.4338G	98.08	Inf	-Inf	3	Vertical	189	1.61
6435MHz	Pass	PK	5.8998G	60.57	88.20	-27.63	3	Vertical	189	1.61
6435MHz	Pass	PK	6.4314G	108.66	Inf	-Inf	3	Vertical	189	1.61
6435MHz	Pass	AV	5.901G	48.82	68.20	-19.38	3	Horizontal	166	1.33
6435MHz	Pass	AV	6.4326G	91.61	Inf	-Inf	3	Horizontal	166	1.33
6435MHz	Pass	PK	5.9058G	60.72	88.20	-27.48	3	Horizontal	166	1.33
6435MHz	Pass	PK	6.4302G	101.84	Inf	-Inf	3	Horizontal	166	1.33
6435MHz	Pass	AV	12.88002G	44.88	68.20	-23.32	3	Vertical	191	1.50
6435MHz	Pass	PK	12.87075G	57.83	88.20	-30.37	3	Vertical	191	1.50
6435MHz	Pass	AV	12.86985G	44.92	68.20	-23.28	3	Horizontal	108	1.49
6435MHz	Pass	PK	12.87954G	57.99	88.20	-30.21	3	Horizontal	108	1.49
6475MHz	Pass	AV	5.9094G	48.73	68.20	-19.47	3	Vertical	294	1.59
6475MHz	Pass	AV	6.4778G	97.95	Inf	-Inf	3	Vertical	294	1.59
6475MHz	Pass	AV	7.1694G	50.78	68.20	-17.42	3	Vertical	294	1.59
6475MHz	Pass	PK	5.8786G	60.29	88.20	-27.91	3	Vertical	294	1.59
6475MHz	Pass	PK	6.4722G	107.75	Inf	-Inf	3	Vertical	294	1.59



RSE TX above 1GHz_Non-Beamforming

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6475MHz	Pass	PK	7.168G	61.89	88.20	-26.31	3	Vertical	294	1.59
6475MHz	Pass	AV	5.894G	48.82	68.20	-19.38	3	Horizontal	334	1.76
6475MHz	Pass	AV	6.4806G	90.81	Inf	-Inf	3	Horizontal	334	1.76
6475MHz	Pass	AV	7.1722G	50.79	68.20	-17.41	3	Horizontal	334	1.76
6475MHz	Pass	PK	5.8996G	61.05	88.20	-27.15	3	Horizontal	334	1.76
6475MHz	Pass	PK	6.4722G	101.11	Inf	-Inf	3	Horizontal	334	1.76
6475MHz	Pass	PK	7.126G	62.43	88.20	-25.77	3	Horizontal	334	1.76
6475MHz	Pass	AV	12.93533G	44.35	68.20	-23.85	3	Vertical	228	1.50
6475MHz	Pass	PK	12.93551G	57.77	88.20	-30.43	3	Vertical	228	1.50
6475MHz	Pass	AV	12.9365G	44.34	68.20	-23.86	3	Horizontal	102	1.50
6475MHz	Pass	PK	12.94424G	56.63	88.20	-31.57	3	Horizontal	102	1.50
6515MHz	Pass	AV	5.9046G	48.78	68.20	-19.42	3	Vertical	189	1.64
6515MHz	Pass	AV	6.5108G	97.96	Inf	-Inf	3	Vertical	189	1.64
6515MHz	Pass	AV	7.2122G	51.06	68.20	-17.14	3	Vertical	189	1.64
6515MHz	Pass	PK	5.9088G	59.90	88.20	-28.30	3	Vertical	189	1.64
6515MHz	Pass	PK	6.5108G	108.74	Inf	-Inf	3	Vertical	189	1.64
6515MHz	Pass	PK	7.1954G	62.64	88.20	-25.56	3	Vertical	189	1.64
6515MHz	Pass	AV	5.8976G	48.84	68.20	-19.36	3	Horizontal	165	1.38
6515MHz	Pass	AV	6.5122G	91.30	Inf	-Inf	3	Horizontal	165	1.38
6515MHz	Pass	AV	7.215G	51.07	68.20	-17.13	3	Horizontal	165	1.38
6515MHz	Pass	PK	5.885G	61.14	88.20	-27.06	3	Horizontal	165	1.38
6515MHz	Pass	PK	6.5094G	102.01	Inf	-Inf	3	Horizontal	165	1.38
6515MHz	Pass	PK	7.1548G	63.11	88.20	-25.09	3	Horizontal	165	1.38
6515MHz	Pass	AV	13.03723G	44.21	68.20	-23.99	3	Vertical	142	2.59
6515MHz	Pass	PK	13.039G	56.70	88.20	-31.50	3	Vertical	142	2.59
6515MHz	Pass	AV	13.01521G	44.19	68.20	-24.01	3	Horizontal	47	1.50
6515MHz	Pass	PK	13.03981G	56.68	88.20	-31.52	3	Horizontal	47	1.50
6535MHz	Pass	AV	5.898G	48.83	68.20	-19.37	3	Vertical	187	1.59
6535MHz	Pass	AV	6.5364G	98.03	Inf	-Inf	3	Vertical	187	1.59
6535MHz	Pass	AV	7.235G	51.33	68.20	-16.87	3	Vertical	187	1.59
6535MHz	Pass	PK	5.9218G	60.08	88.20	-28.12	3	Vertical	187	1.59
6535MHz	Pass	PK	6.5308G	109.21	Inf	-Inf	3	Vertical	187	1.59
6535MHz	Pass	PK	7.2294G	62.25	88.20	-25.95	3	Vertical	187	1.59
6535MHz	Pass	AV	5.9008G	48.82	68.20	-19.38	3	Horizontal	164	1.42
6535MHz	Pass	AV	6.5322G	90.17	Inf	-Inf	3	Horizontal	164	1.42
6535MHz	Pass	AV	7.235G	51.15	68.20	-17.05	3	Horizontal	164	1.42
6535MHz	Pass	PK	5.8784G	60.34	88.20	-27.86	3	Horizontal	164	1.42
6535MHz	Pass	PK	6.5294G	100.59	Inf	-Inf	3	Horizontal	164	1.42
6535MHz	Pass	PK	7.228G	62.79	88.20	-25.41	3	Horizontal	164	1.42
6535MHz	Pass	AV	13.06361G	43.97	68.20	-24.23	3	Vertical	156	1.00
6535MHz	Pass	PK	13.07891G	56.33	88.20	-31.87	3	Vertical	156	1.00
6535MHz	Pass	AV	13.06997G	44.02	68.20	-24.18	3	Horizontal	360	1.50
6535MHz	Pass	PK	13.05746G	57.33	88.20	-30.87	3	Horizontal	360	1.50
6695MHz	Pass	AV	6.697G	97.82	Inf	-Inf	3	Vertical	140	1.81
6695MHz	Pass	AV	7.195G	50.97	68.20	-17.23	3	Vertical	140	1.81
6695MHz	Pass	PK	6.696G	108.15	Inf	-Inf	3	Vertical	140	1.81
6695MHz	Pass	PK	7.178G	62.38	88.20	-25.82	3	Vertical	140	1.81
6695MHz	Pass	AV	6.697G	90.80	Inf	-Inf	3	Horizontal	228	1.54
6695MHz	Pass	AV	7.188G	50.92	68.20	-17.28	3	Horizontal	228	1.54
6695MHz	Pass	PK	6.69G	101.05	Inf	-Inf	3	Horizontal	228	1.54
6695MHz	Pass	PK	7.13G	62.99	88.20	-25.21	3	Horizontal	228	1.54
6695MHz	Pass	AV	13.39747G	44.93	54.00	-9.07	3	Vertical	202	1.50
6695MHz	Pass	PK	13.39981G	58.42	74.00	-15.58	3	Vertical	202	1.50
6695MHz	Pass	AV	13.39999G	45.04	54.00	-8.96	3	Horizontal	360	2.00
6695MHz	Pass	PK	13.38028G	57.82	74.00	-16.18	3	Horizontal	360	2.00
6875MHz Straddle 6.525-6.875GHz	Pass	AV	6.8743G	97.77	Inf	-Inf	3	Vertical	187	1.66
6875MHz Straddle 6.525-6.875GHz	Pass	AV	7.225G	51.11	68.20	-17.09	3	Vertical	187	1.66
6875MHz Straddle 6.525-6.875GHz	Pass	PK	6.8715G	108.50	Inf	-Inf	3	Vertical	187	1.66
6875MHz Straddle 6.525-6.875GHz	Pass	PK	7.2047G	62.81	88.20	-25.39	3	Vertical	187	1.66
6875MHz Straddle 6.525-6.875GHz	Pass	AV	6.8792G	85.42	Inf	-Inf	3	Horizontal	211	1.60
6875MHz Straddle 6.525-6.875GHz	Pass	AV	7.225G	51.11	68.20	-17.09	3	Horizontal	211	1.60
6875MHz Straddle 6.525-6.875GHz	Pass	PK	6.8666G	94.94	Inf	-Inf	3	Horizontal	211	1.60



RSE TX above 1GHz_Non-Beamforming

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6875MHz Straddle 6.525-6.875GHz	Pass	PK	7.204G	63.21	88.20	-24.99	3	Horizontal	211	1.60
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.74055G	45.05	68.20	-23.15	3	Vertical	148	1.50
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.73701G	57.57	88.20	-30.63	3	Vertical	148	1.50
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.73695G	45.04	68.20	-23.16	3	Horizontal	165	1.50
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.7449G	59.02	88.20	-29.18	3	Horizontal	165	1.50
6895MHz	Pass	AV	6.8936G	97.82	Inf	-Inf	3	Vertical	187	1.70
6895MHz	Pass	AV	7.2443G	51.37	68.20	-16.83	3	Vertical	187	1.70
6895MHz	Pass	PK	6.8908G	107.97	Inf	-Inf	3	Vertical	187	1.70
6895MHz	Pass	PK	7.2436G	62.95	88.20	-25.25	3	Vertical	187	1.70
6895MHz	Pass	AV	6.8999G	91.95	Inf	-Inf	3	Horizontal	225	1.65
6895MHz	Pass	AV	7.2443G	51.37	68.20	-16.83	3	Horizontal	225	1.65
6895MHz	Pass	PK	6.8992G	101.93	Inf	-Inf	3	Horizontal	225	1.65
6895MHz	Pass	PK	7.231G	62.85	88.20	-25.35	3	Horizontal	225	1.65
6895MHz	Pass	AV	13.80392G	45.16	68.20	-23.04	3	Vertical	81	2.10
6895MHz	Pass	PK	13.79543G	58.05	88.20	-30.15	3	Vertical	81	2.10
6895MHz	Pass	AV	13.78319G	45.19	68.20	-23.01	3	Horizontal	258	1.50
6895MHz	Pass	PK	13.79279G	57.97	88.20	-30.23	3	Horizontal	258	1.50
6995MHz	Pass	AV	6.989G	98.00	Inf	-Inf	3	Vertical	186	1.77
6995MHz	Pass	AV	7.2445G	51.37	68.20	-16.83	3	Vertical	186	1.77
6995MHz	Pass	PK	6.986G	108.46	Inf	-Inf	3	Vertical	186	1.77
6995MHz	Pass	PK	7.2355G	64.03	88.20	-24.17	3	Vertical	186	1.77
6995MHz	Pass	AV	6.9925G	92.47	Inf	-Inf	3	Horizontal	220	1.60
6995MHz	Pass	AV	7.244G	51.37	68.20	-16.83	3	Horizontal	220	1.60
6995MHz	Pass	PK	6.99G	103.23	Inf	-Inf	3	Horizontal	220	1.60
6995MHz	Pass	PK	7.234G	63.01	88.20	-25.19	3	Horizontal	220	1.60
6995MHz	Pass	AV	13.97794G	45.56	68.20	-22.64	3	Vertical	202	1.50
6995MHz	Pass	PK	13.98637G	58.10	88.20	-30.10	3	Vertical	202	1.50
6995MHz	Pass	AV	13.97587G	45.56	68.20	-22.64	3	Horizontal	160	1.16
6995MHz	Pass	PK	13.97902G	57.98	88.20	-30.22	3	Horizontal	160	1.16
7095MHz	Pass	AV	7.0899G	97.75	Inf	-Inf	3	Vertical	189	1.50
7095MHz	Pass	AV	7.2444G	51.37	68.20	-16.83	3	Vertical	189	1.50
7095MHz	Pass	PK	7.0899G	108.24	Inf	-Inf	3	Vertical	189	1.50
7095MHz	Pass	PK	7.2402G	64.14	88.20	-24.06	3	Vertical	189	1.50
7095MHz	Pass	AV	7.0998G	93.46	Inf	-Inf	3	Horizontal	219	1.68
7095MHz	Pass	AV	7.2444G	51.37	68.20	-16.83	3	Horizontal	219	1.68
7095MHz	Pass	PK	7.0899G	103.88	Inf	-Inf	3	Horizontal	219	1.68
7095MHz	Pass	PK	7.2159G	63.48	88.20	-24.72	3	Horizontal	219	1.68
7095MHz	Pass	AV	14.19519G	46.07	68.20	-22.13	3	Vertical	323	1.50
7095MHz	Pass	PK	14.19264G	59.39	88.20	-28.81	3	Vertical	323	1.50
7095MHz	Pass	AV	14.20029G	46.18	68.20	-22.02	3	Horizontal	149	1.50
7095MHz	Pass	PK	14.18796G	58.92	88.20	-29.28	3	Horizontal	149	1.50
7115MHz	Pass	AV	7.1175G	97.52	Inf	-Inf	3	Vertical	190	1.40
7115MHz	Pass	AV	7.1255G	67.88	68.20	-0.32	3	Vertical	190	1.40
7115MHz	Pass	PK	7.1175G	103.41	Inf	-Inf	3	Vertical	190	1.40
7115MHz	Pass	PK	7.1255G	78.71	88.20	-9.49	3	Vertical	190	1.40
7115MHz	Pass	AV	7.1205G	88.39	Inf	-Inf	3	Horizontal	94	1.58
7115MHz	Pass	AV	7.1255G	58.79	68.20	-9.41	3	Horizontal	94	1.58
7115MHz	Pass	PK	7.1205G	94.33	Inf	-Inf	3	Horizontal	94	1.58
7115MHz	Pass	PK	7.1255G	68.52	88.20	-19.68	3	Horizontal	94	1.58
7115MHz	Pass	AV	14.23712G	43.00	68.20	-25.20	3	Vertical	348	2.19
7115MHz	Pass	PK	14.22086G	56.08	88.20	-32.12	3	Vertical	348	2.19
7115MHz	Pass	AV	14.23532G	43.01	68.20	-25.19	3	Horizontal	113	2.67
7115MHz	Pass	PK	14.2328G	56.12	88.20	-32.08	3	Horizontal	113	2.67
802.11ax HEW40_Nss1_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9248G	51.09	68.20	-17.11	3	Vertical	281	1.90
5965MHz	Pass	AV	5.9719G	98.59	Inf	-Inf	3	Vertical	281	1.90
5965MHz	Pass	PK	5.9224G	61.53	88.20	-26.67	3	Vertical	281	1.90
5965MHz	Pass	PK	5.9791G	109.53	Inf	-Inf	3	Vertical	281	1.90
5965MHz	Pass	AV	5.9227G	50.12	68.20	-18.08	3	Horizontal	162	1.62
5965MHz	Pass	AV	5.9782G	92.20	Inf	-Inf	3	Horizontal	162	1.62
5965MHz	Pass	PK	5.8762G	61.00	88.20	-27.20	3	Horizontal	162	1.62
5965MHz	Pass	PK	5.9782G	101.66	Inf	-Inf	3	Horizontal	162	1.62



RSE TX above 1GHz_Non-Beamforming

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5965MHz	Pass	AV	11.93798G	44.20	54.00	-9.80	3	Vertical	290	1.04
5965MHz	Pass	PK	11.9243G	55.50	74.00	-18.50	3	Vertical	290	1.04
5965MHz	Pass	AV	11.95406G	44.40	54.00	-9.60	3	Horizontal	212	1.80
5965MHz	Pass	PK	11.92778G	55.99	74.00	-18.01	3	Horizontal	212	1.80
6205MHz	Pass	AV	5.9062G	49.96	68.20	-18.24	3	Vertical	297	1.42
6205MHz	Pass	AV	6.2104G	98.69	Inf	-Inf	3	Vertical	297	1.42
6205MHz	Pass	PK	5.9176G	60.47	88.20	-27.73	3	Vertical	297	1.42
6205MHz	Pass	PK	6.208G	108.77	Inf	-Inf	3	Vertical	297	1.42
6205MHz	Pass	AV	5.9062G	49.96	68.20	-18.24	3	Horizontal	169	1.10
6205MHz	Pass	AV	6.1996G	92.45	Inf	-Inf	3	Horizontal	169	1.10
6205MHz	Pass	PK	5.9056G	60.46	88.20	-27.74	3	Horizontal	169	1.10
6205MHz	Pass	PK	6.2026G	101.63	Inf	-Inf	3	Horizontal	169	1.10
6205MHz	Pass	AV	12.3899G	44.71	54.00	-9.29	3	Vertical	182	1.50
6205MHz	Pass	PK	12.41558G	56.11	74.00	-17.89	3	Vertical	182	1.50
6205MHz	Pass	AV	12.41462G	44.67	54.00	-9.33	3	Horizontal	92	1.50
6205MHz	Pass	PK	12.41984G	56.07	74.00	-17.93	3	Horizontal	92	1.50
6405MHz	Pass	AV	5.901G	50.01	68.20	-18.19	3	Vertical	190	1.61
6405MHz	Pass	AV	6.4038G	98.38	Inf	-Inf	3	Vertical	190	1.61
6405MHz	Pass	PK	5.8446G	60.28	88.20	-27.92	3	Vertical	190	1.61
6405MHz	Pass	PK	6.399G	107.80	Inf	-Inf	3	Vertical	190	1.61
6405MHz	Pass	AV	5.8938G	50.01	68.20	-18.19	3	Horizontal	168	1.23
6405MHz	Pass	AV	6.4098G	92.03	Inf	-Inf	3	Horizontal	168	1.23
6405MHz	Pass	PK	5.8926G	61.35	88.20	-26.85	3	Horizontal	168	1.23
6405MHz	Pass	PK	6.4098G	102.19	Inf	-Inf	3	Horizontal	168	1.23
6405MHz	Pass	AV	12.81252G	46.30	68.20	-21.90	3	Vertical	136	1.50
6405MHz	Pass	PK	12.834G	58.40	88.20	-29.80	3	Vertical	136	1.50
6405MHz	Pass	AV	12.82326G	46.22	68.20	-21.98	3	Horizontal	278	1.50
6405MHz	Pass	PK	12.83658G	57.78	88.20	-30.42	3	Horizontal	278	1.50
6445MHz	Pass	AV	5.9062G	50.14	68.20	-18.06	3	Vertical	182	1.57
6445MHz	Pass	AV	6.439G	98.29	Inf	-Inf	3	Vertical	182	1.57
6445MHz	Pass	PK	5.845G	59.96	88.20	-28.24	3	Vertical	182	1.57
6445MHz	Pass	PK	6.4594G	108.87	Inf	-Inf	3	Vertical	182	1.57
6445MHz	Pass	AV	5.8834G	50.00	68.20	-18.20	3	Horizontal	166	1.35
6445MHz	Pass	AV	6.4426G	92.48	Inf	-Inf	3	Horizontal	166	1.35
6445MHz	Pass	PK	5.8702G	61.18	88.20	-27.02	3	Horizontal	166	1.35
6445MHz	Pass	PK	6.4426G	102.03	Inf	-Inf	3	Horizontal	166	1.35
6445MHz	Pass	AV	12.86102G	46.21	68.20	-21.99	3	Vertical	289	1.50
6445MHz	Pass	PK	12.86786G	57.55	88.20	-30.65	3	Vertical	289	1.50
6445MHz	Pass	AV	12.8687G	46.35	68.20	-21.85	3	Horizontal	340	1.00
6445MHz	Pass	PK	12.8699G	57.72	88.20	-30.48	3	Horizontal	340	1.00
6485MHz	Pass	AV	5.9026G	49.98	68.20	-18.22	3	Vertical	293	1.50
6485MHz	Pass	AV	6.4808G	98.56	Inf	-Inf	3	Vertical	293	1.50
6485MHz	Pass	AV	7.1486G	51.65	68.20	-16.55	3	Vertical	293	1.50
6485MHz	Pass	PK	5.9138G	60.29	88.20	-27.91	3	Vertical	293	1.50
6485MHz	Pass	PK	6.4808G	108.98	Inf	-Inf	3	Vertical	293	1.50
6485MHz	Pass	PK	7.1738G	62.81	88.20	-25.39	3	Vertical	293	1.50
6485MHz	Pass	AV	5.9152G	49.84	68.20	-18.36	3	Horizontal	336	1.72
6485MHz	Pass	AV	6.4906G	91.83	Inf	-Inf	3	Horizontal	336	1.72
6485MHz	Pass	AV	7.1836G	52.24	68.20	-15.96	3	Horizontal	336	1.72
6485MHz	Pass	PK	5.8396G	60.29	88.20	-27.91	3	Horizontal	336	1.72
6485MHz	Pass	PK	6.4934G	101.63	Inf	-Inf	3	Horizontal	336	1.72
6485MHz	Pass	PK	7.1682G	62.25	88.20	-25.95	3	Horizontal	336	1.72
6485MHz	Pass	AV	12.9415G	45.36	68.20	-22.84	3	Vertical	180	1.50
6485MHz	Pass	PK	12.96826G	56.69	88.20	-31.51	3	Vertical	180	1.50
6485MHz	Pass	AV	12.97234G	45.24	68.20	-22.96	3	Horizontal	352	1.50
6485MHz	Pass	PK	12.9697G	56.22	88.20	-31.98	3	Horizontal	352	1.50
6525MHz Straddle 6.425-6.525GHz	Pass	AV	5.8978G	49.83	68.20	-18.37	3	Vertical	190	1.59
6525MHz Straddle 6.425-6.525GHz	Pass	AV	6.5292G	98.37	Inf	-Inf	3	Vertical	190	1.59
6525MHz Straddle 6.425-6.525GHz	Pass	AV	7.2026G	52.22	68.20	-15.98	3	Vertical	190	1.59
6525MHz Straddle 6.425-6.525GHz	Pass	PK	5.8922G	60.17	88.20	-28.03	3	Vertical	190	1.59
6525MHz Straddle 6.425-6.525GHz	Pass	PK	6.539G	109.16	Inf	-Inf	3	Vertical	190	1.59
6525MHz Straddle 6.425-6.525GHz	Pass	PK	7.1704G	63.24	88.20	-24.96	3	Vertical	190	1.59



RSE TX above 1GHz_Non-Beamforming

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6525MHz Straddle 6.425-6.525GHz	Pass	AV	5.9132G	49.87	68.20	-18.33	3	Horizontal	165	1.36
6525MHz Straddle 6.425-6.525GHz	Pass	AV	6.5194G	92.14	Inf	-Inf	3	Horizontal	165	1.36
6525MHz Straddle 6.425-6.525GHz	Pass	AV	7.2068G	52.25	68.20	-15.95	3	Horizontal	165	1.36
6525MHz Straddle 6.425-6.525GHz	Pass	PK	5.895G	60.83	88.20	-27.37	3	Horizontal	165	1.36
6525MHz Straddle 6.425-6.525GHz	Pass	PK	6.532G	101.57	Inf	-Inf	3	Horizontal	165	1.36
6525MHz Straddle 6.425-6.525GHz	Pass	PK	7.1914G	62.52	88.20	-25.68	3	Horizontal	165	1.36
6525MHz Straddle 6.425-6.525GHz	Pass	AV	13.05072G	45.19	68.20	-23.01	3	Vertical	251	1.01
6525MHz Straddle 6.425-6.525GHz	Pass	PK	13.07766G	56.35	88.20	-31.85	3	Vertical	251	1.01
6525MHz Straddle 6.425-6.525GHz	Pass	AV	13.02474G	45.27	68.20	-22.93	3	Horizontal	9	2.33
6525MHz Straddle 6.425-6.525GHz	Pass	PK	13.04076G	56.75	88.20	-31.45	3	Horizontal	9	2.33
6565MHz	Pass	AV	6.559G	98.12	Inf	-Inf	3	Vertical	188	1.50
6565MHz	Pass	AV	7.135G	51.76	68.20	-16.44	3	Vertical	188	1.50
6565MHz	Pass	PK	6.5794G	109.23	Inf	-Inf	3	Vertical	188	1.50
6565MHz	Pass	PK	7.141G	63.21	88.20	-24.99	3	Vertical	188	1.50
6565MHz	Pass	AV	6.5722G	91.91	Inf	-Inf	3	Horizontal	164	1.37
6565MHz	Pass	AV	7.159G	51.72	68.20	-16.48	3	Horizontal	164	1.37
6565MHz	Pass	PK	6.5722G	101.51	Inf	-Inf	3	Horizontal	164	1.37
6565MHz	Pass	PK	7.165G	62.51	88.20	-25.69	3	Horizontal	164	1.37
6565MHz	Pass	AV	13.14746G	45.65	68.20	-22.55	3	Vertical	17	1.50
6565MHz	Pass	PK	13.1495G	56.91	88.20	-31.29	3	Vertical	17	1.50
6565MHz	Pass	AV	13.14626G	45.71	68.20	-22.49	3	Horizontal	275	1.50
6565MHz	Pass	PK	13.15256G	56.30	88.20	-31.90	3	Horizontal	275	1.50
6685MHz	Pass	AV	6.692G	98.37	Inf	-Inf	3	Vertical	188	1.60
6685MHz	Pass	AV	7.181G	51.91	68.20	-16.29	3	Vertical	188	1.60
6685MHz	Pass	PK	6.699G	108.94	Inf	-Inf	3	Vertical	188	1.60
6685MHz	Pass	PK	7.153G	63.73	88.20	-24.47	3	Vertical	188	1.60
6685MHz	Pass	AV	6.693G	91.39	Inf	-Inf	3	Horizontal	332	1.59
6685MHz	Pass	AV	7.17G	51.83	68.20	-16.37	3	Horizontal	332	1.59
6685MHz	Pass	PK	6.688G	101.46	Inf	-Inf	3	Horizontal	332	1.59
6685MHz	Pass	PK	7.127G	62.67	88.20	-25.53	3	Horizontal	332	1.59
6685MHz	Pass	AV	13.39568G	46.34	54.00	-7.66	3	Vertical	126	1.50
6685MHz	Pass	PK	13.3733G	57.28	74.00	-16.72	3	Vertical	126	1.50
6685MHz	Pass	AV	13.39286G	46.25	54.00	-7.75	3	Horizontal	158	1.36
6685MHz	Pass	PK	13.38548G	57.18	74.00	-16.82	3	Horizontal	158	1.36
6885MHz Straddle 6.525-6.875GHz	Pass	AV	6.8913G	98.70	Inf	-Inf	3	Vertical	187	1.65
6885MHz Straddle 6.525-6.875GHz	Pass	AV	7.1608G	52.23	68.20	-15.97	3	Vertical	187	1.65
6885MHz Straddle 6.525-6.875GHz	Pass	PK	6.899G	109.50	Inf	-Inf	3	Vertical	187	1.65
6885MHz Straddle 6.525-6.875GHz	Pass	PK	7.2238G	62.93	88.20	-25.27	3	Vertical	187	1.65
6885MHz Straddle 6.525-6.875GHz	Pass	AV	6.892G	92.67	Inf	-Inf	3	Horizontal	224	1.68
6885MHz Straddle 6.525-6.875GHz	Pass	AV	7.2322G	52.35	68.20	-15.85	3	Horizontal	224	1.68
6885MHz Straddle 6.525-6.875GHz	Pass	PK	6.892G	102.66	Inf	-Inf	3	Horizontal	224	1.68
6885MHz Straddle 6.525-6.875GHz	Pass	PK	7.1965G	63.79	88.20	-24.41	3	Horizontal	224	1.68
6885MHz Straddle 6.525-6.875GHz	Pass	AV	13.77504G	46.23	68.20	-21.97	3	Vertical	346	1.50
6885MHz Straddle 6.525-6.875GHz	Pass	PK	13.74G	57.63	88.20	-30.57	3	Vertical	346	1.50
6885MHz Straddle 6.525-6.875GHz	Pass	AV	13.79826G	46.38	68.20	-21.82	3	Horizontal	251	1.10
6885MHz Straddle 6.525-6.875GHz	Pass	PK	13.79244G	58.10	88.20	-30.10	3	Horizontal	251	1.10
6925MHz	Pass	AV	6.9316G	98.45	Inf	-Inf	3	Vertical	187	1.70
6925MHz	Pass	AV	7.2202G	52.29	68.20	-15.91	3	Vertical	187	1.70
6925MHz	Pass	PK	6.9388G	108.87	Inf	-Inf	3	Vertical	187	1.70
6925MHz	Pass	PK	7.2058G	63.27	88.20	-24.93	3	Vertical	187	1.70
6925MHz	Pass	AV	6.9322G	93.30	Inf	-Inf	3	Horizontal	220	1.68
6925MHz	Pass	AV	7.2148G	52.44	68.20	-15.76	3	Horizontal	220	1.68
6925MHz	Pass	PK	6.937G	103.07	Inf	-Inf	3	Horizontal	220	1.68
6925MHz	Pass	PK	7.225G	63.07	88.20	-25.13	3	Horizontal	220	1.68
6925MHz	Pass	AV	13.84346G	46.50	68.20	-21.70	3	Vertical	113	2.67
6925MHz	Pass	PK	13.86548G	57.58	88.20	-30.62	3	Vertical	113	2.67
6925MHz	Pass	AV	13.82054G	46.39	68.20	-21.81	3	Horizontal	79	1.50
6925MHz	Pass	PK	13.8548G	58.28	88.20	-29.92	3	Horizontal	79	1.50
7005MHz	Pass	AV	7.0116G	98.38	Inf	-Inf	3	Vertical	186	1.68
7005MHz	Pass	AV	7.1439G	51.96	68.20	-16.24	3	Vertical	186	1.68
7005MHz	Pass	PK	7.0191G	109.13	Inf	-Inf	3	Vertical	186	1.68
7005MHz	Pass	PK	7.1424G	62.82	88.20	-25.38	3	Vertical	186	1.68



RSE TX above 1GHz_Non-Beamforming

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7005MHz	Pass	AV	7.0173G	93.05	Inf	-Inf	3	Horizontal	220	1.63
7005MHz	Pass	AV	7.1415G	51.96	68.20	-16.24	3	Horizontal	220	1.63
7005MHz	Pass	PK	7.017G	103.04	Inf	-Inf	3	Horizontal	220	1.63
7005MHz	Pass	PK	7.1397G	62.53	88.20	-25.67	3	Horizontal	220	1.63
7005MHz	Pass	AV	14.02398G	46.99	68.20	-21.21	3	Vertical	97	1.50
7005MHz	Pass	PK	14.03166G	58.69	88.20	-29.51	3	Vertical	97	1.50
7005MHz	Pass	AV	14.01G	47.03	68.20	-21.17	3	Horizontal	348	1.50
7005MHz	Pass	PK	14.0169G	58.28	88.20	-29.92	3	Horizontal	348	1.50
7085MHz	Pass	AV	7.0799G	98.26	Inf	-Inf	3	Vertical	188	1.42
7085MHz	Pass	AV	7.2317G	52.66	68.20	-15.54	3	Vertical	188	1.42
7085MHz	Pass	PK	7.0826G	107.58	Inf	-Inf	3	Vertical	188	1.42
7085MHz	Pass	PK	7.1507G	63.38	88.20	-24.82	3	Vertical	188	1.42
7085MHz	Pass	AV	7.0799G	92.49	Inf	-Inf	3	Horizontal	248	1.84
7085MHz	Pass	AV	7.2311G	52.50	68.20	-15.70	3	Horizontal	248	1.84
7085MHz	Pass	PK	7.0922G	101.91	Inf	-Inf	3	Horizontal	248	1.84
7085MHz	Pass	PK	7.2266G	63.75	88.20	-24.45	3	Horizontal	248	1.84
7085MHz	Pass	AV	14.19814G	47.36	68.20	-20.84	3	Vertical	12	2.98
7085MHz	Pass	PK	14.16544G	59.01	88.20	-29.19	3	Vertical	12	2.98
7085MHz	Pass	AV	14.15182G	47.62	68.20	-20.58	3	Horizontal	248	1.50
7085MHz	Pass	PK	14.16874G	58.69	88.20	-29.51	3	Horizontal	248	1.50
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.9235G	52.30	68.20	-15.90	3	Vertical	299	1.35
5985MHz	Pass	AV	6.013G	98.46	Inf	-Inf	3	Vertical	299	1.35
5985MHz	Pass	PK	5.921G	66.29	88.20	-21.91	3	Vertical	299	1.35
5985MHz	Pass	PK	6.0155G	108.94	Inf	-Inf	3	Vertical	299	1.35
5985MHz	Pass	AV	5.9225G	50.97	68.20	-17.23	3	Horizontal	165	1.00
5985MHz	Pass	AV	5.99G	93.29	Inf	-Inf	3	Horizontal	165	1.00
5985MHz	Pass	PK	5.925G	63.71	88.20	-24.49	3	Horizontal	165	1.00
5985MHz	Pass	PK	6.0155G	103.26	Inf	-Inf	3	Horizontal	165	1.00
5985MHz	Pass	AV	11.96915G	43.88	54.00	-10.12	3	Vertical	55	2.06
5985MHz	Pass	PK	11.96949G	54.64	74.00	-19.36	3	Vertical	55	2.06
5985MHz	Pass	AV	11.96946G	44.05	54.00	-9.95	3	Horizontal	252	2.96
5985MHz	Pass	PK	11.96904G	55.11	74.00	-18.89	3	Horizontal	252	2.96
6225MHz	Pass	AV	5.9044G	50.34	68.20	-17.86	3	Vertical	297	1.46
6225MHz	Pass	AV	6.2404G	98.37	Inf	-Inf	3	Vertical	297	1.46
6225MHz	Pass	PK	5.8822G	61.52	88.20	-26.68	3	Vertical	297	1.46
6225MHz	Pass	PK	6.2206G	108.60	Inf	-Inf	3	Vertical	297	1.46
6225MHz	Pass	AV	5.8978G	50.39	68.20	-17.81	3	Horizontal	138	1.72
6225MHz	Pass	AV	6.2158G	92.59	Inf	-Inf	3	Horizontal	138	1.72
6225MHz	Pass	PK	5.9008G	61.14	88.20	-27.06	3	Horizontal	138	1.72
6225MHz	Pass	PK	6.2206G	102.48	Inf	-Inf	3	Horizontal	138	1.72
6225MHz	Pass	AV	12.44955G	44.58	54.00	-9.42	3	Vertical	18	2.97
6225MHz	Pass	PK	12.4496G	54.94	74.00	-19.06	3	Vertical	18	2.97
6225MHz	Pass	AV	12.45055G	44.50	54.00	-9.50	3	Horizontal	183	2.86
6225MHz	Pass	PK	12.44954G	55.91	74.00	-18.09	3	Horizontal	183	2.86
6385MHz	Pass	AV	5.8978G	50.02	68.20	-18.18	3	Vertical	189	1.74
6385MHz	Pass	AV	6.3742G	98.42	Inf	-Inf	3	Vertical	189	1.74
6385MHz	Pass	PK	5.9014G	60.60	88.20	-27.60	3	Vertical	189	1.74
6385MHz	Pass	PK	6.3814G	108.60	Inf	-Inf	3	Vertical	189	1.74
6385MHz	Pass	AV	5.9014G	50.18	68.20	-18.02	3	Horizontal	168	1.21
6385MHz	Pass	AV	6.4006G	92.06	Inf	-Inf	3	Horizontal	168	1.21
6385MHz	Pass	PK	5.9086G	60.58	88.20	-27.62	3	Horizontal	168	1.21
6385MHz	Pass	PK	6.4018G	101.58	Inf	-Inf	3	Horizontal	168	1.21
6385MHz	Pass	AV	12.77036G	45.29	68.20	-22.91	3	Vertical	263	1.57
6385MHz	Pass	PK	12.77026G	56.09	88.20	-32.11	3	Vertical	263	1.57
6385MHz	Pass	AV	12.77014G	45.38	68.20	-22.82	3	Horizontal	287	1.18
6385MHz	Pass	PK	12.7707G	56.64	88.20	-31.56	3	Horizontal	287	1.18
6465MHz	Pass	AV	5.919G	49.97	68.20	-18.23	3	Vertical	191	1.55
6465MHz	Pass	AV	6.4538G	98.41	Inf	-Inf	3	Vertical	191	1.55
6465MHz	Pass	AV	7.1608G	51.91	68.20	-16.29	3	Vertical	191	1.55
6465MHz	Pass	PK	5.8952G	60.39	88.20	-27.81	3	Vertical	191	1.55
6465MHz	Pass	PK	6.4608G	108.29	Inf	-Inf	3	Vertical	191	1.55



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6465MHz	Pass	PK	7.1622G	61.69	88.20	-26.51	3	Vertical	191	1.55
6465MHz	Pass	AV	5.8938G	50.19	68.20	-18.01	3	Horizontal	166	1.36
6465MHz	Pass	AV	6.4496G	91.88	Inf	-Inf	3	Horizontal	166	1.36
6465MHz	Pass	AV	7.1636G	51.77	68.20	-16.43	3	Horizontal	166	1.36
6465MHz	Pass	PK	5.8882G	61.09	88.20	-27.11	3	Horizontal	166	1.36
6465MHz	Pass	PK	6.479G	101.91	Inf	-Inf	3	Horizontal	166	1.36
6465MHz	Pass	PK	7.1552G	61.48	88.20	-26.72	3	Horizontal	166	1.36
6465MHz	Pass	AV	12.87108G	45.99	68.20	-22.21	3	Vertical	93	2.98
6465MHz	Pass	PK	12.87324G	57.56	88.20	-30.64	3	Vertical	93	2.98
6465MHz	Pass	AV	12.88788G	46.02	68.20	-22.18	3	Horizontal	90	1.90
6465MHz	Pass	PK	12.87288G	57.43	88.20	-30.77	3	Horizontal	90	1.90
6545MHz Straddle 6.425-6.525GHz	Pass	AV	5.8982G	50.20	68.20	-18.00	3	Vertical	189	1.60
6545MHz Straddle 6.425-6.525GHz	Pass	AV	6.5338G	98.54	Inf	-Inf	3	Vertical	189	1.60
6545MHz Straddle 6.425-6.525GHz	Pass	AV	7.245G	52.55	68.20	-15.65	3	Vertical	189	1.60
6545MHz Straddle 6.425-6.525GHz	Pass	PK	5.8674G	60.63	88.20	-27.57	3	Vertical	189	1.60
6545MHz Straddle 6.425-6.525GHz	Pass	PK	6.5408G	109.21	Inf	-Inf	3	Vertical	189	1.60
6545MHz Straddle 6.425-6.525GHz	Pass	PK	7.2422G	63.36	88.20	-24.84	3	Vertical	189	1.60
6545MHz Straddle 6.425-6.525GHz	Pass	AV	5.9192G	49.97	68.20	-18.23	3	Horizontal	166	1.40
6545MHz Straddle 6.425-6.525GHz	Pass	AV	6.5492G	91.63	Inf	-Inf	3	Horizontal	166	1.40
6545MHz Straddle 6.425-6.525GHz	Pass	AV	7.196G	52.51	68.20	-15.69	3	Horizontal	166	1.40
6545MHz Straddle 6.425-6.525GHz	Pass	PK	5.922G	60.63	88.20	-27.57	3	Horizontal	166	1.40
6545MHz Straddle 6.425-6.525GHz	Pass	PK	6.5646G	100.67	Inf	-Inf	3	Horizontal	166	1.40
6545MHz Straddle 6.425-6.525GHz	Pass	PK	7.2436G	62.71	88.20	-25.49	3	Horizontal	166	1.40
6545MHz Straddle 6.425-6.525GHz	Pass	AV	13.14604G	45.43	68.20	-22.77	3	Vertical	67	1.01
6545MHz Straddle 6.425-6.525GHz	Pass	PK	13.03492G	56.30	88.20	-31.90	3	Vertical	67	1.01
6545MHz Straddle 6.425-6.525GHz	Pass	AV	13.14892G	45.39	68.20	-22.81	3	Horizontal	272	1.50
6545MHz Straddle 6.425-6.525GHz	Pass	PK	13.0342G	56.85	88.20	-31.35	3	Horizontal	272	1.50
6625MHz	Pass	AV	6.6142G	98.49	Inf	-Inf	3	Vertical	189	1.53
6625MHz	Pass	AV	7.219G	52.45	68.20	-15.75	3	Vertical	189	1.53
6625MHz	Pass	PK	6.6274G	108.09	Inf	-Inf	3	Vertical	189	1.53
6625MHz	Pass	PK	7.1902G	63.73	88.20	-24.47	3	Vertical	189	1.53
6625MHz	Pass	AV	6.637G	91.50	Inf	-Inf	3	Horizontal	143	1.35
6625MHz	Pass	AV	7.2238G	52.63	68.20	-15.57	3	Horizontal	143	1.35
6625MHz	Pass	PK	6.6394G	101.24	Inf	-Inf	3	Horizontal	143	1.35
6625MHz	Pass	PK	7.1542G	63.41	88.20	-24.79	3	Horizontal	143	1.35
6625MHz	Pass	AV	13.20416G	45.62	68.20	-22.58	3	Vertical	18	1.50
6625MHz	Pass	PK	13.24508G	57.17	88.20	-31.03	3	Vertical	18	1.50
6625MHz	Pass	AV	13.21472G	45.69	68.20	-22.51	3	Horizontal	39	2.40
6625MHz	Pass	PK	13.229G	56.90	88.20	-31.30	3	Horizontal	39	2.40
6705MHz	Pass	AV	6.694G	98.49	Inf	-Inf	3	Vertical	189	1.61
6705MHz	Pass	AV	7.168G	52.28	68.20	-15.92	3	Vertical	189	1.61
6705MHz	Pass	PK	6.701G	108.19	Inf	-Inf	3	Vertical	189	1.61
6705MHz	Pass	PK	7.185G	63.34	88.20	-24.86	3	Vertical	189	1.61
6705MHz	Pass	AV	6.696G	91.15	Inf	-Inf	3	Horizontal	333	1.60
6705MHz	Pass	AV	7.197G	52.19	68.20	-16.01	3	Horizontal	333	1.60
6705MHz	Pass	PK	6.688G	101.06	Inf	-Inf	3	Horizontal	333	1.60
6705MHz	Pass	PK	7.19G	63.94	88.20	-24.26	3	Horizontal	333	1.60
6705MHz	Pass	AV	13.40064G	46.18	68.20	-22.02	3	Vertical	77	1.50
6705MHz	Pass	PK	13.40196G	57.30	88.20	-30.90	3	Vertical	77	1.50
6705MHz	Pass	AV	13.41264G	46.10	68.20	-22.10	3	Horizontal	299	1.50
6705MHz	Pass	PK	13.40306G	57.72	88.20	-30.48	3	Horizontal	299	1.50
6785MHz	Pass	AV	6.7941G	98.59	Inf	-Inf	3	Vertical	188	1.62
6785MHz	Pass	AV	7.135G	51.44	68.20	-16.76	3	Vertical	188	1.62
6785MHz	Pass	PK	6.7864G	108.13	Inf	-Inf	3	Vertical	188	1.62
6785MHz	Pass	PK	7.1252G	62.34	88.20	-25.86	3	Vertical	188	1.62
6785MHz	Pass	AV	6.7997G	91.58	Inf	-Inf	3	Horizontal	227	1.58
6785MHz	Pass	AV	7.135G	51.60	68.20	-16.60	3	Horizontal	227	1.58
6785MHz	Pass	PK	6.7997G	101.92	Inf	-Inf	3	Horizontal	227	1.58
6785MHz	Pass	PK	7.1252G	61.70	88.20	-26.50	3	Horizontal	227	1.58
6785MHz	Pass	AV	13.5622G	46.37	68.20	-21.83	3	Vertical	176	1.41
6785MHz	Pass	PK	13.56052G	58.28	88.20	-29.92	3	Vertical	176	1.41
6785MHz	Pass	AV	13.52884G	46.69	68.20	-21.51	3	Horizontal	83	1.50



RSE TX above 1GHz_Non-Beamforming

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6785MHz	Pass	PK	13.59424G	57.94	88.20	-30.26	3	Horizontal	83	1.50
6865MHz Straddle 6.525-6.875GHz	Pass	AV	6.8538G	98.19	Inf	-Inf	3	Vertical	189	1.60
6865MHz Straddle 6.525-6.875GHz	Pass	AV	7.2038G	52.39	68.20	-15.81	3	Vertical	189	1.60
6865MHz Straddle 6.525-6.875GHz	Pass	PK	6.8615G	108.18	Inf	-Inf	3	Vertical	189	1.60
6865MHz Straddle 6.525-6.875GHz	Pass	PK	7.2038G	63.12	88.20	-25.08	3	Vertical	189	1.60
6865MHz Straddle 6.525-6.875GHz	Pass	AV	6.8573G	91.91	Inf	-Inf	3	Horizontal	226	1.58
6865MHz Straddle 6.525-6.875GHz	Pass	AV	7.2143G	52.28	68.20	-15.92	3	Horizontal	226	1.58
6865MHz Straddle 6.525-6.875GHz	Pass	PK	6.8426G	101.42	Inf	-Inf	3	Horizontal	226	1.58
6865MHz Straddle 6.525-6.875GHz	Pass	PK	7.1891G	63.46	88.20	-24.74	3	Horizontal	226	1.58
6865MHz Straddle 6.525-6.875GHz	Pass	AV	13.73077G	45.92	68.20	-22.28	3	Vertical	43	1.28
6865MHz Straddle 6.525-6.875GHz	Pass	PK	13.72934G	56.24	88.20	-31.96	3	Vertical	43	1.28
6865MHz Straddle 6.525-6.875GHz	Pass	AV	13.67396G	46.21	68.20	-21.99	3	Horizontal	41	2.77
6865MHz Straddle 6.525-6.875GHz	Pass	AV	13.72915G	45.80	68.20	-22.40	3	Horizontal	296	2.75
6865MHz Straddle 6.525-6.875GHz	Pass	PK	13.676G	58.20	88.20	-30.00	3	Horizontal	41	2.77
6865MHz Straddle 6.525-6.875GHz	Pass	PK	13.73066G	56.43	88.20	-31.77	3	Horizontal	296	2.75
6945MHz	Pass	AV	6.954G	98.69	Inf	-Inf	3	Vertical	188	1.64
6945MHz	Pass	AV	7.2192G	52.61	68.20	-15.59	3	Vertical	188	1.64
6945MHz	Pass	PK	6.9468G	108.70	Inf	-Inf	3	Vertical	188	1.64
6945MHz	Pass	PK	7.2168G	63.58	88.20	-24.62	3	Vertical	188	1.64
6945MHz	Pass	AV	6.9348G	93.94	Inf	-Inf	3	Horizontal	224	1.68
6945MHz	Pass	AV	7.2414G	52.54	68.20	-15.66	3	Horizontal	224	1.68
6945MHz	Pass	PK	6.9372G	103.93	Inf	-Inf	3	Horizontal	224	1.68
6945MHz	Pass	PK	7.2156G	63.53	88.20	-24.67	3	Horizontal	224	1.68
6945MHz	Pass	AV	13.89067G	46.26	68.20	-21.94	3	Vertical	351	1.16
6945MHz	Pass	PK	13.8896G	56.58	88.20	-31.62	3	Vertical	351	1.16
6945MHz	Pass	AV	13.88957G	46.16	68.20	-22.04	3	Horizontal	139	1.20
6945MHz	Pass	PK	13.89063G	57.35	88.20	-30.85	3	Horizontal	139	1.20
7025MHz	Pass	AV	5.8674G	51.34	68.20	-16.86	3	Vertical	293	1.50
7025MHz	Pass	AV	6.3678G	98.98	Inf	-Inf	3	Vertical	293	1.50
7025MHz	Pass	PK	5.8614G	60.51	88.20	-27.69	3	Vertical	293	1.50
7025MHz	Pass	PK	6.369G	108.33	Inf	-Inf	3	Vertical	293	1.50
7025MHz	Pass	AV	5.901G	51.83	68.20	-16.37	3	Horizontal	166	1.29
7025MHz	Pass	AV	6.4098G	92.51	Inf	-Inf	3	Horizontal	166	1.29
7025MHz	Pass	PK	5.901G	60.34	88.20	-27.86	3	Horizontal	166	1.29
7025MHz	Pass	PK	6.3834G	102.04	Inf	-Inf	3	Horizontal	166	1.29
7025MHz	Pass	AV	14.04902G	48.27	68.20	-19.93	3	Vertical	27	1.09
7025MHz	Pass	PK	14.05029G	57.93	88.20	-30.27	3	Vertical	27	1.09
7025MHz	Pass	AV	14.05052G	48.27	68.20	-19.93	3	Horizontal	114	2.30
7025MHz	Pass	PK	14.05006G	58.31	88.20	-29.89	3	Horizontal	114	2.30
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.911G	67.54	68.20	-0.66	3	Vertical	300	1.47
6025MHz	Pass	AV	6.1G	99.17	Inf	-Inf	3	Vertical	300	1.47
6025MHz	Pass	PK	5.911G	76.61	88.20	-11.59	3	Vertical	300	1.47
6025MHz	Pass	PK	6.09G	108.80	Inf	-Inf	3	Vertical	300	1.47
6025MHz	Pass	AV	5.911G	63.74	68.20	-4.46	3	Horizontal	164	1.00
6025MHz	Pass	AV	6.0895G	96.82	Inf	-Inf	3	Horizontal	164	1.00
6025MHz	Pass	PK	5.9115G	72.63	88.20	-15.57	3	Horizontal	164	1.00
6025MHz	Pass	PK	6.0895G	106.22	Inf	-Inf	3	Horizontal	164	1.00
6025MHz	Pass	AV	12.10568G	46.39	54.00	-7.61	3	Vertical	43	2.18
6025MHz	Pass	PK	12.13232G	56.80	74.00	-17.20	3	Vertical	43	2.18
6025MHz	Pass	AV	12.04376G	46.18	54.00	-7.82	3	Horizontal	360	1.50
6025MHz	Pass	PK	11.93G	55.69	74.00	-18.31	3	Horizontal	360	1.50
6185MHz	Pass	AV	5.921G	52.32	68.20	-15.88	3	Vertical	298	1.67
6185MHz	Pass	AV	6.1698G	99.33	Inf	-Inf	3	Vertical	298	1.67
6185MHz	Pass	PK	5.8906G	62.42	88.20	-25.78	3	Vertical	298	1.67
6185MHz	Pass	PK	6.2226G	108.94	Inf	-Inf	3	Vertical	298	1.67
6185MHz	Pass	AV	5.9226G	51.43	68.20	-16.77	3	Horizontal	156	1.00
6185MHz	Pass	AV	6.1578G	92.31	Inf	-Inf	3	Horizontal	156	1.00
6185MHz	Pass	PK	5.9034G	60.43	88.20	-27.77	3	Horizontal	156	1.00
6185MHz	Pass	PK	6.2226G	102.68	Inf	-Inf	3	Horizontal	156	1.00
6185MHz	Pass	AV	12.3784G	46.54	54.00	-7.46	3	Vertical	254	1.67
6185MHz	Pass	PK	12.4528G	56.07	74.00	-17.93	3	Vertical	254	1.67




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6185MHz	Pass	AV	12.3832G	46.53	54.00	-7.47	3	Horizontal	259	3.00
6185MHz	Pass	PK	12.36736G	56.21	74.00	-17.79	3	Horizontal	259	3.00
6345MHz	Pass	AV	5.8674G	51.34	68.20	-16.86	3	Vertical	293	1.50
6345MHz	Pass	AV	6.3678G	98.98	Inf	-Inf	3	Vertical	293	1.50
6345MHz	Pass	PK	5.8614G	60.51	88.20	-27.69	3	Vertical	293	1.50
6345MHz	Pass	PK	6.369G	108.33	Inf	-Inf	3	Vertical	293	1.50
6345MHz	Pass	AV	5.901G	51.83	68.20	-16.37	3	Horizontal	166	1.29
6345MHz	Pass	AV	6.4098G	92.51	Inf	-Inf	3	Horizontal	166	1.29
6345MHz	Pass	PK	5.901G	60.34	88.20	-27.86	3	Horizontal	166	1.29
6345MHz	Pass	PK	6.3834G	102.04	Inf	-Inf	3	Horizontal	166	1.29
6345MHz	Pass	AV	12.68942G	46.27	54.00	-7.73	3	Vertical	214	1.50
6345MHz	Pass	PK	12.69041G	56.48	74.00	-17.52	3	Vertical	214	1.50
6345MHz	Pass	AV	12.69055G	46.27	54.00	-7.73	3	Horizontal	85	2.50
6345MHz	Pass	PK	12.69073G	56.53	74.00	-17.47	3	Horizontal	85	2.50
6505MHz Straddle 6.425-6.525GHz	Pass	AV	5.8834G	51.52	68.20	-16.68	3	Vertical	294	1.50
6505MHz Straddle 6.425-6.525GHz	Pass	AV	6.4728G	99.38	Inf	-Inf	3	Vertical	294	1.50
6505MHz Straddle 6.425-6.525GHz	Pass	AV	7.1966G	53.67	68.20	-14.53	3	Vertical	294	1.50
6505MHz Straddle 6.425-6.525GHz	Pass	PK	5.8764G	60.69	88.20	-27.51	3	Vertical	294	1.50
6505MHz Straddle 6.425-6.525GHz	Pass	PK	6.5456G	109.14	Inf	-Inf	3	Vertical	294	1.50
6505MHz Straddle 6.425-6.525GHz	Pass	PK	7.1826G	62.69	88.20	-25.51	3	Vertical	294	1.50
6505MHz Straddle 6.425-6.525GHz	Pass	AV	5.8834G	51.68	68.20	-16.52	3	Horizontal	167	1.30
6505MHz Straddle 6.425-6.525GHz	Pass	AV	6.4896G	93.36	Inf	-Inf	3	Horizontal	167	1.30
6505MHz Straddle 6.425-6.525GHz	Pass	AV	7.2008G	53.56	68.20	-14.64	3	Horizontal	167	1.30
6505MHz Straddle 6.425-6.525GHz	Pass	PK	5.924G	60.60	88.20	-27.60	3	Horizontal	167	1.30
6505MHz Straddle 6.425-6.525GHz	Pass	PK	6.5428G	102.30	Inf	-Inf	3	Horizontal	167	1.30
6505MHz Straddle 6.425-6.525GHz	Pass	PK	7.163G	63.09	88.20	-25.11	3	Horizontal	167	1.30
6505MHz Straddle 6.425-6.525GHz	Pass	AV	13.00968G	46.51	68.20	-21.69	3	Vertical	38	2.27
6505MHz Straddle 6.425-6.525GHz	Pass	PK	13.01009G	56.35	88.20	-31.85	3	Vertical	38	2.27
6505MHz Straddle 6.425-6.525GHz	Pass	AV	13.00936G	46.66	68.20	-21.54	3	Horizontal	151	2.09
6505MHz Straddle 6.425-6.525GHz	Pass	PK	13.01077G	55.87	88.20	-32.33	3	Horizontal	151	2.09
6665MHz	Pass	AV	6.6089G	99.47	Inf	-Inf	3	Vertical	189	1.53
6665MHz	Pass	AV	7.1963G	53.67	68.20	-14.53	3	Vertical	189	1.53
6665MHz	Pass	PK	6.6969G	108.64	Inf	-Inf	3	Vertical	189	1.53
6665MHz	Pass	PK	7.1743G	63.14	88.20	-25.06	3	Vertical	189	1.53
6665MHz	Pass	AV	6.61G	93.10	Inf	-Inf	3	Horizontal	166	1.43
6665MHz	Pass	AV	7.204G	53.98	68.20	-14.22	3	Horizontal	166	1.43
6665MHz	Pass	PK	6.6144G	102.57	Inf	-Inf	3	Horizontal	166	1.43
6665MHz	Pass	PK	7.1985G	62.43	88.20	-25.77	3	Horizontal	166	1.43
6665MHz	Pass	AV	13.33072G	46.85	54.00	-7.15	3	Vertical	188	1.34
6665MHz	Pass	PK	13.32957G	56.61	74.00	-17.39	3	Vertical	188	1.34
6665MHz	Pass	AV	13.33038G	47.12	54.00	-6.88	3	Horizontal	52	2.07
6665MHz	Pass	PK	13.33049G	56.66	74.00	-17.34	3	Horizontal	52	2.07
6825MHz Straddle 6.525-6.875GHz	Pass	AV	6.801G	99.14	Inf	-Inf	3	Vertical	188	1.63
6825MHz Straddle 6.525-6.875GHz	Pass	AV	7.1258G	53.85	68.20	-14.35	3	Vertical	188	1.63
6825MHz Straddle 6.525-6.875GHz	Pass	PK	6.801G	109.03	Inf	-Inf	3	Vertical	188	1.63
6825MHz Straddle 6.525-6.875GHz	Pass	PK	7.1706G	63.37	88.20	-24.83	3	Vertical	188	1.63
6825MHz Straddle 6.525-6.875GHz	Pass	AV	6.8994G	93.65	Inf	-Inf	3	Horizontal	225	1.63
6825MHz Straddle 6.525-6.875GHz	Pass	AV	7.1802G	54.06	68.20	-14.14	3	Horizontal	225	1.63
6825MHz Straddle 6.525-6.875GHz	Pass	PK	6.8994G	102.48	Inf	-Inf	3	Horizontal	225	1.63
6825MHz Straddle 6.525-6.875GHz	Pass	PK	7.2138G	62.70	88.20	-25.50	3	Horizontal	225	1.63
6825MHz Straddle 6.525-6.875GHz	Pass	AV	13.65029G	47.34	68.20	-20.86	3	Vertical	89	1.93
6825MHz Straddle 6.525-6.875GHz	Pass	PK	13.64918G	56.85	88.20	-31.35	3	Vertical	89	1.93
6825MHz Straddle 6.525-6.875GHz	Pass	AV	13.65046G	47.77	68.20	-20.43	3	Horizontal	170	2.16
6825MHz Straddle 6.525-6.875GHz	Pass	PK	13.65083G	57.00	88.20	-31.20	3	Horizontal	170	2.16
6985MHz	Pass	AV	6.929G	99.18	Inf	-Inf	3	Vertical	187	1.64
6985MHz	Pass	AV	7.13G	66.83	68.20	-1.37	3	Vertical	187	1.64
6985MHz	Pass	PK	6.949G	108.84	Inf	-Inf	3	Vertical	187	1.64
6985MHz	Pass	PK	7.1335G	78.60	88.20	-9.60	3	Vertical	187	1.64
6985MHz	Pass	AV	6.93G	94.71	Inf	-Inf	3	Horizontal	223	1.67
6985MHz	Pass	AV	7.1356G	63.76	68.20	-4.44	3	Horizontal	223	1.67
6985MHz	Pass	PK	6.9345G	105.64	Inf	-Inf	3	Horizontal	223	1.67
6985MHz	Pass	PK	7.136G	74.40	88.20	-13.80	3	Horizontal	223	1.67



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6985MHz	Pass	AV	13.96952G	47.82	68.20	-20.38	3	Vertical	94	1.28
6985MHz	Pass	PK	13.97013G	57.51	88.20	-30.69	3	Vertical	94	1.28
6985MHz	Pass	AV	13.96943G	48.18	68.20	-20.02	3	Horizontal	247	1.61
6985MHz	Pass	PK	13.96925G	56.72	88.20	-31.48	3	Horizontal	247	1.61

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX


5935MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	59.08	68.20	-9.12	7.60	3	Vertical	289	1.81	51.48	34.30	7.67	34.37
AV	5.9395G	97.94	Inf	-Inf	7.56	3	Vertical	289	1.81	90.38	34.24	7.69	34.37
PK	5.925G	86.79	88.20	-1.41	7.60	3	Vertical	289	1.81	79.19	34.30	7.67	34.37
PK	5.9343G	106.86	Inf	-Inf	7.57	3	Vertical	289	1.81	99.29	34.26	7.68	34.37

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX


5935MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	57.49	68.20	-10.71	7.60	3	Horizontal	164	1.50	49.89	34.30	7.67	34.37
AV	5.9376G	94.02	Inf	-Inf	7.57	3	Horizontal	164	1.50	86.45	34.25	7.69	34.37
PK	5.9248G	85.18	88.20	-3.02	7.60	3	Horizontal	164	1.50	77.58	34.30	7.67	34.37
PK	5.9371G	104.26	Inf	-Inf	7.57	3	Horizontal	164	1.50	96.69	34.25	7.69	34.37

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX


5935MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.87524G	40.81	54.00	-13.19	15.28	3	Vertical	245	2.16	25.53	38.95	10.96	34.63
PK	11.86802G	53.42	74.00	-20.58	15.28	3	Vertical	245	2.16	38.14	38.94	10.96	34.62

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX


5935MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.86528G	40.72	54.00	-13.28	15.26	3	Horizontal	219	2.15	25.46	38.93	10.95	34.62
PK	11.87296G	52.73	74.00	-21.27	15.29	3	Horizontal	219	2.15	37.44	38.95	10.96	34.62

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

5955MHz_TX




EUT X
SET 44
44
19.92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9016G	48.24	68.20	-19.96	7.66	3	Vertical	288	1.58	40.58	34.39	7.63	34.36
AV	5.9604G	97.81	Inf	-Inf	7.53	3	Vertical	288	1.58	90.28	34.18	7.73	34.38
PK	5.8605G	60.91	88.20	-27.29	7.38	3	Vertical	288	1.58	53.53	34.16	7.57	34.35
PK	5.9601G	107.99	Inf	-Inf	7.53	3	Vertical	288	1.58	100.46	34.18	7.73	34.38

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

5955MHz_TX




EUT X
SET 44
44
19.92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8812G	48.24	68.20	-19.96	7.54	3	Horizontal	164	1.09	40.70	34.29	7.60	34.35
AV	5.9592G	93.48	Inf	-Inf	7.52	3	Horizontal	164	1.09	85.96	34.18	7.72	34.38
PK	5.8752G	61.48	88.20	-26.72	7.49	3	Horizontal	164	1.09	53.99	34.25	7.59	34.35
PK	5.9595G	102.10	Inf	-Inf	7.53	3	Horizontal	164	1.09	94.57	34.18	7.73	34.38

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.92491G	43.80	54.00	-10.20	15.41	3	Vertical	98	1.34	28.39	39.07	10.98	34.64
PK	11.89746G	55.64	74.00	-18.36	15.33	3	Vertical	98	1.34	40.31	38.99	10.97	34.63

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.91969G	43.86	54.00	-10.14	15.40	3	Horizontal	307	1.50	28.46	39.06	10.98	34.64
PK	11.91624G	55.86	74.00	-18.14	15.39	3	Horizontal	307	1.50	40.47	39.05	10.98	34.64

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX


6195MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.40392G	44.00	54.00	-10.00	15.96	3	Vertical	95	1.50	28.04	39.20	11.17	34.41
PK	12.38286G	56.27	74.00	-17.73	15.94	3	Vertical	95	1.50	40.33	39.20	11.16	34.42

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX


6195MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.384G	43.86	54.00	-10.14	15.94	3	Horizontal	271	1.50	27.92	39.20	11.16	34.42
PK	12.38121G	56.56	74.00	-17.44	15.93	3	Horizontal	271	1.50	40.63	39.20	11.16	34.43

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.83936G	45.26	68.20	-22.94	17.47	3	Vertical	356	1.50	27.79	39.88	11.34	33.75
PK	12.8261G	58.04	88.20	-30.16	17.40	3	Vertical	356	1.50	40.64	39.85	11.33	33.78

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.83189G	45.48	68.20	-22.72	17.42	3	Horizontal	286	2.54	28.06	39.86	11.33	33.77
PK	12.82982G	57.34	88.20	-30.86	17.42	3	Horizontal	286	2.54	39.92	39.86	11.33	33.77

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_2TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.86625G	45.25	68.20	-22.95	17.57	3	Vertical	272	2.00	27.68	39.93	11.35	33.71
PK	12.8688G	57.55	88.20	-30.65	17.59	3	Vertical	272	2.00	39.96	39.94	11.35	33.70

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_2TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.88008G	45.25	68.20	-22.95	17.63	3	Horizontal	91	2.02	27.62	39.96	11.35	33.68
PK	12.87816G	57.98	88.20	-30.22	17.63	3	Horizontal	91	2.02	40.35	39.96	11.35	33.68

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_2TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.9494G	44.32	68.20	-23.88	17.72	3	Vertical	342	1.12	26.60	39.90	11.38	33.56
PK	12.94928G	56.54	88.20	-31.66	17.72	3	Vertical	342	1.12	38.82	39.90	11.38	33.56

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_2TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.94998G	44.66	68.20	-23.54	17.72	3	Horizontal	50	1.74	26.94	39.90	11.38	33.56
PK	12.95045G	56.84	88.20	-31.36	17.72	3	Horizontal	50	1.74	39.12	39.90	11.38	33.56

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_2TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.02924G	44.76	68.20	-23.44	17.75	3	Vertical	93	1.02	27.01	39.77	11.41	33.43
PK	13.02951G	56.55	88.20	-31.65	17.75	3	Vertical	93	1.02	38.80	39.77	11.41	33.43

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_2TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.02908G	44.86	68.20	-23.34	17.75	3	Horizontal	53	1.48	27.11	39.77	11.41	33.43
PK	13.03068G	56.21	88.20	-31.99	17.75	3	Horizontal	53	1.48	38.46	39.77	11.41	33.43

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.07023G	44.75	68.20	-23.45	17.79	3	Vertical	336	1.06	26.96	39.73	11.43	33.37
PK	13.06961G	56.88	88.20	-31.32	17.79	3	Vertical	336	1.06	39.09	39.73	11.43	33.37

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.07064G	44.85	68.20	-23.35	17.79	3	Horizontal	202	2.46	27.06	39.73	11.43	33.37
PK	13.06936G	56.19	88.20	-32.01	17.79	3	Horizontal	202	2.46	38.40	39.73	11.43	33.37

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.38935G	45.56	54.00	-8.44	18.79	3	Vertical	25	2.36	26.77	40.16	11.55	32.92
PK	13.391G	57.00	74.00	-17.00	18.79	3	Vertical	25	2.36	38.21	40.16	11.55	32.92

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.38928G	45.55	54.00	-8.45	18.78	3	Horizontal	188	1.88	26.77	40.16	11.55	32.93
PK	13.389G	57.37	74.00	-16.63	18.78	3	Horizontal	188	1.88	38.59	40.16	11.55	32.93

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.7495G	45.70	68.20	-22.50	18.84	3	Vertical	258	1.50	26.86	39.90	11.69	32.75
PK	13.75032G	56.75	88.20	-31.45	18.84	3	Vertical	258	1.50	37.91	39.90	11.69	32.75

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.7491G	45.59	68.20	-22.61	18.84	3	Horizontal	329	1.00	26.75	39.90	11.69	32.75
PK	13.74918G	57.32	88.20	-30.88	18.84	3	Horizontal	329	1.00	38.48	39.90	11.69	32.75

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.78925G	46.02	68.20	-22.18	18.86	3	Vertical	203	2.48	27.16	39.90	11.71	32.75
PK	13.78908G	58.76	88.20	-29.44	18.86	3	Vertical	203	2.48	39.90	39.90	11.71	32.75

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.78935G	46.02	68.20	-22.18	18.86	3	Horizontal	119	2.22	27.16	39.90	11.71	32.75
PK	13.79039G	57.90	88.20	-30.30	18.86	3	Horizontal	119	2.22	39.04	39.90	11.71	32.75

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.99091G	46.18	68.20	-22.02	19.25	3	Vertical	249	2.40	26.93	40.19	11.79	32.73
PK	13.98975G	57.24	88.20	-30.96	19.25	3	Vertical	249	2.40	37.99	40.19	11.79	32.73

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.9891G	46.19	68.20	-22.01	19.25	3	Horizontal	98	2.86	26.94	40.19	11.79	32.73
PK	13.99019G	57.46	88.20	-30.74	19.25	3	Horizontal	98	2.86	38.21	40.19	11.79	32.73

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0887G	99.32	Inf	-Inf	9.84	3	Vertical	190	1.68	89.48	36.33	8.28	34.77
AV	7.2444G	52.10	68.20	-16.10	10.74	3	Vertical	190	1.68	41.36	37.08	8.45	34.79
PK	7.089G	107.55	Inf	-Inf	9.84	3	Vertical	190	1.68	97.71	36.33	8.28	34.77
PK	7.1538G	64.25	88.20	-23.95	10.19	3	Vertical	190	1.68	54.06	36.62	8.35	34.78

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0902G	92.74	Inf	-Inf	9.85	3	Horizontal	227	1.09	82.89	36.34	8.28	34.77
AV	7.2396G	52.09	68.20	-16.11	10.72	3	Horizontal	227	1.09	41.37	37.06	8.45	34.79
PK	7.0944G	101.40	Inf	-Inf	9.88	3	Horizontal	227	1.09	91.52	36.37	8.28	34.77
PK	7.2015G	63.86	88.20	-24.34	10.52	3	Horizontal	227	1.09	53.34	36.91	8.40	34.79

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	14.17653G	58.32	88.20	-29.88	19.35	3	Vertical	147	1.70	38.97	40.40	11.87	32.92
AV	14.19156G	46.55	68.20	-21.65	19.34	3	Vertical	147	1.70	27.21	40.40	11.88	32.94

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	14.19897G	58.34	88.20	-29.86	19.34	3	Horizontal	121	2.24	39.00	40.40	11.88	32.94
AV	14.18724G	46.66	68.20	-21.54	19.35	3	Horizontal	121	2.24	27.31	40.40	11.88	32.93

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1185G	96.86	Inf	-Inf	10.00	3	Vertical	186	1.68	86.86	36.47	8.31	34.78
AV	7.1255G	67.85	68.20	-0.35	10.04	3	Vertical	186	1.68	57.81	36.50	8.32	34.78
PK	7.1185G	102.40	Inf	-Inf	10.00	3	Vertical	186	1.68	92.40	36.47	8.31	34.78
PK	7.1255G	75.16	88.20	-13.04	10.04	3	Vertical	186	1.68	65.12	36.50	8.32	34.78

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1215G	87.22	Inf	-Inf	10.02	3	Horizontal	94	1.53	77.20	36.49	8.31	34.78
AV	7.1255G	59.76	68.20	-8.44	10.04	3	Horizontal	94	1.53	49.72	36.50	8.32	34.78
PK	7.1215G	93.51	Inf	-Inf	10.02	3	Horizontal	94	1.53	83.49	36.49	8.31	34.78
PK	7.1255G	67.64	88.20	-20.56	10.04	3	Horizontal	94	1.53	57.60	36.50	8.32	34.78

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.2313G	44.03	68.20	-24.17	19.29	3	Vertical	157	2.58	24.74	40.37	11.90	32.98
PK	14.22136G	56.50	88.20	-31.70	19.31	3	Vertical	157	2.58	37.19	40.38	11.90	32.97

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.22468G	43.96	68.20	-24.24	19.31	3	Horizontal	306	1.70	24.65	40.38	11.90	32.97
PK	14.23696G	56.27	88.20	-31.93	19.27	3	Horizontal	306	1.70	37.00	40.36	11.90	32.99

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5935MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9245G	67.84	68.20	-0.36	7.60	3	Vertical	286	1.58	60.24	34.30	7.67	34.37
AV	5.94253G	98.14	Inf	-Inf	7.56	3	Vertical	286	1.58	90.58	34.23	7.70	34.37
PK	5.9245G	78.39	88.20	-9.81	7.60	3	Vertical	286	1.58	70.79	34.30	7.67	34.37
PK	5.94053G	103.60	Inf	-Inf	7.56	3	Vertical	286	1.58	96.04	34.24	7.69	34.37

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5935MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9245G	63.66	68.20	-4.54	7.60	3	Horizontal	165	1.33	56.06	34.30	7.67	34.37
AV	5.94153G	94.45	Inf	-Inf	7.56	3	Horizontal	165	1.33	86.89	34.23	7.70	34.37
PK	5.9245G	73.64	88.20	-14.56	7.60	3	Horizontal	165	1.33	66.04	34.30	7.67	34.37
PK	5.93653G	99.88	Inf	-Inf	7.57	3	Horizontal	165	1.33	92.31	34.25	7.69	34.37

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5935MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.86098G	40.05	54.00	-13.95	15.25	3	Vertical	0	2.75	24.80	38.92	10.95	34.62
PK	11.87628G	52.15	74.00	-21.85	15.28	3	Vertical	0	2.75	36.87	38.95	10.96	34.63

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5935MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.87308G	40.09	54.00	-13.91	15.29	3	Horizontal	214	1.14	24.80	38.95	10.96	34.62
PK	11.86508G	51.97	74.00	-22.03	15.26	3	Horizontal	214	1.14	36.71	38.93	10.95	34.62

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9235G	48.78	68.20	-19.42	7.61	3	Vertical	284	1.97	41.17	34.31	7.67	34.37
AV	5.9595G	97.78	Inf	-Inf	7.53	3	Vertical	284	1.97	90.25	34.18	7.73	34.38
PK	5.8764G	60.85	88.20	-27.35	7.50	3	Vertical	284	1.97	53.35	34.26	7.59	34.35
PK	5.9595G	108.15	Inf	-Inf	7.53	3	Vertical	284	1.97	100.62	34.18	7.73	34.38

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8965G	48.83	68.20	-19.37	7.64	3	Horizontal	165	1.00	41.19	34.38	7.62	34.36
AV	5.9601G	91.84	Inf	-Inf	7.53	3	Horizontal	165	1.00	84.31	34.18	7.73	34.38
PK	5.8848G	61.45	88.20	-26.75	7.56	3	Horizontal	165	1.00	53.89	34.31	7.61	34.36
PK	5.9574G	102.67	Inf	-Inf	7.53	3	Horizontal	165	1.00	95.14	34.19	7.72	34.38

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.92047G	42.64	54.00	-11.36	15.40	3	Vertical	265	1.50	27.24	39.06	10.98	34.64
PK	11.90124G	56.02	74.00	-17.98	15.34	3	Vertical	265	1.50	40.68	39.00	10.97	34.63

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.92089G	42.64	54.00	-11.36	15.40	3	Horizontal	186	1.50	27.24	39.06	10.98	34.64
PK	11.89788G	55.42	74.00	-18.58	15.34	3	Horizontal	186	1.50	40.08	39.00	10.97	34.63

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6195MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.39045G	43.52	54.00	-10.48	15.94	3	Vertical	298	1.50	27.58	39.20	11.16	34.42
PK	12.40323G	56.59	74.00	-17.41	15.96	3	Vertical	298	1.50	40.63	39.20	11.17	34.41

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6195MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.38163G	43.41	54.00	-10.59	15.93	3	Horizontal	75	1.50	27.48	39.20	11.16	34.43
PK	12.40335G	56.17	74.00	-17.83	15.96	3	Horizontal	75	1.50	40.21	39.20	11.17	34.41

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.84344G	45.04	68.20	-23.16	17.48	3	Vertical	15	1.50	27.56	39.89	11.34	33.75
PK	12.83831G	58.04	88.20	-30.16	17.47	3	Vertical	15	1.50	40.57	39.88	11.34	33.75

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.83756G	44.99	68.20	-23.21	17.46	3	Horizontal	77	1.50	27.53	39.88	11.34	33.76
PK	12.83543G	57.41	88.20	-30.79	17.45	3	Horizontal	77	1.50	39.96	39.87	11.34	33.76

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.88002G	44.88	68.20	-23.32	17.63	3	Vertical	191	1.50	27.25	39.96	11.35	33.68
PK	12.87075G	57.83	88.20	-30.37	17.59	3	Vertical	191	1.50	40.24	39.94	11.35	33.70

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.86985G	44.92	68.20	-23.28	17.59	3	Horizontal	108	1.49	27.33	39.94	11.35	33.70
PK	12.87954G	57.99	88.20	-30.21	17.63	3	Horizontal	108	1.49	40.36	39.96	11.35	33.68

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.93533G	44.35	68.20	-23.85	17.72	3	Vertical	228	1.50	26.63	39.93	11.37	33.58
PK	12.93551G	57.77	88.20	-30.43	17.72	3	Vertical	228	1.50	40.05	39.93	11.37	33.58

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.9365G	44.34	68.20	-23.86	17.73	3	Horizontal	102	1.50	26.61	39.93	11.38	33.58
PK	12.94424G	56.63	88.20	-31.57	17.72	3	Horizontal	102	1.50	38.91	39.91	11.38	33.57

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.03723G	44.21	68.20	-23.99	17.75	3	Vertical	142	2.59	26.46	39.76	11.41	33.42
PK	13.039G	56.70	88.20	-31.50	17.76	3	Vertical	142	2.59	38.94	39.76	11.42	33.42

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.01521G	44.19	68.20	-24.01	17.74	3	Horizontal	47	1.50	26.45	39.78	11.41	33.45
PK	13.03981G	56.68	88.20	-31.52	17.77	3	Horizontal	47	1.50	38.91	39.76	11.42	33.41

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.06361G	43.97	68.20	-24.23	17.78	3	Vertical	156	1.00	26.19	39.74	11.42	33.38
PK	13.07891G	56.33	88.20	-31.87	17.79	3	Vertical	156	1.00	38.54	39.72	11.43	33.36

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.06997G	44.02	68.20	-24.18	17.79	3	Horizontal	360	1.50	26.23	39.73	11.43	33.37
PK	13.05746G	57.33	88.20	-30.87	17.77	3	Horizontal	360	1.50	39.56	39.74	11.42	33.39

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6695MHz_TX



Type	Freq (Hz)	Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBUV)	AF (dB)	CL (dB)	PA (dB)
AV	13.39747G	44.93	54.00	-9.07	18.84	3	Vertical	202	1.50	26.09	40.19	11.56	32.91
PK	13.39981G	58.42	74.00	-15.58	18.85	3	Vertical	202	1.50	39.57	40.20	11.56	32.91

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6695MHz_TX



Type	Freq (Hz)	Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBUV)	AF (dB)	CL (dB)	PA (dB)
AV	13.39999G	45.04	54.00	-8.96	18.85	3	Horizontal	360	2.00	26.19	40.20	11.56	32.91
PK	13.38028G	57.82	74.00	-16.18	18.73	3	Horizontal	360	2.00	39.09	40.12	11.55	32.94

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.74055G	45.05	68.20	-23.15	18.84	3	Vertical	148	1.50	26.21	39.90	11.69	32.75
PK	13.73701G	57.57	88.20	-30.63	18.84	3	Vertical	148	1.50	38.73	39.90	11.69	32.75

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.73695G	45.04	68.20	-23.16	18.84	3	Horizontal	165	1.50	26.20	39.90	11.69	32.75
PK	13.7449G	59.02	88.20	-29.18	18.84	3	Horizontal	165	1.50	40.18	39.90	11.69	32.75

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6895MHz_TX



Type	Freq (Hz)	Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBUV)	AF (dB)	CL (dB)	PA (dB)
AV	13.80392G	45.16	68.20	-23.04	18.87	3	Vertical	81	2.10	26.29	39.91	11.71	32.75
PK	13.79543G	58.05	88.20	-30.15	18.86	3	Vertical	81	2.10	39.19	39.90	11.71	32.75

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6895MHz_TX



Type	Freq (Hz)	Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBUV)	AF (dB)	CL (dB)	PA (dB)
AV	13.78319G	45.19	68.20	-23.01	18.86	3	Horizontal	258	1.50	26.33	39.90	11.71	32.75
PK	13.79279G	57.97	88.20	-30.23	18.86	3	Horizontal	258	1.50	39.11	39.90	11.71	32.75

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.97794G	45.56	68.20	-22.64	19.23	3	Vertical	202	1.50	26.33	40.18	11.78	32.73
PK	13.98637G	58.10	88.20	-30.10	19.24	3	Vertical	202	1.50	38.86	40.19	11.78	32.73

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.97587G	45.56	68.20	-22.64	19.23	3	Horizontal	160	1.16	26.33	40.18	11.78	32.73
PK	13.97902G	57.98	88.20	-30.22	19.23	3	Horizontal	160	1.16	38.75	40.18	11.78	32.73

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0899G	97.75	Inf	-Inf	9.85	3	Vertical	189	1.50	87.90	36.34	8.28	34.77
AV	7.2444G	51.37	68.20	-16.83	10.74	3	Vertical	189	1.50	40.63	37.08	8.45	34.79
PK	7.0899G	108.24	Inf	-Inf	9.85	3	Vertical	189	1.50	98.39	36.34	8.28	34.77
PK	7.2402G	64.14	88.20	-24.06	10.72	3	Vertical	189	1.50	53.42	37.06	8.45	34.79

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0998G	93.46	Inf	-Inf	9.92	3	Horizontal	219	1.68	83.54	36.40	8.29	34.77
AV	7.2444G	51.37	68.20	-16.83	10.74	3	Horizontal	219	1.68	40.63	37.08	8.45	34.79
PK	7.0899G	103.88	Inf	-Inf	9.85	3	Horizontal	219	1.68	94.03	36.34	8.28	34.77
PK	7.2159G	63.48	88.20	-24.72	10.59	3	Horizontal	219	1.68	52.89	36.96	8.42	34.79

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.19519G	46.07	68.20	-22.13	19.34	3	Vertical	323	1.50	26.73	40.40	11.88	32.94
PK	14.19264G	59.39	88.20	-28.81	19.34	3	Vertical	323	1.50	40.05	40.40	11.88	32.94

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.20029G	46.18	68.20	-22.02	19.34	3	Horizontal	149	1.50	26.84	40.40	11.89	32.95
PK	14.18796G	58.92	88.20	-29.28	19.35	3	Horizontal	149	1.50	39.57	40.40	11.88	32.93

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1175G	97.52	Inf	-Inf	10.00	3	Vertical	190	1.40	87.52	36.47	8.31	34.78
AV	7.1255G	67.88	68.20	-0.32	10.04	3	Vertical	190	1.40	57.84	36.50	8.32	34.78
PK	7.1175G	103.41	Inf	-Inf	10.00	3	Vertical	190	1.40	93.41	36.47	8.31	34.78
PK	7.1255G	78.71	88.20	-9.49	10.04	3	Vertical	190	1.40	68.67	36.50	8.32	34.78

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1205G	88.39	Inf	-Inf	10.01	3	Horizontal	94	1.58	78.38	36.48	8.31	34.78
AV	7.1255G	58.79	68.20	-9.41	10.04	3	Horizontal	94	1.58	48.75	36.50	8.32	34.78
PK	7.1205G	94.33	Inf	-Inf	10.01	3	Horizontal	94	1.58	84.32	36.48	8.31	34.78
PK	7.1255G	68.52	88.20	-19.68	10.04	3	Horizontal	94	1.58	58.48	36.50	8.32	34.78

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.23712G	43.00	68.20	-25.20	19.27	3	Vertical	348	2.19	23.73	40.36	11.90	32.99
PK	14.22086G	56.08	88.20	-32.12	19.30	3	Vertical	348	2.19	36.78	40.38	11.89	32.97

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.23532G	43.01	68.20	-25.19	19.28	3	Horizontal	113	2.67	23.73	40.36	11.90	32.98
PK	14.2328G	56.12	88.20	-32.08	19.29	3	Horizontal	113	2.67	36.83	40.37	11.90	32.98

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9248G	51.09	68.20	-17.11	7.60	3	Vertical	281	1.90	43.49	34.30	7.67	34.37
AV	5.9719G	98.59	Inf	-Inf	7.53	3	Vertical	281	1.90	91.06	34.16	7.75	34.38
PK	5.9224G	61.53	88.20	-26.67	7.61	3	Vertical	281	1.90	53.92	34.31	7.67	34.37
PK	5.9791G	109.53	Inf	-Inf	7.52	3	Vertical	281	1.90	102.01	34.14	7.76	34.38

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9227G	50.12	68.20	-18.08	7.61	3	Horizontal	162	1.62	42.51	34.31	7.67	34.37
AV	5.9782G	92.20	Inf	-Inf	7.52	3	Horizontal	162	1.62	84.68	34.14	7.76	34.38
PK	5.8762G	61.00	88.20	-27.20	7.50	3	Horizontal	162	1.62	53.50	34.26	7.59	34.35
PK	5.9782G	101.66	Inf	-Inf	7.52	3	Horizontal	162	1.62	94.14	34.14	7.76	34.38

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.93798G	44.20	54.00	-9.80	15.44	3	Vertical	290	1.04	28.76	39.11	10.98	34.65
PK	11.9243G	55.50	74.00	-18.50	15.41	3	Vertical	290	1.04	40.09	39.07	10.98	34.64

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.95406G	44.40	54.00	-9.60	15.50	3	Horizontal	212	1.80	28.90	39.16	10.99	34.65
PK	11.92778G	55.99	74.00	-18.01	15.42	3	Horizontal	212	1.80	40.57	39.08	10.98	34.64

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6205MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.3899G	44.71	54.00	-9.29	15.94	3	Vertical	182	1.50	28.77	39.20	11.16	34.42
PK	12.41558G	56.11	74.00	-17.89	15.97	3	Vertical	182	1.50	40.14	39.20	11.17	34.40

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6205MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.41462G	44.67	54.00	-9.33	15.97	3	Horizontal	92	1.50	28.70	39.20	11.17	34.40
PK	12.41984G	56.07	74.00	-17.93	15.97	3	Horizontal	92	1.50	40.10	39.20	11.17	34.40

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.81252G	46.30	68.20	-21.90	17.36	3	Vertical	136	1.50	28.94	39.83	11.33	33.80
PK	12.834G	58.40	88.20	-29.80	17.45	3	Vertical	136	1.50	40.95	39.87	11.34	33.76

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.82326G	46.22	68.20	-21.98	17.40	3	Horizontal	278	1.50	28.82	39.85	11.33	33.78
PK	12.83658G	57.78	88.20	-30.42	17.45	3	Horizontal	278	1.50	40.33	39.87	11.34	33.76

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.86102G	46.21	68.20	-21.99	17.56	3	Vertical	289	1.50	28.65	39.92	11.35	33.71
PK	12.86786G	57.55	88.20	-30.65	17.59	3	Vertical	289	1.50	39.96	39.94	11.35	33.70

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.8687G	46.35	68.20	-21.85	17.59	3	Horizontal	340	1.00	28.76	39.94	11.35	33.70
PK	12.8699G	57.72	88.20	-30.48	17.59	3	Horizontal	340	1.00	40.13	39.94	11.35	33.70

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.9415G	45.36	68.20	-22.84	17.73	3	Vertical	180	1.50	27.63	39.92	11.38	33.57
PK	12.96826G	56.69	88.20	-31.51	17.72	3	Vertical	180	1.50	38.97	39.86	11.39	33.53

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.97234G	45.24	68.20	-22.96	17.73	3	Horizontal	352	1.50	27.51	39.86	11.39	33.52
PK	12.9697G	56.22	88.20	-31.98	17.73	3	Horizontal	352	1.50	38.49	39.86	11.39	33.52

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.05072G	45.19	68.20	-23.01	17.77	3	Vertical	251	1.01	27.42	39.75	11.42	33.40
PK	13.07766G	56.35	88.20	-31.85	17.79	3	Vertical	251	1.01	38.56	39.72	11.43	33.36

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.02474G	45.27	68.20	-22.93	17.75	3	Horizontal	9	2.33	27.52	39.78	11.41	33.44
PK	13.04076G	56.75	88.20	-31.45	17.77	3	Horizontal	9	2.33	38.98	39.76	11.42	33.41

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.14746G	45.65	68.20	-22.55	17.95	3	Vertical	17	1.50	27.70	39.75	11.46	33.26
PK	13.1495G	56.91	88.20	-31.29	17.95	3	Vertical	17	1.50	38.96	39.75	11.46	33.26

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.14626G	45.71	68.20	-22.49	17.94	3	Horizontal	275	1.50	27.77	39.75	11.46	33.27
PK	13.15256G	56.30	88.20	-31.90	17.95	3	Horizontal	275	1.50	38.35	39.75	11.46	33.26

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.39568G	46.34	54.00	-7.66	18.81	3	Vertical	126	1.50	27.53	40.18	11.55	32.92
PK	13.3733G	57.28	74.00	-16.72	18.69	3	Vertical	126	1.50	38.59	40.09	11.55	32.95

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.39286G	46.25	54.00	-7.75	18.80	3	Horizontal	158	1.36	27.45	40.17	11.55	32.92
PK	13.38548G	57.18	74.00	-16.82	18.76	3	Horizontal	158	1.36	38.42	40.14	11.55	32.93

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.77504G	46.23	68.20	-21.97	18.85	3	Vertical	346	1.50	27.38	39.90	11.70	32.75
PK	13.74G	57.63	88.20	-30.57	18.84	3	Vertical	346	1.50	38.79	39.90	11.69	32.75

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.79826G	46.38	68.20	-21.82	18.86	3	Horizontal	251	1.10	27.52	39.90	11.71	32.75
PK	13.79244G	58.10	88.20	-30.10	18.86	3	Horizontal	251	1.10	39.24	39.90	11.71	32.75