


6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6925MHz_TX



Type	Freq (Hz)	Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBUV)	AF (dB)	CL (dB)	PA (dB)
AV	13.84346G	46.50	68.20	-21.70	18.98	3	Vertical	113	2.67	27.52	39.99	11.73	32.74
PK	13.86548G	57.58	88.20	-30.62	19.03	3	Vertical	113	2.67	38.55	40.03	11.74	32.74

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6925MHz_TX



Type	Freq (Hz)	Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBUV)	AF (dB)	CL (dB)	PA (dB)
AV	13.82054G	46.39	68.20	-21.81	18.92	3	Horizontal	79	1.50	27.47	39.94	11.72	32.74
PK	13.8548G	58.28	88.20	-29.92	19.00	3	Horizontal	79	1.50	39.28	40.01	11.73	32.74

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.02398G	46.99	68.20	-21.21	19.29	3	Vertical	97	1.50	27.70	40.25	11.80	32.76
PK	14.03166G	58.69	88.20	-29.51	19.31	3	Vertical	97	1.50	39.38	40.26	11.81	32.76

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.01G	47.03	68.20	-21.17	19.27	3	Horizontal	348	1.50	27.76	40.22	11.79	32.74
PK	14.0169G	58.28	88.20	-29.92	19.28	3	Horizontal	348	1.50	39.00	40.23	11.80	32.75

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0799G	98.26	Inf	-Inf	9.78	3	Vertical	188	1.42	88.48	36.28	8.27	34.77
AV	7.2317G	52.66	68.20	-15.54	10.68	3	Vertical	188	1.42	41.98	37.03	8.44	34.79
PK	7.0826G	107.58	Inf	-Inf	9.80	3	Vertical	188	1.42	97.78	36.30	8.27	34.77
PK	7.1507G	63.38	88.20	-24.82	10.17	3	Vertical	188	1.42	53.21	36.60	8.35	34.78

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0799G	92.49	Inf	-Inf	9.78	3	Horizontal	248	1.84	82.71	36.28	8.27	34.77
AV	7.2311G	52.50	68.20	-15.70	10.67	3	Horizontal	248	1.84	41.83	37.02	8.44	34.79
PK	7.0922G	101.91	Inf	-Inf	9.86	3	Horizontal	248	1.84	92.05	36.35	8.28	34.77
PK	7.2266G	63.75	88.20	-24.45	10.65	3	Horizontal	248	1.84	53.10	37.01	8.43	34.79

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.19814G	47.36	68.20	-20.84	19.34	3	Vertical	12	2.98	28.02	40.40	11.88	32.94
PK	14.16544G	59.01	88.20	-29.19	19.36	3	Vertical	12	2.98	39.65	40.40	11.87	32.91

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.15182G	47.62	68.20	-20.58	19.37	3	Horizontal	248	1.50	28.25	40.40	11.86	32.89
PK	14.16874G	58.69	88.20	-29.51	19.36	3	Horizontal	248	1.50	39.33	40.40	11.87	32.91

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9235G	52.30	68.20	-15.90	7.61	3	Vertical	299	1.35	44.69	34.31	7.67	34.37
AV	6.013G	98.46	Inf	-Inf	7.53	3	Vertical	299	1.35	90.93	34.13	7.80	34.40
PK	5.921G	66.29	88.20	-21.91	7.61	3	Vertical	299	1.35	58.68	34.32	7.66	34.37
PK	6.0155G	108.94	Inf	-Inf	7.53	3	Vertical	299	1.35	101.41	34.13	7.80	34.40

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9225G	50.97	68.20	-17.23	7.61	3	Horizontal	165	1.00	43.36	34.31	7.67	34.37
AV	5.99G	93.29	Inf	-Inf	7.50	3	Horizontal	165	1.00	85.79	34.12	7.77	34.39
PK	5.925G	63.71	88.20	-24.49	7.60	3	Horizontal	165	1.00	56.11	34.30	7.67	34.37
PK	6.0155G	103.26	Inf	-Inf	7.53	3	Horizontal	165	1.00	95.73	34.13	7.80	34.40

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.96915G	43.88	54.00	-10.12	15.55	3	Vertical	55	2.06	28.33	39.21	11.00	34.66
PK	11.96949G	54.64	74.00	-19.36	15.55	3	Vertical	55	2.06	39.09	39.21	11.00	34.66

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.96946G	44.05	54.00	-9.95	15.55	3	Horizontal	252	2.96	28.50	39.21	11.00	34.66
PK	11.96904G	55.11	74.00	-18.89	15.55	3	Horizontal	252	2.96	39.56	39.21	11.00	34.66

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6225MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.44955G	44.58	54.00	-9.42	16.01	3	Vertical	18	2.97	28.57	39.20	11.19	34.38
PK	12.4496G	54.94	74.00	-19.06	16.01	3	Vertical	18	2.97	38.93	39.20	11.19	34.38

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6225MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.45055G	44.50	54.00	-9.50	16.01	3	Horizontal	183	2.86	28.49	39.20	11.19	34.38
PK	12.44954G	55.91	74.00	-18.09	16.01	3	Horizontal	183	2.86	39.90	39.20	11.19	34.38

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6385MHz_TX



Type	Freq (Hz)	Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBUV)	AF (dB)	CL (dB)	PA (dB)
AV	12.77036G	45.29	68.20	-22.91	17.15	3	Vertical	263	1.57	28.14	39.71	11.31	33.87
PK	12.77026G	56.09	88.20	-32.11	17.15	3	Vertical	263	1.57	38.94	39.71	11.31	33.87

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6385MHz_TX



Type	Freq (Hz)	Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBUV)	AF (dB)	CL (dB)	PA (dB)
AV	12.77014G	45.38	68.20	-22.82	17.15	3	Horizontal	287	1.18	28.23	39.71	11.31	33.87
PK	12.7707G	56.64	88.20	-31.56	17.15	3	Horizontal	287	1.18	39.49	39.71	11.31	33.87

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.87108G	45.99	68.20	-22.21	17.59	3	Vertical	93	2.98	28.40	39.94	11.35	33.70
PK	12.87324G	57.56	88.20	-30.64	17.61	3	Vertical	93	2.98	39.95	39.95	11.35	33.69

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.88788G	46.02	68.20	-22.18	17.67	3	Horizontal	90	1.90	28.35	39.98	11.36	33.67
PK	12.87288G	57.43	88.20	-30.77	17.61	3	Horizontal	90	1.90	39.82	39.95	11.35	33.69

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.14604G	45.43	68.20	-22.77	17.94	3	Vertical	67	1.01	27.49	39.75	11.46	33.27
PK	13.03492G	56.30	88.20	-31.90	17.76	3	Vertical	67	1.01	38.54	39.77	11.41	33.42

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.14892G	45.39	68.20	-22.81	17.95	3	Horizontal	272	1.50	27.44	39.75	11.46	33.26
PK	13.0342G	56.85	88.20	-31.35	17.76	3	Horizontal	272	1.50	39.09	39.77	11.41	33.42

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.20416G	45.62	68.20	-22.58	18.10	3	Vertical	18	1.50	27.52	39.80	11.48	33.18
PK	13.24508G	57.17	88.20	-31.03	18.17	3	Vertical	18	1.50	39.00	39.80	11.50	33.13

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.21472G	45.69	68.20	-22.51	18.11	3	Horizontal	39	2.40	27.58	39.80	11.48	33.17
PK	13.229G	56.90	88.20	-31.30	18.14	3	Horizontal	39	2.40	38.76	39.80	11.49	33.15

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.40064G	46.18	68.20	-22.02	18.85	3	Vertical	77	1.50	27.33	40.20	11.56	32.91
PK	13.40196G	57.30	88.20	-30.90	18.85	3	Vertical	77	1.50	38.45	40.20	11.56	32.91

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.41264G	46.10	68.20	-22.10	18.84	3	Horizontal	299	1.50	27.26	40.17	11.56	32.89
PK	13.40306G	57.72	88.20	-30.48	18.84	3	Horizontal	299	1.50	38.88	40.19	11.56	32.91

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.5622G	46.37	68.20	-21.83	18.85	3	Vertical	176	1.41	27.52	40.00	11.62	32.77
PK	13.56052G	58.28	88.20	-29.92	18.85	3	Vertical	176	1.41	39.43	40.00	11.62	32.77

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.52884G	46.69	68.20	-21.51	18.84	3	Horizontal	83	1.50	27.85	40.00	11.61	32.77
PK	13.59424G	57.94	88.20	-30.26	18.87	3	Horizontal	83	1.50	39.07	40.00	11.63	32.76

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.73077G	45.92	68.20	-22.28	18.84	3	Vertical	43	1.28	27.08	39.90	11.69	32.75
PK	13.72934G	56.24	88.20	-31.96	18.83	3	Vertical	43	1.28	37.41	39.90	11.68	32.75

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.67396G	46.21	68.20	-21.99	18.83	3	Horizontal	41	2.77	27.38	39.93	11.66	32.76
AV	13.72915G	45.80	68.20	-22.40	18.83	3	Horizontal	296	2.75	26.97	39.90	11.68	32.75
PK	13.676G	58.20	88.20	-30.00	18.82	3	Horizontal	41	2.77	39.38	39.92	11.66	32.76
PK	13.73066G	56.43	88.20	-31.77	18.83	3	Horizontal	296	2.75	37.60	39.90	11.68	32.75

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.89067G	46.26	68.20	-21.94	19.09	3	Vertical	351	1.16	27.17	40.08	11.75	32.74
PK	13.8896G	56.58	88.20	-31.62	19.09	3	Vertical	351	1.16	37.49	40.08	11.75	32.74

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.88957G	46.16	68.20	-22.04	19.09	3	Horizontal	139	1.20	27.07	40.08	11.75	32.74
PK	13.89063G	57.35	88.20	-30.85	19.09	3	Horizontal	139	1.20	38.26	40.08	11.75	32.74

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8674G	51.34	68.20	-16.86	7.43	3	Vertical	293	1.50	43.91	34.20	7.58	34.35
AV	6.3678G	98.98	Inf	-Inf	8.21	3	Vertical	293	1.50	90.77	34.84	7.92	34.55
PK	5.8614G	60.51	88.20	-27.69	7.39	3	Vertical	293	1.50	53.12	34.17	7.57	34.35
PK	6.369G	108.33	Inf	-Inf	8.21	3	Vertical	293	1.50	100.12	34.84	7.92	34.55

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.901G	51.83	68.20	-16.37	7.67	3	Horizontal	166	1.29	44.16	34.40	7.63	34.36
AV	6.4098G	92.51	Inf	-Inf	8.27	3	Horizontal	166	1.29	84.24	34.90	7.94	34.57
PK	5.901G	60.34	88.20	-27.86	7.67	3	Horizontal	166	1.29	52.67	34.40	7.63	34.36
PK	6.3834G	102.04	Inf	-Inf	8.24	3	Horizontal	166	1.29	93.80	34.87	7.93	34.56

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.04902G	48.27	68.20	-19.93	19.33	3	Vertical	27	1.09	28.94	40.30	11.81	32.78
PK	14.05029G	57.93	88.20	-30.27	19.33	3	Vertical	27	1.09	38.60	40.30	11.81	32.78

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.05052G	48.27	68.20	-19.93	19.33	3	Horizontal	114	2.30	28.94	40.30	11.81	32.78
PK	14.05006G	58.31	88.20	-29.89	19.33	3	Horizontal	114	2.30	38.98	40.30	11.81	32.78

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.911G	67.54	68.20	-0.66	7.65	3	Vertical	300	1.47	59.89	34.36	7.65	34.36
AV	6.1G	99.17	Inf	-Inf	7.50	3	Vertical	300	1.47	91.67	34.10	7.83	34.43
PK	5.911G	76.61	88.20	-11.59	7.65	3	Vertical	300	1.47	68.96	34.36	7.65	34.36
PK	6.09G	108.80	Inf	-Inf	7.52	3	Vertical	300	1.47	101.28	34.12	7.83	34.43

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.911G	63.74	68.20	-4.46	7.65	3	Horizontal	164	1.00	56.09	34.36	7.65	34.36
AV	6.0895G	96.82	Inf	-Inf	7.52	3	Horizontal	164	1.00	89.30	34.12	7.83	34.43
PK	5.9115G	72.63	88.20	-15.57	7.64	3	Horizontal	164	1.00	64.99	34.35	7.65	34.36
PK	6.0895G	106.22	Inf	-Inf	7.52	3	Horizontal	164	1.00	98.70	34.12	7.83	34.43

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.10568G	46.39	54.00	-7.61	15.75	3	Vertical	43	2.18	30.64	39.30	11.05	34.60
PK	12.13232G	56.80	74.00	-17.20	15.77	3	Vertical	43	2.18	41.03	39.30	11.06	34.59

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.04376G	46.18	54.00	-7.82	15.69	3	Horizontal	360	1.50	30.49	39.30	11.03	34.64
PK	11.93G	55.69	74.00	-18.31	15.43	3	Horizontal	360	1.50	40.26	39.09	10.98	34.64

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.3784G	46.54	54.00	-7.46	15.93	3	Vertical	254	1.67	30.61	39.20	11.16	34.43
PK	12.4528G	56.07	74.00	-17.93	16.01	3	Vertical	254	1.67	40.06	39.20	11.19	34.38

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.3832G	46.53	54.00	-7.47	15.94	3	Horizontal	259	3.00	30.59	39.20	11.16	34.42
PK	12.36736G	56.21	74.00	-17.79	15.92	3	Horizontal	259	3.00	40.29	39.20	11.15	34.43

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.68942G	46.27	54.00	-7.73	16.75	3	Vertical	214	1.50	29.52	39.49	11.28	34.02
PK	12.69041G	56.48	74.00	-17.52	16.76	3	Vertical	214	1.50	39.72	39.49	11.28	34.01

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.69055G	46.27	54.00	-7.73	16.76	3	Horizontal	85	2.50	29.51	39.49	11.28	34.01
PK	12.69073G	56.53	74.00	-17.47	16.76	3	Horizontal	85	2.50	39.77	39.49	11.28	34.01

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.00968G	46.51	68.20	-21.69	17.73	3	Vertical	38	2.27	28.78	39.79	11.40	33.46
PK	13.01009G	56.35	88.20	-31.85	17.73	3	Vertical	38	2.27	38.62	39.79	11.40	33.46

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.00936G	46.66	68.20	-21.54	17.73	3	Horizontal	151	2.09	28.93	39.79	11.40	33.46
PK	13.01077G	55.87	88.20	-32.33	17.74	3	Horizontal	151	2.09	38.13	39.79	11.40	33.45

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.33072G	46.85	54.00	-7.15	18.44	3	Vertical	188	1.34	28.41	39.92	11.53	33.01
PK	13.32957G	56.61	74.00	-17.39	18.44	3	Vertical	188	1.34	38.17	39.92	11.53	33.01

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.33038G	47.12	54.00	-6.88	18.44	3	Horizontal	52	2.07	28.68	39.92	11.53	33.01
PK	13.33049G	56.66	74.00	-17.34	18.44	3	Horizontal	52	2.07	38.22	39.92	11.53	33.01

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.65029G	47.34	68.20	-20.86	18.84	3	Vertical	89	1.93	28.50	39.95	11.65	32.76
PK	13.64918G	56.85	88.20	-31.35	18.84	3	Vertical	89	1.93	38.01	39.95	11.65	32.76

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.65046G	47.77	68.20	-20.43	18.84	3	Horizontal	170	2.16	28.93	39.95	11.65	32.76
PK	13.65083G	57.00	88.20	-31.20	18.84	3	Horizontal	170	2.16	38.16	39.95	11.65	32.76

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.929G	99.18	Inf	-Inf	9.35	3	Vertical	187	1.64	89.83	35.90	8.19	34.74
AV	7.13G	66.83	68.20	-1.37	10.06	3	Vertical	187	1.64	56.77	36.52	8.32	34.78
PK	6.949G	108.84	Inf	-Inf	9.35	3	Vertical	187	1.64	99.49	35.90	8.19	34.74
PK	7.1335G	78.60	88.20	-9.60	10.08	3	Vertical	187	1.64	68.52	36.53	8.33	34.78

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.93G	94.71	Inf	-Inf	9.35	3	Horizontal	223	1.67	85.36	35.90	8.19	34.74
AV	7.1355G	63.76	68.20	-4.44	10.09	3	Horizontal	223	1.67	53.67	36.54	8.33	34.78
PK	6.9345G	105.64	Inf	-Inf	9.35	3	Horizontal	223	1.67	96.29	35.90	8.19	34.74
PK	7.136G	74.40	88.20	-13.80	10.09	3	Horizontal	223	1.67	64.31	36.54	8.33	34.78

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.96952G	47.82	68.20	-20.38	19.22	3	Vertical	94	1.28	28.60	40.17	11.78	32.73
PK	13.97013G	57.51	88.20	-30.69	19.22	3	Vertical	94	1.28	38.29	40.17	11.78	32.73

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.96943G	48.18	68.20	-20.02	19.22	3	Horizontal	247	1.61	28.96	40.17	11.78	32.73
PK	13.96925G	56.72	88.20	-31.48	19.22	3	Horizontal	247	1.61	37.50	40.17	11.78	32.73



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	5.9245G	67.34	68.20	-0.86	3	Horizontal	360	1.50
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	12.40919G	40.89	54.00	-13.11	3	Vertical	149	1.80
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	11.97091G	41.06	54.00	-12.94	3	Vertical	35	1.83
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	Pass	PK	5.9145G	77.78	88.20	-10.42	3	Horizontal	34	1.44
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	7.215G	48.06	68.20	-20.14	3	Horizontal	0	1.50
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	12.88931G	42.12	68.20	-26.08	3	Vertical	56	1.62
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	13.09001G	41.97	68.20	-26.23	3	Vertical	251	2.64
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	Pass	AV	13.01001G	41.76	68.20	-26.44	3	Horizontal	189	2.20
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	13.39036G	42.48	54.00	-11.52	3	Vertical	85	2.81
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	13.36973G	42.19	54.00	-11.81	3	Horizontal	13	1.94
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	PK	13.25083G	56.92	74.00	-17.08	3	Horizontal	327	2.00
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	Pass	AV	13.32989G	42.11	54.00	-11.89	3	Vertical	90	1.22
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	7.1255G	67.59	68.20	-0.61	3	Horizontal	27	1.62
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	7.1252G	48.51	68.20	-19.69	3	Horizontal	34	1.50
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	7.127G	51.43	68.20	-16.77	3	Horizontal	212	1.32
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	Pass	AV	7.125G	62.63	68.20	-5.57	3	Horizontal	37	1.29



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5935MHz	Pass	PK	5.9245G	74.98	88.20	-13.22	3	Vertical	332	2.38
5935MHz	Pass	AV	5.9245G	64.39	68.20	-3.81	3	Vertical	332	2.38
5935MHz	Pass	PK	5.92653G	97.35	Inf	-Inf	3	Vertical	332	2.38
5935MHz	Pass	AV	5.92753G	90.99	Inf	-Inf	3	Vertical	332	2.38
5935MHz	Pass	AV	5.9245G	67.34	68.20	-0.86	3	Horizontal	360	1.50
5935MHz	Pass	AV	5.94353G	99.65	Inf	-Inf	3	Horizontal	360	1.50
5935MHz	Pass	PK	5.9245G	77.73	88.20	-10.47	3	Horizontal	360	1.50
5935MHz	Pass	PK	5.94353G	105.15	Inf	-Inf	3	Horizontal	360	1.50
5935MHz	Pass	AV	11.871G	40.43	54.00	-13.57	3	Vertical	221	1.45
5935MHz	Pass	PK	11.87134G	53.19	74.00	-20.81	3	Vertical	221	1.45
5935MHz	Pass	AV	11.86756G	40.30	54.00	-13.70	3	Horizontal	357	1.34
5935MHz	Pass	PK	11.86678G	52.35	74.00	-21.65	3	Horizontal	357	1.34
5955MHz	Pass	PK	5.9247G	58.44	88.20	-29.76	3	Horizontal	360	2.10
5955MHz	Pass	AV	5.9241G	45.68	68.20	-22.52	3	Horizontal	360	2.10
5955MHz	Pass	PK	5.9586G	111.16	Inf	-Inf	3	Horizontal	360	2.10
5955MHz	Pass	AV	5.9601G	98.52	Inf	-Inf	3	Horizontal	360	2.10
5955MHz	Pass	AV	11.9105G	40.20	54.00	-13.80	3	Vertical	194	1.40
5955MHz	Pass	PK	11.90989G	53.47	74.00	-20.53	3	Vertical	194	1.40
5955MHz	Pass	AV	11.90997G	40.16	54.00	-13.84	3	Horizontal	135	2.42
5955MHz	Pass	PK	11.90924G	53.90	74.00	-20.10	3	Horizontal	135	2.42
6195MHz	Pass	AV	5.9106G	45.18	68.20	-23.02	3	Horizontal	13	1.81
6195MHz	Pass	AV	6.1956G	97.83	Inf	-Inf	3	Horizontal	13	1.81
6195MHz	Pass	PK	5.8974G	57.50	88.20	-30.70	3	Horizontal	13	1.81
6195MHz	Pass	PK	6.2004G	110.26	Inf	-Inf	3	Horizontal	13	1.81
6195MHz	Pass	AV	12.39015G	40.88	54.00	-13.12	3	Vertical	100	1.95
6195MHz	Pass	PK	12.3895G	54.46	74.00	-19.54	3	Vertical	100	1.95
6195MHz	Pass	AV	12.39041G	40.74	54.00	-13.26	3	Horizontal	317	2.89
6195MHz	Pass	PK	12.39049G	54.44	74.00	-19.56	3	Horizontal	317	2.89
6415MHz	Pass	AV	5.917G	45.22	68.20	-22.98	3	Horizontal	22	1.87
6415MHz	Pass	AV	6.4186G	97.99	Inf	-Inf	3	Horizontal	22	1.87
6415MHz	Pass	PK	5.8774G	57.58	88.20	-30.62	3	Horizontal	22	1.87
6415MHz	Pass	PK	6.4234G	110.91	Inf	-Inf	3	Horizontal	22	1.87
6415MHz	Pass	AV	12.82972G	41.68	68.20	-26.52	3	Vertical	184	2.60
6415MHz	Pass	PK	12.83037G	56.64	88.20	-31.56	3	Vertical	184	2.60
6415MHz	Pass	AV	12.83068G	41.71	68.20	-26.49	3	Horizontal	75	1.46
6415MHz	Pass	PK	12.83069G	55.42	88.20	-32.78	3	Horizontal	75	1.46
6435MHz	Pass	AV	5.9118G	45.16	68.20	-23.04	3	Horizontal	28	1.50
6435MHz	Pass	AV	6.4434G	97.53	Inf	-Inf	3	Horizontal	28	1.50
6435MHz	Pass	PK	5.8926G	58.05	88.20	-30.15	3	Horizontal	28	1.50
6435MHz	Pass	PK	6.4434G	111.07	Inf	-Inf	3	Horizontal	28	1.50
6435MHz	Pass	AV	12.87058G	42.08	68.20	-26.12	3	Vertical	182	2.65
6435MHz	Pass	PK	12.87065G	56.28	88.20	-31.92	3	Vertical	182	2.65
6435MHz	Pass	AV	12.86938G	41.93	68.20	-26.27	3	Horizontal	245	2.24
6435MHz	Pass	PK	12.87082G	55.22	88.20	-32.98	3	Horizontal	245	2.24
6475MHz	Pass	AV	5.915G	45.30	68.20	-22.90	3	Horizontal	9	1.18
6475MHz	Pass	AV	6.4666G	96.11	Inf	-Inf	3	Horizontal	9	1.18
6475MHz	Pass	AV	7.175G	47.84	68.20	-20.36	3	Horizontal	9	1.18
6475MHz	Pass	PK	5.9206G	57.86	88.20	-30.34	3	Horizontal	9	1.18
6475MHz	Pass	PK	6.4694G	108.10	Inf	-Inf	3	Horizontal	9	1.18
6475MHz	Pass	PK	7.1736G	60.29	88.20	-27.91	3	Horizontal	9	1.18
6475MHz	Pass	AV	12.94978G	41.93	68.20	-26.27	3	Vertical	289	2.53
6475MHz	Pass	PK	12.9493G	55.19	88.20	-33.01	3	Vertical	289	2.53
6475MHz	Pass	AV	12.95099G	41.93	68.20	-26.27	3	Horizontal	339	1.65
6475MHz	Pass	PK	12.94992G	54.77	88.20	-33.43	3	Horizontal	339	1.65
6515MHz	Pass	AV	5.92G	45.18	68.20	-23.02	3	Horizontal	0	1.50
6515MHz	Pass	AV	6.5178G	97.93	Inf	-Inf	3	Horizontal	0	1.50
6515MHz	Pass	AV	7.215G	48.06	68.20	-20.14	3	Horizontal	0	1.50
6515MHz	Pass	PK	5.9158G	57.57	88.20	-30.63	3	Horizontal	0	1.50
6515MHz	Pass	PK	6.5192G	110.39	Inf	-Inf	3	Horizontal	0	1.50
6515MHz	Pass	PK	7.1632G	61.38	88.20	-26.82	3	Horizontal	0	1.50



RSE TX above 1GHz_Beamforming

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6515MHz	Pass	AV	13.03013G	42.04	68.20	-26.16	3	Vertical	237	2.86
6515MHz	Pass	PK	13.03029G	55.59	88.20	-32.61	3	Vertical	237	2.86
6515MHz	Pass	AV	13.03095G	41.98	68.20	-26.22	3	Horizontal	354	2.16
6515MHz	Pass	PK	13.0306G	54.98	88.20	-33.22	3	Horizontal	354	2.16
6535MHz	Pass	AV	5.8994G	45.26	68.20	-22.94	3	Horizontal	0	1.13
6535MHz	Pass	AV	6.5392G	97.66	Inf	-Inf	3	Horizontal	0	1.13
6535MHz	Pass	AV	7.2224G	48.12	68.20	-20.08	3	Horizontal	0	1.13
6535MHz	Pass	PK	5.9176G	56.91	88.20	-31.29	3	Horizontal	0	1.13
6535MHz	Pass	PK	6.528G	108.97	Inf	-Inf	3	Horizontal	0	1.13
6535MHz	Pass	PK	7.2322G	59.92	88.20	-28.28	3	Horizontal	0	1.13
6535MHz	Pass	AV	13.06976G	42.03	68.20	-26.17	3	Vertical	331	2.80
6535MHz	Pass	PK	13.06995G	55.28	88.20	-32.92	3	Vertical	331	2.80
6535MHz	Pass	AV	13.06937G	41.92	68.20	-26.28	3	Horizontal	280	2.85
6535MHz	Pass	PK	13.07022G	56.49	88.20	-31.71	3	Horizontal	280	2.85
6695MHz	Pass	AV	13.39036G	42.48	54.00	-11.52	3	Vertical	85	2.81
6695MHz	Pass	PK	13.39006G	55.75	74.00	-18.25	3	Vertical	85	2.81
6695MHz	Pass	AV	13.38938G	42.36	54.00	-11.64	3	Horizontal	16	1.49
6695MHz	Pass	PK	13.38914G	55.84	74.00	-18.16	3	Horizontal	16	1.49
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.7506G	42.00	68.20	-26.20	3	Vertical	21	2.38
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.74942G	55.56	88.20	-32.64	3	Vertical	21	2.38
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.74928G	42.11	68.20	-26.09	3	Horizontal	309	2.70
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.74981G	55.59	88.20	-32.61	3	Horizontal	309	2.70
6895MHz	Pass	AV	13.79082G	42.15	68.20	-26.05	3	Vertical	262	1.73
6895MHz	Pass	PK	13.78997G	55.79	88.20	-32.41	3	Vertical	262	1.73
6895MHz	Pass	AV	13.79062G	42.20	68.20	-26.00	3	Horizontal	181	2.35
6895MHz	Pass	PK	13.79069G	55.95	88.20	-32.25	3	Horizontal	181	2.35
6995MHz	Pass	AV	13.99078G	42.92	68.20	-25.28	3	Vertical	272	1.80
6995MHz	Pass	PK	13.99098G	57.22	88.20	-30.98	3	Vertical	272	1.80
6995MHz	Pass	AV	13.99078G	42.95	68.20	-25.25	3	Horizontal	67	1.68
6995MHz	Pass	PK	13.99015G	56.56	88.20	-31.64	3	Horizontal	67	1.68
7095MHz	Pass	AV	7.1031G	95.04	Inf	-Inf	3	Horizontal	56	2.23
7095MHz	Pass	AV	7.2447G	48.30	68.20	-19.90	3	Horizontal	56	2.23
7095MHz	Pass	PK	7.1007G	107.71	Inf	-Inf	3	Horizontal	56	2.23
7095MHz	Pass	PK	7.2258G	61.40	88.20	-26.80	3	Horizontal	56	2.23
7095MHz	Pass	AV	14.18996G	42.90	68.20	-25.30	3	Vertical	305	2.42
7095MHz	Pass	PK	14.18942G	56.14	88.20	-32.06	3	Vertical	305	2.42
7095MHz	Pass	AV	14.18954G	42.79	68.20	-25.41	3	Horizontal	166	2.62
7095MHz	Pass	PK	14.19043G	55.85	88.20	-32.35	3	Horizontal	166	2.62
7115MHz	Pass	PK	7.1165G	96.41	Inf	-Inf	3	Vertical	182	1.50
7115MHz	Pass	AV	7.1235G	90.74	Inf	-Inf	3	Vertical	182	1.50
7115MHz	Pass	PK	7.1255G	75.42	88.20	-12.78	3	Vertical	182	1.50
7115MHz	Pass	AV	7.1255G	64.35	68.20	-3.85	3	Vertical	182	1.50
7115MHz	Pass	PK	7.1135G	104.21	Inf	-Inf	3	Horizontal	27	1.62
7115MHz	Pass	AV	7.1135G	97.96	Inf	-Inf	3	Horizontal	27	1.62
7115MHz	Pass	PK	7.1255G	77.78	88.20	-10.42	3	Horizontal	27	1.62
7115MHz	Pass	AV	7.1255G	67.59	68.20	-0.61	3	Horizontal	27	1.62
7115MHz	Pass	AV	14.2287G	43.44	68.20	-24.76	3	Vertical	162	1.40
7115MHz	Pass	PK	14.23498G	56.32	88.20	-31.88	3	Vertical	162	1.40
7115MHz	Pass	AV	14.2365G	43.44	68.20	-24.76	3	Horizontal	266	2.67
7115MHz	Pass	PK	14.22926G	55.99	88.20	-32.21	3	Horizontal	266	2.67
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9248G	46.57	68.20	-21.63	3	Horizontal	32	1.17
5965MHz	Pass	AV	5.9737G	98.40	Inf	-Inf	3	Horizontal	32	1.17
5965MHz	Pass	PK	5.9212G	59.64	88.20	-28.56	3	Horizontal	32	1.17
5965MHz	Pass	PK	5.974G	110.81	Inf	-Inf	3	Horizontal	32	1.17
5965MHz	Pass	AV	11.93073G	40.42	54.00	-13.58	3	Vertical	34	2.56
5965MHz	Pass	PK	11.92924G	53.84	74.00	-20.16	3	Vertical	34	2.56
5965MHz	Pass	AV	11.92912G	40.43	54.00	-13.57	3	Horizontal	302	2.90
5965MHz	Pass	PK	11.9301G	53.38	74.00	-20.62	3	Horizontal	302	2.90
6205MHz	Pass	AV	12.40919G	40.89	54.00	-13.11	3	Vertical	149	1.80
6205MHz	Pass	PK	12.41067G	54.29	74.00	-19.71	3	Vertical	149	1.80
6205MHz	Pass	AV	12.41099G	40.88	54.00	-13.12	3	Horizontal	103	1.00



RSE TX above 1GHz_Beamforming

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6205MHz	Pass	PK	12.40986G	54.27	74.00	-19.73	3	Horizontal	103	1.00
6405MHz	Pass	AV	12.80907G	41.67	68.20	-26.53	3	Vertical	309	2.01
6405MHz	Pass	PK	12.80918G	55.27	88.20	-32.93	3	Vertical	309	2.01
6405MHz	Pass	AV	12.81092G	41.70	68.20	-26.50	3	Horizontal	340	2.82
6405MHz	Pass	PK	12.81045G	55.07	88.20	-33.13	3	Horizontal	340	2.82
6445MHz	Pass	AV	12.88931G	42.12	68.20	-26.08	3	Vertical	56	1.62
6445MHz	Pass	PK	12.8893G	56.24	88.20	-31.96	3	Vertical	56	1.62
6445MHz	Pass	AV	12.89023G	42.05	68.20	-26.15	3	Horizontal	104	1.10
6445MHz	Pass	PK	12.88979G	55.11	88.20	-33.09	3	Horizontal	104	1.10
6485MHz	Pass	AV	12.96996G	42.01	68.20	-26.19	3	Vertical	218	2.59
6485MHz	Pass	PK	12.96941G	55.73	88.20	-32.47	3	Vertical	218	2.59
6485MHz	Pass	AV	12.96953G	42.03	68.20	-26.17	3	Horizontal	116	2.95
6485MHz	Pass	PK	12.97084G	55.42	88.20	-32.78	3	Horizontal	116	2.95
6525MHz Straddle 6.425-6.525GHz	Pass	AV	13.04962G	42.10	68.20	-26.10	3	Vertical	291	2.61
6525MHz Straddle 6.425-6.525GHz	Pass	PK	13.04935G	55.82	88.20	-32.38	3	Vertical	291	2.61
6525MHz Straddle 6.425-6.525GHz	Pass	AV	13.05099G	42.08	68.20	-26.12	3	Horizontal	255	1.26
6525MHz Straddle 6.425-6.525GHz	Pass	PK	13.05075G	55.42	88.20	-32.78	3	Horizontal	255	1.26
6565MHz	Pass	AV	13.1305G	41.89	68.20	-26.31	3	Vertical	167	1.66
6565MHz	Pass	PK	13.12952G	54.99	88.20	-33.21	3	Vertical	167	1.66
6565MHz	Pass	AV	13.13046G	41.86	68.20	-26.34	3	Horizontal	237	1.26
6565MHz	Pass	PK	13.1297G	54.66	88.20	-33.54	3	Horizontal	237	1.26
6685MHz	Pass	AV	13.36939G	42.16	54.00	-11.84	3	Vertical	214	1.55
6685MHz	Pass	PK	13.37042G	56.80	74.00	-17.20	3	Vertical	214	1.55
6685MHz	Pass	AV	13.36973G	42.19	54.00	-11.81	3	Horizontal	13	1.94
6685MHz	Pass	PK	13.37031G	55.51	74.00	-18.49	3	Horizontal	13	1.94
6885MHz Straddle 6.525-6.875GHz	Pass	AV	13.77028G	42.15	68.20	-26.05	3	Vertical	230	1.47
6885MHz Straddle 6.525-6.875GHz	Pass	PK	13.76997G	55.93	88.20	-32.27	3	Vertical	230	1.47
6885MHz Straddle 6.525-6.875GHz	Pass	AV	13.76953G	42.17	68.20	-26.03	3	Horizontal	138	2.69
6885MHz Straddle 6.525-6.875GHz	Pass	PK	13.76972G	54.95	88.20	-33.25	3	Horizontal	138	2.69
6925MHz	Pass	AV	13.85007G	42.36	68.20	-25.84	3	Vertical	108	2.61
6925MHz	Pass	PK	13.85011G	55.86	88.20	-32.34	3	Vertical	108	2.61
6925MHz	Pass	AV	13.85062G	42.34	68.20	-25.86	3	Horizontal	214	1.04
6925MHz	Pass	PK	13.84902G	56.52	88.20	-31.68	3	Horizontal	214	1.04
7005MHz	Pass	AV	14.01066G	42.96	68.20	-25.24	3	Vertical	201	1.49
7005MHz	Pass	PK	14.00995G	56.42	88.20	-31.78	3	Vertical	201	1.49
7005MHz	Pass	AV	14.01065G	42.98	68.20	-25.22	3	Horizontal	126	2.52
7005MHz	Pass	PK	14.009G	56.03	88.20	-32.17	3	Horizontal	126	2.52
7085MHz	Pass	AV	7.0937G	96.84	Inf	-Inf	3	Horizontal	34	1.50
7085MHz	Pass	AV	7.1252G	48.51	68.20	-19.69	3	Horizontal	34	1.50
7085MHz	Pass	PK	7.0958G	109.13	Inf	-Inf	3	Horizontal	34	1.50
7085MHz	Pass	PK	7.2344G	61.10	88.20	-27.10	3	Horizontal	34	1.50
7085MHz	Pass	AV	14.16922G	42.81	68.20	-25.39	3	Vertical	327	2.70
7085MHz	Pass	PK	14.16902G	56.40	88.20	-31.80	3	Vertical	327	2.70
7085MHz	Pass	AV	14.169G	42.72	68.20	-25.48	3	Horizontal	288	2.73
7085MHz	Pass	PK	14.17096G	55.85	88.20	-32.35	3	Horizontal	288	2.73
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.924G	48.00	68.20	-20.20	3	Horizontal	35	1.54
5985MHz	Pass	AV	5.9745G	97.76	Inf	-Inf	3	Horizontal	35	1.54
5985MHz	Pass	PK	5.9055G	63.33	88.20	-24.87	3	Horizontal	35	1.54
5985MHz	Pass	PK	5.961G	112.06	Inf	-Inf	3	Horizontal	35	1.54
5985MHz	Pass	AV	11.97091G	41.06	54.00	-12.94	3	Vertical	35	1.83
5985MHz	Pass	PK	11.96977G	54.03	74.00	-19.97	3	Vertical	35	1.83
5985MHz	Pass	AV	11.97077G	41.06	54.00	-12.94	3	Horizontal	276	2.63
5985MHz	Pass	PK	11.9696G	54.76	74.00	-19.24	3	Horizontal	276	2.63
6225MHz	Pass	AV	12.4505G	40.77	54.00	-13.23	3	Vertical	105	2.07
6225MHz	Pass	PK	12.4508G	54.86	74.00	-19.14	3	Vertical	105	2.07
6225MHz	Pass	AV	12.4492G	40.85	54.00	-13.15	3	Horizontal	47	1.58
6225MHz	Pass	PK	12.45053G	54.22	74.00	-19.78	3	Horizontal	47	1.58
6385MHz	Pass	AV	12.77065G	41.63	68.20	-26.57	3	Vertical	220	2.85
6385MHz	Pass	PK	12.77084G	54.88	88.20	-33.32	3	Vertical	220	2.85
6385MHz	Pass	AV	12.77043G	41.64	68.20	-26.56	3	Horizontal	121	1.17
6385MHz	Pass	PK	12.76989G	54.97	88.20	-33.23	3	Horizontal	121	1.17



RSE TX above 1GHz_Beamforming

Appendix E.5


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6465MHz	Pass	AV	12.93018G	41.82	68.20	-26.38	3	Vertical	94	1.05
6465MHz	Pass	PK	12.93046G	54.84	88.20	-33.36	3	Vertical	94	1.05
6465MHz	Pass	AV	12.92966G	41.87	68.20	-26.33	3	Horizontal	314	2.86
6465MHz	Pass	PK	12.93024G	55.28	88.20	-32.92	3	Horizontal	314	2.86
6545MHz Straddle 6.425-6.525GHz	Pass	AV	13.09001G	41.97	68.20	-26.23	3	Vertical	251	2.64
6545MHz Straddle 6.425-6.525GHz	Pass	PK	13.08992G	54.88	88.20	-33.32	3	Vertical	251	2.64
6545MHz Straddle 6.425-6.525GHz	Pass	AV	13.08997G	41.83	68.20	-26.37	3	Horizontal	333	2.32
6545MHz Straddle 6.425-6.525GHz	Pass	PK	13.0906G	55.18	88.20	-33.02	3	Horizontal	333	2.32
6625MHz	Pass	AV	13.24934G	41.90	68.20	-26.30	3	Vertical	24	1.48
6625MHz	Pass	PK	13.25071G	55.59	74.00	-18.41	3	Vertical	24	1.48
6625MHz	Pass	AV	13.24977G	41.85	68.20	-26.35	3	Horizontal	327	2.00
6625MHz	Pass	PK	13.25083G	56.92	74.00	-17.08	3	Horizontal	327	2.00
6705MHz	Pass	AV	13.41068G	42.65	68.20	-25.55	3	Vertical	88	2.16
6705MHz	Pass	PK	13.41091G	56.65	88.20	-31.55	3	Vertical	88	2.16
6705MHz	Pass	AV	13.41019G	42.61	68.20	-25.59	3	Horizontal	90	2.81
6705MHz	Pass	PK	13.40948G	56.10	88.20	-32.10	3	Horizontal	90	2.81
6785MHz	Pass	AV	13.57089G	42.44	68.20	-25.76	3	Vertical	23	2.06
6785MHz	Pass	PK	13.57037G	56.43	88.20	-31.77	3	Vertical	23	2.06
6785MHz	Pass	AV	13.569G	42.26	68.20	-25.94	3	Horizontal	63	2.01
6785MHz	Pass	PK	13.56932G	55.46	88.20	-32.74	3	Horizontal	63	2.01
6865MHz Straddle 6.525-6.875GHz	Pass	AV	13.72974G	42.30	68.20	-25.90	3	Vertical	243	2.81
6865MHz Straddle 6.525-6.875GHz	Pass	PK	13.7305G	55.20	88.20	-33.00	3	Vertical	243	2.81
6865MHz Straddle 6.525-6.875GHz	Pass	AV	13.72916G	42.24	68.20	-25.96	3	Horizontal	97	2.42
6865MHz Straddle 6.525-6.875GHz	Pass	PK	13.72929G	55.98	88.20	-32.22	3	Horizontal	97	2.42
6945MHz	Pass	AV	13.89068G	42.43	68.20	-25.77	3	Vertical	114	2.82
6945MHz	Pass	PK	13.89067G	55.89	88.20	-32.31	3	Vertical	114	2.82
6945MHz	Pass	AV	13.89072G	42.42	68.20	-25.78	3	Horizontal	360	2.62
6945MHz	Pass	PK	13.8893G	56.89	88.20	-31.31	3	Horizontal	360	2.62
7025MHz	Pass	AV	7.0364G	99.49	Inf	-Inf	3	Horizontal	212	1.32
7025MHz	Pass	AV	7.127G	51.43	68.20	-16.77	3	Horizontal	212	1.32
7025MHz	Pass	PK	7.0376G	112.54	Inf	-Inf	3	Horizontal	212	1.32
7025MHz	Pass	PK	7.1318G	68.64	88.20	-19.56	3	Horizontal	212	1.32
7025MHz	Pass	AV	14.05045G	43.00	68.20	-25.20	3	Vertical	299	2.16
7025MHz	Pass	PK	14.04929G	56.31	88.20	-31.89	3	Vertical	299	2.16
7025MHz	Pass	AV	14.05027G	42.92	68.20	-25.28	3	Horizontal	214	1.32
7025MHz	Pass	PK	14.04944G	55.98	88.20	-32.22	3	Horizontal	214	1.32
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.915G	57.27	68.20	-10.93	3	Horizontal	34	1.44
6025MHz	Pass	AV	6.101G	97.93	Inf	-Inf	3	Horizontal	34	1.44
6025MHz	Pass	PK	5.9145G	77.78	88.20	-10.42	3	Horizontal	34	1.44
6025MHz	Pass	PK	6.049G	110.34	Inf	-Inf	3	Horizontal	34	1.44
6025MHz	Pass	AV	12.05016G	41.48	54.00	-12.52	3	Vertical	205	1.25
6025MHz	Pass	PK	12.04989G	54.87	74.00	-19.13	3	Vertical	205	1.25
6025MHz	Pass	AV	12.04988G	41.42	54.00	-12.58	3	Horizontal	28	1.18
6025MHz	Pass	PK	12.04989G	55.28	74.00	-18.72	3	Horizontal	28	1.18
6185MHz	Pass	AV	12.37093G	40.87	54.00	-13.13	3	Vertical	328	1.41
6185MHz	Pass	PK	12.37026G	53.93	74.00	-20.07	3	Vertical	328	1.41
6185MHz	Pass	AV	12.36932G	40.84	54.00	-13.16	3	Horizontal	171	1.36
6185MHz	Pass	PK	12.36983G	54.45	74.00	-19.55	3	Horizontal	171	1.36
6345MHz	Pass	AV	12.6903G	41.70	54.00	-12.30	3	Vertical	278	2.41
6345MHz	Pass	PK	12.69055G	54.74	74.00	-19.26	3	Vertical	278	2.41
6345MHz	Pass	AV	12.69018G	41.71	54.00	-12.29	3	Horizontal	98	1.89
6345MHz	Pass	PK	12.68928G	54.80	74.00	-19.20	3	Horizontal	98	1.89
6505MHz Straddle 6.425-6.525GHz	Pass	AV	13.01039G	41.71	68.20	-26.49	3	Vertical	355	2.94
6505MHz Straddle 6.425-6.525GHz	Pass	PK	13.01067G	55.17	88.20	-33.03	3	Vertical	355	2.94
6505MHz Straddle 6.425-6.525GHz	Pass	AV	13.01001G	41.76	68.20	-26.44	3	Horizontal	189	2.20
6505MHz Straddle 6.425-6.525GHz	Pass	PK	13.00948G	55.15	88.20	-33.05	3	Horizontal	189	2.20
6665MHz	Pass	AV	13.32989G	42.11	54.00	-11.89	3	Vertical	90	1.22
6665MHz	Pass	PK	13.33062G	54.97	74.00	-19.03	3	Vertical	90	1.22
6665MHz	Pass	AV	13.3309G	42.08	54.00	-11.92	3	Horizontal	360	2.37
6665MHz	Pass	PK	13.33G	56.11	74.00	-17.89	3	Horizontal	360	2.37
6825MHz Straddle 6.525-6.875GHz	Pass	AV	13.64985G	42.16	68.20	-26.04	3	Vertical	38	2.33



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6825MHz Straddle 6.525-6.875GHz	Pass	PK	13.6495G	55.50	88.20	-32.70	3	Vertical	38	2.33
6825MHz Straddle 6.525-6.875GHz	Pass	AV	13.64903G	42.22	68.20	-25.98	3	Horizontal	157	2.21
6825MHz Straddle 6.525-6.875GHz	Pass	PK	13.65012G	55.69	88.20	-32.51	3	Horizontal	157	2.21
6985MHz	Pass	AV	6.9525G	97.87	Inf	-Inf	3	Horizontal	37	1.29
6985MHz	Pass	AV	7.125G	62.63	68.20	-5.57	3	Horizontal	37	1.29
6985MHz	Pass	PK	6.92G	112.94	Inf	-Inf	3	Horizontal	37	1.29
6985MHz	Pass	PK	7.125G	81.03	88.20	-7.17	3	Horizontal	37	1.29
6985MHz	Pass	AV	13.96927G	42.86	68.20	-25.34	3	Vertical	49	2.84
6985MHz	Pass	PK	13.96959G	56.20	88.20	-32.00	3	Vertical	49	2.84
6985MHz	Pass	AV	13.97028G	42.85	68.20	-25.35	3	Horizontal	136	1.58
6985MHz	Pass	PK	13.96936G	55.99	88.20	-32.21	3	Horizontal	136	1.58

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5935MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9245G	67.34	68.20	-0.86	7.60	3	Horizontal	360	1.50	59.74	34.30	7.67	34.37
AV	5.94353G	99.65	Inf	-Inf	7.56	3	Horizontal	360	1.50	92.09	34.23	7.70	34.37
PK	5.9245G	77.73	88.20	-10.47	7.60	3	Horizontal	360	1.50	70.13	34.30	7.67	34.37
PK	5.94353G	105.15	Inf	-Inf	7.56	3	Horizontal	360	1.50	97.59	34.23	7.70	34.37

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5935MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.871G	40.43	54.00	-13.57	15.28	3	Vertical	221	1.45	25.15	38.94	10.96	34.62
PK	11.87134G	53.19	74.00	-20.81	15.28	3	Vertical	221	1.45	37.91	38.94	10.96	34.62

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5935MHz_TX




Lim.PK
PK
Lim.AV
AV

14/04/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.86756G	40.30	54.00	-13.70	15.28	3	Horizontal	357	1.34	25.02	38.94	10.96	34.62
PK	11.86678G	52.35	74.00	-21.65	15.26	3	Horizontal	357	1.34	37.09	38.93	10.95	34.62

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




Lim.PK
PK
Lim.AV
AV

06/03/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	5.9247G	58.44	88.20	-29.76	7.60	3	Horizontal	360	2.10	50.84	34.30	7.67	34.37
AV	5.9241G	45.68	68.20	-22.52	7.60	3	Horizontal	360	2.10	38.08	34.30	7.67	34.37
PK	5.9586G	111.16	Inf	-Inf	7.52	3	Horizontal	360	2.10	103.64	34.18	7.72	34.38
AV	5.9601G	98.52	Inf	-Inf	7.53	3	Horizontal	360	2.10	90.99	34.18	7.73	34.38

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.9105G	40.20	54.00	-13.80	15.36	3	Vertical	194	1.40	24.84	39.03	10.97	34.64
PK	11.90989G	53.47	74.00	-20.53	15.36	3	Vertical	194	1.40	38.11	39.03	10.97	34.64

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.90997G	40.16	54.00	-13.84	15.36	3	Horizontal	135	2.42	24.80	39.03	10.97	34.64
PK	11.90924G	53.90	74.00	-20.10	15.36	3	Horizontal	135	2.42	38.54	39.03	10.97	34.64

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6195MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.39015G	40.88	54.00	-13.12	15.94	3	Vertical	100	1.95	24.94	39.20	11.16	34.42
PK	12.3895G	54.46	74.00	-19.54	15.94	3	Vertical	100	1.95	38.52	39.20	11.16	34.42

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6195MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.39041G	40.74	54.00	-13.26	15.94	3	Horizontal	317	2.89	24.80	39.20	11.16	34.42
PK	12.39049G	54.44	74.00	-19.56	15.94	3	Horizontal	317	2.89	38.50	39.20	11.16	34.42

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.82972G	41.68	68.20	-26.52	17.42	3	Vertical	184	2.60	24.26	39.86	11.33	33.77
PK	12.83037G	56.64	88.20	-31.56	17.42	3	Vertical	184	2.60	39.22	39.86	11.33	33.77

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.83068G	41.71	68.20	-26.49	17.42	3	Horizontal	75	1.46	24.29	39.86	11.33	33.77
PK	12.83069G	55.42	88.20	-32.78	17.42	3	Horizontal	75	1.46	38.00	39.86	11.33	33.77

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.87058G	42.08	68.20	-26.12	17.59	3	Vertical	182	2.65	24.49	39.94	11.35	33.70
PK	12.87065G	56.28	88.20	-31.92	17.59	3	Vertical	182	2.65	38.69	39.94	11.35	33.70

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.86938G	41.93	68.20	-26.27	17.59	3	Horizontal	245	2.24	24.34	39.94	11.35	33.70
PK	12.87082G	55.22	88.20	-32.98	17.59	3	Horizontal	245	2.24	37.63	39.94	11.35	33.70

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.94978G	41.93	68.20	-26.27	17.72	3	Vertical	289	2.53	24.21	39.90	11.38	33.56
PK	12.9493G	55.19	88.20	-33.01	17.72	3	Vertical	289	2.53	37.47	39.90	11.38	33.56

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.95099G	41.93	68.20	-26.27	17.72	3	Horizontal	339	1.65	24.21	39.90	11.38	33.56
PK	12.94992G	54.77	88.20	-33.43	17.72	3	Horizontal	339	1.65	37.05	39.90	11.38	33.56

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.03013G	42.04	68.20	-26.16	17.75	3	Vertical	237	2.86	24.29	39.77	11.41	33.43
PK	13.03029G	55.59	88.20	-32.61	17.75	3	Vertical	237	2.86	37.84	39.77	11.41	33.43

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.03095G	41.98	68.20	-26.22	17.75	3	Horizontal	354	2.16	24.23	39.77	11.41	33.43
PK	13.0306G	54.98	88.20	-33.22	17.75	3	Horizontal	354	2.16	37.23	39.77	11.41	33.43

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.06976G	42.03	68.20	-26.17	17.79	3	Vertical	331	2.80	24.24	39.73	11.43	33.37
PK	13.06995G	55.28	88.20	-32.92	17.79	3	Vertical	331	2.80	37.49	39.73	11.43	33.37

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.06937G	41.92	68.20	-26.28	17.79	3	Horizontal	280	2.85	24.13	39.73	11.43	33.37
PK	13.07022G	56.49	88.20	-31.71	17.79	3	Horizontal	280	2.85	38.70	39.73	11.43	33.37

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.39036G	42.48	54.00	-11.52	18.79	3	Vertical	85	2.81	23.69	40.16	11.55	32.92
PK	13.39006G	55.75	74.00	-18.25	18.79	3	Vertical	85	2.81	36.96	40.16	11.55	32.92

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.38938G	42.36	54.00	-11.64	18.79	3	Horizontal	16	1.49	23.57	40.16	11.55	32.92
PK	13.38914G	55.84	74.00	-18.16	18.78	3	Horizontal	16	1.49	37.06	40.16	11.55	32.93

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.7506G	42.00	68.20	-26.20	18.84	3	Vertical	21	2.38	23.16	39.90	11.69	32.75
PK	13.74942G	55.56	88.20	-32.64	18.84	3	Vertical	21	2.38	36.72	39.90	11.69	32.75

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.74928G	42.11	68.20	-26.09	18.84	3	Horizontal	309	2.70	23.27	39.90	11.69	32.75
PK	13.74981G	55.59	88.20	-32.61	18.84	3	Horizontal	309	2.70	36.75	39.90	11.69	32.75

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.79082G	42.15	68.20	-26.05	18.86	3	Vertical	262	1.73	23.29	39.90	11.71	32.75
PK	13.78997G	55.79	88.20	-32.41	18.86	3	Vertical	262	1.73	36.93	39.90	11.71	32.75

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.79062G	42.20	68.20	-26.00	18.86	3	Horizontal	181	2.35	23.34	39.90	11.71	32.75
PK	13.79069G	55.95	88.20	-32.25	18.86	3	Horizontal	181	2.35	37.09	39.90	11.71	32.75

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.99078G	42.92	68.20	-25.28	19.25	3	Vertical	272	1.80	23.67	40.19	11.79	32.73
PK	13.99098G	57.22	88.20	-30.98	19.25	3	Vertical	272	1.80	37.97	40.19	11.79	32.73

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.99078G	42.95	68.20	-25.25	19.25	3	Horizontal	67	1.68	23.70	40.19	11.79	32.73
PK	13.99015G	56.56	88.20	-31.64	19.25	3	Horizontal	67	1.68	37.31	40.19	11.79	32.73

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1031G	95.04	Inf	-Inf	9.93	3	Horizontal	56	2.23	85.11	36.41	8.29	34.77
AV	7.2447G	48.30	68.20	-19.90	10.74	3	Horizontal	56	2.23	37.56	37.08	8.45	34.79
PK	7.1007G	107.71	Inf	-Inf	9.92	3	Horizontal	56	2.23	97.79	36.40	8.29	34.77
PK	7.2258G	61.40	88.20	-26.80	10.64	3	Horizontal	56	2.23	50.76	37.00	8.43	34.79

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.18996G	42.90	68.20	-25.30	19.34	3	Vertical	305	2.42	23.56	40.40	11.88	32.94
PK	14.18942G	56.14	88.20	-32.06	19.35	3	Vertical	305	2.42	36.79	40.40	11.88	32.93

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.18954G	42.79	68.20	-25.41	19.35	3	Horizontal	166	2.62	23.44	40.40	11.88	32.93
PK	14.19043G	55.85	88.20	-32.35	19.34	3	Horizontal	166	2.62	36.51	40.40	11.88	32.94

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	7.1165G	96.41	Inf	-Inf	10.00	3	Vertical	182	1.50	86.41	36.47	8.31	34.78
AV	7.1235G	90.74	Inf	-Inf	10.03	3	Vertical	182	1.50	80.71	36.49	8.32	34.78
PK	7.1255G	75.42	88.20	-12.78	10.04	3	Vertical	182	1.50	65.38	36.50	8.32	34.78
AV	7.1255G	64.35	68.20	-3.85	10.04	3	Vertical	182	1.50	54.31	36.50	8.32	34.78

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	7.1135G	104.21	Inf	-Inf	9.97	3	Horizontal	27	1.62	94.24	36.45	8.30	34.78
AV	7.1135G	97.96	Inf	-Inf	9.97	3	Horizontal	27	1.62	87.99	36.45	8.30	34.78
PK	7.1255G	77.78	88.20	-10.42	10.04	3	Horizontal	27	1.62	67.74	36.50	8.32	34.78
AV	7.1255G	67.59	68.20	-0.61	10.04	3	Horizontal	27	1.62	57.55	36.50	8.32	34.78

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.2287G	43.44	68.20	-24.76	19.29	3	Vertical	162	1.40	24.15	40.37	11.90	32.98
PK	14.23498G	56.32	88.20	-31.88	19.29	3	Vertical	162	1.40	37.03	40.37	11.90	32.98

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.2365G	43.44	68.20	-24.76	19.27	3	Horizontal	266	2.67	24.17	40.36	11.90	32.99
PK	14.22926G	55.99	88.20	-32.21	19.29	3	Horizontal	266	2.67	36.70	40.37	11.90	32.98

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9248G	46.57	68.20	-21.63	7.60	3	Horizontal	32	1.17	38.97	34.30	7.67	34.37
AV	5.9737G	98.40	Inf	-Inf	7.52	3	Horizontal	32	1.17	90.88	34.15	7.75	34.38
PK	5.9212G	59.64	88.20	-28.56	7.61	3	Horizontal	32	1.17	52.03	34.32	7.66	34.37
PK	5.974G	110.81	Inf	-Inf	7.52	3	Horizontal	32	1.17	103.29	34.15	7.75	34.38

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.93073G	40.42	54.00	-13.58	15.42	3	Vertical	34	2.56	25.00	39.09	10.98	34.65
PK	11.92924G	53.84	74.00	-20.16	15.43	3	Vertical	34	2.56	38.41	39.09	10.98	34.64

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.92912G	40.43	54.00	-13.57	15.43	3	Horizontal	302	2.90	25.00	39.09	10.98	34.64
PK	11.9301G	53.38	74.00	-20.62	15.43	3	Horizontal	302	2.90	37.95	39.09	10.98	34.64

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6205MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.40919G	40.89	54.00	-13.11	15.96	3	Vertical	149	1.80	24.93	39.20	11.17	34.41
PK	12.41067G	54.29	74.00	-19.71	15.96	3	Vertical	149	1.80	38.33	39.20	11.17	34.41

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6205MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.41099G	40.88	54.00	-13.12	15.96	3	Horizontal	103	1.00	24.92	39.20	11.17	34.41
PK	12.40986G	54.27	74.00	-19.73	15.96	3	Horizontal	103	1.00	38.31	39.20	11.17	34.41

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.80907G	41.67	68.20	-26.53	17.34	3	Vertical	309	2.01	24.33	39.82	11.33	33.81
PK	12.80918G	55.27	88.20	-32.93	17.34	3	Vertical	309	2.01	37.93	39.82	11.33	33.81

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.81092G	41.70	68.20	-26.50	17.35	3	Horizontal	340	2.82	24.35	39.82	11.33	33.80
PK	12.81045G	55.07	88.20	-33.13	17.35	3	Horizontal	340	2.82	37.72	39.82	11.33	33.80

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.88931G	42.12	68.20	-26.08	17.68	3	Vertical	56	1.62	24.44	39.98	11.36	33.66
PK	12.8893G	56.24	88.20	-31.96	17.68	3	Vertical	56	1.62	38.56	39.98	11.36	33.66

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.89023G	42.05	68.20	-26.15	17.68	3	Horizontal	104	1.10	24.37	39.98	11.36	33.66
PK	12.88979G	55.11	88.20	-33.09	17.68	3	Horizontal	104	1.10	37.43	39.98	11.36	33.66

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.96996G	42.01	68.20	-26.19	17.73	3	Vertical	218	2.59	24.28	39.86	11.39	33.52
PK	12.96941G	55.73	88.20	-32.47	17.73	3	Vertical	218	2.59	38.00	39.86	11.39	33.52

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.96953G	42.03	68.20	-26.17	17.73	3	Horizontal	116	2.95	24.30	39.86	11.39	33.52
PK	12.97084G	55.42	88.20	-32.78	17.73	3	Horizontal	116	2.95	37.69	39.86	11.39	33.52

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.04962G	42.10	68.20	-26.10	17.77	3	Vertical	291	2.61	24.33	39.75	11.42	33.40
PK	13.04935G	55.82	88.20	-32.38	17.77	3	Vertical	291	2.61	38.05	39.75	11.42	33.40

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.05099G	42.08	68.20	-26.12	17.77	3	Horizontal	255	1.26	24.31	39.75	11.42	33.40
PK	13.05075G	55.42	88.20	-32.78	17.77	3	Horizontal	255	1.26	37.65	39.75	11.42	33.40

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.1305G	41.89	68.20	-26.31	17.89	3	Vertical	167	1.66	24.00	39.73	11.45	33.29
PK	13.12952G	54.99	88.20	-33.21	17.89	3	Vertical	167	1.66	37.10	39.73	11.45	33.29

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.13046G	41.86	68.20	-26.34	17.89	3	Horizontal	237	1.26	23.97	39.73	11.45	33.29
PK	13.1297G	54.66	88.20	-33.54	17.89	3	Horizontal	237	1.26	36.77	39.73	11.45	33.29

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.36939G	42.16	54.00	-11.84	18.67	3	Vertical	214	1.55	23.49	40.08	11.54	32.95
PK	13.37042G	56.80	74.00	-17.20	18.67	3	Vertical	214	1.55	38.13	40.08	11.54	32.95

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.36973G	42.19	54.00	-11.81	18.67	3	Horizontal	13	1.94	23.52	40.08	11.54	32.95
PK	13.37031G	55.51	74.00	-18.49	18.67	3	Horizontal	13	1.94	36.84	40.08	11.54	32.95

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.77028G	42.15	68.20	-26.05	18.85	3	Vertical	230	1.47	23.30	39.90	11.70	32.75
PK	13.76997G	55.93	88.20	-32.27	18.85	3	Vertical	230	1.47	37.08	39.90	11.70	32.75

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.76953G	42.17	68.20	-26.03	18.85	3	Horizontal	138	2.69	23.32	39.90	11.70	32.75
PK	13.76972G	54.95	88.20	-33.25	18.85	3	Horizontal	138	2.69	36.10	39.90	11.70	32.75

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.85007G	42.36	68.20	-25.84	18.99	3	Vertical	108	2.61	23.37	40.00	11.73	32.74
PK	13.85011G	55.86	88.20	-32.34	18.99	3	Vertical	108	2.61	36.87	40.00	11.73	32.74

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.85062G	42.34	68.20	-25.86	18.99	3	Horizontal	214	1.04	23.35	40.00	11.73	32.74
PK	13.84902G	56.52	88.20	-31.68	18.99	3	Horizontal	214	1.04	37.53	40.00	11.73	32.74

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.01066G	42.96	68.20	-25.24	19.28	3	Vertical	201	1.49	23.68	40.22	11.80	32.74
PK	14.00995G	56.42	88.20	-31.78	19.27	3	Vertical	201	1.49	37.15	40.22	11.79	32.74

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.01065G	42.98	68.20	-25.22	19.28	3	Horizontal	126	2.52	23.70	40.22	11.80	32.74
PK	14.009G	56.03	88.20	-32.17	19.27	3	Horizontal	126	2.52	36.76	40.22	11.79	32.74

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0937G	96.84	Inf	-Inf	9.87	3	Horizontal	34	1.50	86.97	36.36	8.28	34.77
AV	7.1252G	48.51	68.20	-19.69	10.04	3	Horizontal	34	1.50	38.47	36.50	8.32	34.78
PK	7.0958G	109.13	Inf	-Inf	9.89	3	Horizontal	34	1.50	99.24	36.37	8.29	34.77
PK	7.2344G	61.10	88.20	-27.10	10.69	3	Horizontal	34	1.50	50.41	37.04	8.44	34.79

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.16922G	42.81	68.20	-25.39	19.36	3	Vertical	327	2.70	23.45	40.40	11.87	32.91
PK	14.16902G	56.40	88.20	-31.80	19.36	3	Vertical	327	2.70	37.04	40.40	11.87	32.91

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.169G	42.72	68.20	-25.48	19.36	3	Horizontal	288	2.73	23.36	40.40	11.87	32.91
PK	14.17096G	55.85	88.20	-32.35	19.36	3	Horizontal	288	2.73	36.49	40.40	11.87	32.91

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.924G	48.00	68.20	-20.20	7.60	3	Horizontal	35	1.54	40.40	34.30	7.67	34.37
AV	5.9745G	97.76	Inf	-Inf	7.52	3	Horizontal	35	1.54	90.24	34.15	7.75	34.38
PK	5.9055G	63.33	88.20	-24.87	7.66	3	Horizontal	35	1.54	55.67	34.38	7.64	34.36
PK	5.961G	112.06	Inf	-Inf	7.53	3	Horizontal	35	1.54	104.53	34.18	7.73	34.38

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.97091G	41.06	54.00	-12.94	15.55	3	Vertical	35	1.83	25.51	39.21	11.00	34.66
PK	11.96977G	54.03	74.00	-19.97	15.55	3	Vertical	35	1.83	38.48	39.21	11.00	34.66

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.97077G	41.06	54.00	-12.94	15.55	3	Horizontal	276	2.63	25.51	39.21	11.00	34.66
PK	11.9696G	54.76	74.00	-19.24	15.55	3	Horizontal	276	2.63	39.21	39.21	11.00	34.66

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6225MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.4505G	40.77	54.00	-13.23	16.01	3	Vertical	105	2.07	24.76	39.20	11.19	34.38
PK	12.4508G	54.86	74.00	-19.14	16.01	3	Vertical	105	2.07	38.85	39.20	11.19	34.38

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6225MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.4492G	40.85	54.00	-13.15	16.01	3	Horizontal	47	1.58	24.84	39.20	11.19	34.38
PK	12.4503G	54.22	74.00	-19.78	16.01	3	Horizontal	47	1.58	38.21	39.20	11.19	34.38

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.77065G	41.63	68.20	-26.57	17.15	3	Vertical	220	2.85	24.48	39.71	11.31	33.87
PK	12.77084G	54.88	88.20	-33.32	17.15	3	Vertical	220	2.85	37.73	39.71	11.31	33.87

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.77043G	41.64	68.20	-26.56	17.15	3	Horizontal	121	1.17	24.49	39.71	11.31	33.87
PK	12.76989G	54.97	88.20	-33.23	17.15	3	Horizontal	121	1.17	37.82	39.71	11.31	33.87

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.93018G	41.82	68.20	-26.38	17.72	3	Vertical	94	1.05	24.10	39.94	11.37	33.59
PK	12.93046G	54.84	88.20	-33.36	17.72	3	Vertical	94	1.05	37.12	39.94	11.37	33.59

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.92966G	41.87	68.20	-26.33	17.72	3	Horizontal	314	2.86	24.15	39.94	11.37	33.59
PK	12.93024G	55.28	88.20	-32.92	17.72	3	Horizontal	314	2.86	37.56	39.94	11.37	33.59

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.09001G	41.97	68.20	-26.23	17.81	3	Vertical	251	2.64	24.16	39.71	11.44	33.34
PK	13.08992G	54.88	88.20	-33.32	17.81	3	Vertical	251	2.64	37.07	39.71	11.44	33.34

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.08997G	41.83	68.20	-26.37	17.81	3	Horizontal	333	2.32	24.02	39.71	11.44	33.34
PK	13.0906G	55.18	88.20	-33.02	17.81	3	Horizontal	333	2.32	37.37	39.71	11.44	33.34

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.24934G	41.90	68.20	-26.30	18.18	3	Vertical	24	1.48	23.72	39.80	11.50	33.12
PK	13.25071G	55.59	74.00	-18.41	18.18	3	Vertical	24	1.48	37.41	39.80	11.50	33.12

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.24977G	41.85	68.20	-26.35	18.18	3	Horizontal	327	2.00	23.67	39.80	11.50	33.12
PK	13.25083G	56.92	74.00	-17.08	18.18	3	Horizontal	327	2.00	38.74	39.80	11.50	33.12

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.41068G	42.65	68.20	-25.55	18.84	3	Vertical	88	2.16	23.81	40.18	11.56	32.90
PK	13.41091G	56.65	88.20	-31.55	18.85	3	Vertical	88	2.16	37.80	40.18	11.56	32.89

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.41019G	42.61	68.20	-25.59	18.84	3	Horizontal	90	2.81	23.77	40.18	11.56	32.90
PK	13.40948G	56.10	88.20	-32.10	18.84	3	Horizontal	90	2.81	37.26	40.18	11.56	32.90

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.57089G	42.44	68.20	-25.76	18.86	3	Vertical	23	2.06	23.58	40.00	11.62	32.76
PK	13.57037G	56.43	88.20	-31.77	18.86	3	Vertical	23	2.06	37.57	40.00	11.62	32.76

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.569G	42.26	68.20	-25.94	18.86	3	Horizontal	63	2.01	23.40	40.00	11.62	32.76
PK	13.56932G	55.46	88.20	-32.74	18.86	3	Horizontal	63	2.01	36.60	40.00	11.62	32.76

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.72974G	42.30	68.20	-25.90	18.83	3	Vertical	243	2.81	23.47	39.90	11.68	32.75
PK	13.7305G	55.20	88.20	-33.00	18.83	3	Vertical	243	2.81	36.37	39.90	11.68	32.75

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.72916G	42.24	68.20	-25.96	18.83	3	Horizontal	97	2.42	23.41	39.90	11.68	32.75
PK	13.72929G	55.98	88.20	-32.22	18.83	3	Horizontal	97	2.42	37.15	39.90	11.68	32.75

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.89068G	42.43	68.20	-25.77	19.09	3	Vertical	114	2.82	23.34	40.08	11.75	32.74
PK	13.89067G	55.89	88.20	-32.31	19.09	3	Vertical	114	2.82	36.80	40.08	11.75	32.74

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.89072G	42.42	68.20	-25.78	19.09	3	Horizontal	360	2.62	23.33	40.08	11.75	32.74
PK	13.8893G	56.89	88.20	-31.31	19.09	3	Horizontal	360	2.62	37.80	40.08	11.75	32.74

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0364G	99.49	Inf	-Inf	9.50	3	Horizontal	212	1.32	89.99	36.05	8.22	34.77
AV	7.127G	51.43	68.20	-16.77	10.05	3	Horizontal	212	1.32	41.38	36.51	8.32	34.78
PK	7.0376G	112.54	Inf	-Inf	9.50	3	Horizontal	212	1.32	103.04	36.05	8.22	34.77
PK	7.1318G	68.64	88.20	-19.56	10.07	3	Horizontal	212	1.32	58.57	36.53	8.32	34.78

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.05045G	43.00	68.20	-25.20	19.33	3	Vertical	299	2.16	23.67	40.30	11.81	32.78
PK	14.04929G	56.31	88.20	-31.89	19.33	3	Vertical	299	2.16	36.98	40.30	11.81	32.78

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.05027G	42.92	68.20	-25.28	19.33	3	Horizontal	214	1.32	23.59	40.30	11.81	32.78
PK	14.04944G	55.98	88.20	-32.22	19.33	3	Horizontal	214	1.32	36.65	40.30	11.81	32.78

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.915G	57.27	68.20	-10.93	7.63	3	Horizontal	34	1.44	49.64	34.34	7.65	34.36
AV	6.101G	97.93	Inf	-Inf	7.50	3	Horizontal	34	1.44	90.43	34.10	7.83	34.43
PK	5.9145G	77.78	88.20	-10.42	7.63	3	Horizontal	34	1.44	70.15	34.34	7.65	34.36
PK	6.049G	110.34	Inf	-Inf	7.60	3	Horizontal	34	1.44	102.74	34.20	7.81	34.41

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.05016G	41.48	54.00	-12.52	15.69	3	Vertical	205	1.25	25.79	39.30	11.03	34.64
PK	12.04989G	54.87	74.00	-19.13	15.69	3	Vertical	205	1.25	39.18	39.30	11.03	34.64

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.04988G	41.42	54.00	-12.58	15.69	3	Horizontal	28	1.18	25.73	39.30	11.03	34.64
PK	12.04989G	55.28	74.00	-18.72	15.69	3	Horizontal	28	1.18	39.59	39.30	11.03	34.64

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.37093G	40.87	54.00	-13.13	15.92	3	Vertical	328	1.41	24.95	39.20	11.15	34.43
PK	12.37026G	53.93	74.00	-20.07	15.92	3	Vertical	328	1.41	38.01	39.20	11.15	34.43

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.36932G	40.84	54.00	-13.16	15.92	3	Horizontal	171	1.36	24.92	39.20	11.15	34.43
PK	12.36983G	54.45	74.00	-19.55	15.92	3	Horizontal	171	1.36	38.53	39.20	11.15	34.43

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.6903G	41.70	54.00	-12.30	16.75	3	Vertical	278	2.41	24.95	39.49	11.28	34.02
PK	12.69055G	54.74	74.00	-19.26	16.76	3	Vertical	278	2.41	37.98	39.49	11.28	34.01

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.69018G	41.71	54.00	-12.29	16.75	3	Horizontal	98	1.89	24.96	39.49	11.28	34.02
PK	12.68928G	54.80	74.00	-19.20	16.75	3	Horizontal	98	1.89	38.05	39.49	11.28	34.02

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.01039G	41.71	68.20	-26.49	17.73	3	Vertical	355	2.94	23.98	39.79	11.40	33.46
PK	13.01067G	55.17	88.20	-33.03	17.73	3	Vertical	355	2.94	37.44	39.79	11.40	33.46

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.01001G	41.76	68.20	-26.44	17.73	3	Horizontal	189	2.20	24.03	39.79	11.40	33.46
PK	13.00948G	55.15	88.20	-33.05	17.73	3	Horizontal	189	2.20	37.42	39.79	11.40	33.46

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.32989G	42.11	54.00	-11.89	18.44	3	Vertical	90	1.22	23.67	39.92	11.53	33.01
PK	13.33062G	54.97	74.00	-19.03	18.44	3	Vertical	90	1.22	36.53	39.92	11.53	33.01

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.3309G	42.08	54.00	-11.92	18.44	3	Horizontal	360	2.37	23.64	39.92	11.53	33.01
PK	13.33G	56.11	74.00	-17.89	18.44	3	Horizontal	360	2.37	37.67	39.92	11.53	33.01

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.64985G	42.16	68.20	-26.04	18.84	3	Vertical	38	2.33	23.32	39.95	11.65	32.76
PK	13.6495G	55.50	88.20	-32.70	18.84	3	Vertical	38	2.33	36.66	39.95	11.65	32.76

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.64903G	42.22	68.20	-25.98	18.84	3	Horizontal	157	2.21	23.38	39.95	11.65	32.76
PK	13.65012G	55.69	88.20	-32.51	18.84	3	Horizontal	157	2.21	36.85	39.95	11.65	32.76

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9525G	97.87	Inf	-Inf	9.34	3	Horizontal	37	1.29	88.53	35.90	8.19	34.75
AV	7.125G	62.63	68.20	-5.57	10.04	3	Horizontal	37	1.29	52.59	36.50	8.32	34.78
PK	6.92G	112.94	Inf	-Inf	9.35	3	Horizontal	37	1.29	103.59	35.90	8.19	34.74
PK	7.125G	81.03	88.20	-7.17	10.04	3	Horizontal	37	1.29	70.99	36.50	8.32	34.78

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.96927G	42.86	68.20	-25.34	19.22	3	Vertical	49	2.84	23.64	40.17	11.78	32.73
PK	13.96959G	56.20	88.20	-32.00	19.22	3	Vertical	49	2.84	36.98	40.17	11.78	32.73

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.97028G	42.85	68.20	-25.35	19.22	3	Horizontal	136	1.58	23.63	40.17	11.78	32.73
PK	13.96936G	55.99	88.20	-32.21	19.22	3	Horizontal	136	1.58	36.77	40.17	11.78	32.73



Antenna Gain (dBi)			
UNII 5	UNII 6	UNII 7	UNII 8
4.08	4.33	4.72	4.89

Contention Based protocol 802.11ax HEW20											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Ratio (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-78.08	OFF	10	100	90	Pass
6	101	20	6455	Center	6455	-75.33	OFF	10	100	90	Pass
7	149	20	6695	Center	6695	-74.72	OFF	10	100	90	Pass
8	213	20	7015	Center	7015	-80.89	OFF	10	100	90	Pass



Contention Based protocol 802.11ax HEW160											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Ratio (%)	Limit (%)	Test Result
5	47	160	6185	Low edge	6110	-79.08	OFF	10	100	90	Pass
				Center	6185	-76.08	OFF	10	100	90	Pass
				High edge	6260	-77.08	OFF	10	100	90	Pass
6	111	160	6505	Low edge	6430	-76.33	OFF	10	100	90	Pass
				Center	6505	-75.33	OFF	10	100	90	Pass
				High edge	6580	-80.33	OFF	10	100	90	Pass
7	143	160	6665	Low edge	6590	-81.72	OFF	10	100	90	Pass
				Center	6665	-74.72	OFF	10	100	90	Pass
				High edge	6740	-76.72	OFF	10	100	90	Pass
8	207	160	6985	Low edge	6910	-76.89	OFF	10	100	90	Pass
				Center	6985	-78.89	OFF	10	100	90	Pass
				High edge	7060	-80.89	OFF	10	100	90	Pass




Contention Based Protocol Threshold Level 802.11ax HE20										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-74.00	4.08	-78.08	≤ -62
						Minimal	-75.00	4.08	-79.08	≤ -62
						ON	-76.00	4.08	-80.08	≤ -62
6	101		6455	Center	6455	OFF	-71.00	4.33	-75.33	≤ -62
						Minimal	-72.00	4.33	-76.33	≤ -62
						ON	-73.00	4.33	-77.33	≤ -62
7	149		6695	Center	6695	OFF	-70.00	4.72	-74.72	≤ -62
						Minimal	-71.00	4.72	-75.72	≤ -62
						ON	-72.00	4.72	-76.72	≤ -62
8	213		7015	Center	7015	OFF	-76.00	4.89	-80.89	≤ -62
						Minimal	-77.00	4.89	-81.89	≤ -62
						ON	-78.00	4.89	-82.89	≤ -62




Contention Based Protocol Threshold Level 802.11ax HE160										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	47	160	6185	Low edge	6110	OFF	-75.00	4.08	-79.08	≤ -62
						Minimal	-76.00	4.08	-80.08	≤ -62
						ON	-77.00	4.08	-81.08	≤ -62
				Center	6185	OFF	-72.00	4.08	-76.08	≤ -62
						Minimal	-73.00	4.08	-77.08	≤ -62
						ON	-74.00	4.08	-78.08	≤ -62
				High edge	6260	OFF	-73.00	4.08	-77.08	≤ -62
						Minimal	-74.00	4.08	-78.08	≤ -62
						ON	-75.00	4.08	-79.08	≤ -62
6	111	160	6505	Low edge	6430	OFF	-72.00	4.33	-76.33	≤ -62
						Minimal	-73.00	4.33	-77.33	≤ -62
						ON	-74.00	4.33	-78.33	≤ -62
				Center	6505	OFF	-71.00	4.33	-75.33	≤ -62
						Minimal	-72.00	4.33	-76.33	≤ -62
						ON	-73.00	4.33	-77.33	≤ -62
				High edge	6580	OFF	-76.00	4.33	-80.33	≤ -62
						Minimal	-77.00	4.33	-81.33	≤ -62
						ON	-78.00	4.33	-82.33	≤ -62
7	143	160	6665	Low edge	6590	OFF	-77.00	4.72	-81.72	≤ -62
						Minimal	-78.00	4.72	-82.72	≤ -62
						ON	-79.00	4.72	-83.72	≤ -62
				Center	6665	OFF	-70.00	4.72	-74.72	≤ -62
						Minimal	-71.00	4.72	-75.72	≤ -62
						ON	-72.00	4.72	-76.72	≤ -62
				High edge	6740	OFF	-72.00	4.72	-76.72	≤ -62
						Minimal	-73.00	4.72	-77.72	≤ -62
						ON	-74.00	4.72	-78.72	≤ -62
8	207	160	6985	Low edge	6910	OFF	-72.00	4.89	-76.89	≤ -62
						Minimal	-73.00	4.89	-77.89	≤ -62
						ON	-74.00	4.89	-78.89	≤ -62
				Center	6985	OFF	-74.00	4.89	-78.89	≤ -62
						Minimal	-75.00	4.89	-79.89	≤ -62
						ON	-76.00	4.89	-80.89	≤ -62
				High edge	7060	OFF	-76.00	4.89	-80.89	≤ -62
						Minimal	-77.00	4.89	-81.89	≤ -62
						ON	-78.00	4.89	-82.89	≤ -62



Bandwidth 20MHz: Traffic Loading Plot - 6215MHz



Bandwidth 20MHz: Traffic Loading Plot - 6455MHz






Bandwidth 20MHz: Traffic Loading Plot - 6695MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

96.1625ms

All TX Sample

7693

Duty Cycle

0.961505

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 7015MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

95.9625ms

All TX Sample

7677

Duty Cycle

0.959505

T1[s] T2[s]


NaNs NaNs

T3[s] T4[s]


NaNs NaNs



Bandwidth 160MHz: Traffic Loading Plot - 6185MHz




Bandwidth 160MHz: Traffic Loading Plot - 6505MHz








Bandwidth 160MHz: Traffic Loading Plot - 6665MHz







Bandwidth 160MHz: Traffic Loading Plot - 6985MHz





1. Incumbent signal (AWGN) Plot




















2. Contention-Based Protocol Plot




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 149 ; Incumbent signal 6695 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 213 ; Incumbent signal 7015 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 47 ; Incumbent signal 6110 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 47 ; Incumbent signal 6185 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 47 ; Incumbent signal 6260 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 111 ; Incumbent signal 6430 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 111 ; Incumbent signal 6505 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 111 ; Incumbent signal 6580 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 143 ; Incumbent signal 6590 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 143 ; Incumbent signal 6665 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 143 ; Incumbent signal 6740 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 207 ; Incumbent signal 6910 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 207 ; Incumbent signal 6985 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 207 ; Incumbent signal 7060 MHz

Time Analysis




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 20


Frequency (MHz): 6215 MHz (Threshold Level: -82 dBm)

Time Analysis




Frequency (MHz): 6215 MHz (Threshold Level: -83 dBm)

Time Analysis



Frequency (MHz): 6215 MHz (Threshold Level: -84 dBm)

Time Analysis




Sample Time	1us
All TX Time	484.874ms
All TX Sample	484874
Duty Cycle	0.484874
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs

Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 160

Frequency (MHz): 6110 MHz (Threshold Level: -75 dBm)


Time Analysis



Sample Time	1us
All TX Time	637.973ms
All TX Sample	637973
Duty Cycle	0.637972
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6110 MHz (Threshold Level: -76 dBm)


Time Analysis



Sample Time	1us
All TX Time	640.663ms
All TX Sample	640663
Duty Cycle	0.640662
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6110 MHz (Threshold Level: -77 dBm)


Time Analysis



Sample Time	1us
All TX Time	608.096ms
All TX Sample	608096
Duty Cycle	0.608095
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs


Frequency (MHz): 6185 MHz (Threshold Level: -72 dBm)

Time Analysis




Frequency (MHz): 6185 MHz (Threshold Level: -73 dBm)

Time Analysis



Frequency (MHz): 6185 MHz (Threshold Level: -74 dBm)


Time Analysis



Sample Time	1us
All TX Time	16.339ms
All TX Sample	16339
Duty Cycle	0.016339
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6260 MHz (Threshold Level: -73 dBm)


Time Analysis



Sample Time	1us
All TX Time	670.206ms
All TX Sample	670206
Duty Cycle	0.670205
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6260 MHz (Threshold Level: -74 dBm)


Time Analysis



Sample Time	1us
All TX Time	667.76ms
All TX Sample	667760
Duty Cycle	0.667759
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6260 MHz (Threshold Level: -75 dBm)

Time Analysis



Sample Time	1us
All TX Time	666.003ms
All TX Sample	666003
Duty Cycle	0.666002
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs



Summary

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
5.925-6.425GHz	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	6.175G	6.17501999G	3.2368	20	1	0 min
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	6.175G	6.1750194G	3.1415	20	1	10 min



Result

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-
6175MHz	Pass	6.175G	6.1750193G	3.1258	20	1	0 min
6175MHz	Pass	6.175G	6.17501928G	3.1226	20	1	2 min
6175MHz	Pass	6.175G	6.17501929G	3.1244	20	1	5 min
6175MHz	Pass	6.175G	6.17501928G	3.1226	20	1	10 min
6175MHz	Pass	6.175G	6.17501983G	3.211	20	1	0 min
6175MHz	Pass	6.175G	6.17501984G	3.2131	20	1	2 min
6175MHz	Pass	6.175G	6.17501987G	3.2172	20	1	5 min
6175MHz	Pass	6.175G	6.17501987G	3.2178	20	1	10 min
6175MHz	Pass	6.175G	6.17501999G	3.2368	20	1	0 min
6175MHz	Pass	6.175G	6.17501997G	3.2345	20	1	2 min
6175MHz	Pass	6.175G	6.17501996G	3.2322	20	1	5 min
6175MHz	Pass	6.175G	6.17501994G	3.2285	20	1	10 min
6175MHz	Pass	6.175G	6.17501996G	3.233	20	1	0 min
6175MHz	Pass	6.175G	6.17501993G	3.2277	20	1	2 min
6175MHz	Pass	6.175G	6.1750199G	3.2232	20	1	5 min
6175MHz	Pass	6.175G	6.17501985G	3.2141	20	1	10 min
6175MHz	Pass	6.175G	6.17501978G	3.2029	20	1	0 min
6175MHz	Pass	6.175G	6.17501977G	3.2018	20	1	2 min
6175MHz	Pass	6.175G	6.17501974G	3.1961	20	1	5 min
6175MHz	Pass	6.175G	6.17501971G	3.1926	20	1	10 min
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6175MHz	Pass	6.175G	6.17501443G	2.3367	20	1	0 min
6175MHz	Pass	6.175G	6.17501455G	2.3569	20	1	2 min
6175MHz	Pass	6.175G	6.17501468G	2.3775	20	1	5 min
6175MHz	Pass	6.175G	6.17501478G	2.394	20	1	10 min
6175MHz	Pass	6.175G	6.1750162G	2.6241	20	1	0 min
6175MHz	Pass	6.175G	6.17501622G	2.6267	20	1	2 min
6175MHz	Pass	6.175G	6.17501631G	2.6415	20	1	5 min
6175MHz	Pass	6.175G	6.17501638G	2.6528	20	1	10 min
6175MHz	Pass	6.175G	6.1750173G	2.8011	20	1	0 min
6175MHz	Pass	6.175G	6.17501739G	2.8157	20	1	2 min
6175MHz	Pass	6.175G	6.17501742G	2.8202	20	1	5 min
6175MHz	Pass	6.175G	6.17501743G	2.8228	20	1	10 min
6175MHz	Pass	6.175G	6.17501824G	2.9538	20	1	0 min
6175MHz	Pass	6.175G	6.17501832G	2.967	20	1	2 min
6175MHz	Pass	6.175G	6.17501838G	2.9768	20	1	5 min
6175MHz	Pass	6.175G	6.17501842G	2.983	20	1	10 min
6175MHz	Pass	6.175G	6.17501926G	3.1184	20	1	0 min
6175MHz	Pass	6.175G	6.17501932G	3.1289	20	1	2 min
6175MHz	Pass	6.175G	6.17501934G	3.1313	20	1	5 min
6175MHz	Pass	6.175G	6.1750194G	3.1415	20	1	10 min



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.87398G	44.31	54.00	-9.69	Horizontal



Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	4.87396G	35.83	54.00	-18.17	3	Vertical	130	1.63	-
Mode 1	Pass	AV	10.40436G	40.54	68.20	-27.66	3	Vertical	353	1.50	-
Mode 1	Pass	AV	13.00072G	41.94	68.20	-26.26	3	Vertical	212	1.50	-
Mode 1	Pass	PK	4.87444G	48.39	74.00	-25.61	3	Vertical	130	1.63	-
Mode 1	Pass	PK	10.4078G	53.51	68.20	-14.69	3	Vertical	316	1.50	-
Mode 1	Pass	PK	13.01772G	56.16	68.20	-12.04	3	Vertical	252	1.70	-
Mode 1	Pass	AV	4.87398G	44.31	54.00	-9.69	3	Horizontal	215	1.50	-
Mode 1	Pass	AV	10.40996G	40.51	68.20	-27.69	3	Horizontal	326	1.50	-
Mode 1	Pass	AV	13.00012G	42.15	68.20	-26.05	3	Horizontal	253	1.34	-
Mode 1	Pass	PK	4.874G	49.55	74.00	-24.45	3	Horizontal	215	1.50	-
Mode 1	Pass	PK	10.4012G	53.15	68.20	-15.05	3	Horizontal	326	1.50	-
Mode 1	Pass	PK	13.00938G	55.26	68.20	-12.94	3	Horizontal	253	1.34	-

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87396G	35.83	54.00	-18.17	5.31	3	Vertical	130	1.63	30.52	32.70	6.90	34.29
AV	10.40436G	40.54	68.20	-27.66	14.47	3	Vertical	353	1.50	26.07	39.00	10.35	34.88
AV	13.00072G	41.94	68.20	-26.26	17.73	3	Vertical	212	1.50	24.21	39.80	11.40	33.47
PK	4.87444G	48.39	74.00	-25.61	5.31	3	Vertical	130	1.63	43.08	32.70	6.90	34.29
PK	10.4078G	53.51	68.20	-14.69	14.47	3	Vertical	316	1.50	39.04	39.00	10.35	34.88
PK	13.01772G	56.16	68.20	-12.04	17.74	3	Vertical	252	1.70	38.42	39.78	11.41	33.45

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87398G	44.31	54.00	-9.69	5.31	3	Horizontal	215	1.50	39.00	32.70	6.90	34.29
AV	10.40996G	40.51	68.20	-27.69	14.47	3	Horizontal	326	1.50	26.04	39.00	10.35	34.88
AV	13.00012G	42.15	68.20	-26.05	17.73	3	Horizontal	253	1.34	24.42	39.80	11.40	33.47
PK	4.874G	49.55	74.00	-24.45	5.31	3	Horizontal	215	1.50	44.24	32.70	6.90	34.29
PK	10.4012G	53.15	68.20	-15.05	14.46	3	Horizontal	326	1.50	38.69	39.00	10.35	34.89
PK	13.00938G	55.26	68.20	-12.94	17.73	3	Horizontal	253	1.34	37.53	39.79	11.40	33.46