



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	875.84M	41.09	46.00	-4.91	3	Horizontal	0	1.00




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-
5785MHz	Pass	PK	39.7M	32.85	40.00	-7.15	3	Vertical	360	1.00
5785MHz	Pass	PK	61.04M	32.24	40.00	-7.76	3	Vertical	360	1.00
5785MHz	Pass	PK	97.9M	28.68	43.50	-14.82	3	Vertical	360	1.00
5785MHz	Pass	PK	375.32M	39.03	46.00	-6.97	3	Vertical	360	1.00
5785MHz	Pass	PK	625.58M	39.20	46.00	-6.80	3	Vertical	360	1.00
5785MHz	Pass	PK	875.84M	39.40	46.00	-6.60	3	Vertical	360	1.00
5785MHz	Pass	PK	61.04M	31.65	40.00	-8.35	3	Horizontal	0	1.00
5785MHz	Pass	PK	117.3M	27.36	43.50	-16.14	3	Horizontal	0	1.00
5785MHz	Pass	PK	196.84M	31.09	43.50	-12.41	3	Horizontal	0	1.00
5785MHz	Pass	PK	375.32M	39.70	46.00	-6.30	3	Horizontal	0	1.00
5785MHz	Pass	PK	625.58M	38.57	46.00	-7.43	3	Horizontal	0	1.00
5785MHz	Pass	PK	875.84M	41.09	46.00	-4.91	3	Horizontal	0	1.00

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5785MHz\_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	39.7M	32.85	40.00	-7.15	-7.37	3	Vertical	360	1.00	40.22	18.01	1.41	26.79
PK	61.04M	32.24	40.00	-7.76	-14.51	3	Vertical	360	1.00	46.75	11.64	1.54	27.69
PK	97.9M	28.68	43.50	-14.82	-10.18	3	Vertical	360	1.00	38.86	15.72	1.93	27.83
PK	375.32M	39.03	46.00	-6.97	-5.67	3	Vertical	360	1.00	44.70	20.03	1.97	27.67
PK	625.58M	39.20	46.00	-6.80	0.62	3	Vertical	360	1.00	38.58	24.18	4.94	28.50
PK	875.84M	39.40	46.00	-6.60	3.75	3	Vertical	360	1.00	35.65	25.57	5.99	27.81

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5785MHz\_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	61.04M	31.65	40.00	-8.35	-14.51	3	Horizontal	0	1.00	46.16	11.64	1.54	27.69
PK	117.3M	27.36	43.50	-16.14	-8.35	3	Horizontal	0	1.00	35.71	17.34	2.09	27.78
PK	196.84M	31.09	43.50	-12.41	-10.30	3	Horizontal	0	1.00	41.39	14.36	2.76	27.42
PK	375.32M	39.70	46.00	-6.30	-5.67	3	Horizontal	0	1.00	45.37	20.03	1.97	27.67
PK	625.58M	38.57	46.00	-7.43	0.62	3	Horizontal	0	1.00	37.95	24.18	4.94	28.50
PK	875.84M	41.09	46.00	-4.91	3.75	3	Horizontal	0	1.00	37.34	25.57	5.99	27.81



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	5.15G	53.82	54.00	-0.18	3	Horizontal	83	1.31
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	AV	5.15G	53.45	54.00	-0.55	3	Horizontal	153	1.47
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	AV	5.15G	53.59	54.00	-0.41	3	Vertical	69	1.50
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	AV	5.15G	53.39	54.00	-0.61	3	Vertical	66	1.53
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	5.35G	53.39	54.00	-0.61	3	Vertical	70	1.74
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	AV	5.3528G	53.44	54.00	-0.56	3	Horizontal	308	1.41
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	AV	5.35G	53.69	54.00	-0.31	3	Vertical	244	1.50
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	AV	5.35G	53.61	54.00	-0.39	3	Vertical	244	1.50
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	AV	5.3832G	53.79	54.00	-0.21	3	Horizontal	310	1.45
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	5.7256G	67.36	68.20	-0.84	3	Vertical	85	1.67
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	PK	5.4678G	67.60	68.20	-0.60	3	Horizontal	312	1.50
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	PK	5.7282G	68.00	68.20	-0.20	3	Vertical	264	1.12
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	AV	5.452G	53.27	54.00	-0.73	3	Horizontal	310	1.39
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	AV	5.4572G	53.48	54.00	-0.52	3	Vertical	253	1.43
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	5.649G	61.93	68.20	-6.27	3	Horizontal	93	2.78
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	PK	5.6526G	67.36	70.12	-2.76	3	Horizontal	97	2.30
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	PK	5.6458G	67.62	68.20	-0.58	3	Horizontal	98	2.46
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	PK	5.6418G	67.94	68.20	-0.26	3	Horizontal	98	2.46



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	49.66	54.00	-4.34	3	Vertical	69	1.50
5180MHz	Pass	AV	5.181G	109.02	Inf	-Inf	3	Vertical	69	1.50
5180MHz	Pass	PK	5.142G	64.28	74.00	-9.72	3	Vertical	69	1.50
5180MHz	Pass	PK	5.181G	120.80	Inf	-Inf	3	Vertical	69	1.50
5180MHz	Pass	AV	5.15G	53.82	54.00	-0.18	3	Horizontal	83	1.31
5180MHz	Pass	AV	5.1814G	109.86	Inf	-Inf	3	Horizontal	83	1.31
5180MHz	Pass	PK	5.1488G	70.02	74.00	-3.98	3	Horizontal	83	1.31
5180MHz	Pass	PK	5.1812G	121.27	Inf	-Inf	3	Horizontal	83	1.31
5180MHz	Pass	PK	10.36198G	51.18	68.20	-17.02	3	Vertical	284	1.50
5180MHz	Pass	PK	10.36258G	51.46	68.20	-16.74	3	Horizontal	108	3.00
5200MHz	Pass	AV	5.15G	50.49	54.00	-3.51	3	Vertical	64	1.68
5200MHz	Pass	AV	5.2008G	111.95	Inf	-Inf	3	Vertical	64	1.68
5200MHz	Pass	PK	5.15G	69.51	74.00	-4.49	3	Vertical	64	1.68
5200MHz	Pass	PK	5.2012G	123.13	Inf	-Inf	3	Vertical	64	1.68
5200MHz	Pass	AV	5.15G	52.47	54.00	-1.53	3	Horizontal	112	1.55
5200MHz	Pass	AV	5.192G	111.35	Inf	-Inf	3	Horizontal	112	1.55
5200MHz	Pass	PK	5.15G	72.66	74.00	-1.34	3	Horizontal	112	1.55
5200MHz	Pass	PK	5.1924G	122.20	Inf	-Inf	3	Horizontal	112	1.55
5200MHz	Pass	PK	10.40132G	52.79	68.20	-15.41	3	Vertical	338	1.50
5200MHz	Pass	PK	10.39466G	53.08	68.20	-15.12	3	Horizontal	107	1.48
5240MHz	Pass	AV	5.15G	45.52	54.00	-8.48	3	Vertical	63	1.74
5240MHz	Pass	AV	5.2388G	112.12	Inf	-Inf	3	Vertical	63	1.74
5240MHz	Pass	AV	5.354G	47.00	54.00	-7.00	3	Vertical	63	1.74
5240MHz	Pass	PK	5.1434G	58.75	74.00	-15.25	3	Vertical	63	1.74
5240MHz	Pass	PK	5.2388G	123.09	Inf	-Inf	3	Vertical	63	1.74
5240MHz	Pass	PK	5.3528G	60.75	74.00	-13.25	3	Vertical	63	1.74
5240MHz	Pass	AV	5.15G	45.28	54.00	-8.72	3	Horizontal	81	1.38
5240MHz	Pass	AV	5.2418G	111.91	Inf	-Inf	3	Horizontal	81	1.38
5240MHz	Pass	AV	5.3648G	46.07	54.00	-7.93	3	Horizontal	81	1.38
5240MHz	Pass	PK	5.1476G	58.85	74.00	-15.15	3	Horizontal	81	1.38
5240MHz	Pass	PK	5.2412G	123.22	Inf	-Inf	3	Horizontal	81	1.38
5240MHz	Pass	PK	5.3666G	61.17	74.00	-12.83	3	Horizontal	81	1.38
5240MHz	Pass	PK	10.47688G	55.02	68.20	-13.18	3	Vertical	309	1.43
5240MHz	Pass	PK	10.4791G	53.16	68.20	-15.04	3	Horizontal	118	1.43
5260MHz	Pass	AV	5.1496G	46.00	54.00	-8.00	3	Vertical	66	1.60
5260MHz	Pass	AV	5.2594G	114.21	Inf	-Inf	3	Vertical	66	1.60
5260MHz	Pass	AV	5.3512G	48.84	54.00	-5.16	3	Vertical	66	1.60
5260MHz	Pass	PK	5.1442G	59.40	74.00	-14.60	3	Vertical	66	1.60
5260MHz	Pass	PK	5.2582G	124.30	Inf	-Inf	3	Vertical	66	1.60
5260MHz	Pass	PK	5.3536G	62.54	74.00	-11.46	3	Vertical	66	1.60
5260MHz	Pass	AV	5.1484G	45.63	54.00	-8.37	3	Horizontal	138	1.69
5260MHz	Pass	AV	5.2642G	113.15	Inf	-Inf	3	Horizontal	138	1.69
5260MHz	Pass	AV	5.353G	47.61	54.00	-6.39	3	Horizontal	138	1.69
5260MHz	Pass	PK	5.1448G	57.60	74.00	-16.40	3	Horizontal	138	1.69
5260MHz	Pass	PK	5.2636G	122.83	Inf	-Inf	3	Horizontal	138	1.69
5260MHz	Pass	PK	5.359G	60.46	74.00	-13.54	3	Horizontal	138	1.69
5260MHz	Pass	PK	10.51814G	54.19	68.20	-14.01	3	Vertical	123	1.60
5260MHz	Pass	PK	10.52039G	53.73	68.20	-14.47	3	Horizontal	292	1.48
5300MHz	Pass	AV	5.298G	113.55	Inf	-Inf	3	Vertical	70	1.74
5300MHz	Pass	AV	5.35G	53.39	54.00	-0.61	3	Vertical	70	1.74
5300MHz	Pass	PK	5.298G	123.23	Inf	-Inf	3	Vertical	70	1.74
5300MHz	Pass	PK	5.35G	72.73	74.00	-1.27	3	Vertical	70	1.74
5300MHz	Pass	AV	5.304G	111.51	Inf	-Inf	3	Horizontal	137	1.74
5300MHz	Pass	AV	5.3536G	51.46	54.00	-2.54	3	Horizontal	137	1.74
5300MHz	Pass	PK	5.304G	121.41	Inf	-Inf	3	Horizontal	137	1.74
5300MHz	Pass	PK	5.356G	72.17	74.00	-1.83	3	Horizontal	137	1.74
5300MHz	Pass	PK	10.59951G	59.16	68.20	-9.04	3	Vertical	124	1.36
5300MHz	Pass	PK	10.59328G	56.45	68.20	-11.75	3	Horizontal	293	1.50
5320MHz	Pass	AV	5.3188G	111.32	Inf	-Inf	3	Vertical	64	1.65
5320MHz	Pass	AV	5.35G	53.17	54.00	-0.83	3	Vertical	64	1.65



RSE TX above 1GHz\_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz	Pass	PK	5.3186G	121.34	Inf	-Inf	3	Vertical	64	1.65
5320MHz	Pass	PK	5.35G	67.19	74.00	-6.81	3	Vertical	64	1.65
5320MHz	Pass	AV	5.3238G	110.92	Inf	-Inf	3	Horizontal	136	1.60
5320MHz	Pass	AV	5.3516G	53.34	54.00	-0.66	3	Horizontal	136	1.60
5320MHz	Pass	PK	5.3238G	121.39	Inf	-Inf	3	Horizontal	136	1.60
5320MHz	Pass	PK	5.3552G	71.95	74.00	-2.05	3	Horizontal	136	1.60
5320MHz	Pass	AV	10.6952G	39.00	54.00	-15.00	3	Vertical	129	2.57
5320MHz	Pass	PK	10.60172G	51.15	74.00	-22.85	3	Vertical	129	2.57
5320MHz	Pass	AV	10.69712G	38.92	54.00	-15.08	3	Horizontal	59	2.89
5320MHz	Pass	PK	10.69868G	51.94	74.00	-22.06	3	Horizontal	59	2.89
5500MHz	Pass	AV	5.4532G	51.06	54.00	-2.94	3	Vertical	72	2.25
5500MHz	Pass	AV	5.5034G	111.12	Inf	-Inf	3	Vertical	72	2.25
5500MHz	Pass	PK	5.4554G	65.36	74.00	-8.64	3	Vertical	72	2.25
5500MHz	Pass	PK	5.4628G	65.72	68.20	-2.48	3	Vertical	72	2.25
5500MHz	Pass	PK	5.5032G	120.83	Inf	-Inf	3	Vertical	72	2.25
5500MHz	Pass	AV	5.4566G	49.69	54.00	-4.31	3	Horizontal	98	1.42
5500MHz	Pass	AV	5.5052G	110.08	Inf	-Inf	3	Horizontal	98	1.42
5500MHz	Pass	PK	5.4578G	63.21	74.00	-10.79	3	Horizontal	98	1.42
5500MHz	Pass	PK	5.4682G	65.82	68.20	-2.38	3	Horizontal	98	1.42
5500MHz	Pass	PK	5.5046G	120.03	Inf	-Inf	3	Horizontal	98	1.42
5500MHz	Pass	AV	10.99927G	38.44	54.00	-15.56	3	Vertical	112	2.79
5500MHz	Pass	PK	10.99991G	52.29	74.00	-21.71	3	Vertical	112	2.79
5500MHz	Pass	AV	10.99959G	38.44	54.00	-15.56	3	Horizontal	302	2.40
5500MHz	Pass	PK	11.00086G	52.42	74.00	-21.58	3	Horizontal	302	2.40
5580MHz	Pass	AV	5.46G	48.63	54.00	-5.37	3	Vertical	63	1.50
5580MHz	Pass	AV	5.577G	113.85	Inf	-Inf	3	Vertical	63	1.50
5580MHz	Pass	PK	5.4432G	62.41	74.00	-11.59	3	Vertical	63	1.50
5580MHz	Pass	PK	5.4606G	60.26	68.20	-7.94	3	Vertical	63	1.50
5580MHz	Pass	PK	5.5782G	124.24	Inf	-Inf	3	Vertical	63	1.50
5580MHz	Pass	PK	5.7276G	59.27	68.20	-8.93	3	Vertical	63	1.50
5580MHz	Pass	AV	5.4564G	47.43	54.00	-6.57	3	Horizontal	99	1.50
5580MHz	Pass	AV	5.5842G	112.99	Inf	-Inf	3	Horizontal	99	1.50
5580MHz	Pass	PK	5.4468G	60.20	74.00	-13.80	3	Horizontal	99	1.50
5580MHz	Pass	PK	5.466G	60.23	68.20	-7.97	3	Horizontal	99	1.50
5580MHz	Pass	PK	5.5854G	122.87	Inf	-Inf	3	Horizontal	99	1.50
5580MHz	Pass	PK	5.7258G	61.56	68.20	-6.64	3	Horizontal	99	1.50
5580MHz	Pass	AV	11.16249G	44.14	54.00	-9.86	3	Vertical	288	1.49
5580MHz	Pass	PK	11.16192G	56.84	74.00	-17.16	3	Vertical	288	1.49
5580MHz	Pass	AV	11.16156G	39.91	54.00	-14.09	3	Horizontal	233	1.42
5580MHz	Pass	PK	11.16387G	53.25	74.00	-20.75	3	Horizontal	233	1.42
5700MHz	Pass	AV	5.7056G	106.30	Inf	-Inf	3	Vertical	85	1.67
5700MHz	Pass	PK	5.7048G	116.44	Inf	-Inf	3	Vertical	85	1.67
5700MHz	Pass	PK	5.7256G	67.36	68.20	-0.84	3	Vertical	85	1.67
5700MHz	Pass	AV	5.7064G	102.78	Inf	-Inf	3	Horizontal	98	1.67
5700MHz	Pass	PK	5.7056G	112.63	Inf	-Inf	3	Horizontal	98	1.67
5700MHz	Pass	PK	5.7256G	65.17	68.20	-3.03	3	Horizontal	98	1.67
5700MHz	Pass	AV	11.39904G	39.41	54.00	-14.59	3	Vertical	217	2.16
5700MHz	Pass	PK	11.40006G	52.81	74.00	-21.19	3	Vertical	217	2.16
5700MHz	Pass	AV	11.3996G	39.35	54.00	-14.65	3	Horizontal	160	2.62
5700MHz	Pass	PK	11.39959G	52.49	74.00	-21.51	3	Horizontal	160	2.62
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4524G	46.90	54.00	-7.10	3	Vertical	73	1.62
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7152G	114.24	Inf	-Inf	3	Vertical	73	1.62
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4512G	60.09	74.00	-13.91	3	Vertical	73	1.62
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	59.31	68.20	-8.89	3	Vertical	73	1.62
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7164G	124.10	Inf	-Inf	3	Vertical	73	1.62
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	58.63	68.20	-9.57	3	Vertical	73	1.62
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4284G	45.65	54.00	-8.35	3	Horizontal	93	2.70
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7152G	114.73	Inf	-Inf	3	Horizontal	93	2.70
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.432G	58.35	74.00	-15.65	3	Horizontal	93	2.70
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	58.04	68.20	-10.16	3	Horizontal	93	2.70
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7152G	124.33	Inf	-Inf	3	Horizontal	93	2.70
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	58.70	68.20	-9.50	3	Horizontal	93	2.70



RSE TX above 1GHz\_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44282G	40.13	54.00	-13.87	3	Vertical	290	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44276G	52.79	74.00	-21.21	3	Vertical	290	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43916G	39.64	54.00	-14.36	3	Horizontal	220	2.80
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43799G	52.76	74.00	-21.24	3	Horizontal	220	2.80
5745MHz	Pass	AV	5.4546G	46.61	54.00	-7.39	3	Vertical	84	1.50
5745MHz	Pass	AV	5.7498G	113.87	Inf	-Inf	3	Vertical	84	1.50
5745MHz	Pass	PK	5.5518G	61.55	68.20	-6.65	3	Vertical	84	1.50
5745MHz	Pass	PK	5.7498G	124.02	Inf	-Inf	3	Vertical	84	1.50
5745MHz	Pass	PK	5.9322G	58.48	68.20	-9.72	3	Vertical	84	1.50
5745MHz	Pass	AV	5.4558G	45.04	54.00	-8.96	3	Horizontal	93	2.78
5745MHz	Pass	AV	5.7402G	114.44	Inf	-Inf	3	Horizontal	93	2.78
5745MHz	Pass	PK	5.649G	61.93	68.20	-6.27	3	Horizontal	93	2.78
5745MHz	Pass	PK	5.7402G	124.60	Inf	-Inf	3	Horizontal	93	2.78
5745MHz	Pass	PK	6.0138G	58.24	68.20	-9.96	3	Horizontal	93	2.78
5745MHz	Pass	AV	11.49186G	40.67	54.00	-13.33	3	Vertical	298	1.41
5745MHz	Pass	PK	11.49534G	54.35	74.00	-19.65	3	Vertical	298	1.41
5745MHz	Pass	AV	11.49408G	39.35	54.00	-14.65	3	Horizontal	118	2.93
5745MHz	Pass	PK	11.48187G	52.11	74.00	-21.89	3	Horizontal	118	2.93
5785MHz	Pass	AV	5.78976G	114.70	Inf	-Inf	3	Vertical	85	1.56
5785MHz	Pass	PK	5.57922G	60.92	68.20	-7.28	3	Vertical	85	1.56
5785MHz	Pass	PK	5.78976G	124.80	Inf	-Inf	3	Vertical	85	1.56
5785MHz	Pass	PK	5.93133G	58.00	68.20	-10.20	3	Vertical	85	1.56
5785MHz	Pass	AV	5.78008G	114.67	Inf	-Inf	3	Horizontal	92	2.73
5785MHz	Pass	PK	5.58043G	61.80	68.20	-6.40	3	Horizontal	92	2.73
5785MHz	Pass	PK	5.77887G	124.64	Inf	-Inf	3	Horizontal	92	2.73
5785MHz	Pass	PK	6.0003G	58.61	68.20	-9.59	3	Horizontal	92	2.73
5785MHz	Pass	AV	11.56841G	40.72	54.00	-13.28	3	Vertical	270	1.90
5785MHz	Pass	PK	11.57009G	53.36	74.00	-20.64	3	Vertical	270	1.90
5785MHz	Pass	AV	11.57543G	39.81	54.00	-14.19	3	Horizontal	115	2.19
5785MHz	Pass	PK	11.57498G	52.72	74.00	-21.28	3	Horizontal	115	2.19
5825MHz	Pass	AV	5.8238G	111.75	Inf	-Inf	3	Vertical	87	2.31
5825MHz	Pass	PK	5.6234G	61.63	68.20	-6.57	3	Vertical	87	2.31
5825MHz	Pass	PK	5.8238G	121.37	Inf	-Inf	3	Vertical	87	2.31
5825MHz	Pass	PK	5.999G	58.80	68.20	-9.40	3	Vertical	87	2.31
5825MHz	Pass	AV	5.8178G	113.07	Inf	-Inf	3	Horizontal	96	2.52
5825MHz	Pass	PK	5.621G	61.16	68.20	-7.04	3	Horizontal	96	2.52
5825MHz	Pass	PK	5.8178G	122.74	Inf	-Inf	3	Horizontal	96	2.52
5825MHz	Pass	PK	5.9306G	58.60	68.20	-9.60	3	Horizontal	96	2.52
5825MHz	Pass	AV	11.65573G	39.27	54.00	-14.73	3	Vertical	294	1.00
5825MHz	Pass	PK	11.65051G	52.54	74.00	-21.46	3	Vertical	294	1.00
5825MHz	Pass	AV	11.65024G	40.80	54.00	-13.20	3	Horizontal	109	3.00
5825MHz	Pass	PK	11.64436G	54.47	74.00	-19.53	3	Horizontal	109	3.00
802.11ax HEW20_Nss1_(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1496G	51.74	54.00	-2.26	3	Vertical	70	1.81
5180MHz	Pass	AV	5.1846G	108.47	Inf	-Inf	3	Vertical	70	1.81
5180MHz	Pass	PK	5.1454G	64.72	74.00	-9.28	3	Vertical	70	1.81
5180MHz	Pass	PK	5.1748G	121.46	Inf	-Inf	3	Vertical	70	1.81
5180MHz	Pass	AV	5.1482G	53.15	54.00	-0.85	3	Horizontal	135	1.64
5180MHz	Pass	AV	5.1878G	108.78	Inf	-Inf	3	Horizontal	135	1.64
5180MHz	Pass	PK	5.1488G	65.74	74.00	-8.26	3	Horizontal	135	1.64
5180MHz	Pass	PK	5.1872G	122.06	Inf	-Inf	3	Horizontal	135	1.64
5180MHz	Pass	PK	10.3612G	52.56	68.20	-15.64	3	Vertical	303	2.14
5180MHz	Pass	PK	10.36078G	50.64	68.20	-17.56	3	Horizontal	354	1.65
5200MHz	Pass	AV	5.1496G	52.85	54.00	-1.15	3	Vertical	67	1.68
5200MHz	Pass	AV	5.2048G	111.20	Inf	-Inf	3	Vertical	67	1.68
5200MHz	Pass	PK	5.15G	69.44	74.00	-4.56	3	Vertical	67	1.68
5200MHz	Pass	PK	5.1948G	123.56	Inf	-Inf	3	Vertical	67	1.68
5200MHz	Pass	AV	5.15G	53.45	54.00	-0.55	3	Horizontal	153	1.47
5200MHz	Pass	AV	5.196G	109.65	Inf	-Inf	3	Horizontal	153	1.47
5200MHz	Pass	PK	5.1456G	70.49	74.00	-3.51	3	Horizontal	153	1.47
5200MHz	Pass	PK	5.1908G	122.55	Inf	-Inf	3	Horizontal	153	1.47
5200MHz	Pass	PK	10.39958G	53.13	68.20	-15.07	3	Vertical	303	1.55



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5200MHz	Pass	PK	10.40234G	51.75	68.20	-16.45	3	Horizontal	118	1.41
5240MHz	Pass	AV	5.1494G	46.91	54.00	-7.09	3	Vertical	64	1.68
5240MHz	Pass	AV	5.2448G	111.39	Inf	-Inf	3	Vertical	64	1.68
5240MHz	Pass	AV	5.357G	48.14	54.00	-5.86	3	Vertical	64	1.68
5240MHz	Pass	PK	5.1452G	60.83	74.00	-13.17	3	Vertical	64	1.68
5240MHz	Pass	PK	5.2352G	124.06	Inf	-Inf	3	Vertical	64	1.68
5240MHz	Pass	PK	5.3858G	61.46	74.00	-12.54	3	Vertical	64	1.68
5240MHz	Pass	AV	5.1464G	46.69	54.00	-7.31	3	Horizontal	114	1.60
5240MHz	Pass	AV	5.2406G	110.66	Inf	-Inf	3	Horizontal	114	1.60
5240MHz	Pass	AV	5.3864G	47.78	54.00	-6.22	3	Horizontal	114	1.60
5240MHz	Pass	PK	5.1458G	61.37	74.00	-12.63	3	Horizontal	114	1.60
5240MHz	Pass	PK	5.2358G	122.68	Inf	-Inf	3	Horizontal	114	1.60
5240MHz	Pass	PK	5.3732G	61.15	74.00	-12.85	3	Horizontal	114	1.60
5240MHz	Pass	PK	10.47844G	53.88	68.20	-14.32	3	Vertical	310	1.50
5240MHz	Pass	PK	10.48396G	52.11	68.20	-16.09	3	Horizontal	120	1.48
5260MHz	Pass	AV	5.15G	46.57	54.00	-7.43	3	Vertical	243	1.50
5260MHz	Pass	AV	5.2648G	112.82	Inf	-Inf	3	Vertical	243	1.50
5260MHz	Pass	AV	5.35G	49.61	54.00	-4.39	3	Vertical	243	1.50
5260MHz	Pass	PK	5.14G	60.82	74.00	-13.18	3	Vertical	243	1.50
5260MHz	Pass	PK	5.26G	126.04	Inf	-Inf	3	Vertical	243	1.50
5260MHz	Pass	PK	5.35G	65.95	74.00	-8.05	3	Vertical	243	1.50
5260MHz	Pass	AV	5.15G	47.02	54.00	-6.98	3	Horizontal	308	1.34
5260MHz	Pass	AV	5.2582G	112.55	Inf	-Inf	3	Horizontal	308	1.34
5260MHz	Pass	AV	5.353G	49.14	54.00	-4.86	3	Horizontal	308	1.34
5260MHz	Pass	PK	5.149G	61.30	74.00	-12.70	3	Horizontal	308	1.34
5260MHz	Pass	PK	5.2528G	126.48	Inf	-Inf	3	Horizontal	308	1.34
5260MHz	Pass	PK	5.3518G	68.30	74.00	-5.70	3	Horizontal	308	1.34
5260MHz	Pass	PK	10.51976G	52.54	68.20	-15.66	3	Vertical	303	1.85
5260MHz	Pass	PK	10.51118G	53.45	68.20	-14.75	3	Horizontal	135	1.50
5300MHz	Pass	AV	5.3048G	109.65	Inf	-Inf	3	Vertical	242	1.50
5300MHz	Pass	AV	5.35G	50.97	54.00	-3.03	3	Vertical	242	1.50
5300MHz	Pass	PK	5.3044G	123.08	Inf	-Inf	3	Vertical	242	1.50
5300MHz	Pass	PK	5.35G	72.02	74.00	-1.98	3	Vertical	242	1.50
5300MHz	Pass	AV	5.298G	110.05	Inf	-Inf	3	Horizontal	309	1.50
5300MHz	Pass	AV	5.3524G	49.76	54.00	-4.24	3	Horizontal	309	1.50
5300MHz	Pass	PK	5.2924G	123.89	Inf	-Inf	3	Horizontal	309	1.50
5300MHz	Pass	PK	5.3516G	70.20	74.00	-3.80	3	Horizontal	309	1.50
5300MHz	Pass	PK	10.59935G	50.15	68.20	-18.05	3	Vertical	348	1.94
5300MHz	Pass	AV	10.6001G	36.80	54.00	-17.20	3	Horizontal	267	2.78
5300MHz	Pass	PK	10.60066G	49.76	74.00	-24.24	3	Horizontal	267	2.78
5320MHz	Pass	AV	5.3248G	109.20	Inf	-Inf	3	Vertical	248	1.25
5320MHz	Pass	AV	5.3598G	52.07	54.00	-1.93	3	Vertical	248	1.25
5320MHz	Pass	PK	5.3252G	122.49	Inf	-Inf	3	Vertical	248	1.25
5320MHz	Pass	PK	5.3598G	68.59	74.00	-5.41	3	Vertical	248	1.25
5320MHz	Pass	AV	5.3228G	109.97	Inf	-Inf	3	Horizontal	308	1.41
5320MHz	Pass	AV	5.3528G	53.44	54.00	-0.56	3	Horizontal	308	1.41
5320MHz	Pass	PK	5.3224G	124.55	Inf	-Inf	3	Horizontal	308	1.41
5320MHz	Pass	PK	5.3578G	69.40	74.00	-4.60	3	Horizontal	308	1.41
5320MHz	Pass	AV	10.63945G	36.75	54.00	-17.25	3	Vertical	301	2.80
5320MHz	Pass	PK	10.63956G	50.84	74.00	-23.16	3	Vertical	301	2.80
5320MHz	Pass	AV	10.64044G	36.81	54.00	-17.19	3	Horizontal	284	2.23
5320MHz	Pass	PK	10.64082G	49.96	74.00	-24.04	3	Horizontal	284	2.23
5500MHz	Pass	AV	5.4578G	51.94	54.00	-2.06	3	Vertical	262	1.85
5500MHz	Pass	AV	5.4976G	109.46	Inf	-Inf	3	Vertical	262	1.85
5500MHz	Pass	PK	5.4578G	66.87	74.00	-7.13	3	Vertical	262	1.85
5500MHz	Pass	PK	5.4678G	66.60	68.20	-1.60	3	Vertical	262	1.85
5500MHz	Pass	PK	5.4976G	124.01	Inf	-Inf	3	Vertical	262	1.85
5500MHz	Pass	AV	5.4572G	51.78	54.00	-2.22	3	Horizontal	312	1.50
5500MHz	Pass	AV	5.497G	108.98	Inf	-Inf	3	Horizontal	312	1.50
5500MHz	Pass	PK	5.4564G	67.14	74.00	-6.86	3	Horizontal	312	1.50
5500MHz	Pass	PK	5.4678G	67.60	68.20	-0.60	3	Horizontal	312	1.50
5500MHz	Pass	PK	5.5018G	123.35	Inf	-Inf	3	Horizontal	312	1.50





RSE TX above 1GHz\_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5500MHz	Pass	AV	10.99904G	36.96	54.00	-17.04	3	Vertical	148	2.87
5500MHz	Pass	PK	11.00062G	50.64	74.00	-23.36	3	Vertical	148	2.87
5500MHz	Pass	AV	10.99916G	36.95	54.00	-17.05	3	Horizontal	285	2.66
5500MHz	Pass	PK	11.00078G	49.98	74.00	-24.02	3	Horizontal	285	2.66
5580MHz	Pass	AV	5.4354G	48.34	54.00	-5.66	3	Vertical	254	1.03
5580MHz	Pass	AV	5.5842G	112.07	Inf	-Inf	3	Vertical	254	1.03
5580MHz	Pass	PK	5.4306G	62.88	74.00	-11.12	3	Vertical	254	1.03
5580MHz	Pass	PK	5.4696G	64.19	68.20	-4.01	3	Vertical	254	1.03
5580MHz	Pass	PK	5.5848G	126.27	Inf	-Inf	3	Vertical	254	1.03
5580MHz	Pass	PK	5.7282G	63.26	68.20	-4.94	3	Vertical	254	1.03
5580MHz	Pass	AV	5.4414G	48.34	54.00	-5.66	3	Horizontal	310	1.40
5580MHz	Pass	AV	5.5818G	111.81	Inf	-Inf	3	Horizontal	310	1.40
5580MHz	Pass	PK	5.4522G	63.52	74.00	-10.48	3	Horizontal	310	1.40
5580MHz	Pass	PK	5.4678G	64.96	68.20	-3.24	3	Horizontal	310	1.40
5580MHz	Pass	PK	5.5716G	125.86	Inf	-Inf	3	Horizontal	310	1.40
5580MHz	Pass	PK	5.7264G	61.43	68.20	-6.77	3	Horizontal	310	1.40
5580MHz	Pass	AV	11.16048G	42.34	54.00	-11.66	3	Vertical	289	1.48
5580MHz	Pass	PK	11.16318G	54.49	74.00	-19.51	3	Vertical	289	1.48
5580MHz	Pass	AV	11.16114G	38.28	54.00	-15.72	3	Horizontal	118	1.50
5580MHz	Pass	PK	11.16108G	50.51	74.00	-23.49	3	Horizontal	118	1.50
5700MHz	Pass	AV	5.698G	103.74	Inf	-Inf	3	Vertical	264	1.35
5700MHz	Pass	PK	5.698G	118.11	Inf	-Inf	3	Vertical	264	1.35
5700MHz	Pass	PK	5.726G	66.44	68.20	-1.76	3	Vertical	264	1.35
5700MHz	Pass	AV	5.6964G	102.31	Inf	-Inf	3	Horizontal	313	1.35
5700MHz	Pass	PK	5.696G	117.28	Inf	-Inf	3	Horizontal	313	1.35
5700MHz	Pass	PK	5.7316G	66.15	68.20	-2.05	3	Horizontal	313	1.35
5700MHz	Pass	AV	11.401G	37.92	54.00	-16.08	3	Vertical	111	2.95
5700MHz	Pass	PK	11.40056G	51.19	74.00	-22.81	3	Vertical	111	2.95
5700MHz	Pass	AV	11.39983G	37.88	54.00	-16.12	3	Horizontal	105	1.25
5700MHz	Pass	PK	11.40068G	50.99	74.00	-23.01	3	Horizontal	105	1.25
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4452G	46.38	54.00	-7.62	3	Vertical	99	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7152G	111.91	Inf	-Inf	3	Vertical	99	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4512G	61.12	74.00	-12.88	3	Vertical	99	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	60.46	68.20	-7.74	3	Vertical	99	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7212G	125.57	Inf	-Inf	3	Vertical	99	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.96G	60.87	68.20	-7.33	3	Vertical	99	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4488G	46.99	54.00	-7.01	3	Horizontal	255	2.97
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7152G	112.24	Inf	-Inf	3	Horizontal	255	2.97
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4584G	60.76	74.00	-13.24	3	Horizontal	255	2.97
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	60.08	68.20	-8.12	3	Horizontal	255	2.97
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7152G	125.32	Inf	-Inf	3	Horizontal	255	2.97
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.954G	60.50	68.20	-7.70	3	Horizontal	255	2.97
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44048G	38.64	54.00	-15.36	3	Vertical	290	1.51
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44696G	51.45	74.00	-22.55	3	Vertical	290	1.51
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44036G	38.09	54.00	-15.91	3	Horizontal	275	1.40
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.42812G	50.72	74.00	-23.28	3	Horizontal	275	1.40
5745MHz	Pass	AV	5.4522G	46.71	54.00	-7.29	3	Vertical	78	1.76
5745MHz	Pass	AV	5.7462G	112.19	Inf	-Inf	3	Vertical	78	1.76
5745MHz	Pass	PK	5.625G	61.12	68.20	-7.08	3	Vertical	78	1.76
5745MHz	Pass	PK	5.7354G	125.67	Inf	-Inf	3	Vertical	78	1.76
5745MHz	Pass	PK	5.961G	60.44	68.20	-7.76	3	Vertical	78	1.76
5745MHz	Pass	AV	5.4522G	45.86	54.00	-8.14	3	Horizontal	97	2.30
5745MHz	Pass	AV	5.7414G	112.47	Inf	-Inf	3	Horizontal	97	2.30
5745MHz	Pass	PK	5.6526G	67.36	70.12	-2.76	3	Horizontal	97	2.30
5745MHz	Pass	PK	5.7366G	125.26	Inf	-Inf	3	Horizontal	97	2.30
5745MHz	Pass	PK	6.0258G	60.72	68.20	-7.48	3	Horizontal	97	2.30
5745MHz	Pass	AV	11.48838G	38.90	54.00	-15.10	3	Vertical	300	1.50
5745MHz	Pass	PK	11.48262G	51.40	74.00	-22.60	3	Vertical	300	1.50
5745MHz	Pass	AV	11.48628G	37.84	54.00	-16.16	3	Horizontal	137	1.50
5745MHz	Pass	PK	11.47746G	51.32	74.00	-22.68	3	Horizontal	137	1.50
5785MHz	Pass	AV	5.78129G	112.84	Inf	-Inf	3	Vertical	75	1.79
5785MHz	Pass	PK	5.58769G	62.13	68.20	-6.07	3	Vertical	75	1.79



RSE TX above 1GHz\_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5785MHz	Pass	PK	5.79097G	125.11	Inf	-Inf	3	Vertical	75	1.79
5785MHz	Pass	PK	5.97368G	61.14	68.20	-7.06	3	Vertical	75	1.79
5785MHz	Pass	AV	5.78008G	112.63	Inf	-Inf	3	Horizontal	75	2.96
5785MHz	Pass	PK	5.63004G	62.41	68.20	-5.79	3	Horizontal	75	2.96
5785MHz	Pass	PK	5.78129G	125.91	Inf	-Inf	3	Horizontal	75	2.96
5785MHz	Pass	PK	6.05112G	60.30	68.20	-7.90	3	Horizontal	75	2.96
5785MHz	Pass	AV	11.55722G	37.88	54.00	-16.12	3	Vertical	272	2.23
5785MHz	Pass	PK	11.58332G	50.37	74.00	-23.63	3	Vertical	272	2.23
5785MHz	Pass	AV	11.56982G	38.34	54.00	-15.66	3	Horizontal	110	1.08
5785MHz	Pass	PK	11.5733G	51.23	74.00	-22.77	3	Horizontal	110	1.08
5825MHz	Pass	AV	5.8202G	110.15	Inf	-Inf	3	Vertical	82	2.12
5825MHz	Pass	PK	5.6258G	62.80	68.20	-5.40	3	Vertical	82	2.12
5825MHz	Pass	PK	5.8202G	123.38	Inf	-Inf	3	Vertical	82	2.12
5825MHz	Pass	PK	6.0506G	60.52	68.20	-7.68	3	Vertical	82	2.12
5825MHz	Pass	AV	5.8178G	109.18	Inf	-Inf	3	Horizontal	145	1.50
5825MHz	Pass	PK	5.615G	61.11	68.20	-7.09	3	Horizontal	145	1.50
5825MHz	Pass	PK	5.8238G	122.04	Inf	-Inf	3	Horizontal	145	1.50
5825MHz	Pass	PK	6.011G	60.68	68.20	-7.52	3	Horizontal	145	1.50
5825MHz	Pass	AV	11.65102G	38.02	54.00	-15.98	3	Vertical	295	1.00
5825MHz	Pass	PK	11.65564G	50.37	74.00	-23.63	3	Vertical	295	1.00
5825MHz	Pass	AV	11.65156G	40.06	54.00	-13.94	3	Horizontal	105	2.93
5825MHz	Pass	PK	11.65306G	52.58	74.00	-21.42	3	Horizontal	105	2.93
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	53.59	54.00	-0.41	3	Vertical	69	1.50
5190MHz	Pass	AV	5.1948G	105.14	Inf	-Inf	3	Vertical	69	1.50
5190MHz	Pass	PK	5.15G	65.85	74.00	-8.15	3	Vertical	69	1.50
5190MHz	Pass	PK	5.2G	116.27	Inf	-Inf	3	Vertical	69	1.50
5190MHz	Pass	AV	5.148G	52.98	54.00	-1.02	3	Horizontal	136	1.47
5190MHz	Pass	AV	5.1928G	104.59	Inf	-Inf	3	Horizontal	136	1.47
5190MHz	Pass	PK	5.1476G	64.83	74.00	-9.17	3	Horizontal	136	1.47
5190MHz	Pass	PK	5.1932G	116.66	Inf	-Inf	3	Horizontal	136	1.47
5190MHz	Pass	PK	10.36548G	49.68	68.20	-18.52	3	Vertical	197	2.04
5190MHz	Pass	PK	10.37274G	49.09	68.20	-19.11	3	Horizontal	130	2.16
5230MHz	Pass	AV	5.15G	53.51	54.00	-0.49	3	Vertical	66	1.50
5230MHz	Pass	AV	5.2348G	108.59	Inf	-Inf	3	Vertical	66	1.50
5230MHz	Pass	PK	5.14G	69.17	74.00	-4.83	3	Vertical	66	1.50
5230MHz	Pass	PK	5.2404G	120.36	Inf	-Inf	3	Vertical	66	1.50
5230MHz	Pass	AV	5.15G	53.57	54.00	-0.43	3	Horizontal	113	1.62
5230MHz	Pass	AV	5.2356G	108.04	Inf	-Inf	3	Horizontal	113	1.62
5230MHz	Pass	PK	5.146G	68.66	74.00	-5.34	3	Horizontal	113	1.62
5230MHz	Pass	PK	5.2312G	119.94	Inf	-Inf	3	Horizontal	113	1.62
5230MHz	Pass	PK	10.47434G	49.48	68.20	-18.72	3	Vertical	63	1.33
5230MHz	Pass	PK	10.46018G	48.88	68.20	-19.32	3	Horizontal	47	2.22
5270MHz	Pass	AV	5.2648G	108.04	Inf	-Inf	3	Vertical	244	1.50
5270MHz	Pass	AV	5.35G	53.69	54.00	-0.31	3	Vertical	244	1.50
5270MHz	Pass	PK	5.2648G	120.23	Inf	-Inf	3	Vertical	244	1.50
5270MHz	Pass	PK	5.35G	69.79	74.00	-4.21	3	Vertical	244	1.50
5270MHz	Pass	AV	5.2828G	107.73	Inf	-Inf	3	Horizontal	310	1.50
5270MHz	Pass	AV	5.3528G	52.27	54.00	-1.73	3	Horizontal	310	1.50
5270MHz	Pass	PK	5.2876G	120.15	Inf	-Inf	3	Horizontal	310	1.50
5270MHz	Pass	PK	5.3524G	70.07	74.00	-3.93	3	Horizontal	310	1.50
5270MHz	Pass	PK	10.54067G	48.62	68.20	-19.58	3	Vertical	173	1.89
5270MHz	Pass	PK	10.54001G	48.50	68.20	-19.70	3	Horizontal	145	2.62
5310MHz	Pass	AV	5.3044G	104.85	Inf	-Inf	3	Vertical	250	1.50
5310MHz	Pass	AV	5.35G	53.65	54.00	-0.35	3	Vertical	250	1.50
5310MHz	Pass	PK	5.3196G	117.16	Inf	-Inf	3	Vertical	250	1.50
5310MHz	Pass	PK	5.3556G	66.62	74.00	-7.38	3	Vertical	250	1.50
5310MHz	Pass	AV	5.2976G	105.01	Inf	-Inf	3	Horizontal	309	1.50
5310MHz	Pass	AV	5.3524G	52.80	54.00	-1.20	3	Horizontal	309	1.50
5310MHz	Pass	PK	5.3076G	117.87	Inf	-Inf	3	Horizontal	309	1.50
5310MHz	Pass	PK	5.3532G	67.17	74.00	-6.83	3	Horizontal	309	1.50
5310MHz	Pass	AV	10.62074G	38.26	54.00	-15.74	3	Vertical	134	1.59



RSE TX above 1GHz\_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5310MHz	Pass	PK	10.62004G	49.87	74.00	-24.13	3	Vertical	134	1.59
5310MHz	Pass	AV	10.62097G	38.63	54.00	-15.37	3	Horizontal	321	1.79
5310MHz	Pass	PK	10.61933G	49.27	74.00	-24.73	3	Horizontal	321	1.79
5510MHz	Pass	AV	5.4552G	51.80	54.00	-2.20	3	Vertical	262	2.43
5510MHz	Pass	AV	5.5052G	106.26	Inf	-Inf	3	Vertical	262	2.43
5510MHz	Pass	PK	5.452G	64.53	74.00	-9.47	3	Vertical	262	2.43
5510MHz	Pass	PK	5.4696G	66.39	68.20	-1.81	3	Vertical	262	2.43
5510MHz	Pass	PK	5.4948G	117.86	Inf	-Inf	3	Vertical	262	2.43
5510MHz	Pass	AV	5.4568G	48.57	54.00	-5.43	3	Horizontal	312	2.43
5510MHz	Pass	AV	5.5116G	101.25	Inf	-Inf	3	Horizontal	312	2.43
5510MHz	Pass	PK	5.4524G	61.21	74.00	-12.79	3	Horizontal	312	2.43
5510MHz	Pass	PK	5.4672G	60.91	68.20	-7.29	3	Horizontal	312	2.43
5510MHz	Pass	PK	5.5076G	114.30	Inf	-Inf	3	Horizontal	312	2.43
5510MHz	Pass	AV	11.01997G	38.36	54.00	-15.64	3	Vertical	90	2.17
5510MHz	Pass	PK	11.02058G	49.82	74.00	-24.18	3	Vertical	90	2.17
5510MHz	Pass	AV	11.01926G	38.46	54.00	-15.54	3	Horizontal	45	1.05
5510MHz	Pass	PK	11.01985G	50.01	74.00	-23.99	3	Horizontal	45	1.05
5550MHz	Pass	AV	5.4592G	50.84	54.00	-3.16	3	Vertical	251	1.33
5550MHz	Pass	AV	5.5388G	107.40	Inf	-Inf	3	Vertical	251	1.33
5550MHz	Pass	PK	5.4596G	65.18	74.00	-8.82	3	Vertical	251	1.33
5550MHz	Pass	PK	5.4688G	67.76	68.20	-0.44	3	Vertical	251	1.33
5550MHz	Pass	PK	5.5336G	119.74	Inf	-Inf	3	Vertical	251	1.33
5550MHz	Pass	AV	5.4524G	51.00	54.00	-3.00	3	Horizontal	309	1.34
5550MHz	Pass	AV	5.5472G	107.39	Inf	-Inf	3	Horizontal	309	1.34
5550MHz	Pass	PK	5.4524G	65.04	74.00	-8.96	3	Horizontal	309	1.34
5550MHz	Pass	PK	5.4668G	67.96	68.20	-0.24	3	Horizontal	309	1.34
5550MHz	Pass	PK	5.5476G	120.70	Inf	-Inf	3	Horizontal	309	1.34
5550MHz	Pass	AV	11.0993G	38.47	54.00	-15.53	3	Vertical	297	2.65
5550MHz	Pass	PK	11.1005G	50.25	74.00	-23.75	3	Vertical	297	2.65
5550MHz	Pass	AV	11.10021G	38.24	54.00	-15.76	3	Horizontal	241	1.18
5550MHz	Pass	PK	11.09932G	50.20	74.00	-23.80	3	Horizontal	241	1.18
5670MHz	Pass	AV	5.6784G	102.75	Inf	-Inf	3	Vertical	264	1.12
5670MHz	Pass	PK	5.6682G	114.85	Inf	-Inf	3	Vertical	264	1.12
5670MHz	Pass	PK	5.7282G	68.00	68.20	-0.20	3	Vertical	264	1.12
5670MHz	Pass	AV	5.6562G	100.95	Inf	-Inf	3	Horizontal	310	1.12
5670MHz	Pass	PK	5.6562G	113.97	Inf	-Inf	3	Horizontal	310	1.12
5670MHz	Pass	PK	5.7264G	65.05	68.20	-3.15	3	Horizontal	310	1.12
5670MHz	Pass	AV	11.33966G	39.04	54.00	-14.96	3	Vertical	37	2.08
5670MHz	Pass	PK	11.3399G	50.35	74.00	-23.65	3	Vertical	37	2.08
5670MHz	Pass	AV	11.33994G	39.00	54.00	-15.00	3	Horizontal	276	2.73
5670MHz	Pass	PK	11.34092G	50.36	74.00	-23.64	3	Horizontal	276	2.73
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4592G	48.98	54.00	-5.02	3	Vertical	265	1.36
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7076G	111.71	Inf	-Inf	3	Vertical	265	1.36
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4544G	61.38	74.00	-12.62	3	Vertical	265	1.36
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.464G	61.53	68.20	-6.67	3	Vertical	265	1.36
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7124G	123.29	Inf	-Inf	3	Vertical	265	1.36
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8528G	67.20	68.20	-1.00	3	Vertical	265	1.36
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4244G	49.23	54.00	-4.77	3	Horizontal	310	1.43
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7064G	110.94	Inf	-Inf	3	Horizontal	310	1.43
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4424G	61.86	74.00	-12.14	3	Horizontal	310	1.43
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.47G	61.00	68.20	-7.20	3	Horizontal	310	1.43
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7016G	122.73	Inf	-Inf	3	Horizontal	310	1.43
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8516G	67.30	68.20	-0.90	3	Horizontal	310	1.43
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42012G	39.44	54.00	-14.56	3	Vertical	135	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.40668G	51.18	74.00	-22.82	3	Vertical	135	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.3966G	39.58	54.00	-14.42	3	Horizontal	61	2.33
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.43956G	50.81	74.00	-23.19	3	Horizontal	61	2.33
5755MHz	Pass	AV	5.4598G	48.36	54.00	-5.64	3	Vertical	75	2.16
5755MHz	Pass	AV	5.7598G	110.27	Inf	-Inf	3	Vertical	75	2.16
5755MHz	Pass	PK	5.6494G	66.70	68.20	-1.50	3	Vertical	75	2.16
5755MHz	Pass	PK	5.7598G	121.60	Inf	-Inf	3	Vertical	75	2.16
5755MHz	Pass	PK	6.0394G	61.37	68.20	-6.83	3	Vertical	75	2.16



RSE TX above 1GHz\_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5755MHz	Pass	AV	5.4574G	47.07	54.00	-6.93	3	Horizontal	98	2.46
5755MHz	Pass	AV	5.761G	111.07	Inf	-Inf	3	Horizontal	98	2.46
5755MHz	Pass	PK	5.6458G	67.62	68.20	-0.58	3	Horizontal	98	2.46
5755MHz	Pass	PK	5.7466G	121.81	Inf	-Inf	3	Horizontal	98	2.46
5755MHz	Pass	PK	5.9986G	60.35	68.20	-7.85	3	Horizontal	98	2.46
5755MHz	Pass	AV	11.522G	39.13	54.00	-14.87	3	Vertical	301	2.06
5755MHz	Pass	PK	11.50082G	50.75	74.00	-23.25	3	Vertical	301	2.06
5755MHz	Pass	AV	11.50232G	39.24	54.00	-14.76	3	Horizontal	58	1.56
5755MHz	Pass	PK	11.51732G	50.17	74.00	-23.83	3	Horizontal	58	1.56
5795MHz	Pass	AV	5.7914G	110.38	Inf	-Inf	3	Vertical	79	1.75
5795MHz	Pass	PK	5.6486G	63.97	68.20	-4.23	3	Vertical	79	1.75
5795MHz	Pass	PK	5.7914G	121.94	Inf	-Inf	3	Vertical	79	1.75
5795MHz	Pass	PK	5.963G	60.49	68.20	-7.71	3	Vertical	79	1.75
5795MHz	Pass	AV	5.7806G	110.51	Inf	-Inf	3	Horizontal	78	2.95
5795MHz	Pass	PK	5.6462G	67.00	68.20	-1.20	3	Horizontal	78	2.95
5795MHz	Pass	PK	5.7854G	121.39	Inf	-Inf	3	Horizontal	78	2.95
5795MHz	Pass	PK	5.9258G	60.51	68.20	-7.69	3	Horizontal	78	2.95
5795MHz	Pass	AV	11.60194G	39.08	54.00	-14.92	3	Vertical	110	1.70
5795MHz	Pass	PK	11.58982G	50.41	74.00	-23.59	3	Vertical	110	1.70
5795MHz	Pass	AV	11.58832G	39.10	54.00	-14.90	3	Horizontal	294	2.40
5795MHz	Pass	PK	11.57566G	50.04	74.00	-23.96	3	Horizontal	294	2.40
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	53.39	54.00	-0.61	3	Vertical	66	1.53
5210MHz	Pass	AV	5.225G	101.11	Inf	-Inf	3	Vertical	66	1.53
5210MHz	Pass	AV	5.351G	49.52	54.00	-4.48	3	Vertical	66	1.53
5210MHz	Pass	PK	5.15G	63.94	74.00	-10.06	3	Vertical	66	1.53
5210MHz	Pass	PK	5.23G	112.84	Inf	-Inf	3	Vertical	66	1.53
5210MHz	Pass	PK	5.398G	62.13	74.00	-11.87	3	Vertical	66	1.53
5210MHz	Pass	AV	5.15G	52.86	54.00	-1.14	3	Horizontal	115	1.63
5210MHz	Pass	AV	5.226G	101.12	Inf	-Inf	3	Horizontal	115	1.63
5210MHz	Pass	AV	5.351G	48.57	54.00	-5.43	3	Horizontal	115	1.63
5210MHz	Pass	PK	5.15G	63.67	74.00	-10.33	3	Horizontal	115	1.63
5210MHz	Pass	PK	5.221G	112.34	Inf	-Inf	3	Horizontal	115	1.63
5210MHz	Pass	PK	5.35G	60.58	74.00	-13.42	3	Horizontal	115	1.63
5210MHz	Pass	PK	10.42354G	49.38	68.20	-18.82	3	Vertical	136	1.28
5210MHz	Pass	PK	10.42054G	49.65	68.20	-18.55	3	Horizontal	101	2.09
5290MHz	Pass	AV	5.15G	47.01	54.00	-6.99	3	Vertical	244	1.50
5290MHz	Pass	AV	5.305G	100.49	Inf	-Inf	3	Vertical	244	1.50
5290MHz	Pass	AV	5.35G	53.61	54.00	-0.39	3	Vertical	244	1.50
5290MHz	Pass	PK	5.149G	59.28	74.00	-14.72	3	Vertical	244	1.50
5290MHz	Pass	PK	5.305G	112.61	Inf	-Inf	3	Vertical	244	1.50
5290MHz	Pass	PK	5.35G	65.82	74.00	-8.18	3	Vertical	244	1.50
5290MHz	Pass	PK	5.498G	61.64	68.20	-6.56	3	Vertical	244	1.50
5290MHz	Pass	AV	5.143G	45.82	54.00	-8.18	3	Horizontal	309	1.50
5290MHz	Pass	AV	5.298G	100.07	Inf	-Inf	3	Horizontal	309	1.50
5290MHz	Pass	AV	5.353G	50.61	54.00	-3.39	3	Horizontal	309	1.50
5290MHz	Pass	PK	5.149G	57.90	74.00	-16.10	3	Horizontal	309	1.50
5290MHz	Pass	PK	5.278G	112.47	Inf	-Inf	3	Horizontal	309	1.50
5290MHz	Pass	PK	5.353G	62.79	74.00	-11.21	3	Horizontal	309	1.50
5290MHz	Pass	PK	5.519G	59.01	68.20	-9.19	3	Horizontal	309	1.50
5290MHz	Pass	PK	10.58001G	50.46	68.20	-17.74	3	Vertical	255	2.14
5290MHz	Pass	PK	10.5793G	48.98	68.20	-19.22	3	Horizontal	79	1.52
5530MHz	Pass	AV	5.35G	48.36	54.00	-5.64	3	Vertical	253	2.18
5530MHz	Pass	AV	5.456G	53.01	54.00	-0.99	3	Vertical	253	2.18
5530MHz	Pass	AV	5.521G	103.39	Inf	-Inf	3	Vertical	253	2.18
5530MHz	Pass	PK	5.344G	61.59	68.20	-6.61	3	Vertical	253	2.18
5530MHz	Pass	PK	5.444G	65.49	74.00	-8.51	3	Vertical	253	2.18
5530MHz	Pass	PK	5.464G	65.90	68.20	-2.30	3	Vertical	253	2.18
5530MHz	Pass	PK	5.517G	116.30	Inf	-Inf	3	Vertical	253	2.18
5530MHz	Pass	PK	5.78G	61.87	68.20	-6.33	3	Vertical	253	2.18
5530MHz	Pass	AV	5.35G	48.68	54.00	-5.32	3	Horizontal	310	1.39
5530MHz	Pass	AV	5.452G	53.27	54.00	-0.73	3	Horizontal	310	1.39



RSE TX above 1GHz\_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5530MHz	Pass	AV	5.522G	103.01	Inf	-Inf	3	Horizontal	310	1.39
5530MHz	Pass	PK	5.322G	61.15	68.20	-7.05	3	Horizontal	310	1.39
5530MHz	Pass	PK	5.444G	67.03	74.00	-6.97	3	Horizontal	310	1.39
5530MHz	Pass	PK	5.467G	66.17	68.20	-2.03	3	Horizontal	310	1.39
5530MHz	Pass	PK	5.532G	115.20	Inf	-Inf	3	Horizontal	310	1.39
5530MHz	Pass	PK	5.753G	61.54	68.20	-6.66	3	Horizontal	310	1.39
5530MHz	Pass	AV	11.0605G	38.40	54.00	-15.60	3	Vertical	150	1.81
5530MHz	Pass	PK	11.0591G	49.91	74.00	-24.09	3	Vertical	150	1.81
5530MHz	Pass	AV	11.06093G	38.36	54.00	-15.64	3	Horizontal	196	1.62
5530MHz	Pass	PK	11.06097G	49.71	74.00	-24.29	3	Horizontal	196	1.62
5610MHz	Pass	AV	5.455G	49.60	54.00	-4.40	3	Vertical	255	2.16
5610MHz	Pass	AV	5.596G	101.50	Inf	-Inf	3	Vertical	255	2.16
5610MHz	Pass	PK	5.456G	63.65	74.00	-10.35	3	Vertical	255	2.16
5610MHz	Pass	PK	5.466G	62.03	68.20	-6.17	3	Vertical	255	2.16
5610MHz	Pass	PK	5.606G	113.38	Inf	-Inf	3	Vertical	255	2.16
5610MHz	Pass	PK	5.725G	67.06	68.20	-1.14	3	Vertical	255	2.16
5610MHz	Pass	AV	5.46G	49.34	54.00	-4.66	3	Horizontal	312	1.38
5610MHz	Pass	AV	5.596G	101.45	Inf	-Inf	3	Horizontal	312	1.38
5610MHz	Pass	PK	5.452G	62.21	74.00	-11.79	3	Horizontal	312	1.38
5610MHz	Pass	PK	5.462G	63.84	68.20	-4.36	3	Horizontal	312	1.38
5610MHz	Pass	PK	5.597G	114.09	Inf	-Inf	3	Horizontal	312	1.38
5610MHz	Pass	PK	5.726G	66.80	68.20	-1.40	3	Horizontal	312	1.38
5610MHz	Pass	AV	11.1936G	40.00	54.00	-14.00	3	Vertical	293	1.50
5610MHz	Pass	PK	11.2092G	50.75	74.00	-23.25	3	Vertical	293	1.50
5610MHz	Pass	AV	11.21832G	39.10	54.00	-14.90	3	Horizontal	159	2.65
5610MHz	Pass	PK	11.1924G	50.36	74.00	-23.64	3	Horizontal	159	2.65
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4524G	50.18	54.00	-3.82	3	Vertical	252	2.06
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7008G	105.01	Inf	-Inf	3	Vertical	252	2.06
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4476G	65.45	74.00	-8.55	3	Vertical	252	2.06
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	63.17	68.20	-5.03	3	Vertical	252	2.06
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7056G	117.13	Inf	-Inf	3	Vertical	252	2.06
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	66.69	68.20	-1.51	3	Vertical	252	2.06
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4572G	50.48	54.00	-3.52	3	Horizontal	310	1.36
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6768G	105.28	Inf	-Inf	3	Horizontal	310	1.36
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4572G	62.65	74.00	-11.35	3	Horizontal	310	1.36
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	64.92	68.20	-3.28	3	Horizontal	310	1.36
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6768G	117.76	Inf	-Inf	3	Horizontal	310	1.36
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	66.83	68.20	-1.37	3	Horizontal	310	1.36
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37926G	39.51	54.00	-14.49	3	Vertical	311	2.99
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38016G	50.46	74.00	-23.54	3	Vertical	311	2.99
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37931G	39.05	54.00	-14.95	3	Horizontal	42	1.14
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37911G	51.05	74.00	-22.95	3	Horizontal	42	1.14
5775MHz	Pass	AV	5.763G	103.90	Inf	-Inf	3	Vertical	86	1.50
5775MHz	Pass	PK	5.6478G	64.78	68.20	-3.42	3	Vertical	86	1.50
5775MHz	Pass	PK	5.7678G	115.01	Inf	-Inf	3	Vertical	86	1.50
5775MHz	Pass	PK	5.9994G	60.32	68.20	-7.88	3	Vertical	86	1.50
5775MHz	Pass	AV	5.7618G	105.95	Inf	-Inf	3	Horizontal	98	2.46
5775MHz	Pass	PK	5.6418G	67.94	68.20	-0.26	3	Horizontal	98	2.46
5775MHz	Pass	PK	5.757G	117.32	Inf	-Inf	3	Horizontal	98	2.46
5775MHz	Pass	PK	6.0306G	61.05	68.20	-7.15	3	Horizontal	98	2.46
5775MHz	Pass	AV	11.53878G	39.30	54.00	-14.70	3	Vertical	212	2.92
5775MHz	Pass	PK	11.553G	50.29	74.00	-23.71	3	Vertical	212	2.92
5775MHz	Pass	AV	11.55666G	39.22	54.00	-14.78	3	Horizontal	43	1.14
5775MHz	Pass	PK	11.53554G	49.87	74.00	-24.13	3	Horizontal	43	1.14
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1492G	51.50	54.00	-2.50	3	Vertical	247	1.47
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2248G	99.21	Inf	-Inf	3	Vertical	247	1.47
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.388G	53.72	54.00	-0.28	3	Vertical	247	1.47
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.142G	62.04	74.00	-11.96	3	Vertical	247	1.47
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2692G	110.68	Inf	-Inf	3	Vertical	247	1.47
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4024G	67.17	74.00	-6.83	3	Vertical	247	1.47
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4672G	61.94	68.20	-6.26	3	Vertical	247	1.47




RSE TX above 1GHz\_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1456G	52.69	54.00	-1.31	3	Horizontal	310	1.45
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2776G	99.53	Inf	-Inf	3	Horizontal	310	1.45
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3832G	53.79	54.00	-0.21	3	Horizontal	310	1.45
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1372G	68.99	74.00	-5.01	3	Horizontal	310	1.45
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2632G	110.34	Inf	-Inf	3	Horizontal	310	1.45
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.358G	68.21	74.00	-5.79	3	Horizontal	310	1.45
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4672G	62.74	68.20	-5.46	3	Horizontal	310	1.45
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.50074G	49.63	68.20	-18.57	3	Vertical	228	1.77
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.49949G	49.70	68.20	-18.50	3	Horizontal	253	2.72
5570MHz	Pass	AV	5.4572G	53.48	54.00	-0.52	3	Vertical	253	1.43
5570MHz	Pass	AV	5.5388G	97.36	Inf	-Inf	3	Vertical	253	1.43
5570MHz	Pass	PK	5.324G	60.30	68.20	-7.90	3	Vertical	253	1.43
5570MHz	Pass	PK	5.4584G	63.90	74.00	-10.10	3	Vertical	253	1.43
5570MHz	Pass	PK	5.4656G	63.89	68.20	-4.31	3	Vertical	253	1.43
5570MHz	Pass	PK	5.5484G	108.56	Inf	-Inf	3	Vertical	253	1.43
5570MHz	Pass	PK	5.7728G	62.77	68.20	-5.43	3	Vertical	253	1.43
5570MHz	Pass	AV	5.4536G	52.47	54.00	-1.53	3	Horizontal	310	1.43
5570MHz	Pass	AV	5.552G	95.62	Inf	-Inf	3	Horizontal	310	1.43
5570MHz	Pass	PK	5.276G	60.54	68.20	-7.66	3	Horizontal	310	1.43
5570MHz	Pass	PK	5.4536G	63.19	74.00	-10.81	3	Horizontal	310	1.43
5570MHz	Pass	PK	5.4632G	62.16	68.20	-6.04	3	Horizontal	310	1.43
5570MHz	Pass	PK	5.552G	108.01	Inf	-Inf	3	Horizontal	310	1.43
5570MHz	Pass	PK	5.732G	61.01	68.20	-7.19	3	Horizontal	310	1.43
5570MHz	Pass	AV	11.13969G	40.37	54.00	-13.63	3	Vertical	209	2.77
5570MHz	Pass	PK	11.14037G	49.64	74.00	-24.36	3	Vertical	209	2.77
5570MHz	Pass	AV	11.13938G	40.18	54.00	-13.82	3	Horizontal	340	2.80
5570MHz	Pass	PK	11.14063G	49.28	74.00	-24.72	3	Horizontal	340	2.80

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.66	54.00	-4.34	5.37	3	Vertical	69	1.50	44.29	33.10	6.41	34.14
AV	5.181G	109.02	Inf	-Inf	5.40	3	Vertical	69	1.50	103.62	33.10	6.44	34.14
PK	5.142G	64.28	74.00	-9.72	5.37	3	Vertical	69	1.50	58.91	33.10	6.41	34.14
PK	5.181G	120.80	Inf	-Inf	5.40	3	Vertical	69	1.50	115.40	33.10	6.44	34.14

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.82	54.00	-0.18	5.37	3	Horizontal	83	1.31	48.45	33.10	6.41	34.14
AV	5.1814G	109.86	Inf	-Inf	5.40	3	Horizontal	83	1.31	104.46	33.10	6.44	34.14
PK	5.1488G	70.02	74.00	-3.98	5.37	3	Horizontal	83	1.31	64.65	33.10	6.41	34.14
PK	5.1812G	121.27	Inf	-Inf	5.40	3	Horizontal	83	1.31	115.87	33.10	6.44	34.14


5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5180MHz\_TX



5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5180MHz\_TX





5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.49	54.00	-3.51	5.37	3	Vertical	64	1.68	45.12	33.10	6.41	34.14
AV	5.2008G	111.95	Inf	-Inf	5.41	3	Vertical	64	1.68	106.54	33.10	6.45	34.14
PK	5.15G	69.51	74.00	-4.49	5.37	3	Vertical	64	1.68	64.14	33.10	6.41	34.14
PK	5.2012G	123.13	Inf	-Inf	5.41	3	Vertical	64	1.68	117.72	33.10	6.45	34.14

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.47	54.00	-1.53	5.37	3	Horizontal	112	1.55	47.10	33.10	6.41	34.14
AV	5.192G	111.35	Inf	-Inf	5.40	3	Horizontal	112	1.55	105.95	33.10	6.44	34.14
PK	5.15G	72.66	74.00	-1.34	5.37	3	Horizontal	112	1.55	67.29	33.10	6.41	34.14
PK	5.1924G	122.20	Inf	-Inf	5.40	3	Horizontal	112	1.55	116.80	33.10	6.44	34.14


5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5200MHz\_TX




5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5200MHz\_TX



5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	45.52	54.00	-8.48	5.37	3	Vertical	63	1.74	40.15	33.10	6.41	34.14
AV	5.2388G	112.12	Inf	-Inf	5.35	3	Vertical	63	1.74	106.77	33.02	6.48	34.15
AV	5.354G	47.00	54.00	-7.00	5.30	3	Vertical	63	1.74	41.70	32.90	6.56	34.16
PK	5.1434G	58.75	74.00	-15.25	5.37	3	Vertical	63	1.74	53.38	33.10	6.41	34.14
PK	5.2388G	123.09	Inf	-Inf	5.35	3	Vertical	63	1.74	117.74	33.02	6.48	34.15
PK	5.3528G	60.75	74.00	-13.25	5.30	3	Vertical	63	1.74	55.45	32.90	6.56	34.16

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	45.28	54.00	-8.72	5.37	3	Horizontal	81	1.38	39.91	33.10	6.41	34.14
AV	5.2418G	111.91	Inf	-Inf	5.35	3	Horizontal	81	1.38	106.56	33.02	6.48	34.15
AV	5.3648G	46.07	54.00	-7.93	5.31	3	Horizontal	81	1.38	40.76	32.90	6.57	34.16
PK	5.1476G	58.85	74.00	-15.15	5.37	3	Horizontal	81	1.38	53.48	33.10	6.41	34.14
PK	5.2412G	123.22	Inf	-Inf	5.35	3	Horizontal	81	1.38	117.87	33.02	6.48	34.15
PK	5.3666G	61.17	74.00	-12.83	5.31	3	Horizontal	81	1.38	55.86	32.90	6.57	34.16

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.47688G	55.02	68.20	-13.18	15.43	3	Vertical	309	1.43	39.59	38.90	11.06	34.53

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4791G	53.16	68.20	-15.04	15.43	3	Horizontal	118	1.43	37.73	38.90	11.06	34.53

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	46.00	54.00	-8.00	5.37	3	Vertical	66	1.60	40.63	33.10	6.41	34.14
AV	5.2594G	114.21	Inf	-Inf	5.34	3	Vertical	66	1.60	108.87	33.00	6.49	34.15
AV	5.3512G	48.84	54.00	-5.16	5.30	3	Vertical	66	1.60	43.54	32.90	6.56	34.16
PK	5.1442G	59.40	74.00	-14.60	5.37	3	Vertical	66	1.60	54.03	33.10	6.41	34.14
PK	5.2582G	124.30	Inf	-Inf	5.34	3	Vertical	66	1.60	118.96	33.00	6.49	34.15
PK	5.3536G	62.54	74.00	-11.46	5.30	3	Vertical	66	1.60	57.24	32.90	6.56	34.16

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	45.63	54.00	-8.37	5.37	3	Horizontal	138	1.69	40.26	33.10	6.41	34.14
AV	5.2642G	113.15	Inf	-Inf	5.34	3	Horizontal	138	1.69	107.81	33.00	6.49	34.15
AV	5.353G	47.61	54.00	-6.39	5.30	3	Horizontal	138	1.69	42.31	32.90	6.56	34.16
PK	5.1448G	57.60	74.00	-16.40	5.37	3	Horizontal	138	1.69	52.23	33.10	6.41	34.14
PK	5.2636G	122.83	Inf	-Inf	5.34	3	Horizontal	138	1.69	117.49	33.00	6.49	34.15
PK	5.359G	60.46	74.00	-13.54	5.30	3	Horizontal	138	1.69	55.16	32.90	6.56	34.16


5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5260MHz\_TX




5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5260MHz\_TX



5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.298G	113.55	Inf	-Inf	5.36	3	Vertical	70	1.74	108.19	33.00	6.52	34.16
AV	5.35G	53.39	54.00	-0.61	5.29	3	Vertical	70	1.74	48.10	32.90	6.55	34.16
PK	5.298G	123.23	Inf	-Inf	5.36	3	Vertical	70	1.74	117.87	33.00	6.52	34.16
PK	5.35G	72.73	74.00	-1.27	5.29	3	Vertical	70	1.74	67.44	32.90	6.55	34.16

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.304G	111.51	Inf	-Inf	5.35	3	Horizontal	137	1.74	106.16	32.99	6.52	34.16
AV	5.3536G	51.46	54.00	-2.54	5.30	3	Horizontal	137	1.74	46.16	32.90	6.56	34.16
PK	5.304G	121.41	Inf	-Inf	5.35	3	Horizontal	137	1.74	116.06	32.99	6.52	34.16
PK	5.356G	72.17	74.00	-1.83	5.30	3	Horizontal	137	1.74	66.87	32.90	6.56	34.16



5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.59951G	59.16	68.20	-9.04	15.56	3	Vertical	124	1.36	43.60	38.90	11.10	34.44

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.59328G	56.45	68.20	-11.75	15.56	3	Horizontal	293	1.50	40.89	38.90	11.10	34.44



5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3188G	111.32	Inf	-Inf	5.33	3	Vertical	64	1.65	105.99	32.96	6.53	34.16
AV	5.35G	53.17	54.00	-0.83	5.29	3	Vertical	64	1.65	47.88	32.90	6.55	34.16
PK	5.3186G	121.34	Inf	-Inf	5.33	3	Vertical	64	1.65	116.01	32.96	6.53	34.16
PK	5.35G	67.19	74.00	-6.81	5.29	3	Vertical	64	1.65	61.90	32.90	6.55	34.16

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3238G	110.92	Inf	-Inf	5.33	3	Horizontal	136	1.60	105.59	32.95	6.54	34.16
AV	5.3516G	53.34	54.00	-0.66	5.30	3	Horizontal	136	1.60	48.04	32.90	6.56	34.16
PK	5.3238G	121.39	Inf	-Inf	5.33	3	Horizontal	136	1.60	116.06	32.95	6.54	34.16
PK	5.3552G	71.95	74.00	-2.05	5.30	3	Horizontal	136	1.60	66.65	32.90	6.56	34.16

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6952G	39.00	54.00	-15.00	15.96	3	Vertical	129	2.57	23.04	39.19	11.14	34.37
PK	10.60172G	51.15	74.00	-22.85	15.57	3	Vertical	129	2.57	35.58	38.91	11.10	34.44

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.69712G	38.92	54.00	-15.08	15.96	3	Horizontal	59	2.89	22.96	39.19	11.14	34.37
PK	10.69868G	51.94	74.00	-22.06	15.97	3	Horizontal	59	2.89	35.97	39.20	11.14	34.37

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4532G	51.06	54.00	-2.94	5.37	3	Vertical	72	2.25	45.69	32.90	6.64	34.17
AV	5.5034G	111.12	Inf	-Inf	5.40	3	Vertical	72	2.25	105.72	32.90	6.68	34.18
PK	5.4554G	65.36	74.00	-8.64	5.37	3	Vertical	72	2.25	59.99	32.90	6.64	34.17
PK	5.4628G	65.72	68.20	-2.48	5.37	3	Vertical	72	2.25	60.35	32.90	6.65	34.18
PK	5.5032G	120.83	Inf	-Inf	5.40	3	Vertical	72	2.25	115.43	32.90	6.68	34.18

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4566G	49.69	54.00	-4.31	5.37	3	Horizontal	98	1.42	44.32	32.90	6.64	34.17
AV	5.5052G	110.08	Inf	-Inf	5.40	3	Horizontal	98	1.42	104.68	32.90	6.68	34.18
PK	5.4578G	63.21	74.00	-10.79	5.37	3	Horizontal	98	1.42	57.84	32.90	6.64	34.17
PK	5.4682G	65.82	68.20	-2.38	5.37	3	Horizontal	98	1.42	60.45	32.90	6.65	34.18
PK	5.5046G	120.03	Inf	-Inf	5.40	3	Horizontal	98	1.42	114.63	32.90	6.68	34.18

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99927G	38.44	54.00	-15.56	16.09	3	Vertical	112	2.79	22.35	39.00	11.25	34.16
PK	10.99991G	52.29	74.00	-21.71	16.09	3	Vertical	112	2.79	36.20	39.00	11.25	34.16

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99959G	38.44	54.00	-15.56	16.09	3	Horizontal	302	2.40	22.35	39.00	11.25	34.16
PK	11.00086G	52.42	74.00	-21.58	16.09	3	Horizontal	302	2.40	36.33	39.00	11.25	34.16

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	48.63	54.00	-5.37	5.36	3	Vertical	63	1.50	43.27	32.90	6.64	34.18
AV	5.577G	113.85	Inf	-Inf	5.51	3	Vertical	63	1.50	108.34	32.95	6.75	34.19
PK	5.4432G	62.41	74.00	-11.59	5.36	3	Vertical	63	1.50	57.05	32.90	6.63	34.17
PK	5.4606G	60.26	68.20	-7.94	5.36	3	Vertical	63	1.50	54.90	32.90	6.64	34.18
PK	5.5782G	124.24	Inf	-Inf	5.52	3	Vertical	63	1.50	118.72	32.96	6.75	34.19
PK	5.7276G	59.27	68.20	-8.93	6.36	3	Vertical	63	1.50	52.91	33.71	6.85	34.20

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4564G	47.43	54.00	-6.57	5.37	3	Horizontal	99	1.50	42.06	32.90	6.64	34.17
AV	5.5842G	112.99	Inf	-Inf	5.54	3	Horizontal	99	1.50	107.45	32.97	6.76	34.19
PK	5.4468G	60.20	74.00	-13.80	5.36	3	Horizontal	99	1.50	54.84	32.90	6.63	34.17
PK	5.466G	60.23	68.20	-7.97	5.37	3	Horizontal	99	1.50	54.86	32.90	6.65	34.18
PK	5.5854G	122.87	Inf	-Inf	5.54	3	Horizontal	99	1.50	117.33	32.97	6.76	34.19
PK	5.7258G	61.56	68.20	-6.64	6.35	3	Horizontal	99	1.50	55.21	33.70	6.85	34.20

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16249G	44.14	54.00	-9.86	16.14	3	Vertical	288	1.49	28.00	38.96	11.31	34.13
PK	11.16192G	56.84	74.00	-17.16	16.14	3	Vertical	288	1.49	40.70	38.96	11.31	34.13

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16156G	39.91	54.00	-14.09	16.14	3	Horizontal	233	1.42	23.77	38.96	11.31	34.13
PK	11.16387G	53.25	74.00	-20.75	16.14	3	Horizontal	233	1.42	37.11	38.96	11.31	34.13

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7056G	106.30	Inf	-Inf	6.26	3	Vertical	85	1.67	100.04	33.62	6.84	34.20
PK	5.7048G	116.44	Inf	-Inf	6.26	3	Vertical	85	1.67	110.18	33.62	6.84	34.20
PK	5.7256G	67.36	68.20	-0.84	6.35	3	Vertical	85	1.67	61.01	33.70	6.85	34.20

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7064G	102.78	Inf	-Inf	6.27	3	Horizontal	98	1.67	96.51	33.63	6.84	34.20
PK	5.7056G	112.63	Inf	-Inf	6.26	3	Horizontal	98	1.67	106.37	33.62	6.84	34.20
PK	5.7256G	65.17	68.20	-3.03	6.35	3	Horizontal	98	1.67	58.82	33.70	6.85	34.20

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39904G	39.41	54.00	-14.59	16.52	3	Vertical	217	2.16	22.89	39.20	11.40	34.08
PK	11.40006G	52.81	74.00	-21.19	16.52	3	Vertical	217	2.16	36.29	39.20	11.40	34.08

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3996G	39.35	54.00	-14.65	16.52	3	Horizontal	160	2.62	22.83	39.20	11.40	34.08
PK	11.39959G	52.49	74.00	-21.51	16.52	3	Horizontal	160	2.62	35.97	39.20	11.40	34.08



5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4524G	46.90	54.00	-7.10	5.37	3	Vertical	73	1.62	41.53	32.90	6.64	34.17
AV	5.7152G	114.24	Inf	-Inf	6.30	3	Vertical	73	1.62	107.94	33.66	6.84	34.20
PK	5.4512G	60.09	74.00	-13.91	5.37	3	Vertical	73	1.62	54.72	32.90	6.64	34.17
PK	5.462G	59.31	68.20	-8.89	5.37	3	Vertical	73	1.62	53.94	32.90	6.65	34.18
PK	5.7164G	124.10	Inf	-Inf	6.32	3	Vertical	73	1.62	117.78	33.67	6.85	34.20
PK	5.8508G	58.63	68.20	-9.57	6.83	3	Vertical	73	1.62	51.80	34.10	6.94	34.21

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4284G	45.65	54.00	-8.35	5.35	3	Horizontal	93	2.70	40.30	32.90	6.62	34.17
AV	5.7152G	114.73	Inf	-Inf	6.30	3	Horizontal	93	2.70	108.43	33.66	6.84	34.20
PK	5.432G	58.35	74.00	-15.65	5.35	3	Horizontal	93	2.70	53.00	32.90	6.62	34.17
PK	5.4668G	58.04	68.20	-10.16	5.37	3	Horizontal	93	2.70	52.67	32.90	6.65	34.18
PK	5.7152G	124.33	Inf	-Inf	6.30	3	Horizontal	93	2.70	118.03	33.66	6.84	34.20
PK	5.8508G	58.70	68.20	-9.50	6.83	3	Horizontal	93	2.70	51.87	34.10	6.94	34.21

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44282G	40.13	54.00	-13.87	16.50	3	Vertical	290	1.50	23.63	39.16	11.41	34.07
PK	11.44276G	52.79	74.00	-21.21	16.50	3	Vertical	290	1.50	36.29	39.16	11.41	34.07

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43916G	39.64	54.00	-14.36	16.50	3	Horizontal	220	2.80	23.14	39.16	11.41	34.07
PK	11.43799G	52.76	74.00	-21.24	16.50	3	Horizontal	220	2.80	36.26	39.16	11.41	34.07

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4546G	46.61	54.00	-7.39	5.37	3	Vertical	84	1.50	41.24	32.90	6.64	34.17
AV	5.7498G	113.87	Inf	-Inf	6.47	3	Vertical	84	1.50	107.40	33.80	6.87	34.20
PK	5.5518G	61.55	68.20	-6.65	5.45	3	Vertical	84	1.50	56.10	32.90	6.73	34.18
PK	5.7498G	124.02	Inf	-Inf	6.47	3	Vertical	84	1.50	117.55	33.80	6.87	34.20
PK	5.9322G	58.48	68.20	-9.72	7.04	3	Vertical	84	1.50	51.44	34.24	7.01	34.21

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4558G	45.04	54.00	-8.96	5.37	3	Horizontal	93	2.78	39.67	32.90	6.64	34.17
AV	5.7402G	114.44	Inf	-Inf	6.42	3	Horizontal	93	2.78	108.02	33.76	6.86	34.20
PK	5.649G	61.93	68.20	-6.27	5.61	3	Horizontal	93	2.78	56.32	33.00	6.80	34.19
PK	5.7402G	124.60	Inf	-Inf	6.42	3	Horizontal	93	2.78	118.18	33.76	6.86	34.20
PK	6.0138G	58.24	68.20	-9.96	6.96	3	Horizontal	93	2.78	51.28	34.10	7.08	34.22

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49186G	40.67	54.00	-13.33	16.48	3	Vertical	298	1.41	24.19	39.11	11.43	34.06
PK	11.49534G	54.35	74.00	-19.65	16.47	3	Vertical	298	1.41	37.88	39.10	11.43	34.06

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49408G	39.35	54.00	-14.65	16.48	3	Horizontal	118	2.93	22.87	39.11	11.43	34.06
PK	11.48187G	52.11	74.00	-21.89	16.49	3	Horizontal	118	2.93	35.62	39.12	11.43	34.06

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.78976G	114.70	Inf	-Inf	6.73	3	Vertical	85	1.56	107.97	34.04	6.89	34.20
PK	5.57922G	60.92	68.20	-7.28	5.52	3	Vertical	85	1.56	55.40	32.96	6.75	34.19
PK	5.78976G	124.80	Inf	-Inf	6.73	3	Vertical	85	1.56	118.07	34.04	6.89	34.20
PK	5.93133G	58.00	68.20	-10.20	7.04	3	Vertical	85	1.56	50.96	34.24	7.01	34.21

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.78008G	114.67	Inf	-Inf	6.67	3	Horizontal	92	2.73	108.00	33.98	6.89	34.20
PK	5.58043G	61.80	68.20	-6.40	5.52	3	Horizontal	92	2.73	56.28	32.96	6.75	34.19
PK	5.77887G	124.64	Inf	-Inf	6.66	3	Horizontal	92	2.73	117.98	33.97	6.89	34.20
PK	6.0003G	58.61	68.20	-9.59	6.95	3	Horizontal	92	2.73	51.66	34.10	7.07	34.22

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56841G	40.72	54.00	-13.28	16.19	3	Vertical	270	1.90	24.53	38.83	11.46	34.10
PK	11.57009G	53.36	74.00	-20.64	16.18	3	Vertical	270	1.90	37.18	38.82	11.46	34.10

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57543G	39.81	54.00	-14.19	16.15	3	Horizontal	115	2.19	23.66	38.80	11.46	34.11
PK	11.57498G	52.72	74.00	-21.28	16.15	3	Horizontal	115	2.19	36.57	38.80	11.46	34.11

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	111.75	Inf	-Inf	6.81	3	Vertical	87	2.31	104.94	34.10	6.92	34.21
PK	5.6234G	61.63	68.20	-6.57	5.60	3	Vertical	87	2.31	56.03	33.00	6.79	34.19
PK	5.8238G	121.37	Inf	-Inf	6.81	3	Vertical	87	2.31	114.56	34.10	6.92	34.21
PK	5.999G	58.80	68.20	-9.40	6.95	3	Vertical	87	2.31	51.85	34.10	7.07	34.22

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8178G	113.07	Inf	-Inf	6.81	3	Horizontal	96	2.52	106.26	34.10	6.92	34.21
PK	5.621G	61.16	68.20	-7.04	5.59	3	Horizontal	96	2.52	55.57	33.00	6.78	34.19
PK	5.8178G	122.74	Inf	-Inf	6.81	3	Horizontal	96	2.52	115.93	34.10	6.92	34.21
PK	5.9306G	58.60	68.20	-9.60	7.04	3	Horizontal	96	2.52	51.56	34.24	7.01	34.21

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65573G	39.27	54.00	-14.73	16.03	3	Vertical	294	1.00	23.24	38.70	11.49	34.16
PK	11.65051G	52.54	74.00	-21.46	16.04	3	Vertical	294	1.00	36.50	38.70	11.49	34.15

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65024G	40.80	54.00	-13.20	16.04	3	Horizontal	109	3.00	24.76	38.70	11.49	34.15
PK	11.64436G	54.47	74.00	-19.53	16.04	3	Horizontal	109	3.00	38.43	38.70	11.49	34.15



5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_4TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	51.74	54.00	-2.26	5.37	3	Vertical	70	1.81	46.37	33.10	6.41	34.14
AV	5.1846G	108.47	Inf	-Inf	5.40	3	Vertical	70	1.81	103.07	33.10	6.44	34.14
PK	5.1454G	64.72	74.00	-9.28	5.37	3	Vertical	70	1.81	59.35	33.10	6.41	34.14
PK	5.1748G	121.46	Inf	-Inf	5.39	3	Vertical	70	1.81	116.07	33.10	6.43	34.14

5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_4TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1482G	53.15	54.00	-0.85	5.37	3	Horizontal	135	1.64	47.78	33.10	6.41	34.14
AV	5.1878G	108.78	Inf	-Inf	5.40	3	Horizontal	135	1.64	103.38	33.10	6.44	34.14
PK	5.1488G	65.74	74.00	-8.26	5.37	3	Horizontal	135	1.64	60.37	33.10	6.41	34.14
PK	5.1872G	122.06	Inf	-Inf	5.40	3	Horizontal	135	1.64	116.66	33.10	6.44	34.14


5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_4TX

5180MHz\_TX




5.15-5.25GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_4TX

5180MHz\_TX



5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	52.85	54.00	-1.15	5.37	3	Vertical	67	1.68	47.48	33.10	6.41	34.14
AV	5.2048G	111.20	Inf	-Inf	5.40	3	Vertical	67	1.68	105.80	33.09	6.45	34.14
PK	5.15G	69.44	74.00	-4.56	5.37	3	Vertical	67	1.68	64.07	33.10	6.41	34.14
PK	5.1948G	123.56	Inf	-Inf	5.41	3	Vertical	67	1.68	118.15	33.10	6.45	34.14

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.45	54.00	-0.55	5.37	3	Horizontal	153	1.47	48.08	33.10	6.41	34.14
AV	5.196G	109.65	Inf	-Inf	5.41	3	Horizontal	153	1.47	104.24	33.10	6.45	34.14
PK	5.1456G	70.49	74.00	-3.51	5.37	3	Horizontal	153	1.47	65.12	33.10	6.41	34.14
PK	5.1908G	122.55	Inf	-Inf	5.40	3	Horizontal	153	1.47	117.15	33.10	6.44	34.14

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.39958G	53.13	68.20	-15.07	15.34	3	Vertical	303	1.55	37.79	38.90	11.03	34.59

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.40234G	51.75	68.20	-16.45	15.34	3	Horizontal	118	1.41	36.41	38.90	11.03	34.59

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	46.91	54.00	-7.09	5.37	3	Vertical	64	1.68	41.54	33.10	6.41	34.14
AV	5.2448G	111.39	Inf	-Inf	5.34	3	Vertical	64	1.68	106.05	33.01	6.48	34.15
AV	5.357G	48.14	54.00	-5.86	5.30	3	Vertical	64	1.68	42.84	32.90	6.56	34.16
PK	5.1452G	60.83	74.00	-13.17	5.37	3	Vertical	64	1.68	55.46	33.10	6.41	34.14
PK	5.2352G	124.06	Inf	-Inf	5.35	3	Vertical	64	1.68	118.71	33.03	6.47	34.15
PK	5.3858G	61.46	74.00	-12.54	5.31	3	Vertical	64	1.68	56.15	32.90	6.58	34.17

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1464G	46.69	54.00	-7.31	5.37	3	Horizontal	114	1.60	41.32	33.10	6.41	34.14
AV	5.2406G	110.66	Inf	-Inf	5.35	3	Horizontal	114	1.60	105.31	33.02	6.48	34.15
AV	5.3864G	47.78	54.00	-6.22	5.31	3	Horizontal	114	1.60	42.47	32.90	6.58	34.17
PK	5.1458G	61.37	74.00	-12.63	5.37	3	Horizontal	114	1.60	56.00	33.10	6.41	34.14
PK	5.2358G	122.68	Inf	-Inf	5.36	3	Horizontal	114	1.60	117.32	33.03	6.48	34.15
PK	5.3732G	61.15	74.00	-12.85	5.31	3	Horizontal	114	1.60	55.84	32.90	6.57	34.16

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.47844G	53.88	68.20	-14.32	15.43	3	Vertical	310	1.50	38.45	38.90	11.06	34.53

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.48396G	52.11	68.20	-16.09	15.44	3	Horizontal	120	1.48	36.67	38.90	11.06	34.52

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.57	54.00	-7.43	5.37	3	Vertical	243	1.50	41.20	33.10	6.41	34.14
AV	5.2648G	112.82	Inf	-Inf	5.35	3	Vertical	243	1.50	107.47	33.00	6.50	34.15
AV	5.35G	49.61	54.00	-4.39	5.29	3	Vertical	243	1.50	44.32	32.90	6.55	34.16
PK	5.14G	60.82	74.00	-13.18	5.37	3	Vertical	243	1.50	55.45	33.10	6.41	34.14
PK	5.26G	126.04	Inf	-Inf	5.34	3	Vertical	243	1.50	120.70	33.00	6.49	34.15
PK	5.35G	65.95	74.00	-8.05	5.29	3	Vertical	243	1.50	60.66	32.90	6.55	34.16

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.02	54.00	-6.98	5.37	3	Horizontal	308	1.34	41.65	33.10	6.41	34.14
AV	5.2582G	112.55	Inf	-Inf	5.34	3	Horizontal	308	1.34	107.21	33.00	6.49	34.15
AV	5.353G	49.14	54.00	-4.86	5.30	3	Horizontal	308	1.34	43.84	32.90	6.56	34.16
PK	5.149G	61.30	74.00	-12.70	5.37	3	Horizontal	308	1.34	55.93	33.10	6.41	34.14
PK	5.2528G	126.48	Inf	-Inf	5.34	3	Horizontal	308	1.34	121.14	33.00	6.49	34.15
PK	5.3518G	68.30	74.00	-5.70	5.30	3	Horizontal	308	1.34	63.00	32.90	6.56	34.16

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.51976G	52.54	68.20	-15.66	15.47	3	Vertical	303	1.85	37.07	38.90	11.07	34.50

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.51118G	53.45	68.20	-14.75	15.47	3	Horizontal	135	1.50	37.98	38.90	11.07	34.50



5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_4TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3048G	109.65	Inf	-Inf	5.35	3	Vertical	242	1.50	104.30	32.99	6.52	34.16
AV	5.35G	50.97	54.00	-3.03	5.29	3	Vertical	242	1.50	45.68	32.90	6.55	34.16
PK	5.3044G	123.08	Inf	-Inf	5.35	3	Vertical	242	1.50	117.73	32.99	6.52	34.16
PK	5.35G	72.02	74.00	-1.98	5.29	3	Vertical	242	1.50	66.73	32.90	6.55	34.16

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_4TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.298G	110.05	Inf	-Inf	5.36	3	Horizontal	309	1.50	104.69	33.00	6.52	34.16
AV	5.3524G	49.76	54.00	-4.24	5.30	3	Horizontal	309	1.50	44.46	32.90	6.56	34.16
PK	5.2924G	123.89	Inf	-Inf	5.35	3	Horizontal	309	1.50	118.54	33.00	6.51	34.16
PK	5.3516G	70.20	74.00	-3.80	5.30	3	Horizontal	309	1.50	64.90	32.90	6.56	34.16

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.59935G	50.15	68.20	-18.05	15.56	3	Vertical	348	1.94	34.59	38.90	11.10	34.44

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6001G	36.80	54.00	-17.20	15.56	3	Horizontal	267	2.78	21.24	38.90	11.10	34.44
PK	10.60066G	49.76	74.00	-24.24	15.56	3	Horizontal	267	2.78	34.20	38.90	11.10	34.44

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_4TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3248G	109.20	Inf	-Inf	5.33	3	Vertical	248	1.25	103.87	32.95	6.54	34.16
AV	5.3598G	52.07	54.00	-1.93	5.30	3	Vertical	248	1.25	46.77	32.90	6.56	34.16
PK	5.3252G	122.49	Inf	-Inf	5.33	3	Vertical	248	1.25	117.16	32.95	6.54	34.16
PK	5.3598G	68.59	74.00	-5.41	5.30	3	Vertical	248	1.25	63.29	32.90	6.56	34.16

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_4TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3228G	109.97	Inf	-Inf	5.33	3	Horizontal	308	1.41	104.64	32.95	6.54	34.16
AV	5.3528G	53.44	54.00	-0.56	5.30	3	Horizontal	308	1.41	48.14	32.90	6.56	34.16
PK	5.3224G	124.55	Inf	-Inf	5.34	3	Horizontal	308	1.41	119.21	32.96	6.54	34.16
PK	5.3578G	69.40	74.00	-4.60	5.30	3	Horizontal	308	1.41	64.10	32.90	6.56	34.16

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_4TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63945G	36.75	54.00	-17.25	15.73	3	Vertical	301	2.80	21.02	39.02	11.12	34.41
PK	10.63956G	50.84	74.00	-23.16	15.73	3	Vertical	301	2.80	35.11	39.02	11.12	34.41

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_4TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64044G	36.81	54.00	-17.19	15.73	3	Horizontal	284	2.23	21.08	39.02	11.12	34.41
PK	10.64082G	49.96	74.00	-24.04	15.73	3	Horizontal	284	2.23	34.23	39.02	11.12	34.41

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4578G	51.94	54.00	-2.06	5.37	3	Vertical	262	1.85	46.57	32.90	6.64	34.17
AV	5.4976G	109.46	Inf	-Inf	5.40	3	Vertical	262	1.85	104.06	32.90	6.68	34.18
PK	5.4578G	66.87	74.00	-7.13	5.37	3	Vertical	262	1.85	61.50	32.90	6.64	34.17
PK	5.4678G	66.60	68.20	-1.60	5.37	3	Vertical	262	1.85	61.23	32.90	6.65	34.18
PK	5.4976G	124.01	Inf	-Inf	5.40	3	Vertical	262	1.85	118.61	32.90	6.68	34.18

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	51.78	54.00	-2.22	5.37	3	Horizontal	312	1.50	46.41	32.90	6.64	34.17
AV	5.497G	108.98	Inf	-Inf	5.40	3	Horizontal	312	1.50	103.58	32.90	6.68	34.18
PK	5.4564G	67.14	74.00	-6.86	5.37	3	Horizontal	312	1.50	61.77	32.90	6.64	34.17
PK	5.4678G	67.60	68.20	-0.60	5.37	3	Horizontal	312	1.50	62.23	32.90	6.65	34.18
PK	5.5018G	123.35	Inf	-Inf	5.40	3	Horizontal	312	1.50	117.95	32.90	6.68	34.18

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99904G	36.96	54.00	-17.04	16.09	3	Vertical	148	2.87	20.87	39.00	11.25	34.16
PK	11.00062G	50.64	74.00	-23.36	16.09	3	Vertical	148	2.87	34.55	39.00	11.25	34.16

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99916G	36.95	54.00	-17.05	16.09	3	Horizontal	285	2.66	20.86	39.00	11.25	34.16
PK	11.00078G	49.98	74.00	-24.02	16.09	3	Horizontal	285	2.66	33.89	39.00	11.25	34.16

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4354G	48.34	54.00	-5.66	5.35	3	Vertical	254	1.03	42.99	32.90	6.62	34.17
AV	5.5842G	112.07	Inf	-Inf	5.54	3	Vertical	254	1.03	106.53	32.97	6.76	34.19
PK	5.4306G	62.88	74.00	-11.12	5.35	3	Vertical	254	1.03	57.53	32.90	6.62	34.17
PK	5.4696G	64.19	68.20	-4.01	5.37	3	Vertical	254	1.03	58.82	32.90	6.65	34.18
PK	5.5848G	126.27	Inf	-Inf	5.54	3	Vertical	254	1.03	120.73	32.97	6.76	34.19
PK	5.7282G	63.26	68.20	-4.94	6.36	3	Vertical	254	1.03	56.90	33.71	6.85	34.20

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4414G	48.34	54.00	-5.66	5.36	3	Horizontal	310	1.40	42.98	32.90	6.63	34.17
AV	5.5818G	111.81	Inf	-Inf	5.52	3	Horizontal	310	1.40	106.29	32.96	6.75	34.19
PK	5.4522G	63.52	74.00	-10.48	5.37	3	Horizontal	310	1.40	58.15	32.90	6.64	34.17
PK	5.4678G	64.96	68.20	-3.24	5.37	3	Horizontal	310	1.40	59.59	32.90	6.65	34.18
PK	5.5716G	125.86	Inf	-Inf	5.49	3	Horizontal	310	1.40	120.37	32.94	6.74	34.19
PK	5.7264G	61.43	68.20	-6.77	6.36	3	Horizontal	310	1.40	55.07	33.71	6.85	34.20

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16048G	42.34	54.00	-11.66	16.14	3	Vertical	289	1.48	26.20	38.96	11.31	34.13
PK	11.16318G	54.49	74.00	-19.51	16.14	3	Vertical	289	1.48	38.35	38.96	11.31	34.13

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16114G	38.28	54.00	-15.72	16.14	3	Horizontal	118	1.50	22.14	38.96	11.31	34.13
PK	11.16108G	50.51	74.00	-23.49	16.14	3	Horizontal	118	1.50	34.37	38.96	11.31	34.13



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.698G	103.74	Inf	-Inf	6.21	3	Vertical	264	1.35	97.53	33.58	6.83	34.20
PK	5.698G	118.11	Inf	-Inf	6.21	3	Vertical	264	1.35	111.90	33.58	6.83	34.20
PK	5.726G	66.44	68.20	-1.76	6.35	3	Vertical	264	1.35	60.09	33.70	6.85	34.20

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6964G	102.31	Inf	-Inf	6.19	3	Horizontal	313	1.35	96.12	33.56	6.83	34.20
PK	5.696G	117.28	Inf	-Inf	6.18	3	Horizontal	313	1.35	111.10	33.55	6.83	34.20
PK	5.7316G	66.15	68.20	-2.05	6.39	3	Horizontal	313	1.35	59.76	33.73	6.86	34.20

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.401G	37.92	54.00	-16.08	16.52	3	Vertical	111	2.95	21.40	39.20	11.40	34.08
PK	11.40056G	51.19	74.00	-22.81	16.52	3	Vertical	111	2.95	34.67	39.20	11.40	34.08

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39983G	37.88	54.00	-16.12	16.52	3	Horizontal	105	1.25	21.36	39.20	11.40	34.08
PK	11.40068G	50.99	74.00	-23.01	16.52	3	Horizontal	105	1.25	34.47	39.20	11.40	34.08

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4452G	46.38	54.00	-7.62	5.36	3	Vertical	99	1.00	41.02	32.90	6.63	34.17
AV	5.7152G	111.91	Inf	-Inf	6.30	3	Vertical	99	1.00	105.61	33.66	6.84	34.20
PK	5.4512G	61.12	74.00	-12.88	5.37	3	Vertical	99	1.00	55.75	32.90	6.64	34.17
PK	5.4608G	60.46	68.20	-7.74	5.36	3	Vertical	99	1.00	55.10	32.90	6.64	34.18
PK	5.7212G	125.57	Inf	-Inf	6.33	3	Vertical	99	1.00	119.24	33.68	6.85	34.20
PK	5.96G	60.87	68.20	-7.33	7.00	3	Vertical	99	1.00	53.87	34.18	7.04	34.22

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4488G	46.99	54.00	-7.01	5.36	3	Horizontal	255	2.97	41.63	32.90	6.63	34.17
AV	5.7152G	112.24	Inf	-Inf	6.30	3	Horizontal	255	2.97	105.94	33.66	6.84	34.20
PK	5.4584G	60.76	74.00	-13.24	5.36	3	Horizontal	255	2.97	55.40	32.90	6.64	34.18
PK	5.4644G	60.08	68.20	-8.12	5.37	3	Horizontal	255	2.97	54.71	32.90	6.65	34.18
PK	5.7152G	125.32	Inf	-Inf	6.30	3	Horizontal	255	2.97	119.02	33.66	6.84	34.20
PK	5.954G	60.50	68.20	-7.70	7.00	3	Horizontal	255	2.97	53.50	34.19	7.03	34.22

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44048G	38.64	54.00	-15.36	16.50	3	Vertical	290	1.51	22.14	39.16	11.41	34.07
PK	11.44696G	51.45	74.00	-22.55	16.50	3	Vertical	290	1.51	34.95	39.15	11.42	34.07

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44036G	38.09	54.00	-15.91	16.50	3	Horizontal	275	1.40	21.59	39.16	11.41	34.07
PK	11.42812G	50.72	74.00	-23.28	16.51	3	Horizontal	275	1.40	34.21	39.17	11.41	34.07

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5745MHz\_TX




17/02/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4522G	46.71	54.00	-7.29	5.37	3	Vertical	78	1.76	41.34	32.90	6.64	34.17
AV	5.7462G	112.19	Inf	-Inf	6.45	3	Vertical	78	1.76	105.74	33.78	6.87	34.20
PK	5.625G	61.12	68.20	-7.08	5.60	3	Vertical	78	1.76	55.52	33.00	6.79	34.19
PK	5.7354G	125.67	Inf	-Inf	6.40	3	Vertical	78	1.76	119.27	33.74	6.86	34.20
PK	5.961G	60.44	68.20	-7.76	7.00	3	Vertical	78	1.76	53.44	34.18	7.04	34.22

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5745MHz\_TX




17/02/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4522G	45.86	54.00	-8.14	5.37	3	Horizontal	97	2.30	40.49	32.90	6.64	34.17
AV	5.7414G	112.47	Inf	-Inf	6.43	3	Horizontal	97	2.30	106.04	33.77	6.86	34.20
PK	5.6526G	67.36	70.12	-2.76	5.64	3	Horizontal	97	2.30	61.72	33.03	6.80	34.19
PK	5.7366G	125.26	Inf	-Inf	6.41	3	Horizontal	97	2.30	118.85	33.75	6.86	34.20
PK	6.0258G	60.72	68.20	-7.48	6.95	3	Horizontal	97	2.30	53.77	34.10	7.08	34.23

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48838G	38.90	54.00	-15.10	16.48	3	Vertical	300	1.50	22.42	39.11	11.43	34.06
PK	11.48262G	51.40	74.00	-22.60	16.49	3	Vertical	300	1.50	34.91	39.12	11.43	34.06

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48628G	37.84	54.00	-16.16	16.48	3	Horizontal	137	1.50	21.36	39.11	11.43	34.06
PK	11.47746G	51.32	74.00	-22.68	16.49	3	Horizontal	137	1.50	34.83	39.12	11.43	34.06

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.78129G	112.84	Inf	-Inf	6.68	3	Vertical	75	1.79	106.16	33.99	6.89	34.20
PK	5.58769G	62.13	68.20	-6.07	5.55	3	Vertical	75	1.79	56.58	32.98	6.76	34.19
PK	5.79097G	125.11	Inf	-Inf	6.74	3	Vertical	75	1.79	118.37	34.05	6.89	34.20
PK	5.97368G	61.14	68.20	-7.06	6.98	3	Vertical	75	1.79	54.16	34.15	7.05	34.22

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.78008G	112.63	Inf	-Inf	6.67	3	Horizontal	75	2.96	105.96	33.98	6.89	34.20
PK	5.63004G	62.41	68.20	-5.79	5.60	3	Horizontal	75	2.96	56.81	33.00	6.79	34.19
PK	5.78129G	125.91	Inf	-Inf	6.68	3	Horizontal	75	2.96	119.23	33.99	6.89	34.20
PK	6.05112G	60.30	68.20	-7.90	6.97	3	Horizontal	75	2.96	53.33	34.10	7.10	34.23

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55722G	37.88	54.00	-16.12	16.23	3	Vertical	272	2.23	21.65	38.87	11.46	34.10
PK	11.58332G	50.37	74.00	-23.63	16.13	3	Vertical	272	2.23	34.24	38.77	11.47	34.11

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56982G	38.34	54.00	-15.66	16.18	3	Horizontal	110	1.08	22.16	38.82	11.46	34.10
PK	11.5733G	51.23	74.00	-22.77	16.16	3	Horizontal	110	1.08	35.07	38.81	11.46	34.11



5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8202G	110.15	Inf	-Inf	6.81	3	Vertical	82	2.12	103.34	34.10	6.92	34.21
PK	5.6258G	62.80	68.20	-5.40	5.60	3	Vertical	82	2.12	57.20	33.00	6.79	34.19
PK	5.8202G	123.38	Inf	-Inf	6.81	3	Vertical	82	2.12	116.57	34.10	6.92	34.21
PK	6.0506G	60.52	68.20	-7.68	6.97	3	Vertical	82	2.12	53.55	34.10	7.10	34.23

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8178G	109.18	Inf	-Inf	6.81	3	Horizontal	145	1.50	102.37	34.10	6.92	34.21
PK	5.615G	61.11	68.20	-7.09	5.59	3	Horizontal	145	1.50	55.52	33.00	6.78	34.19
PK	5.8238G	122.04	Inf	-Inf	6.81	3	Horizontal	145	1.50	115.23	34.10	6.92	34.21
PK	6.011G	60.68	68.20	-7.52	6.96	3	Horizontal	145	1.50	53.72	34.10	7.08	34.22

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65102G	38.02	54.00	-15.98	16.04	3	Vertical	295	1.00	21.98	38.70	11.49	34.15
PK	11.65564G	50.37	74.00	-23.63	16.03	3	Vertical	295	1.00	34.34	38.70	11.49	34.16

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65156G	40.06	54.00	-13.94	16.04	3	Horizontal	105	2.93	24.02	38.70	11.49	34.15
PK	11.65306G	52.58	74.00	-21.42	16.04	3	Horizontal	105	2.93	36.54	38.70	11.49	34.15

5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_4TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.59	54.00	-0.41	5.37	3	Vertical	69	1.50	48.22	33.10	6.41	34.14
AV	5.1948G	105.14	Inf	-Inf	5.41	3	Vertical	69	1.50	99.73	33.10	6.45	34.14
PK	5.15G	65.85	74.00	-8.15	5.37	3	Vertical	69	1.50	60.48	33.10	6.41	34.14
PK	5.2G	116.27	Inf	-Inf	5.41	3	Vertical	69	1.50	110.86	33.10	6.45	34.14

5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_4TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	52.98	54.00	-1.02	5.37	3	Horizontal	136	1.47	47.61	33.10	6.41	34.14
AV	5.1928G	104.59	Inf	-Inf	5.40	3	Horizontal	136	1.47	99.19	33.10	6.44	34.14
PK	5.1476G	64.83	74.00	-9.17	5.37	3	Horizontal	136	1.47	59.46	33.10	6.41	34.14
PK	5.1932G	116.66	Inf	-Inf	5.40	3	Horizontal	136	1.47	111.26	33.10	6.44	34.14

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5190MHz\_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
PK	10.36548G	49.68	68.20	-18.52	15.30	3	Vertical	197	2.04	34.38	38.90	11.02	34.62

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5190MHz\_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
PK	10.37274G	49.09	68.20	-19.11	15.30	3	Horizontal	130	2.16	33.79	38.90	11.02	34.62

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.51	54.00	-0.49	5.37	3	Vertical	66	1.50	48.14	33.10	6.41	34.14
AV	5.2348G	108.59	Inf	-Inf	5.35	3	Vertical	66	1.50	103.24	33.03	6.47	34.15
PK	5.14G	69.17	74.00	-4.83	5.37	3	Vertical	66	1.50	63.80	33.10	6.41	34.14
PK	5.2404G	120.36	Inf	-Inf	5.35	3	Vertical	66	1.50	115.01	33.02	6.48	34.15

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.57	54.00	-0.43	5.37	3	Horizontal	113	1.62	48.20	33.10	6.41	34.14
AV	5.2356G	108.04	Inf	-Inf	5.35	3	Horizontal	113	1.62	102.69	33.03	6.47	34.15
PK	5.146G	68.66	74.00	-5.34	5.37	3	Horizontal	113	1.62	63.29	33.10	6.41	34.14
PK	5.2312G	119.94	Inf	-Inf	5.36	3	Horizontal	113	1.62	114.58	33.04	6.47	34.15



5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.47434G	49.48	68.20	-18.72	15.43	3	Vertical	63	1.33	34.05	38.90	11.06	34.53

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.46018G	48.88	68.20	-19.32	15.41	3	Horizontal	47	2.22	33.47	38.90	11.05	34.54

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_4TX


5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2648G	108.04	Inf	-Inf	5.35	3	Vertical	244	1.50	102.69	33.00	6.50	34.15
AV	5.35G	53.69	54.00	-0.31	5.29	3	Vertical	244	1.50	48.40	32.90	6.55	34.16
PK	5.2648G	120.23	Inf	-Inf	5.35	3	Vertical	244	1.50	114.88	33.00	6.50	34.15
PK	5.35G	69.79	74.00	-4.21	5.29	3	Vertical	244	1.50	64.50	32.90	6.55	34.16

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_4TX


5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2828G	107.73	Inf	-Inf	5.36	3	Horizontal	310	1.50	102.37	33.00	6.51	34.15
AV	5.3528G	52.27	54.00	-1.73	5.30	3	Horizontal	310	1.50	46.97	32.90	6.56	34.16
PK	5.2876G	120.15	Inf	-Inf	5.36	3	Horizontal	310	1.50	114.79	33.00	6.51	34.15
PK	5.3524G	70.07	74.00	-3.93	5.30	3	Horizontal	310	1.50	64.77	32.90	6.56	34.16

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.54067G	48.62	68.20	-19.58	15.50	3	Vertical	173	1.89	33.12	38.90	11.08	34.48

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5270MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.54001G	48.50	68.20	-19.70	15.50	3	Horizontal	145	2.62	33.00	38.90	11.08	34.48



5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_4TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3044G	104.85	Inf	-Inf	5.35	3	Vertical	250	1.50	99.50	32.99	6.52	34.16
AV	5.35G	53.65	54.00	-0.35	5.29	3	Vertical	250	1.50	48.36	32.90	6.55	34.16
PK	5.3196G	117.16	Inf	-Inf	5.33	3	Vertical	250	1.50	111.83	32.96	6.53	34.16
PK	5.3556G	66.62	74.00	-7.38	5.30	3	Vertical	250	1.50	61.32	32.90	6.56	34.16

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_4TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2976G	105.01	Inf	-Inf	5.36	3	Horizontal	309	1.50	99.65	33.00	6.52	34.16
AV	5.3524G	52.80	54.00	-1.20	5.30	3	Horizontal	309	1.50	47.50	32.90	6.56	34.16
PK	5.3076G	117.87	Inf	-Inf	5.35	3	Horizontal	309	1.50	112.52	32.98	6.53	34.16
PK	5.3532G	67.17	74.00	-6.83	5.30	3	Horizontal	309	1.50	61.87	32.90	6.56	34.16

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_4TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62074G	38.26	54.00	-15.74	15.64	3	Vertical	134	1.59	22.62	38.96	11.11	34.43
PK	10.62004G	49.87	74.00	-24.13	15.64	3	Vertical	134	1.59	34.23	38.96	11.11	34.43

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_4TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62097G	38.63	54.00	-15.37	15.64	3	Horizontal	321	1.79	22.99	38.96	11.11	34.43
PK	10.61933G	49.27	74.00	-24.73	15.64	3	Horizontal	321	1.79	33.63	38.96	11.11	34.43

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4552G	51.80	54.00	-2.20	5.37	3	Vertical	262	2.43	46.43	32.90	6.64	34.17
AV	5.5052G	106.26	Inf	-Inf	5.40	3	Vertical	262	2.43	100.86	32.90	6.68	34.18
PK	5.452G	64.53	74.00	-9.47	5.37	3	Vertical	262	2.43	59.16	32.90	6.64	34.17
PK	5.4696G	66.39	68.20	-1.81	5.37	3	Vertical	262	2.43	61.02	32.90	6.65	34.18
PK	5.4948G	117.86	Inf	-Inf	5.40	3	Vertical	262	2.43	112.46	32.90	6.68	34.18

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4568G	48.57	54.00	-5.43	5.37	3	Horizontal	312	2.43	43.20	32.90	6.64	34.17
AV	5.5116G	101.25	Inf	-Inf	5.41	3	Horizontal	312	2.43	95.84	32.90	6.69	34.18
PK	5.4524G	61.21	74.00	-12.79	5.37	3	Horizontal	312	2.43	55.84	32.90	6.64	34.17
PK	5.4672G	60.91	68.20	-7.29	5.37	3	Horizontal	312	2.43	55.54	32.90	6.65	34.18
PK	5.5076G	114.30	Inf	-Inf	5.41	3	Horizontal	312	2.43	108.89	32.90	6.69	34.18

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01997G	38.36	54.00	-15.64	16.08	3	Vertical	90	2.17	22.28	38.98	11.26	34.16
PK	11.02058G	49.82	74.00	-24.18	16.08	3	Vertical	90	2.17	33.74	38.98	11.26	34.16

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01926G	38.46	54.00	-15.54	16.08	3	Horizontal	45	1.05	22.38	38.98	11.26	34.16
PK	11.01985G	50.01	74.00	-23.99	16.08	3	Horizontal	45	1.05	33.93	38.98	11.26	34.16

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	50.84	54.00	-3.16	5.36	3	Vertical	251	1.33	45.48	32.90	6.64	34.18
AV	5.5388G	107.40	Inf	-Inf	5.43	3	Vertical	251	1.33	101.97	32.90	6.71	34.18
PK	5.4596G	65.18	74.00	-8.82	5.36	3	Vertical	251	1.33	59.82	32.90	6.64	34.18
PK	5.4688G	67.76	68.20	-0.44	5.37	3	Vertical	251	1.33	62.39	32.90	6.65	34.18
PK	5.5336G	119.74	Inf	-Inf	5.43	3	Vertical	251	1.33	114.31	32.90	6.71	34.18

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4524G	51.00	54.00	-3.00	5.37	3	Horizontal	309	1.34	45.63	32.90	6.64	34.17
AV	5.5472G	107.39	Inf	-Inf	5.44	3	Horizontal	309	1.34	101.95	32.90	6.72	34.18
PK	5.4524G	65.04	74.00	-8.96	5.37	3	Horizontal	309	1.34	59.67	32.90	6.64	34.17
PK	5.4668G	67.96	68.20	-0.24	5.37	3	Horizontal	309	1.34	62.59	32.90	6.65	34.18
PK	5.5476G	120.70	Inf	-Inf	5.44	3	Horizontal	309	1.34	115.26	32.90	6.72	34.18

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0993G	38.47	54.00	-15.53	16.05	3	Vertical	297	2.65	22.42	38.90	11.29	34.14
PK	11.1005G	50.25	74.00	-23.75	16.05	3	Vertical	297	2.65	34.20	38.90	11.29	34.14

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10021G	38.24	54.00	-15.76	16.05	3	Horizontal	241	1.18	22.19	38.90	11.29	34.14
PK	11.09932G	50.20	74.00	-23.80	16.05	3	Horizontal	241	1.18	34.15	38.90	11.29	34.14

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6784G	102.75	Inf	-Inf	5.97	3	Vertical	264	1.12	96.78	33.34	6.82	34.19
PK	5.6682G	114.85	Inf	-Inf	5.84	3	Vertical	264	1.12	109.01	33.22	6.81	34.19
PK	5.7282G	68.00	68.20	-0.20	6.36	3	Vertical	264	1.12	61.64	33.71	6.85	34.20

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6562G	100.95	Inf	-Inf	5.69	3	Horizontal	310	1.12	95.26	33.07	6.81	34.19
PK	5.6562G	113.97	Inf	-Inf	5.69	3	Horizontal	310	1.12	108.28	33.07	6.81	34.19
PK	5.7264G	65.05	68.20	-3.15	6.36	3	Horizontal	310	1.12	58.69	33.71	6.85	34.20

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33966G	39.04	54.00	-14.96	16.43	3	Vertical	37	2.08	22.61	39.14	11.38	34.09
PK	11.3399G	50.35	74.00	-23.65	16.43	3	Vertical	37	2.08	33.92	39.14	11.38	34.09

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5670MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33994G	39.00	54.00	-15.00	16.43	3	Horizontal	276	2.73	22.57	39.14	11.38	34.09
PK	11.34092G	50.36	74.00	-23.64	16.43	3	Horizontal	276	2.73	33.93	39.14	11.38	34.09



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5710MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	48.98	54.00	-5.02	5.36	3	Vertical	265	1.36	43.62	32.90	6.64	34.18
AV	5.7076G	111.71	Inf	-Inf	6.27	3	Vertical	265	1.36	105.44	33.63	6.84	34.20
PK	5.4544G	61.38	74.00	-12.62	5.37	3	Vertical	265	1.36	56.01	32.90	6.64	34.17
PK	5.464G	61.53	68.20	-6.67	5.37	3	Vertical	265	1.36	56.16	32.90	6.65	34.18
PK	5.7124G	123.29	Inf	-Inf	6.29	3	Vertical	265	1.36	117.00	33.65	6.84	34.20
PK	5.8528G	67.20	68.20	-1.00	6.84	3	Vertical	265	1.36	60.36	34.11	6.94	34.21

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5710MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4244G	49.23	54.00	-4.77	5.34	3	Horizontal	310	1.43	43.89	32.90	6.61	34.17
AV	5.7064G	110.94	Inf	-Inf	6.27	3	Horizontal	310	1.43	104.67	33.63	6.84	34.20
PK	5.4424G	61.86	74.00	-12.14	5.36	3	Horizontal	310	1.43	56.50	32.90	6.63	34.17
PK	5.47G	61.00	68.20	-7.20	5.37	3	Horizontal	310	1.43	55.63	32.90	6.65	34.18
PK	5.7016G	122.73	Inf	-Inf	6.25	3	Horizontal	310	1.43	116.48	33.61	6.84	34.20
PK	5.8516G	67.30	68.20	-0.90	6.84	3	Horizontal	310	1.43	60.46	34.11	6.94	34.21

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5710MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42012G	39.44	54.00	-14.56	16.51	3	Vertical	135	1.50	22.93	39.18	11.41	34.08
PK	11.40668G	51.18	74.00	-22.82	16.51	3	Vertical	135	1.50	34.67	39.19	11.40	34.08

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5710MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3966G	39.58	54.00	-14.42	16.52	3	Horizontal	61	2.33	23.06	39.20	11.40	34.08
PK	11.43956G	50.81	74.00	-23.19	16.50	3	Horizontal	61	2.33	34.31	39.16	11.41	34.07

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	48.36	54.00	-5.64	5.36	3	Vertical	75	2.16	43.00	32.90	6.64	34.18
AV	5.7598G	110.27	Inf	-Inf	6.53	3	Vertical	75	2.16	103.74	33.86	6.87	34.20
PK	5.6494G	66.70	68.20	-1.50	5.61	3	Vertical	75	2.16	61.09	33.00	6.80	34.19
PK	5.7598G	121.60	Inf	-Inf	6.53	3	Vertical	75	2.16	115.07	33.86	6.87	34.20
PK	6.0394G	61.37	68.20	-6.83	6.96	3	Vertical	75	2.16	54.41	34.10	7.09	34.23

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4574G	47.07	54.00	-6.93	5.37	3	Horizontal	98	2.46	41.70	32.90	6.64	34.17
AV	5.761G	111.07	Inf	-Inf	6.54	3	Horizontal	98	2.46	104.53	33.87	6.87	34.20
PK	5.6458G	67.62	68.20	-0.58	5.61	3	Horizontal	98	2.46	62.01	33.00	6.80	34.19
PK	5.7466G	121.81	Inf	-Inf	6.46	3	Horizontal	98	2.46	115.35	33.79	6.87	34.20
PK	5.9986G	60.35	68.20	-7.85	6.95	3	Horizontal	98	2.46	53.40	34.10	7.07	34.22

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.522G	39.13	54.00	-14.87	16.38	3	Vertical	301	2.06	22.75	39.01	11.44	34.07
PK	11.50082G	50.75	74.00	-23.25	16.48	3	Vertical	301	2.06	34.27	39.10	11.44	34.06

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50232G	39.24	54.00	-14.76	16.47	3	Horizontal	58	1.56	22.77	39.09	11.44	34.06
PK	11.51732G	50.17	74.00	-23.83	16.40	3	Horizontal	58	1.56	33.77	39.03	11.44	34.07

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7914G	110.38	Inf	-Inf	6.74	3	Vertical	79	1.75	103.64	34.05	6.89	34.20
PK	5.6486G	63.97	68.20	-4.23	5.61	3	Vertical	79	1.75	58.36	33.00	6.80	34.19
PK	5.7914G	121.94	Inf	-Inf	6.74	3	Vertical	79	1.75	115.20	34.05	6.89	34.20
PK	5.963G	60.49	68.20	-7.71	6.99	3	Vertical	79	1.75	53.50	34.17	7.04	34.22

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7806G	110.51	Inf	-Inf	6.67	3	Horizontal	78	2.95	103.84	33.98	6.89	34.20
PK	5.6462G	67.00	68.20	-1.20	5.61	3	Horizontal	78	2.95	61.39	33.00	6.80	34.19
PK	5.7854G	121.39	Inf	-Inf	6.70	3	Horizontal	78	2.95	114.69	34.01	6.89	34.20
PK	5.9258G	60.51	68.20	-7.69	7.05	3	Horizontal	78	2.95	53.46	34.25	7.01	34.21

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.60194G	39.08	54.00	-14.92	16.05	3	Vertical	110	1.70	23.03	38.70	11.47	34.12
PK	11.58982G	50.41	74.00	-23.59	16.09	3	Vertical	110	1.70	34.32	38.74	11.47	34.12

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58832G	39.10	54.00	-14.90	16.11	3	Horizontal	294	2.40	22.99	38.75	11.47	34.11
PK	11.57566G	50.04	74.00	-23.96	16.15	3	Horizontal	294	2.40	33.89	38.80	11.46	34.11

5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.39	54.00	-0.61	5.37	3	Vertical	66	1.53	48.02	33.10	6.41	34.14
AV	5.225G	101.11	Inf	-Inf	5.37	3	Vertical	66	1.53	95.74	33.05	6.47	34.15
AV	5.351G	49.52	54.00	-4.48	5.30	3	Vertical	66	1.53	44.22	32.90	6.56	34.16
PK	5.15G	63.94	74.00	-10.06	5.37	3	Vertical	66	1.53	58.57	33.10	6.41	34.14
PK	5.23G	112.84	Inf	-Inf	5.36	3	Vertical	66	1.53	107.48	33.04	6.47	34.15
PK	5.398G	62.13	74.00	-11.87	5.32	3	Vertical	66	1.53	56.81	32.90	6.59	34.17

5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.86	54.00	-1.14	5.37	3	Horizontal	115	1.63	47.49	33.10	6.41	34.14
AV	5.226G	101.12	Inf	-Inf	5.37	3	Horizontal	115	1.63	95.75	33.05	6.47	34.15
AV	5.351G	48.57	54.00	-5.43	5.30	3	Horizontal	115	1.63	43.27	32.90	6.56	34.16
PK	5.15G	63.67	74.00	-10.33	5.37	3	Horizontal	115	1.63	58.30	33.10	6.41	34.14
PK	5.221G	112.34	Inf	-Inf	5.37	3	Horizontal	115	1.63	106.97	33.06	6.46	34.15
PK	5.35G	60.58	74.00	-13.42	5.29	3	Horizontal	115	1.63	55.29	32.90	6.55	34.16



5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.42354G	49.38	68.20	-18.82	15.37	3	Vertical	136	1.28	34.01	38.90	11.04	34.57

5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.42054G	49.65	68.20	-18.55	15.36	3	Horizontal	101	2.09	34.29	38.90	11.04	34.58



5.25-5.35GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_4TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.01	54.00	-6.99	5.37	3	Vertical	244	1.50	41.64	33.10	6.41	34.14
AV	5.305G	100.49	Inf	-Inf	5.35	3	Vertical	244	1.50	95.14	32.99	6.52	34.16
AV	5.35G	53.61	54.00	-0.39	5.29	3	Vertical	244	1.50	48.32	32.90	6.55	34.16
PK	5.149G	59.28	74.00	-14.72	5.37	3	Vertical	244	1.50	53.91	33.10	6.41	34.14
PK	5.305G	112.61	Inf	-Inf	5.35	3	Vertical	244	1.50	107.26	32.99	6.52	34.16
PK	5.35G	65.82	74.00	-8.18	5.29	3	Vertical	244	1.50	60.53	32.90	6.55	34.16
PK	5.498G	61.64	68.20	-6.56	5.40	3	Vertical	244	1.50	56.24	32.90	6.68	34.18

5.25-5.35GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_4TX

5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.143G	45.82	54.00	-8.18	5.37	3	Horizontal	309	1.50	40.45	33.10	6.41	34.14
AV	5.298G	100.07	Inf	-Inf	5.36	3	Horizontal	309	1.50	94.71	33.00	6.52	34.16
AV	5.353G	50.61	54.00	-3.39	5.30	3	Horizontal	309	1.50	45.31	32.90	6.56	34.16
PK	5.149G	57.90	74.00	-16.10	5.37	3	Horizontal	309	1.50	52.53	33.10	6.41	34.14
PK	5.278G	112.47	Inf	-Inf	5.35	3	Horizontal	309	1.50	107.12	33.00	6.50	34.15
PK	5.353G	62.79	74.00	-11.21	5.30	3	Horizontal	309	1.50	57.49	32.90	6.56	34.16
PK	5.519G	59.01	68.20	-9.19	5.42	3	Horizontal	309	1.50	53.59	32.90	6.70	34.18



5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.58001G	50.46	68.20	-17.74	15.54	3	Vertical	255	2.14	34.92	38.90	11.09	34.45

5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5793G	48.98	68.20	-19.22	15.54	3	Horizontal	79	1.52	33.44	38.90	11.09	34.45

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	48.36	54.00	-5.64	5.29	3	Vertical	253	2.18	43.07	32.90	6.55	34.16
AV	5.456G	53.01	54.00	-0.99	5.37	3	Vertical	253	2.18	47.64	32.90	6.64	34.17
AV	5.521G	103.39	Inf	-Inf	5.42	3	Vertical	253	2.18	97.97	32.90	6.70	34.18
PK	5.344G	61.59	68.20	-6.61	5.30	3	Vertical	253	2.18	56.29	32.91	6.55	34.16
PK	5.444G	65.49	74.00	-8.51	5.36	3	Vertical	253	2.18	60.13	32.90	6.63	34.17
PK	5.464G	65.90	68.20	-2.30	5.37	3	Vertical	253	2.18	60.53	32.90	6.65	34.18
PK	5.517G	116.30	Inf	-Inf	5.42	3	Vertical	253	2.18	110.88	32.90	6.70	34.18
PK	5.78G	61.87	68.20	-6.33	6.67	3	Vertical	253	2.18	55.20	33.98	6.89	34.20

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	48.68	54.00	-5.32	5.29	3	Horizontal	310	1.39	43.39	32.90	6.55	34.16
AV	5.452G	53.27	54.00	-0.73	5.37	3	Horizontal	310	1.39	47.90	32.90	6.64	34.17
AV	5.522G	103.01	Inf	-Inf	5.42	3	Horizontal	310	1.39	97.59	32.90	6.70	34.18
PK	5.322G	61.15	68.20	-7.05	5.34	3	Horizontal	310	1.39	55.81	32.96	6.54	34.16
PK	5.444G	67.03	74.00	-6.97	5.36	3	Horizontal	310	1.39	61.67	32.90	6.63	34.17
PK	5.467G	66.17	68.20	-2.03	5.37	3	Horizontal	310	1.39	60.80	32.90	6.65	34.18
PK	5.532G	115.20	Inf	-Inf	5.43	3	Horizontal	310	1.39	109.77	32.90	6.71	34.18
PK	5.753G	61.54	68.20	-6.66	6.49	3	Horizontal	310	1.39	55.05	33.82	6.87	34.20

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0605G	38.40	54.00	-15.60	16.06	3	Vertical	150	1.81	22.34	38.94	11.27	34.15
PK	11.0591G	49.91	74.00	-24.09	16.06	3	Vertical	150	1.81	33.85	38.94	11.27	34.15

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06093G	38.36	54.00	-15.64	16.06	3	Horizontal	196	1.62	22.30	38.94	11.27	34.15
PK	11.06097G	49.71	74.00	-24.29	16.06	3	Horizontal	196	1.62	33.65	38.94	11.27	34.15

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.455G	49.60	54.00	-4.40	5.37	3	Vertical	255	2.16	44.23	32.90	6.64	34.17
AV	5.596G	101.50	Inf	-Inf	5.57	3	Vertical	255	2.16	95.93	32.99	6.77	34.19
PK	5.456G	63.65	74.00	-10.35	5.37	3	Vertical	255	2.16	58.28	32.90	6.64	34.17
PK	5.466G	62.03	68.20	-6.17	5.37	3	Vertical	255	2.16	56.66	32.90	6.65	34.18
PK	5.606G	113.38	Inf	-Inf	5.58	3	Vertical	255	2.16	107.80	33.00	6.77	34.19
PK	5.725G	67.06	68.20	-1.14	6.35	3	Vertical	255	2.16	60.71	33.70	6.85	34.20

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.34	54.00	-4.66	5.36	3	Horizontal	312	1.38	43.98	32.90	6.64	34.18
AV	5.596G	101.45	Inf	-Inf	5.57	3	Horizontal	312	1.38	95.88	32.99	6.77	34.19
PK	5.452G	62.21	74.00	-11.79	5.37	3	Horizontal	312	1.38	56.84	32.90	6.64	34.17
PK	5.462G	63.84	68.20	-4.36	5.37	3	Horizontal	312	1.38	58.47	32.90	6.65	34.18
PK	5.597G	114.09	Inf	-Inf	5.57	3	Horizontal	312	1.38	108.52	32.99	6.77	34.19
PK	5.726G	66.80	68.20	-1.40	6.35	3	Horizontal	312	1.38	60.45	33.70	6.85	34.20

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1936G	40.00	54.00	-14.00	16.19	3	Vertical	293	1.50	23.81	38.99	11.32	34.12
PK	11.2092G	50.75	74.00	-23.25	16.22	3	Vertical	293	1.50	34.53	39.01	11.33	34.12

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21832G	39.10	54.00	-14.90	16.23	3	Horizontal	159	2.65	22.87	39.02	11.33	34.12
PK	11.1924G	50.36	74.00	-23.64	16.19	3	Horizontal	159	2.65	34.17	38.99	11.32	34.12

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX


5690MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4524G	50.18	54.00	-3.82	5.37	3	Vertical	252	2.06	44.81	32.90	6.64	34.17
AV	5.7008G	105.01	Inf	-Inf	6.24	3	Vertical	252	2.06	98.77	33.60	6.84	34.20
PK	5.4476G	65.45	74.00	-8.55	5.36	3	Vertical	252	2.06	60.09	32.90	6.63	34.17
PK	5.462G	63.17	68.20	-5.03	5.37	3	Vertical	252	2.06	57.80	32.90	6.65	34.18
PK	5.7056G	117.13	Inf	-Inf	6.26	3	Vertical	252	2.06	110.87	33.62	6.84	34.20
PK	5.8508G	66.69	68.20	-1.51	6.83	3	Vertical	252	2.06	59.86	34.10	6.94	34.21

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX


5690MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	50.48	54.00	-3.52	5.37	3	Horizontal	310	1.36	45.11	32.90	6.64	34.17
AV	5.6768G	105.28	Inf	-Inf	5.95	3	Horizontal	310	1.36	99.33	33.32	6.82	34.19
PK	5.4572G	62.65	74.00	-11.35	5.37	3	Horizontal	310	1.36	57.28	32.90	6.64	34.17
PK	5.462G	64.92	68.20	-3.28	5.37	3	Horizontal	310	1.36	59.55	32.90	6.65	34.18
PK	5.6768G	117.76	Inf	-Inf	5.95	3	Horizontal	310	1.36	111.81	33.32	6.82	34.19
PK	5.8508G	66.83	68.20	-1.37	6.83	3	Horizontal	310	1.36	60.00	34.10	6.94	34.21

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX


5690MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.37926G	39.51	54.00	-14.49	16.49	3	Vertical	311	2.99	23.02	39.18	11.39	34.08
PK	11.38016G	50.46	74.00	-23.54	16.49	3	Vertical	311	2.99	33.97	39.18	11.39	34.08

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5690MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.37931G	39.05	54.00	-14.95	16.49	3	Horizontal	42	1.14	22.56	39.18	11.39	34.08
PK	11.37911G	51.05	74.00	-22.95	16.49	3	Horizontal	42	1.14	34.56	39.18	11.39	34.08



5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.763G	103.90	Inf	-Inf	6.56	3	Vertical	86	1.50	97.34	33.88	6.88	34.20
PK	5.6478G	64.78	68.20	-3.42	5.61	3	Vertical	86	1.50	59.17	33.00	6.80	34.19
PK	5.7678G	115.01	Inf	-Inf	6.59	3	Vertical	86	1.50	108.42	33.91	6.88	34.20
PK	5.9994G	60.32	68.20	-7.88	6.95	3	Vertical	86	1.50	53.37	34.10	7.07	34.22

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7618G	105.95	Inf	-Inf	6.55	3	Horizontal	98	2.46	99.40	33.87	6.88	34.20
PK	5.6418G	67.94	68.20	-0.26	5.61	3	Horizontal	98	2.46	62.33	33.00	6.80	34.19
PK	5.757G	117.32	Inf	-Inf	6.51	3	Horizontal	98	2.46	110.81	33.84	6.87	34.20
PK	6.0306G	61.05	68.20	-7.15	6.96	3	Horizontal	98	2.46	54.09	34.10	7.09	34.23

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.53878G	39.30	54.00	-14.70	16.31	3	Vertical	212	2.92	22.99	38.94	11.45	34.08
PK	11.553G	50.29	74.00	-23.71	16.25	3	Vertical	212	2.92	34.04	38.89	11.45	34.09

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.53666G	39.22	54.00	-14.78	16.23	3	Horizontal	43	1.14	22.99	38.87	11.46	34.10
PK	11.53554G	49.87	74.00	-24.13	16.33	3	Horizontal	43	1.14	33.54	38.96	11.45	34.08

5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	51.50	54.00	-2.50	5.37	3	Vertical	247	1.47	46.13	33.10	6.41	34.14
AV	5.2248G	99.21	Inf	-Inf	5.37	3	Vertical	247	1.47	93.84	33.05	6.47	34.15
AV	5.388G	53.72	54.00	-0.28	5.31	3	Vertical	247	1.47	48.41	32.90	6.58	34.17
PK	5.142G	62.04	74.00	-11.96	5.37	3	Vertical	247	1.47	56.67	33.10	6.41	34.14
PK	5.2692G	110.68	Inf	-Inf	5.35	3	Vertical	247	1.47	105.33	33.00	6.50	34.15
PK	5.4024G	67.17	74.00	-6.83	5.32	3	Vertical	247	1.47	61.85	32.90	6.59	34.17
PK	5.4672G	61.94	68.20	-6.26	5.37	3	Vertical	247	1.47	56.57	32.90	6.65	34.18

5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1456G	52.69	54.00	-1.31	5.37	3	Horizontal	310	1.45	47.32	33.10	6.41	34.14
AV	5.2776G	99.53	Inf	-Inf	5.35	3	Horizontal	310	1.45	94.18	33.00	6.50	34.15
AV	5.3832G	53.79	54.00	-0.21	5.31	3	Horizontal	310	1.45	48.48	32.90	6.58	34.17
PK	5.1372G	68.99	74.00	-5.01	5.36	3	Horizontal	310	1.45	63.63	33.10	6.40	34.14
PK	5.2632G	110.34	Inf	-Inf	5.34	3	Horizontal	310	1.45	105.00	33.00	6.49	34.15
PK	5.358G	68.21	74.00	-5.79	5.30	3	Horizontal	310	1.45	62.91	32.90	6.56	34.16
PK	5.4672G	62.74	68.20	-5.46	5.37	3	Horizontal	310	1.45	57.37	32.90	6.65	34.18


5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

5250MHz Straddle 5.25-5.35GHz\_TX




5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

5250MHz Straddle 5.25-5.35GHz\_TX



5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	53.48	54.00	-0.52	5.37	3	Vertical	253	1.43	48.11	32.90	6.64	34.17
AV	5.5388G	97.36	Inf	-Inf	5.43	3	Vertical	253	1.43	91.93	32.90	6.71	34.18
PK	5.324G	60.30	68.20	-7.90	5.33	3	Vertical	253	1.43	54.97	32.95	6.54	34.16
PK	5.4584G	63.90	74.00	-10.10	5.36	3	Vertical	253	1.43	58.54	32.90	6.64	34.18
PK	5.4656G	63.89	68.20	-4.31	5.37	3	Vertical	253	1.43	58.52	32.90	6.65	34.18
PK	5.5484G	108.56	Inf	-Inf	5.44	3	Vertical	253	1.43	103.12	32.90	6.72	34.18
PK	5.7728G	62.77	68.20	-5.43	6.62	3	Vertical	253	1.43	56.15	33.94	6.88	34.20

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4536G	52.47	54.00	-1.53	5.37	3	Horizontal	310	1.43	47.10	32.90	6.64	34.17
AV	5.552G	95.62	Inf	-Inf	5.45	3	Horizontal	310	1.43	90.17	32.90	6.73	34.18
PK	5.276G	60.54	68.20	-7.66	5.35	3	Horizontal	310	1.43	55.19	33.00	6.50	34.15
PK	5.4536G	63.19	74.00	-10.81	5.37	3	Horizontal	310	1.43	57.82	32.90	6.64	34.17
PK	5.4632G	62.16	68.20	-6.04	5.37	3	Horizontal	310	1.43	56.79	32.90	6.65	34.18
PK	5.552G	108.01	Inf	-Inf	5.45	3	Horizontal	310	1.43	102.56	32.90	6.73	34.18
PK	5.732G	61.01	68.20	-7.19	6.39	3	Horizontal	310	1.43	54.62	33.73	6.86	34.20

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.13969G	40.37	54.00	-13.63	16.11	3	Vertical	209	2.77	24.26	38.94	11.30	34.13
PK	11.14037G	49.64	74.00	-24.36	16.11	3	Vertical	209	2.77	33.53	38.94	11.30	34.13

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.13938G	40.18	54.00	-13.82	16.11	3	Horizontal	340	2.80	24.07	38.94	11.30	34.13
PK	11.14063G	49.28	74.00	-24.72	16.11	3	Horizontal	340	2.80	33.17	38.94	11.30	34.13



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	5.1496G	53.45	54.00	-0.55	3	Horizontal	130	1.48
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	5.1496G	53.76	54.00	-0.24	3	Vertical	214	3.00
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.15G	52.62	54.00	-1.38	3	Horizontal	238	1.60
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	5.3512G	53.25	54.00	-0.75	3	Horizontal	97	2.87
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	5.3504G	53.57	54.00	-0.43	3	Vertical	360	1.50
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.355G	53.41	54.00	-0.59	3	Vertical	62	1.50
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	PK	5.3796G	73.69	74.00	-0.31	3	Vertical	42	1.49
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	PK	5.7292G	68.04	68.20	-0.16	3	Vertical	269	1.50
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.7288G	67.98	68.20	-0.22	3	Vertical	72	1.46
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	PK	5.736G	68.16	68.20	-0.04	3	Horizontal	102	2.68
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	PK	5.4644G	67.59	68.20	-0.61	3	Vertical	61	2.13
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	PK	5.6398G	62.94	68.20	-5.26	3	Vertical	76	1.81
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.6318G	66.99	68.20	-1.21	3	Horizontal	94	2.72
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	PK	5.643G	67.96	68.20	-0.24	3	Horizontal	141	1.50



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	50.12	54.00	-3.88	3	Vertical	358	1.50
5180MHz	Pass	AV	5.1882G	111.20	Inf	-Inf	3	Vertical	358	1.50
5180MHz	Pass	PK	5.1486G	62.13	74.00	-11.87	3	Vertical	358	1.50
5180MHz	Pass	PK	5.1884G	122.11	Inf	-Inf	3	Vertical	358	1.50
5180MHz	Pass	AV	5.1496G	53.45	54.00	-0.55	3	Horizontal	130	1.48
5180MHz	Pass	AV	5.1768G	111.24	Inf	-Inf	3	Horizontal	130	1.48
5180MHz	Pass	PK	5.1498G	67.33	74.00	-6.67	3	Horizontal	130	1.48
5180MHz	Pass	PK	5.1762G	122.78	Inf	-Inf	3	Horizontal	130	1.48
5180MHz	Pass	PK	10.35864G	55.11	68.20	-13.09	3	Vertical	296	1.53
5180MHz	Pass	PK	10.37464G	55.38	68.20	-12.82	3	Horizontal	91	2.66
5200MHz	Pass	AV	5.1492G	53.45	54.00	-0.55	3	Vertical	304	1.47
5200MHz	Pass	AV	5.2076G	114.67	Inf	-Inf	3	Vertical	304	1.47
5200MHz	Pass	PK	5.1484G	71.87	74.00	-2.13	3	Vertical	304	1.47
5200MHz	Pass	PK	5.2072G	126.04	Inf	-Inf	3	Vertical	304	1.47
5200MHz	Pass	AV	5.15G	53.04	54.00	-0.96	3	Horizontal	139	1.49
5200MHz	Pass	AV	5.1988G	114.09	Inf	-Inf	3	Horizontal	139	1.49
5200MHz	Pass	PK	5.15G	67.67	74.00	-6.33	3	Horizontal	139	1.49
5200MHz	Pass	PK	5.1964G	124.93	Inf	-Inf	3	Horizontal	139	1.49
5200MHz	Pass	PK	10.41184G	56.31	68.20	-11.89	3	Vertical	327	1.50
5200MHz	Pass	PK	10.39976G	54.58	68.20	-13.62	3	Horizontal	284	2.55
5240MHz	Pass	AV	5.15G	47.11	54.00	-6.89	3	Vertical	328	1.49
5240MHz	Pass	AV	5.2316G	115.38	Inf	-Inf	3	Vertical	328	1.49
5240MHz	Pass	AV	5.351G	48.22	54.00	-5.78	3	Vertical	328	1.49
5240MHz	Pass	PK	5.1434G	59.16	74.00	-14.84	3	Vertical	328	1.49
5240MHz	Pass	PK	5.2322G	125.65	Inf	-Inf	3	Vertical	328	1.49
5240MHz	Pass	PK	5.3624G	60.68	74.00	-13.32	3	Vertical	328	1.49
5240MHz	Pass	AV	5.15G	48.75	54.00	-5.25	3	Horizontal	129	1.40
5240MHz	Pass	AV	5.243G	114.82	Inf	-Inf	3	Horizontal	129	1.40
5240MHz	Pass	AV	5.3546G	49.20	54.00	-4.80	3	Horizontal	129	1.40
5240MHz	Pass	PK	5.1482G	61.71	74.00	-12.29	3	Horizontal	129	1.40
5240MHz	Pass	PK	5.2376G	126.12	Inf	-Inf	3	Horizontal	129	1.40
5240MHz	Pass	PK	5.3564G	61.14	74.00	-12.86	3	Horizontal	129	1.40
5240MHz	Pass	PK	10.47844G	59.11	68.20	-9.09	3	Vertical	298	1.46
5240MHz	Pass	PK	10.48936G	57.84	68.20	-10.36	3	Horizontal	109.9	1.42
5260MHz	Pass	AV	5.1484G	46.48	54.00	-7.52	3	Vertical	61	1.64
5260MHz	Pass	AV	5.2558G	113.18	Inf	-Inf	3	Vertical	61	1.64
5260MHz	Pass	AV	5.3512G	49.15	54.00	-4.85	3	Vertical	61	1.64
5260MHz	Pass	PK	5.1496G	59.44	74.00	-14.56	3	Vertical	61	1.64
5260MHz	Pass	PK	5.2576G	125.30	Inf	-Inf	3	Vertical	61	1.64
5260MHz	Pass	PK	5.353G	64.67	74.00	-9.33	3	Vertical	61	1.64
5260MHz	Pass	AV	5.15G	46.08	54.00	-7.92	3	Horizontal	245	1.81
5260MHz	Pass	AV	5.2546G	114.49	Inf	-Inf	3	Horizontal	245	1.81
5260MHz	Pass	AV	5.35G	47.89	54.00	-6.11	3	Horizontal	245	1.81
5260MHz	Pass	PK	5.149G	58.71	74.00	-15.29	3	Horizontal	245	1.81
5260MHz	Pass	PK	5.2558G	125.97	Inf	-Inf	3	Horizontal	245	1.81
5260MHz	Pass	PK	5.3518G	62.53	74.00	-11.47	3	Horizontal	245	1.81
5260MHz	Pass	PK	10.516G	51.09	68.20	-17.11	3	Vertical	326	1.68
5260MHz	Pass	PK	10.5019G	52.05	68.20	-16.15	3	Horizontal	246	1.50
5300MHz	Pass	AV	5.2912G	114.16	Inf	-Inf	3	Vertical	349	1.50
5300MHz	Pass	AV	5.35G	51.50	54.00	-2.50	3	Vertical	349	1.50
5300MHz	Pass	PK	5.2916G	125.52	Inf	-Inf	3	Vertical	349	1.50
5300MHz	Pass	PK	5.3624G	67.85	74.00	-6.15	3	Vertical	349	1.50
5300MHz	Pass	AV	5.2972G	113.17	Inf	-Inf	3	Horizontal	97	2.87
5300MHz	Pass	AV	5.3512G	53.25	54.00	-0.75	3	Horizontal	97	2.87
5300MHz	Pass	PK	5.2972G	126.46	Inf	-Inf	3	Horizontal	97	2.87
5300MHz	Pass	PK	5.352G	70.69	74.00	-3.31	3	Horizontal	97	2.87
5300MHz	Pass	AV	10.601G	38.02	54.00	-15.98	3	Vertical	302	1.50
5300MHz	Pass	PK	10.597G	51.66	68.20	-16.54	3	Vertical	302	1.50
5300MHz	Pass	PK	10.5864G	51.22	68.20	-16.98	3	Horizontal	240	1.10
5320MHz	Pass	AV	5.3124G	113.51	Inf	-Inf	3	Vertical	230	2.91





## RSE TX above 1GHz\_Beamforming

## Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz	Pass	AV	5.3592G	52.50	54.00	-1.50	3	Vertical	230	2.91
5320MHz	Pass	PK	5.3114G	125.85	Inf	-Inf	3	Vertical	230	2.91
5320MHz	Pass	PK	5.3596G	68.79	74.00	-5.21	3	Vertical	230	2.91
5320MHz	Pass	AV	5.329G	111.47	Inf	-Inf	3	Horizontal	109	2.42
5320MHz	Pass	AV	5.3502G	53.19	54.00	-0.81	3	Horizontal	109	2.42
5320MHz	Pass	PK	5.3286G	124.36	Inf	-Inf	3	Horizontal	109	2.42
5320MHz	Pass	PK	5.351G	68.21	74.00	-5.79	3	Horizontal	109	2.42
5320MHz	Pass	AV	10.6341G	37.35	54.00	-16.65	3	Vertical	120	1.50
5320MHz	Pass	PK	10.6199G	51.34	74.00	-22.66	3	Vertical	120	1.50
5320MHz	Pass	AV	10.6645G	37.32	54.00	-16.68	3	Horizontal	293	1.50
5320MHz	Pass	PK	10.6319G	51.28	74.00	-22.72	3	Horizontal	293	1.50
5500MHz	Pass	AV	5.4596G	49.12	54.00	-4.88	3	Vertical	65	2.80
5500MHz	Pass	AV	5.4978G	111.01	Inf	-Inf	3	Vertical	65	2.80
5500MHz	Pass	PK	5.46G	62.30	74.00	-11.70	3	Vertical	65	2.80
5500MHz	Pass	PK	5.47G	63.38	68.20	-4.82	3	Vertical	65	2.80
5500MHz	Pass	PK	5.4964G	123.28	Inf	-Inf	3	Vertical	65	2.80
5500MHz	Pass	AV	5.4582G	51.41	54.00	-2.59	3	Horizontal	65	2.40
5500MHz	Pass	AV	5.5078G	111.19	Inf	-Inf	3	Horizontal	65	2.40
5500MHz	Pass	PK	5.4594G	67.67	74.00	-6.33	3	Horizontal	65	2.40
5500MHz	Pass	PK	5.4604G	67.38	68.20	-0.82	3	Horizontal	65	2.40
5500MHz	Pass	PK	5.505G	124.31	Inf	-Inf	3	Horizontal	65	2.40
5500MHz	Pass	AV	10.9821G	37.69	54.00	-16.31	3	Vertical	52	2.25
5500MHz	Pass	PK	10.9883G	51.03	74.00	-22.97	3	Vertical	52	2.25
5500MHz	Pass	AV	10.9817G	37.90	54.00	-16.10	3	Horizontal	141	2.31
5500MHz	Pass	PK	11.0201G	51.09	74.00	-22.91	3	Horizontal	141	2.31
5580MHz	Pass	AV	5.4528G	47.87	54.00	-6.13	3	Vertical	279	1.48
5580MHz	Pass	AV	5.5818G	113.45	Inf	-Inf	3	Vertical	279	1.48
5580MHz	Pass	PK	5.4576G	62.21	74.00	-11.79	3	Vertical	279	1.48
5580MHz	Pass	PK	5.4648G	60.50	68.20	-7.70	3	Vertical	279	1.48
5580MHz	Pass	PK	5.5806G	126.82	Inf	-Inf	3	Vertical	279	1.48
5580MHz	Pass	PK	5.73G	60.48	68.20	-7.72	3	Vertical	279	1.48
5580MHz	Pass	AV	5.4498G	46.98	54.00	-7.02	3	Horizontal	259	1.50
5580MHz	Pass	AV	5.5788G	111.83	Inf	-Inf	3	Horizontal	259	1.50
5580MHz	Pass	PK	5.4576G	60.28	74.00	-13.72	3	Horizontal	259	1.50
5580MHz	Pass	PK	5.463G	60.58	68.20	-7.62	3	Horizontal	259	1.50
5580MHz	Pass	PK	5.5776G	124.18	Inf	-Inf	3	Horizontal	259	1.50
5580MHz	Pass	PK	5.7258G	59.97	68.20	-8.23	3	Horizontal	259	1.50
5580MHz	Pass	AV	11.1602G	38.02	54.00	-15.98	3	Vertical	291	1.38
5580MHz	Pass	PK	11.1801G	51.58	74.00	-22.42	3	Vertical	291	1.38
5580MHz	Pass	AV	11.1631G	37.57	54.00	-16.43	3	Horizontal	6	1.50
5580MHz	Pass	PK	11.1459G	51.65	74.00	-22.35	3	Horizontal	6	1.50
5700MHz	Pass	AV	5.708G	107.33	Inf	-Inf	3	Vertical	269	1.50
5700MHz	Pass	PK	5.7088G	119.66	Inf	-Inf	3	Vertical	269	1.50
5700MHz	Pass	PK	5.7292G	68.04	68.20	-0.16	3	Vertical	269	1.50
5700MHz	Pass	AV	5.7092G	107.05	Inf	-Inf	3	Horizontal	69	2.37
5700MHz	Pass	PK	5.7084G	119.95	Inf	-Inf	3	Horizontal	69	2.37
5700MHz	Pass	PK	5.742G	66.81	68.20	-1.39	3	Horizontal	69	2.37
5700MHz	Pass	AV	11.3987G	38.14	54.00	-15.86	3	Vertical	129	1.01
5700MHz	Pass	PK	11.3823G	51.98	74.00	-22.02	3	Vertical	129	1.01
5700MHz	Pass	AV	11.3935G	38.19	54.00	-15.81	3	Horizontal	217	2.20
5700MHz	Pass	PK	11.4023G	51.71	74.00	-22.29	3	Horizontal	217	2.20
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.432G	47.38	54.00	-6.62	3	Vertical	55	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7284G	115.23	Inf	-Inf	3	Vertical	55	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.432G	61.03	74.00	-12.97	3	Vertical	55	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	60.53	68.20	-7.67	3	Vertical	55	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7296G	125.54	Inf	-Inf	3	Vertical	55	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8904G	60.40	68.20	-7.80	3	Vertical	55	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.432G	46.58	54.00	-7.42	3	Horizontal	67	2.70
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7116G	113.69	Inf	-Inf	3	Horizontal	67	2.70
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4536G	60.03	74.00	-13.97	3	Horizontal	67	2.70
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	59.48	68.20	-8.72	3	Horizontal	67	2.70
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7128G	125.93	Inf	-Inf	3	Horizontal	67	2.70



RSE TX above 1GHz\_Beamforming

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9636G	59.60	68.20	-8.60	3	Horizontal	67	2.70
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4501G	38.08	54.00	-15.92	3	Vertical	291	1.38
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4401G	51.85	74.00	-22.15	3	Vertical	291	1.38
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4499G	38.00	54.00	-16.00	3	Horizontal	315	1.33
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.451G	52.10	74.00	-21.90	3	Horizontal	315	1.33
5745MHz	Pass	AV	5.4522G	47.40	54.00	-6.60	3	Vertical	261	1.44
5745MHz	Pass	AV	5.7378G	115.42	Inf	-Inf	3	Vertical	261	1.44
5745MHz	Pass	PK	5.5386G	60.66	68.20	-7.54	3	Vertical	261	1.44
5745MHz	Pass	PK	5.739G	124.92	Inf	-Inf	3	Vertical	261	1.44
5745MHz	Pass	PK	5.9598G	59.08	68.20	-9.12	3	Vertical	261	1.44
5745MHz	Pass	AV	5.4546G	47.55	54.00	-6.45	3	Horizontal	106	2.75
5745MHz	Pass	AV	5.7534G	117.29	Inf	-Inf	3	Horizontal	106	2.75
5745MHz	Pass	PK	5.6358G	62.82	68.20	-5.38	3	Horizontal	106	2.75
5745MHz	Pass	PK	5.7534G	126.45	Inf	-Inf	3	Horizontal	106	2.75
5745MHz	Pass	PK	6.003G	59.30	68.20	-8.90	3	Horizontal	106	2.75
5745MHz	Pass	AV	11.49416G	40.40	54.00	-13.60	3	Vertical	292	1.50
5745MHz	Pass	PK	11.49688G	54.90	74.00	-19.10	3	Vertical	292	1.50
5745MHz	Pass	AV	11.47248G	38.19	54.00	-15.81	3	Horizontal	42	1.50
5745MHz	Pass	PK	11.4724G	52.55	74.00	-21.45	3	Horizontal	42	1.50
5785MHz	Pass	AV	5.7766G	118.41	Inf	-Inf	3	Vertical	76	1.81
5785MHz	Pass	PK	5.6398G	62.94	68.20	-5.26	3	Vertical	76	1.81
5785MHz	Pass	PK	5.7754G	127.81	Inf	-Inf	3	Vertical	76	1.81
5785MHz	Pass	PK	5.9926G	59.49	68.20	-8.71	3	Vertical	76	1.81
5785MHz	Pass	AV	5.7862G	116.60	Inf	-Inf	3	Horizontal	95	2.75
5785MHz	Pass	PK	5.5798G	61.88	68.20	-6.32	3	Horizontal	95	2.75
5785MHz	Pass	PK	5.7874G	127.58	Inf	-Inf	3	Horizontal	95	2.75
5785MHz	Pass	PK	6.0502G	59.21	68.20	-8.99	3	Horizontal	95	2.75
5785MHz	Pass	AV	11.56568G	40.89	54.00	-13.11	3	Vertical	312	1.26
5785MHz	Pass	PK	11.57064G	55.08	74.00	-18.92	3	Vertical	312	1.26
5785MHz	Pass	AV	11.5632G	40.43	54.00	-13.57	3	Horizontal	112	2.91
5785MHz	Pass	PK	11.56048G	53.37	74.00	-20.63	3	Horizontal	112	2.91
5825MHz	Pass	AV	5.8166G	113.80	Inf	-Inf	3	Vertical	92	1.30
5825MHz	Pass	PK	5.6222G	61.11	68.20	-7.09	3	Vertical	92	1.30
5825MHz	Pass	PK	5.8202G	125.11	Inf	-Inf	3	Vertical	92	1.30
5825MHz	Pass	PK	5.9606G	59.29	68.20	-8.91	3	Vertical	92	1.30
5825MHz	Pass	AV	5.8154G	113.95	Inf	-Inf	3	Horizontal	319	1.50
5825MHz	Pass	PK	5.6234G	59.72	68.20	-8.48	3	Horizontal	319	1.50
5825MHz	Pass	PK	5.8166G	123.54	Inf	-Inf	3	Horizontal	319	1.50
5825MHz	Pass	PK	5.927G	60.60	68.20	-7.60	3	Horizontal	319	1.50
5825MHz	Pass	AV	11.65592G	39.30	54.00	-14.70	3	Vertical	161	1.29
5825MHz	Pass	PK	11.65632G	52.78	74.00	-21.22	3	Vertical	161	1.29
5825MHz	Pass	AV	11.6496G	39.98	54.00	-14.02	3	Horizontal	99	2.77
5825MHz	Pass	PK	11.64712G	53.47	74.00	-20.53	3	Horizontal	99	2.77
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	51.71	54.00	-2.29	3	Vertical	61	1.50
5190MHz	Pass	AV	5.2004G	104.35	Inf	-Inf	3	Vertical	61	1.50
5190MHz	Pass	PK	5.15G	65.88	74.00	-8.12	3	Vertical	61	1.50
5190MHz	Pass	PK	5.2008G	115.97	Inf	-Inf	3	Vertical	61	1.50
5190MHz	Pass	AV	5.15G	53.68	54.00	-0.32	3	Horizontal	145	1.11
5190MHz	Pass	AV	5.2016G	105.55	Inf	-Inf	3	Horizontal	145	1.11
5190MHz	Pass	PK	5.1476G	67.01	74.00	-6.99	3	Horizontal	145	1.11
5190MHz	Pass	PK	5.2012G	116.84	Inf	-Inf	3	Horizontal	145	1.11
5190MHz	Pass	PK	10.38084G	51.52	68.20	-16.68	3	Vertical	330	1.50
5190MHz	Pass	PK	10.38636G	51.27	68.20	-16.93	3	Horizontal	319	1.50
5230MHz	Pass	AV	5.1496G	53.76	54.00	-0.24	3	Vertical	214	3.00
5230MHz	Pass	AV	5.2468G	111.33	Inf	-Inf	3	Vertical	214	3.00
5230MHz	Pass	PK	5.1384G	69.61	74.00	-4.39	3	Vertical	214	3.00
5230MHz	Pass	PK	5.2476G	123.04	Inf	-Inf	3	Vertical	214	3.00
5230MHz	Pass	AV	5.1496G	51.00	54.00	-3.00	3	Horizontal	255	1.50
5230MHz	Pass	AV	5.2336G	110.12	Inf	-Inf	3	Horizontal	255	1.50
5230MHz	Pass	PK	5.15G	67.93	74.00	-6.07	3	Horizontal	255	1.50
5230MHz	Pass	PK	5.2332G	121.98	Inf	-Inf	3	Horizontal	255	1.50



RSE TX above 1GHz\_Beamforming

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5230MHz	Pass	PK	10.45964G	57.80	68.20	-10.40	3	Vertical	295	1.50
5230MHz	Pass	PK	10.48208G	55.98	68.20	-12.22	3	Horizontal	96	2.75
5270MHz	Pass	AV	5.2804G	109.62	Inf	-Inf	3	Vertical	360	1.50
5270MHz	Pass	AV	5.3504G	53.57	54.00	-0.43	3	Vertical	360	1.50
5270MHz	Pass	PK	5.2804G	121.97	Inf	-Inf	3	Vertical	360	1.50
5270MHz	Pass	PK	5.352G	71.81	74.00	-2.19	3	Vertical	360	1.50
5270MHz	Pass	AV	5.254G	111.92	Inf	-Inf	3	Horizontal	246	1.79
5270MHz	Pass	AV	5.3504G	50.18	54.00	-3.82	3	Horizontal	246	1.79
5270MHz	Pass	PK	5.2548G	124.42	Inf	-Inf	3	Horizontal	246	1.79
5270MHz	Pass	PK	5.3568G	65.58	74.00	-8.42	3	Horizontal	246	1.79
5270MHz	Pass	PK	10.5209G	51.16	68.20	-17.04	3	Vertical	265	1.04
5270MHz	Pass	PK	10.5306G	51.36	68.20	-16.84	3	Horizontal	359	2.68
5310MHz	Pass	AV	5.328G	106.46	Inf	-Inf	3	Vertical	355	1.49
5310MHz	Pass	AV	5.3504G	52.74	54.00	-1.26	3	Vertical	355	1.49
5310MHz	Pass	PK	5.328G	118.72	Inf	-Inf	3	Vertical	355	1.49
5310MHz	Pass	PK	5.3608G	68.92	74.00	-5.08	3	Vertical	355	1.49
5310MHz	Pass	AV	5.292G	105.48	Inf	-Inf	3	Horizontal	104	1.50
5310MHz	Pass	AV	5.35G	52.76	54.00	-1.24	3	Horizontal	104	1.50
5310MHz	Pass	PK	5.2924G	117.09	Inf	-Inf	3	Horizontal	104	1.50
5310MHz	Pass	PK	5.3608G	68.47	74.00	-5.53	3	Horizontal	104	1.50
5310MHz	Pass	AV	10.6337G	37.28	54.00	-16.72	3	Vertical	74	2.09
5310MHz	Pass	PK	10.6292G	50.78	74.00	-23.22	3	Vertical	74	2.09
5310MHz	Pass	AV	10.6336G	37.32	54.00	-16.68	3	Horizontal	102	1.25
5310MHz	Pass	PK	10.6118G	50.72	74.00	-23.28	3	Horizontal	102	1.25
5510MHz	Pass	AV	5.4596G	50.24	54.00	-3.76	3	Vertical	61	2.94
5510MHz	Pass	AV	5.4984G	105.24	Inf	-Inf	3	Vertical	61	2.94
5510MHz	Pass	PK	5.46G	66.40	74.00	-7.60	3	Vertical	61	2.94
5510MHz	Pass	PK	5.466G	67.86	68.20	-0.34	3	Vertical	61	2.94
5510MHz	Pass	PK	5.4968G	118.77	Inf	-Inf	3	Vertical	61	2.94
5510MHz	Pass	AV	5.4588G	47.73	54.00	-6.27	3	Horizontal	234	2.84
5510MHz	Pass	AV	5.4948G	104.26	Inf	-Inf	3	Horizontal	234	2.84
5510MHz	Pass	PK	5.4592G	61.50	74.00	-12.50	3	Horizontal	234	2.84
5510MHz	Pass	PK	5.4636G	63.04	68.20	-5.16	3	Horizontal	234	2.84
5510MHz	Pass	PK	5.4944G	116.39	Inf	-Inf	3	Horizontal	234	2.84
5510MHz	Pass	AV	11.0144G	37.67	54.00	-16.33	3	Vertical	214	1.65
5510MHz	Pass	PK	11.0146G	51.06	74.00	-22.94	3	Vertical	214	1.65
5510MHz	Pass	AV	11.0026G	37.63	54.00	-16.37	3	Horizontal	288	2.89
5510MHz	Pass	PK	11.0122G	50.96	74.00	-23.04	3	Horizontal	288	2.89
5550MHz	Pass	AV	5.458G	49.14	54.00	-4.86	3	Vertical	88	1.42
5550MHz	Pass	AV	5.5676G	108.77	Inf	-Inf	3	Vertical	88	1.42
5550MHz	Pass	PK	5.4588G	63.47	74.00	-10.53	3	Vertical	88	1.42
5550MHz	Pass	PK	5.4696G	66.28	68.20	-1.92	3	Vertical	88	1.42
5550MHz	Pass	PK	5.5672G	121.31	Inf	-Inf	3	Vertical	88	1.42
5550MHz	Pass	AV	5.4552G	48.88	54.00	-5.12	3	Horizontal	141	1.23
5550MHz	Pass	AV	5.5448G	107.66	Inf	-Inf	3	Horizontal	141	1.23
5550MHz	Pass	PK	5.4588G	64.49	74.00	-9.51	3	Horizontal	141	1.23
5550MHz	Pass	PK	5.4696G	67.30	68.20	-0.90	3	Horizontal	141	1.23
5550MHz	Pass	PK	5.5416G	119.55	Inf	-Inf	3	Horizontal	141	1.23
5550MHz	Pass	AV	11.0918G	37.55	54.00	-16.45	3	Vertical	282	1.37
5550MHz	Pass	PK	11.0792G	50.69	74.00	-23.31	3	Vertical	282	1.37
5550MHz	Pass	AV	11.0965G	37.74	54.00	-16.26	3	Horizontal	148	1.48
5550MHz	Pass	PK	11.1019G	51.69	74.00	-22.31	3	Horizontal	148	1.48
5670MHz	Pass	AV	5.6568G	106.81	Inf	-Inf	3	Vertical	72	1.46
5670MHz	Pass	PK	5.6532G	119.79	Inf	-Inf	3	Vertical	72	1.46
5670MHz	Pass	PK	5.7288G	67.98	68.20	-0.22	3	Vertical	72	1.46
5670MHz	Pass	AV	5.6526G	104.36	Inf	-Inf	3	Horizontal	240	1.50
5670MHz	Pass	PK	5.6514G	117.56	Inf	-Inf	3	Horizontal	240	1.50
5670MHz	Pass	PK	5.7372G	67.27	68.20	-0.93	3	Horizontal	240	1.50
5670MHz	Pass	AV	11.347G	38.01	54.00	-15.99	3	Vertical	42	2.38
5670MHz	Pass	PK	11.3323G	51.46	74.00	-22.54	3	Vertical	42	2.38
5670MHz	Pass	AV	11.3612G	37.93	54.00	-16.07	3	Horizontal	82	2.77
5670MHz	Pass	PK	11.3623G	51.67	74.00	-22.33	3	Horizontal	82	2.77



RSE TX above 1GHz\_Beamforming

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4532G	47.36	54.00	-6.64	3	Vertical	71	1.70
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7088G	113.37	Inf	-Inf	3	Vertical	71	1.70
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4544G	60.61	74.00	-13.39	3	Vertical	71	1.70
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4616G	61.25	68.20	-6.95	3	Vertical	71	1.70
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7088G	125.35	Inf	-Inf	3	Vertical	71	1.70
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8528G	66.86	68.20	-1.34	3	Vertical	71	1.70
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4532G	46.39	54.00	-7.61	3	Horizontal	262	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.6944G	109.75	Inf	-Inf	3	Horizontal	262	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4124G	59.97	74.00	-14.03	3	Horizontal	262	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4688G	60.08	68.20	-8.12	3	Horizontal	262	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.6956G	122.42	Inf	-Inf	3	Horizontal	262	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.86G	60.28	68.20	-7.92	3	Horizontal	262	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.4012G	38.21	54.00	-15.79	3	Vertical	96	2.14
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.4254G	51.90	74.00	-22.10	3	Vertical	96	2.14
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.3964G	38.19	54.00	-15.81	3	Horizontal	45	1.06
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.4147G	52.34	74.00	-21.66	3	Horizontal	45	1.06
5755MHz	Pass	AV	5.4598G	47.85	54.00	-6.15	3	Vertical	63	1.50
5755MHz	Pass	AV	5.7478G	110.50	Inf	-Inf	3	Vertical	63	1.50
5755MHz	Pass	PK	5.6374G	64.06	68.20	-4.14	3	Vertical	63	1.50
5755MHz	Pass	PK	5.7454G	122.47	Inf	-Inf	3	Vertical	63	1.50
5755MHz	Pass	PK	6.0454G	59.13	68.20	-9.07	3	Vertical	63	1.50
5755MHz	Pass	AV	5.4598G	46.92	54.00	-7.08	3	Horizontal	252	2.42
5755MHz	Pass	AV	5.7406G	111.19	Inf	-Inf	3	Horizontal	252	2.42
5755MHz	Pass	PK	5.6494G	66.79	68.20	-1.41	3	Horizontal	252	2.42
5755MHz	Pass	PK	5.7406G	123.89	Inf	-Inf	3	Horizontal	252	2.42
5755MHz	Pass	PK	5.9866G	59.36	68.20	-8.84	3	Horizontal	252	2.42
5755MHz	Pass	AV	11.51852G	39.06	54.00	-14.94	3	Vertical	288	1.50
5755MHz	Pass	PK	11.50988G	55.44	74.00	-18.56	3	Vertical	288	1.50
5755MHz	Pass	AV	11.5022G	38.33	54.00	-15.67	3	Horizontal	268	1.50
5755MHz	Pass	PK	11.48924G	52.34	74.00	-21.66	3	Horizontal	268	1.50
5795MHz	Pass	AV	5.777G	113.11	Inf	-Inf	3	Vertical	94	1.92
5795MHz	Pass	PK	5.6498G	66.79	68.20	-1.41	3	Vertical	94	1.92
5795MHz	Pass	PK	5.7782G	123.65	Inf	-Inf	3	Vertical	94	1.92
5795MHz	Pass	PK	6.077G	59.32	68.20	-8.88	3	Vertical	94	1.92
5795MHz	Pass	AV	5.7998G	111.90	Inf	-Inf	3	Horizontal	94	2.72
5795MHz	Pass	PK	5.6318G	66.99	68.20	-1.21	3	Horizontal	94	2.72
5795MHz	Pass	PK	5.7998G	123.89	Inf	-Inf	3	Horizontal	94	2.72
5795MHz	Pass	PK	6.0878G	58.96	68.20	-9.24	3	Horizontal	94	2.72
5795MHz	Pass	AV	11.56588G	39.19	54.00	-14.81	3	Vertical	294	2.82
5795MHz	Pass	PK	11.5648G	53.49	74.00	-20.51	3	Vertical	294	2.82
5795MHz	Pass	AV	11.6134G	39.98	54.00	-14.02	3	Horizontal	113	2.25
5795MHz	Pass	PK	11.61508G	54.14	74.00	-19.86	3	Horizontal	113	2.25
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	51.61	54.00	-2.39	3	Vertical	331	1.52
5210MHz	Pass	AV	5.224G	105.04	Inf	-Inf	3	Vertical	331	1.52
5210MHz	Pass	AV	5.36G	49.48	54.00	-4.52	3	Vertical	331	1.52
5210MHz	Pass	PK	5.15G	63.11	74.00	-10.89	3	Vertical	331	1.52
5210MHz	Pass	PK	5.223G	115.77	Inf	-Inf	3	Vertical	331	1.52
5210MHz	Pass	PK	5.35G	61.37	74.00	-12.63	3	Vertical	331	1.52
5210MHz	Pass	AV	5.15G	52.62	54.00	-1.38	3	Horizontal	238	1.60
5210MHz	Pass	AV	5.198G	107.08	Inf	-Inf	3	Horizontal	238	1.60
5210MHz	Pass	AV	5.36G	47.97	54.00	-6.03	3	Horizontal	238	1.60
5210MHz	Pass	PK	5.146G	63.50	74.00	-10.50	3	Horizontal	238	1.60
5210MHz	Pass	PK	5.198G	118.17	Inf	-Inf	3	Horizontal	238	1.60
5210MHz	Pass	PK	5.371G	59.60	74.00	-14.40	3	Horizontal	238	1.60
5210MHz	Pass	PK	10.46128G	52.09	68.20	-16.11	3	Vertical	329	1.50
5210MHz	Pass	PK	10.47784G	51.05	68.20	-17.15	3	Horizontal	324	1.46
5290MHz	Pass	AV	5.15G	47.68	54.00	-6.32	3	Vertical	62	1.50
5290MHz	Pass	AV	5.26G	105.02	Inf	-Inf	3	Vertical	62	1.50
5290MHz	Pass	AV	5.355G	53.41	54.00	-0.59	3	Vertical	62	1.50
5290MHz	Pass	AV	5.46G	48.38	54.00	-5.62	3	Vertical	62	1.50
5290MHz	Pass	PK	5.149G	61.10	74.00	-12.90	3	Vertical	62	1.50



RSE TX above 1GHz\_Beamforming

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5290MHz	Pass	PK	5.259G	118.95	Inf	-Inf	3	Vertical	62	1.50
5290MHz	Pass	PK	5.379G	65.98	74.00	-8.02	3	Vertical	62	1.50
5290MHz	Pass	PK	5.483G	61.51	68.20	-6.69	3	Vertical	62	1.50
5290MHz	Pass	AV	5.149G	46.74	54.00	-7.26	3	Horizontal	248	1.77
5290MHz	Pass	AV	5.252G	104.31	Inf	-Inf	3	Horizontal	248	1.77
5290MHz	Pass	AV	5.35G	52.03	54.00	-1.97	3	Horizontal	248	1.77
5290MHz	Pass	AV	5.46G	47.36	54.00	-6.64	3	Horizontal	248	1.77
5290MHz	Pass	PK	5.149G	59.48	74.00	-14.52	3	Horizontal	248	1.77
5290MHz	Pass	PK	5.252G	115.88	Inf	-Inf	3	Horizontal	248	1.77
5290MHz	Pass	PK	5.378G	65.66	74.00	-8.34	3	Horizontal	248	1.77
5290MHz	Pass	PK	5.473G	60.65	68.20	-7.55	3	Horizontal	248	1.77
5290MHz	Pass	PK	10.5911G	50.67	68.20	-17.53	3	Vertical	43	2.60
5290MHz	Pass	PK	10.6005G	50.30	74.00	-23.70	3	Horizontal	205	1.76
5530MHz	Pass	AV	5.46G	52.46	54.00	-1.54	3	Vertical	53	1.50
5530MHz	Pass	AV	5.522G	104.46	Inf	-Inf	3	Vertical	53	1.50
5530MHz	Pass	PK	5.327G	60.57	68.20	-7.63	3	Vertical	53	1.50
5530MHz	Pass	PK	5.459G	65.57	74.00	-8.43	3	Vertical	53	1.50
5530MHz	Pass	PK	5.469G	67.82	68.20	-0.38	3	Vertical	53	1.50
5530MHz	Pass	PK	5.507G	117.39	Inf	-Inf	3	Vertical	53	1.50
5530MHz	Pass	PK	5.734G	60.91	68.20	-7.29	3	Vertical	53	1.50
5530MHz	Pass	AV	5.453G	51.77	54.00	-2.23	3	Horizontal	89	2.88
5530MHz	Pass	AV	5.544G	104.16	Inf	-Inf	3	Horizontal	89	2.88
5530MHz	Pass	PK	5.336G	60.57	68.20	-7.63	3	Horizontal	89	2.88
5530MHz	Pass	PK	5.456G	67.79	74.00	-6.21	3	Horizontal	89	2.88
5530MHz	Pass	PK	5.467G	65.36	68.20	-2.84	3	Horizontal	89	2.88
5530MHz	Pass	PK	5.544G	117.19	Inf	-Inf	3	Horizontal	89	2.88
5530MHz	Pass	PK	5.738G	60.51	68.20	-7.69	3	Horizontal	89	2.88
5530MHz	Pass	AV	11.0361G	37.48	54.00	-16.52	3	Vertical	113	1.14
5530MHz	Pass	PK	11.0446G	52.00	74.00	-22.00	3	Vertical	113	1.14
5530MHz	Pass	AV	11.0451G	37.45	54.00	-16.55	3	Horizontal	329	1.02
5530MHz	Pass	PK	11.0403G	51.98	74.00	-22.02	3	Horizontal	329	1.02
5610MHz	Pass	AV	5.454G	48.36	54.00	-5.64	3	Vertical	75	1.50
5610MHz	Pass	AV	5.572G	99.76	Inf	-Inf	3	Vertical	75	1.50
5610MHz	Pass	PK	5.455G	62.40	74.00	-11.60	3	Vertical	75	1.50
5610MHz	Pass	PK	5.469G	61.49	68.20	-6.71	3	Vertical	75	1.50
5610MHz	Pass	PK	5.647G	114.01	Inf	-Inf	3	Vertical	75	1.50
5610MHz	Pass	PK	5.733G	65.81	68.20	-2.39	3	Vertical	75	1.50
5610MHz	Pass	AV	5.46G	48.53	54.00	-5.47	3	Horizontal	102	2.68
5610MHz	Pass	AV	5.638G	103.28	Inf	-Inf	3	Horizontal	102	2.68
5610MHz	Pass	PK	5.455G	65.31	74.00	-8.69	3	Horizontal	102	2.68
5610MHz	Pass	PK	5.47G	66.94	68.20	-1.26	3	Horizontal	102	2.68
5610MHz	Pass	PK	5.64G	116.15	Inf	-Inf	3	Horizontal	102	2.68
5610MHz	Pass	PK	5.736G	68.16	68.20	-0.04	3	Horizontal	102	2.68
5610MHz	Pass	AV	11.2415G	37.44	54.00	-16.56	3	Vertical	188	1.01
5610MHz	Pass	PK	11.244G	51.80	74.00	-22.20	3	Vertical	188	1.01
5610MHz	Pass	AV	11.196G	37.43	54.00	-16.57	3	Horizontal	354	1.17
5610MHz	Pass	PK	11.2296G	51.25	74.00	-22.75	3	Horizontal	354	1.17
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.455G	50.03	54.00	-3.97	3	Vertical	69	1.54
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.658G	107.92	Inf	-Inf	3	Vertical	69	1.54
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	64.12	68.20	-4.08	3	Vertical	69	1.54
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.66G	119.94	Inf	-Inf	3	Vertical	69	1.54
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.855G	67.61	68.20	-0.59	3	Vertical	69	1.54
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.851G	67.94	68.20	-0.26	3	Horizontal	91	2.88
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.464G	62.63	68.20	-5.57	3	Horizontal	91	2.88
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.449G	48.33	54.00	-5.67	3	Horizontal	91	2.88
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7G	118.86	Inf	-Inf	3	Horizontal	91	2.88
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.701G	106.39	Inf	-Inf	3	Horizontal	91	2.88
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.3997G	38.04	54.00	-15.96	3	Vertical	69	2.74
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3995G	51.88	74.00	-22.12	3	Vertical	69	2.74
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.3967G	38.17	54.00	-15.83	3	Horizontal	275	2.32
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3761G	51.37	74.00	-22.63	3	Horizontal	275	2.32
5775MHz	Pass	AV	5.768G	110.54	Inf	-Inf	3	Vertical	77	1.78




RSE TX above 1GHz\_Beamforming

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5775MHz	Pass	PK	5.65G	66.49	68.20	-1.71	3	Vertical	77	1.78
5775MHz	Pass	PK	5.765G	119.24	Inf	-Inf	3	Vertical	77	1.78
5775MHz	Pass	PK	5.963G	59.29	68.20	-8.91	3	Vertical	77	1.78
5775MHz	Pass	AV	5.771G	106.93	Inf	-Inf	3	Horizontal	141	1.50
5775MHz	Pass	PK	5.643G	67.96	68.20	-0.24	3	Horizontal	141	1.50
5775MHz	Pass	PK	5.763G	116.86	Inf	-Inf	3	Horizontal	141	1.50
5775MHz	Pass	PK	5.936G	59.18	68.20	-9.02	3	Horizontal	141	1.50
5775MHz	Pass	AV	11.54976G	38.67	54.00	-15.33	3	Vertical	69	1.50
5775MHz	Pass	PK	11.49096G	52.20	74.00	-21.80	3	Vertical	69	1.50
5775MHz	Pass	AV	11.52408G	38.28	54.00	-15.72	3	Horizontal	2	1.94
5775MHz	Pass	PK	11.50776G	52.34	74.00	-21.66	3	Horizontal	2	1.94
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.148G	48.97	54.00	-5.03	3	Vertical	42	1.49
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.274G	97.46	Inf	-Inf	3	Vertical	42	1.49
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3844G	50.64	54.00	-3.36	3	Vertical	42	1.49
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.46G	48.50	54.00	-5.50	3	Vertical	42	1.49
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.148G	71.05	74.00	-2.95	3	Vertical	42	1.49
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2332G	113.43	Inf	-Inf	3	Vertical	42	1.49
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3796G	73.69	74.00	-0.31	3	Vertical	42	1.49
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.46G	65.70	74.00	-8.30	3	Vertical	42	1.49
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	49.26	54.00	-4.74	3	Horizontal	86	1.24
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.19G	101.19	Inf	-Inf	3	Horizontal	86	1.24
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.4072G	48.43	54.00	-5.57	3	Horizontal	86	1.24
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.46G	46.69	54.00	-7.31	3	Horizontal	86	1.24
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.148G	69.22	74.00	-4.78	3	Horizontal	86	1.24
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1888G	114.05	Inf	-Inf	3	Horizontal	86	1.24
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3676G	71.19	74.00	-2.81	3	Horizontal	86	1.24
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4732G	62.27	68.20	-5.93	3	Horizontal	86	1.24
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.5032G	50.17	68.20	-18.03	3	Vertical	126	2.93
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.4968G	49.54	68.20	-18.66	3	Horizontal	101	2.56
5570MHz	Pass	AV	5.3996G	49.52	54.00	-4.48	3	Vertical	61	2.13
5570MHz	Pass	AV	5.5544G	97.07	Inf	-Inf	3	Vertical	61	2.13
5570MHz	Pass	PK	5.348G	59.91	68.20	-8.29	3	Vertical	61	2.13
5570MHz	Pass	PK	5.4464G	67.60	74.00	-6.40	3	Vertical	61	2.13
5570MHz	Pass	PK	5.4644G	67.59	68.20	-0.61	3	Vertical	61	2.13
5570MHz	Pass	PK	5.5568G	114.60	Inf	-Inf	3	Vertical	61	2.13
5570MHz	Pass	PK	5.7428G	64.78	68.20	-3.42	3	Vertical	61	2.13
5570MHz	Pass	AV	5.4596G	47.26	54.00	-6.74	3	Horizontal	129	1.50
5570MHz	Pass	AV	5.5436G	98.14	Inf	-Inf	3	Horizontal	129	1.50
5570MHz	Pass	PK	5.342G	59.32	68.20	-8.88	3	Horizontal	129	1.50
5570MHz	Pass	PK	5.4596G	64.01	74.00	-9.99	3	Horizontal	129	1.50
5570MHz	Pass	PK	5.4632G	64.52	68.20	-3.68	3	Horizontal	129	1.50
5570MHz	Pass	PK	5.5412G	111.55	Inf	-Inf	3	Horizontal	129	1.50
5570MHz	Pass	PK	5.7428G	61.05	68.20	-7.15	3	Horizontal	129	1.50
5570MHz	Pass	AV	11.15792G	37.41	54.00	-16.59	3	Vertical	312	2.70
5570MHz	Pass	PK	11.14608G	51.95	74.00	-22.05	3	Vertical	312	2.70
5570MHz	Pass	AV	11.13008G	37.36	54.00	-16.64	3	Horizontal	189	2.97
5570MHz	Pass	PK	11.10544G	51.14	74.00	-22.86	3	Horizontal	189	2.97

5.15-5.25GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.12	54.00	-3.88	5.37	3	Vertical	358	1.50	44.75	33.10	6.41	34.14
AV	5.1882G	111.20	Inf	-Inf	5.40	3	Vertical	358	1.50	105.80	33.10	6.44	34.14
PK	5.1486G	62.13	74.00	-11.87	5.37	3	Vertical	358	1.50	56.76	33.10	6.41	34.14
PK	5.1884G	122.11	Inf	-Inf	5.40	3	Vertical	358	1.50	116.71	33.10	6.44	34.14

5.15-5.25GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	53.45	54.00	-0.55	5.37	3	Horizontal	130	1.48	48.08	33.10	6.41	34.14
AV	5.1768G	111.24	Inf	-Inf	5.39	3	Horizontal	130	1.48	105.85	33.10	6.43	34.14
PK	5.1498G	67.33	74.00	-6.67	5.37	3	Horizontal	130	1.48	61.96	33.10	6.41	34.14
PK	5.1762G	122.78	Inf	-Inf	5.39	3	Horizontal	130	1.48	117.39	33.10	6.43	34.14



5.15-5.25GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.35864G	55.11	68.20	-13.09	15.28	3	Vertical	296	1.53	39.83	38.90	11.01	34.63

5.15-5.25GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.37464G	55.38	68.20	-12.82	15.30	3	Horizontal	91	2.66	40.08	38.90	11.02	34.62



5.15-5.25GHz\_802.11ax\_HEW20-BF\_Nss1,(MCS0)\_4TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	53.45	54.00	-0.55	5.37	3	Vertical	304	1.47	48.08	33.10	6.41	34.14
AV	5.2076G	114.67	Inf	-Inf	5.40	3	Vertical	304	1.47	109.27	33.08	6.46	34.14
PK	5.1484G	71.87	74.00	-2.13	5.37	3	Vertical	304	1.47	66.50	33.10	6.41	34.14
PK	5.2072G	126.04	Inf	-Inf	5.41	3	Vertical	304	1.47	120.63	33.09	6.46	34.14

5.15-5.25GHz\_802.11ax\_HEW20-BF\_Nss1,(MCS0)\_4TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.04	54.00	-0.96	5.37	3	Horizontal	139	1.49	47.67	33.10	6.41	34.14
AV	5.1988G	114.09	Inf	-Inf	5.41	3	Horizontal	139	1.49	108.68	33.10	6.45	34.14
PK	5.15G	67.67	74.00	-6.33	5.37	3	Horizontal	139	1.49	62.30	33.10	6.41	34.14
PK	5.1964G	124.93	Inf	-Inf	5.41	3	Horizontal	139	1.49	119.52	33.10	6.45	34.14

5.15-5.25GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.41184G	56.31	68.20	-11.89	15.35	3	Vertical	327	1.50	40.96	38.90	11.03	34.58

5.15-5.25GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.39976G	54.58	68.20	-13.62	15.34	3	Horizontal	284	2.55	39.24	38.90	11.03	34.59

5.15-5.25GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.11	54.00	-6.89	5.37	3	Vertical	328	1.49	41.74	33.10	6.41	34.14
AV	5.2316G	115.38	Inf	-Inf	5.36	3	Vertical	328	1.49	110.02	33.04	6.47	34.15
AV	5.351G	48.22	54.00	-5.78	5.30	3	Vertical	328	1.49	42.92	32.90	6.56	34.16
PK	5.1434G	59.16	74.00	-14.84	5.37	3	Vertical	328	1.49	53.79	33.10	6.41	34.14
PK	5.2322G	125.65	Inf	-Inf	5.36	3	Vertical	328	1.49	120.29	33.04	6.47	34.15
PK	5.3624G	60.68	74.00	-13.32	5.30	3	Vertical	328	1.49	55.38	32.90	6.56	34.16

5.15-5.25GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.75	54.00	-5.25	5.37	3	Horizontal	129	1.40	43.38	33.10	6.41	34.14
AV	5.243G	114.82	Inf	-Inf	5.34	3	Horizontal	129	1.40	109.48	33.01	6.48	34.15
AV	5.3546G	49.20	54.00	-4.80	5.30	3	Horizontal	129	1.40	43.90	32.90	6.56	34.16
PK	5.1482G	61.71	74.00	-12.29	5.37	3	Horizontal	129	1.40	56.34	33.10	6.41	34.14
PK	5.2376G	126.12	Inf	-Inf	5.35	3	Horizontal	129	1.40	120.77	33.02	6.48	34.15
PK	5.3564G	61.14	74.00	-12.86	5.30	3	Horizontal	129	1.40	55.84	32.90	6.56	34.16

5.15-5.25GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.47844G	59.11	68.20	-9.09	15.43	3	Vertical	298	1.46	43.68	38.90	11.06	34.53

5.15-5.25GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.48936G	57.84	68.20	-10.36	15.44	3	Horizontal	109.9	1.42	42.40	38.90	11.06	34.52

5.25-5.35GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	46.48	54.00	-7.52	5.37	3	Vertical	61	1.64	41.11	33.10	6.41	34.14
AV	5.2558G	113.18	Inf	-Inf	5.34	3	Vertical	61	1.64	107.84	33.00	6.49	34.15
AV	5.3512G	49.15	54.00	-4.85	5.30	3	Vertical	61	1.64	43.85	32.90	6.56	34.16
PK	5.1496G	59.44	74.00	-14.56	5.37	3	Vertical	61	1.64	54.07	33.10	6.41	34.14
PK	5.2576G	125.30	Inf	-Inf	5.34	3	Vertical	61	1.64	119.96	33.00	6.49	34.15
PK	5.353G	64.67	74.00	-9.33	5.30	3	Vertical	61	1.64	59.37	32.90	6.56	34.16

5.25-5.35GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.08	54.00	-7.92	5.37	3	Horizontal	245	1.81	40.71	33.10	6.41	34.14
AV	5.2546G	114.49	Inf	-Inf	5.34	3	Horizontal	245	1.81	109.15	33.00	6.49	34.15
AV	5.35G	47.89	54.00	-6.11	5.29	3	Horizontal	245	1.81	42.60	32.90	6.55	34.16
PK	5.149G	58.71	74.00	-15.29	5.37	3	Horizontal	245	1.81	53.34	33.10	6.41	34.14
PK	5.2558G	125.97	Inf	-Inf	5.34	3	Horizontal	245	1.81	120.63	33.00	6.49	34.15
PK	5.3518G	62.53	74.00	-11.47	5.30	3	Horizontal	245	1.81	57.23	32.90	6.56	34.16



5.25-5.35GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.516G	51.09	68.20	-17.11	15.47	3	Vertical	326	1.68	35.62	38.90	11.07	34.50

5.25-5.35GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5019G	52.05	68.20	-16.15	15.46	3	Horizontal	246	1.50	36.59	38.90	11.07	34.51

5.25-5.35GHz\_802.11ax\_HEW20-BF\_Nss1,(MCS0)\_4TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2912G	114.16	Inf	-Inf	5.36	3	Vertical	349	1.50	108.80	33.00	6.51	34.15
AV	5.35G	51.50	54.00	-2.50	5.29	3	Vertical	349	1.50	46.21	32.90	6.55	34.16
PK	5.2916G	125.52	Inf	-Inf	5.36	3	Vertical	349	1.50	120.16	33.00	6.51	34.15
PK	5.3624G	67.85	74.00	-6.15	5.30	3	Vertical	349	1.50	62.55	32.90	6.56	34.16

5.25-5.35GHz\_802.11ax\_HEW20-BF\_Nss1,(MCS0)\_4TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2972G	113.17	Inf	-Inf	5.36	3	Horizontal	97	2.87	107.81	33.00	6.52	34.16
AV	5.3512G	53.25	54.00	-0.75	5.30	3	Horizontal	97	2.87	47.95	32.90	6.56	34.16
PK	5.2972G	126.46	Inf	-Inf	5.36	3	Horizontal	97	2.87	121.10	33.00	6.52	34.16
PK	5.352G	70.69	74.00	-3.31	5.30	3	Horizontal	97	2.87	65.39	32.90	6.56	34.16

5.25-5.35GHz\_802.11ax\_HEW20-BF\_Nss1,(MCS0)\_4TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.601G	38.02	54.00	-15.98	15.56	3	Vertical	302	1.50	22.46	38.90	11.10	34.44
PK	10.597G	51.66	68.20	-16.54	15.56	3	Vertical	302	1.50	36.10	38.90	11.10	34.44

5.25-5.35GHz\_802.11ax\_HEW20-BF\_Nss1,(MCS0)\_4TX

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5864G	51.22	68.20	-16.98	15.55	3	Horizontal	240	1.10	35.67	38.90	11.10	34.45



5.25-5.35GHz\_802.11ax\_HEW20-BF\_Nss1,(MCS0)\_4TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3124G	113.51	Inf	-Inf	5.35	3	Vertical	230	2.91	108.16	32.98	6.53	34.16
AV	5.3592G	52.50	54.00	-1.50	5.30	3	Vertical	230	2.91	47.20	32.90	6.56	34.16
PK	5.3114G	125.85	Inf	-Inf	5.35	3	Vertical	230	2.91	120.50	32.98	6.53	34.16
PK	5.3596G	68.79	74.00	-5.21	5.30	3	Vertical	230	2.91	63.49	32.90	6.56	34.16

5.25-5.35GHz\_802.11ax\_HEW20-BF\_Nss1,(MCS0)\_4TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.329G	111.47	Inf	-Inf	5.32	3	Horizontal	109	2.42	106.15	32.94	6.54	34.16
AV	5.3502G	53.19	54.00	-0.81	5.30	3	Horizontal	109	2.42	47.89	32.90	6.56	34.16
PK	5.3286G	124.36	Inf	-Inf	5.32	3	Horizontal	109	2.42	119.04	32.94	6.54	34.16
PK	5.351G	68.21	74.00	-5.79	5.30	3	Horizontal	109	2.42	62.91	32.90	6.56	34.16

5.25-5.35GHz\_802.11ax\_HEW20-BF\_Nss1,(MCS0)\_4TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6341G	37.35	54.00	-16.65	15.69	3	Vertical	120	1.50	21.66	39.00	11.11	34.42
PK	10.6199G	51.34	74.00	-22.66	15.64	3	Vertical	120	1.50	35.70	38.96	11.11	34.43

5.25-5.35GHz\_802.11ax\_HEW20-BF\_Nss1,(MCS0)\_4TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6645G	37.32	54.00	-16.68	15.83	3	Horizontal	293	1.50	21.49	39.09	11.13	34.39
PK	10.6319G	51.28	74.00	-22.72	15.69	3	Horizontal	293	1.50	35.59	39.00	11.11	34.42

5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	49.12	54.00	-4.88	5.36	3	Vertical	65	2.80	43.76	32.90	6.64	34.18
AV	5.4978G	111.01	Inf	-Inf	5.40	3	Vertical	65	2.80	105.61	32.90	6.68	34.18
PK	5.46G	62.30	74.00	-11.70	5.36	3	Vertical	65	2.80	56.94	32.90	6.64	34.18
PK	5.47G	63.38	68.20	-4.82	5.37	3	Vertical	65	2.80	58.01	32.90	6.65	34.18
PK	5.4964G	123.28	Inf	-Inf	5.40	3	Vertical	65	2.80	117.88	32.90	6.68	34.18

5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4582G	51.41	54.00	-2.59	5.37	3	Horizontal	65	2.40	46.04	32.90	6.64	34.17
AV	5.5078G	111.19	Inf	-Inf	5.41	3	Horizontal	65	2.40	105.78	32.90	6.69	34.18
PK	5.4594G	67.67	74.00	-6.33	5.36	3	Horizontal	65	2.40	62.31	32.90	6.64	34.18
PK	5.4604G	67.38	68.20	-0.82	5.36	3	Horizontal	65	2.40	62.02	32.90	6.64	34.18
PK	5.505G	124.31	Inf	-Inf	5.40	3	Horizontal	65	2.40	118.91	32.90	6.68	34.18

5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.9821G	37.69	54.00	-16.31	16.09	3	Vertical	52	2.25	21.60	39.02	11.24	34.17
PK	10.9883G	51.03	74.00	-22.97	16.09	3	Vertical	52	2.25	34.94	39.01	11.25	34.17

5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.9817G	37.90	54.00	-16.10	16.09	3	Horizontal	141	2.31	21.81	39.02	11.24	34.17
PK	11.0201G	51.09	74.00	-22.91	16.08	3	Horizontal	141	2.31	35.01	38.98	11.26	34.16

5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4528G	47.87	54.00	-6.13	5.37	3	Vertical	279	1.48	42.50	32.90	6.64	34.17
AV	5.5818G	113.45	Inf	-Inf	5.52	3	Vertical	279	1.48	107.93	32.96	6.75	34.19
PK	5.4576G	62.21	74.00	-11.79	5.37	3	Vertical	279	1.48	56.84	32.90	6.64	34.17
PK	5.4648G	60.50	68.20	-7.70	5.37	3	Vertical	279	1.48	55.13	32.90	6.65	34.18
PK	5.5806G	126.82	Inf	-Inf	5.52	3	Vertical	279	1.48	121.30	32.96	6.75	34.19
PK	5.73G	60.48	68.20	-7.72	6.37	3	Vertical	279	1.48	54.11	33.72	6.85	34.20

5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4498G	46.98	54.00	-7.02	5.36	3	Horizontal	259	1.50	41.62	32.90	6.63	34.17
AV	5.5788G	111.83	Inf	-Inf	5.52	3	Horizontal	259	1.50	106.31	32.96	6.75	34.19
PK	5.4576G	60.28	74.00	-13.72	5.37	3	Horizontal	259	1.50	54.91	32.90	6.64	34.17
PK	5.463G	60.58	68.20	-7.62	5.37	3	Horizontal	259	1.50	55.21	32.90	6.65	34.18
PK	5.5776G	124.18	Inf	-Inf	5.52	3	Horizontal	259	1.50	118.66	32.96	6.75	34.19
PK	5.7258G	59.97	68.20	-8.23	6.35	3	Horizontal	259	1.50	53.62	33.70	6.85	34.20

5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1602G	38.02	54.00	-15.98	16.14	3	Vertical	291	1.38	21.88	38.96	11.31	34.13
PK	11.1801G	51.58	74.00	-22.42	16.18	3	Vertical	291	1.38	35.40	38.98	11.32	34.12

5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1631G	37.57	54.00	-16.43	16.14	3	Horizontal	6	1.50	21.43	38.96	11.31	34.13
PK	11.1459G	51.65	74.00	-22.35	16.12	3	Horizontal	6	1.50	35.53	38.95	11.30	34.13

5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.708G	107.33	Inf	-Inf	6.27	3	Vertical	269	1.50	101.06	33.63	6.84	34.20
PK	5.7088G	119.66	Inf	-Inf	6.28	3	Vertical	269	1.50	113.38	33.64	6.84	34.20
PK	5.7292G	68.04	68.20	-0.16	6.37	3	Vertical	269	1.50	61.67	33.72	6.85	34.20

5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7092G	107.05	Inf	-Inf	6.28	3	Horizontal	69	2.37	100.77	33.64	6.84	34.20
PK	5.7084G	119.95	Inf	-Inf	6.27	3	Horizontal	69	2.37	113.68	33.63	6.84	34.20
PK	5.742G	66.81	68.20	-1.39	6.43	3	Horizontal	69	2.37	60.38	33.77	6.86	34.20

5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3987G	38.14	54.00	-15.86	16.52	3	Vertical	129	1.01	21.62	39.20	11.40	34.08
PK	11.3823G	51.98	74.00	-22.02	16.49	3	Vertical	129	1.01	35.49	39.18	11.39	34.08

5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3935G	38.19	54.00	-15.81	16.51	3	Horizontal	217	2.20	21.68	39.19	11.40	34.08
PK	11.4023G	51.71	74.00	-22.29	16.52	3	Horizontal	217	2.20	35.19	39.20	11.40	34.08



5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4332G	47.38	54.00	-6.62	5.35	3	Vertical	55	1.50	42.03	32.90	6.62	34.17
AV	5.7284G	115.23	Inf	-Inf	6.36	3	Vertical	55	1.50	108.87	33.71	6.85	34.20
PK	5.432G	61.03	74.00	-12.97	5.35	3	Vertical	55	1.50	55.68	32.90	6.62	34.17
PK	5.4644G	60.53	68.20	-7.67	5.37	3	Vertical	55	1.50	55.16	32.90	6.65	34.18
PK	5.7296G	125.54	Inf	-Inf	6.37	3	Vertical	55	1.50	119.17	33.72	6.85	34.20
PK	5.8904G	60.40	68.20	-7.80	7.03	3	Vertical	55	1.50	53.37	34.26	6.98	34.21

5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.432G	46.58	54.00	-7.42	5.35	3	Horizontal	67	2.70	41.23	32.90	6.62	34.17
AV	5.7116G	113.69	Inf	-Inf	6.29	3	Horizontal	67	2.70	107.40	33.65	6.84	34.20
PK	5.4536G	60.03	74.00	-13.97	5.37	3	Horizontal	67	2.70	54.66	32.90	6.64	34.17
PK	5.4692G	59.48	68.20	-8.72	5.37	3	Horizontal	67	2.70	54.11	32.90	6.65	34.18
PK	5.7128G	125.93	Inf	-Inf	6.29	3	Horizontal	67	2.70	119.64	33.65	6.84	34.20
PK	5.9636G	59.60	68.20	-8.60	6.99	3	Horizontal	67	2.70	52.61	34.17	7.04	34.22

5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4501G	38.08	54.00	-15.92	16.50	3	Vertical	291	1.38	21.58	39.15	11.42	34.07
PK	11.4401G	51.85	74.00	-22.15	16.50	3	Vertical	291	1.38	35.35	39.16	11.41	34.07

5.47-5.725GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4499G	38.00	54.00	-16.00	16.50	3	Horizontal	315	1.33	21.50	39.15	11.42	34.07
PK	11.451G	52.10	74.00	-21.90	16.50	3	Horizontal	315	1.33	35.60	39.15	11.42	34.07

5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4522G	47.40	54.00	-6.60	5.37	3	Vertical	261	1.44	42.03	32.90	6.64	34.17
AV	5.7378G	115.42	Inf	-Inf	6.41	3	Vertical	261	1.44	109.01	33.75	6.86	34.20
PK	5.5386G	60.66	68.20	-7.54	5.43	3	Vertical	261	1.44	55.23	32.90	6.71	34.18
PK	5.739G	124.92	Inf	-Inf	6.42	3	Vertical	261	1.44	118.50	33.76	6.86	34.20
PK	5.9598G	59.08	68.20	-9.12	7.00	3	Vertical	261	1.44	52.08	34.18	7.04	34.22

5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4546G	47.55	54.00	-6.45	5.37	3	Horizontal	106	2.75	42.18	32.90	6.64	34.17
AV	5.7534G	117.29	Inf	-Inf	6.49	3	Horizontal	106	2.75	110.80	33.82	6.87	34.20
PK	5.6358G	62.82	68.20	-5.38	5.60	3	Horizontal	106	2.75	57.22	33.00	6.79	34.19
PK	5.7534G	126.45	Inf	-Inf	6.49	3	Horizontal	106	2.75	119.96	33.82	6.87	34.20
PK	6.003G	59.30	68.20	-8.90	6.95	3	Horizontal	106	2.75	52.35	34.10	7.07	34.22

5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49416G	40.40	54.00	-13.60	16.48	3	Vertical	292	1.50	23.92	39.11	11.43	34.06
PK	11.49688G	54.90	74.00	-19.10	16.47	3	Vertical	292	1.50	38.43	39.10	11.43	34.06

5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.47248G	38.19	54.00	-15.81	16.48	3	Horizontal	42	1.50	21.71	39.13	11.42	34.07
PK	11.4724G	52.55	74.00	-21.45	16.48	3	Horizontal	42	1.50	36.07	39.13	11.42	34.07

5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7766G	118.41	Inf	-Inf	6.64	3	Vertical	76	1.81	111.77	33.96	6.88	34.20
PK	5.6398G	62.94	68.20	-5.26	5.61	3	Vertical	76	1.81	57.33	33.00	6.80	34.19
PK	5.7754G	127.81	Inf	-Inf	6.63	3	Vertical	76	1.81	121.18	33.95	6.88	34.20
PK	5.9926G	59.49	68.20	-8.71	6.95	3	Vertical	76	1.81	52.54	34.11	7.06	34.22

5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7862G	116.60	Inf	-Inf	6.71	3	Horizontal	95	2.75	109.89	34.02	6.89	34.20
PK	5.5798G	61.88	68.20	-6.32	5.52	3	Horizontal	95	2.75	56.36	32.96	6.75	34.19
PK	5.7874G	127.58	Inf	-Inf	6.71	3	Horizontal	95	2.75	120.87	34.02	6.89	34.20
PK	6.0502G	59.21	68.20	-8.99	6.97	3	Horizontal	95	2.75	52.24	34.10	7.10	34.23

5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56568G	40.89	54.00	-13.11	16.20	3	Vertical	312	1.26	24.69	38.84	11.46	34.10
PK	11.57064G	55.08	74.00	-18.92	16.18	3	Vertical	312	1.26	38.90	38.82	11.46	34.10

5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5632G	40.43	54.00	-13.57	16.21	3	Horizontal	112	2.91	24.22	38.85	11.46	34.10
PK	11.56048G	53.37	74.00	-20.63	16.22	3	Horizontal	112	2.91	37.15	38.86	11.46	34.10

5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8166G	113.80	Inf	-Inf	6.80	3	Vertical	92	1.30	107.00	34.10	6.91	34.21
PK	5.6222G	61.11	68.20	-7.09	5.59	3	Vertical	92	1.30	55.52	33.00	6.78	34.19
PK	5.8202G	125.11	Inf	-Inf	6.81	3	Vertical	92	1.30	118.30	34.10	6.92	34.21
PK	5.9606G	59.29	68.20	-8.91	7.00	3	Vertical	92	1.30	52.29	34.18	7.04	34.22

5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8154G	113.95	Inf	-Inf	6.80	3	Horizontal	319	1.50	107.15	34.10	6.91	34.21
PK	5.6234G	59.72	68.20	-8.48	5.60	3	Horizontal	319	1.50	54.12	33.00	6.79	34.19
PK	5.8166G	123.54	Inf	-Inf	6.80	3	Horizontal	319	1.50	116.74	34.10	6.91	34.21
PK	5.927G	60.60	68.20	-7.60	7.05	3	Horizontal	319	1.50	53.55	34.25	7.01	34.21

5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65592G	39.30	54.00	-14.70	16.03	3	Vertical	161	1.29	23.27	38.70	11.49	34.16
PK	11.65632G	52.78	74.00	-21.22	16.03	3	Vertical	161	1.29	36.75	38.70	11.49	34.16

5.725-5.85GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6496G	39.98	54.00	-14.02	16.04	3	Horizontal	99	2.77	23.94	38.70	11.49	34.15
PK	11.64712G	53.47	74.00	-20.53	16.04	3	Horizontal	99	2.77	37.43	38.70	11.49	34.15



5.15-5.25GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.71	54.00	-2.29	5.37	3	Vertical	61	1.50	46.34	33.10	6.41	34.14
AV	5.2004G	104.35	Inf	-Inf	5.41	3	Vertical	61	1.50	98.94	33.10	6.45	34.14
PK	5.15G	65.88	74.00	-8.12	5.37	3	Vertical	61	1.50	60.51	33.10	6.41	34.14
PK	5.2008G	115.97	Inf	-Inf	5.41	3	Vertical	61	1.50	110.56	33.10	6.45	34.14

5.15-5.25GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.68	54.00	-0.32	5.37	3	Horizontal	145	1.11	48.31	33.10	6.41	34.14
AV	5.2016G	105.55	Inf	-Inf	5.41	3	Horizontal	145	1.11	100.14	33.10	6.45	34.14
PK	5.1476G	67.01	74.00	-6.99	5.37	3	Horizontal	145	1.11	61.64	33.10	6.41	34.14
PK	5.2012G	116.84	Inf	-Inf	5.41	3	Horizontal	145	1.11	111.43	33.10	6.45	34.14

5.15-5.25GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.38084G	51.52	68.20	-16.68	15.31	3	Vertical	330	1.50	36.21	38.90	11.02	34.61

5.15-5.25GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.38636G	51.27	68.20	-16.93	15.31	3	Horizontal	319	1.50	35.96	38.90	11.02	34.61

5.15-5.25GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	53.76	54.00	-0.24	5.37	3	Vertical	214	3.00	48.39	33.10	6.41	34.14
AV	5.2468G	111.33	Inf	-Inf	5.34	3	Vertical	214	3.00	105.99	33.01	6.48	34.15
PK	5.1384G	69.61	74.00	-4.39	5.36	3	Vertical	214	3.00	64.25	33.10	6.40	34.14
PK	5.2476G	123.04	Inf	-Inf	5.33	3	Vertical	214	3.00	117.71	33.00	6.48	34.15

5.15-5.25GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	51.00	54.00	-3.00	5.37	3	Horizontal	255	1.50	45.63	33.10	6.41	34.14
AV	5.2336G	110.12	Inf	-Inf	5.35	3	Horizontal	255	1.50	104.77	33.03	6.47	34.15
PK	5.15G	67.93	74.00	-6.07	5.37	3	Horizontal	255	1.50	62.56	33.10	6.41	34.14
PK	5.2332G	121.98	Inf	-Inf	5.35	3	Horizontal	255	1.50	116.63	33.03	6.47	34.15

5.15-5.25GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.45964G	57.80	68.20	-10.40	15.41	3	Vertical	295	1.50	42.39	38.90	11.05	34.54

5.15-5.25GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.48208G	55.98	68.20	-12.22	15.43	3	Horizontal	96	2.75	40.55	38.90	11.06	34.53

5.25-5.35GHz\_802.11ax\_HEW40-BF\_Nss1,(MCS0)\_4TX


5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2804G	109.62	Inf	-Inf	5.36	3	Vertical	360	1.50	104.26	33.00	6.51	34.15
AV	5.3504G	53.57	54.00	-0.43	5.30	3	Vertical	360	1.50	48.27	32.90	6.56	34.16
PK	5.2804G	121.97	Inf	-Inf	5.36	3	Vertical	360	1.50	116.61	33.00	6.51	34.15
PK	5.352G	71.81	74.00	-2.19	5.30	3	Vertical	360	1.50	66.51	32.90	6.56	34.16

5.25-5.35GHz\_802.11ax\_HEW40-BF\_Nss1,(MCS0)\_4TX

5270MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.254G	111.92	Inf	-Inf	5.34	3	Horizontal	246	1.79	106.58	33.00	6.49	34.15
AV	5.3504G	50.18	54.00	-3.82	5.30	3	Horizontal	246	1.79	44.88	32.90	6.56	34.16
PK	5.2548G	124.42	Inf	-Inf	5.34	3	Horizontal	246	1.79	119.08	33.00	6.49	34.15
PK	5.3568G	65.58	74.00	-8.42	5.30	3	Horizontal	246	1.79	60.28	32.90	6.56	34.16



5.25-5.35GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5209G	51.16	68.20	-17.04	15.47	3	Vertical	265	1.04	35.69	38.90	11.07	34.50

5.25-5.35GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5306G	51.36	68.20	-16.84	15.49	3	Horizontal	359	2.68	35.87	38.90	11.08	34.49

5.25-5.35GHz\_802.11ax\_HEW40-BF\_Nss1,(MCS0)\_4TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.328G	106.46	Inf	-Inf	5.32	3	Vertical	355	1.49	101.14	32.94	6.54	34.16
AV	5.3504G	52.74	54.00	-1.26	5.30	3	Vertical	355	1.49	47.44	32.90	6.56	34.16
PK	5.328G	118.72	Inf	-Inf	5.32	3	Vertical	355	1.49	113.40	32.94	6.54	34.16
PK	5.3608G	68.92	74.00	-5.08	5.30	3	Vertical	355	1.49	63.62	32.90	6.56	34.16

5.25-5.35GHz\_802.11ax\_HEW40-BF\_Nss1,(MCS0)\_4TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.292G	105.48	Inf	-Inf	5.35	3	Horizontal	104	1.50	100.13	33.00	6.51	34.16
AV	5.35G	52.76	54.00	-1.24	5.29	3	Horizontal	104	1.50	47.47	32.90	6.55	34.16
PK	5.2924G	117.09	Inf	-Inf	5.35	3	Horizontal	104	1.50	111.74	33.00	6.51	34.16
PK	5.3608G	68.47	74.00	-5.53	5.30	3	Horizontal	104	1.50	63.17	32.90	6.56	34.16

5.25-5.35GHz\_802.11ax\_HEW40-BF\_Nss1,(MCS0)\_4TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6337G	37.28	54.00	-16.72	15.69	3	Vertical	74	2.09	21.59	39.00	11.11	34.42
PK	10.6292G	50.78	74.00	-23.22	15.68	3	Vertical	74	2.09	35.10	38.99	11.11	34.42

5.25-5.35GHz\_802.11ax\_HEW40-BF\_Nss1,(MCS0)\_4TX

5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6336G	37.32	54.00	-16.68	15.69	3	Horizontal	102	1.25	21.63	39.00	11.11	34.42
PK	10.6118G	50.72	74.00	-23.28	15.62	3	Horizontal	102	1.25	35.10	38.94	11.11	34.43



5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	50.24	54.00	-3.76	5.36	3	Vertical	61	2.94	44.88	32.90	6.64	34.18
AV	5.4984G	105.24	Inf	-Inf	5.40	3	Vertical	61	2.94	99.84	32.90	6.68	34.18
PK	5.46G	66.40	74.00	-7.60	5.36	3	Vertical	61	2.94	61.04	32.90	6.64	34.18
PK	5.466G	67.86	68.20	-0.34	5.37	3	Vertical	61	2.94	62.49	32.90	6.65	34.18
PK	5.4968G	118.77	Inf	-Inf	5.40	3	Vertical	61	2.94	113.37	32.90	6.68	34.18

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	47.73	54.00	-6.27	5.36	3	Horizontal	234	2.84	42.37	32.90	6.64	34.18
AV	5.4948G	104.26	Inf	-Inf	5.40	3	Horizontal	234	2.84	98.86	32.90	6.68	34.18
PK	5.4592G	61.50	74.00	-12.50	5.36	3	Horizontal	234	2.84	56.14	32.90	6.64	34.18
PK	5.4636G	63.04	68.20	-5.16	5.37	3	Horizontal	234	2.84	57.67	32.90	6.65	34.18
PK	5.4944G	116.39	Inf	-Inf	5.39	3	Horizontal	234	2.84	111.00	32.90	6.67	34.18

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0144G	37.67	54.00	-16.33	16.09	3	Vertical	214	1.65	21.58	38.99	11.26	34.16
PK	11.0146G	51.06	74.00	-22.94	16.09	3	Vertical	214	1.65	34.97	38.99	11.26	34.16

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0026G	37.63	54.00	-16.37	16.09	3	Horizontal	288	2.89	21.54	39.00	11.25	34.16
PK	11.0122G	50.96	74.00	-23.04	16.08	3	Horizontal	288	2.89	34.88	38.99	11.25	34.16

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	49.14	54.00	-4.86	5.37	3	Vertical	88	1.42	43.77	32.90	6.64	34.17
AV	5.5676G	108.77	Inf	-Inf	5.49	3	Vertical	88	1.42	103.28	32.94	6.74	34.19
PK	5.4588G	63.47	74.00	-10.53	5.36	3	Vertical	88	1.42	58.11	32.90	6.64	34.18
PK	5.4696G	66.28	68.20	-1.92	5.37	3	Vertical	88	1.42	60.91	32.90	6.65	34.18
PK	5.5672G	121.31	Inf	-Inf	5.48	3	Vertical	88	1.42	115.83	32.93	6.74	34.19

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4552G	48.88	54.00	-5.12	5.37	3	Horizontal	141	1.23	43.51	32.90	6.64	34.17
AV	5.5448G	107.66	Inf	-Inf	5.44	3	Horizontal	141	1.23	102.22	32.90	6.72	34.18
PK	5.4588G	64.49	74.00	-9.51	5.36	3	Horizontal	141	1.23	59.13	32.90	6.64	34.18
PK	5.4696G	67.30	68.20	-0.90	5.37	3	Horizontal	141	1.23	61.93	32.90	6.65	34.18
PK	5.5416G	119.55	Inf	-Inf	5.44	3	Horizontal	141	1.23	114.11	32.90	6.72	34.18

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0918G	37.55	54.00	-16.45	16.05	3	Vertical	282	1.37	21.50	38.91	11.28	34.14
PK	11.0792G	50.69	74.00	-23.31	16.06	3	Vertical	282	1.37	34.63	38.92	11.28	34.14

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0965G	37.74	54.00	-16.26	16.05	3	Horizontal	148	1.48	21.69	38.90	11.29	34.14
PK	11.1019G	51.69	74.00	-22.31	16.05	3	Horizontal	148	1.48	35.64	38.90	11.29	34.14

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6568G	106.81	Inf	-Inf	5.70	3	Vertical	72	1.46	101.11	33.08	6.81	34.19
PK	5.6532G	119.79	Inf	-Inf	5.65	3	Vertical	72	1.46	114.14	33.04	6.80	34.19
PK	5.7288G	67.98	68.20	-0.22	6.37	3	Vertical	72	1.46	61.61	33.72	6.85	34.20

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6526G	104.36	Inf	-Inf	5.64	3	Horizontal	240	1.50	98.72	33.03	6.80	34.19
PK	5.6514G	117.56	Inf	-Inf	5.63	3	Horizontal	240	1.50	111.93	33.02	6.80	34.19
PK	5.732G	67.27	68.20	-0.93	6.41	3	Horizontal	240	1.50	60.86	33.75	6.86	34.20

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.347G	38.01	54.00	-15.99	16.44	3	Vertical	42	2.38	21.57	39.15	11.38	34.09
PK	11.3323G	51.46	74.00	-22.54	16.41	3	Vertical	42	2.38	35.05	39.13	11.37	34.09

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3612G	37.93	54.00	-16.07	16.45	3	Horizontal	82	2.77	21.48	39.16	11.38	34.09
PK	11.3623G	51.67	74.00	-22.33	16.45	3	Horizontal	82	2.77	35.22	39.16	11.38	34.09

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5710MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4532G	47.36	54.00	-6.64	5.37	3	Vertical	71	1.70	41.99	32.90	6.64	34.17
AV	5.7088G	113.37	Inf	-Inf	6.28	3	Vertical	71	1.70	107.09	33.64	6.84	34.20
PK	5.4544G	60.61	74.00	-13.39	5.37	3	Vertical	71	1.70	55.24	32.90	6.64	34.17
PK	5.4616G	61.25	68.20	-6.95	5.37	3	Vertical	71	1.70	55.88	32.90	6.65	34.18
PK	5.7088G	125.35	Inf	-Inf	6.28	3	Vertical	71	1.70	119.07	33.64	6.84	34.20
PK	5.8528G	66.86	68.20	-1.34	6.84	3	Vertical	71	1.70	60.02	34.11	6.94	34.21

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5710MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4532G	46.39	54.00	-7.61	5.37	3	Horizontal	262	1.50	41.02	32.90	6.64	34.17
AV	5.6944G	109.75	Inf	-Inf	6.16	3	Horizontal	262	1.50	103.59	33.53	6.83	34.20
PK	5.4124G	59.97	74.00	-14.03	5.33	3	Horizontal	262	1.50	54.64	32.90	6.60	34.17
PK	5.4688G	60.08	68.20	-8.12	5.37	3	Horizontal	262	1.50	54.71	32.90	6.65	34.18
PK	5.6956G	122.42	Inf	-Inf	6.18	3	Horizontal	262	1.50	116.24	33.55	6.83	34.20
PK	5.86G	60.28	68.20	-7.92	6.88	3	Horizontal	262	1.50	53.40	34.14	6.95	34.21

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5710MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4012G	38.21	54.00	-15.79	16.52	3	Vertical	96	2.14	21.69	39.20	11.40	34.08
PK	11.4254G	51.90	74.00	-22.10	16.51	3	Vertical	96	2.14	35.39	39.17	11.41	34.07

5.47-5.725GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5710MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3964G	38.19	54.00	-15.81	16.52	3	Horizontal	45	1.06	21.67	39.20	11.40	34.08
PK	11.4147G	52.34	74.00	-21.66	16.51	3	Horizontal	45	1.06	35.83	39.19	11.40	34.08



5.725-5.85GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	47.85	54.00	-6.15	5.36	3	Vertical	63	1.50	42.49	32.90	6.64	34.18
AV	5.7478G	110.50	Inf	-Inf	6.46	3	Vertical	63	1.50	104.04	33.79	6.87	34.20
PK	5.6374G	64.06	68.20	-4.14	5.60	3	Vertical	63	1.50	58.46	33.00	6.79	34.19
PK	5.7454G	122.47	Inf	-Inf	6.44	3	Vertical	63	1.50	116.03	33.78	6.86	34.20
PK	6.0454G	59.13	68.20	-9.07	6.96	3	Vertical	63	1.50	52.17	34.10	7.09	34.23

5.725-5.85GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	46.92	54.00	-7.08	5.36	3	Horizontal	252	2.42	41.56	32.90	6.64	34.18
AV	5.7406G	111.19	Inf	-Inf	6.42	3	Horizontal	252	2.42	104.77	33.76	6.86	34.20
PK	5.6494G	66.79	68.20	-1.41	5.61	3	Horizontal	252	2.42	61.18	33.00	6.80	34.19
PK	5.7406G	123.89	Inf	-Inf	6.42	3	Horizontal	252	2.42	117.47	33.76	6.86	34.20
PK	5.9866G	59.36	68.20	-8.84	6.97	3	Horizontal	252	2.42	52.39	34.13	7.06	34.22