


5.725-5.85GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51852G	39.06	54.00	-14.94	16.40	3	Vertical	288	1.50	22.66	39.03	11.44	34.07
PK	11.50988G	55.44	74.00	-18.56	16.43	3	Vertical	288	1.50	39.01	39.06	11.44	34.07

5.725-5.85GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5022G	38.33	54.00	-15.67	16.47	3	Horizontal	268	1.50	21.86	39.09	11.44	34.06
PK	11.48924G	52.34	74.00	-21.66	16.48	3	Horizontal	268	1.50	35.86	39.11	11.43	34.06

5.725-5.85GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.777G	113.11	Inf	-Inf	6.65	3	Vertical	94	1.92	106.46	33.96	6.89	34.20
PK	5.6498G	66.79	68.20	-1.41	5.61	3	Vertical	94	1.92	61.18	33.00	6.80	34.19
PK	5.7782G	123.65	Inf	-Inf	6.66	3	Vertical	94	1.92	116.99	33.97	6.89	34.20
PK	6.077G	59.32	68.20	-8.88	6.92	3	Vertical	94	1.92	52.40	34.05	7.11	34.24

5.725-5.85GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7998G	111.90	Inf	-Inf	6.80	3	Horizontal	94	2.72	105.10	34.10	6.90	34.20
PK	5.6318G	66.99	68.20	-1.21	5.60	3	Horizontal	94	2.72	61.39	33.00	6.79	34.19
PK	5.7998G	123.89	Inf	-Inf	6.80	3	Horizontal	94	2.72	117.09	34.10	6.90	34.20
PK	6.0878G	58.96	68.20	-9.24	6.89	3	Horizontal	94	2.72	52.07	34.02	7.11	34.24

5.725-5.85GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56588G	39.19	54.00	-14.81	16.20	3	Vertical	294	2.82	22.99	38.84	11.46	34.10
PK	11.5648G	53.49	74.00	-20.51	16.20	3	Vertical	294	2.82	37.29	38.84	11.46	34.10

5.725-5.85GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6134G	39.98	54.00	-14.02	16.05	3	Horizontal	113	2.25	23.93	38.70	11.48	34.13
PK	11.61508G	54.14	74.00	-19.86	16.05	3	Horizontal	113	2.25	38.09	38.70	11.48	34.13

5.15-5.25GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.61	54.00	-2.39	5.37	3	Vertical	331	1.52	46.24	33.10	6.41	34.14
AV	5.224G	105.04	Inf	-Inf	5.37	3	Vertical	331	1.52	99.67	33.05	6.47	34.15
AV	5.36G	49.48	54.00	-4.52	5.30	3	Vertical	331	1.52	44.18	32.90	6.56	34.16
PK	5.15G	63.11	74.00	-10.89	5.37	3	Vertical	331	1.52	57.74	33.10	6.41	34.14
PK	5.223G	115.77	Inf	-Inf	5.37	3	Vertical	331	1.52	110.40	33.05	6.47	34.15
PK	5.35G	61.37	74.00	-12.63	5.29	3	Vertical	331	1.52	56.08	32.90	6.55	34.16

5.15-5.25GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.62	54.00	-1.38	5.37	3	Horizontal	238	1.60	47.25	33.10	6.41	34.14
AV	5.198G	107.08	Inf	-Inf	5.41	3	Horizontal	238	1.60	101.67	33.10	6.45	34.14
AV	5.36G	47.97	54.00	-6.03	5.30	3	Horizontal	238	1.60	42.67	32.90	6.56	34.16
PK	5.146G	63.50	74.00	-10.50	5.37	3	Horizontal	238	1.60	58.13	33.10	6.41	34.14
PK	5.198G	118.17	Inf	-Inf	5.41	3	Horizontal	238	1.60	112.76	33.10	6.45	34.14
PK	5.371G	59.60	74.00	-14.40	5.31	3	Horizontal	238	1.60	54.29	32.90	6.57	34.16

5.15-5.25GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.46128G	52.09	68.20	-16.11	15.41	3	Vertical	329	1.50	36.68	38.90	11.05	34.54

5.15-5.25GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.47784G	51.05	68.20	-17.15	15.43	3	Horizontal	324	1.46	35.62	38.90	11.06	34.53

5.25-5.35GHz\_802.11ax\_HEW80-BF\_Nss1,(MCS0)\_4TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.68	54.00	-6.32	5.37	3	Vertical	62	1.50	42.31	33.10	6.41	34.14
AV	5.26G	105.02	Inf	-Inf	5.34	3	Vertical	62	1.50	99.68	33.00	6.49	34.15
AV	5.355G	53.41	54.00	-0.59	5.30	3	Vertical	62	1.50	48.11	32.90	6.56	34.16
AV	5.46G	48.38	54.00	-5.62	5.36	3	Vertical	62	1.50	43.02	32.90	6.64	34.18
PK	5.149G	61.10	74.00	-12.90	5.37	3	Vertical	62	1.50	55.73	33.10	6.41	34.14
PK	5.259G	118.95	Inf	-Inf	5.34	3	Vertical	62	1.50	113.61	33.00	6.49	34.15
PK	5.379G	65.98	74.00	-8.02	5.31	3	Vertical	62	1.50	60.67	32.90	6.58	34.17
PK	5.483G	61.51	68.20	-6.69	5.38	3	Vertical	62	1.50	56.13	32.90	6.66	34.18

5.25-5.35GHz\_802.11ax\_HEW80-BF\_Nss1,(MCS0)\_4TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	46.74	54.00	-7.26	5.37	3	Horizontal	248	1.77	41.37	33.10	6.41	34.14
AV	5.252G	104.31	Inf	-Inf	5.34	3	Horizontal	248	1.77	98.97	33.00	6.49	34.15
AV	5.35G	52.03	54.00	-1.97	5.29	3	Horizontal	248	1.77	46.74	32.90	6.55	34.16
AV	5.46G	47.36	54.00	-6.64	5.36	3	Horizontal	248	1.77	42.00	32.90	6.64	34.18
PK	5.149G	59.48	74.00	-14.52	5.37	3	Horizontal	248	1.77	54.11	33.10	6.41	34.14
PK	5.252G	115.88	Inf	-Inf	5.34	3	Horizontal	248	1.77	110.54	33.00	6.49	34.15
PK	5.378G	65.66	74.00	-8.34	5.30	3	Horizontal	248	1.77	60.36	32.90	6.57	34.17
PK	5.473G	60.65	68.20	-7.55	5.38	3	Horizontal	248	1.77	55.27	32.90	6.66	34.18

5.25-5.35GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5911G	50.67	68.20	-17.53	15.55	3	Vertical	43	2.60	35.12	38.90	11.10	34.45

5.25-5.35GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.6005G	50.30	74.00	-23.70	15.56	3	Horizontal	205	1.76	34.74	38.90	11.10	34.44

5.47-5.725GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	52.46	54.00	-1.54	5.36	3	Vertical	53	1.50	47.10	32.90	6.64	34.18
AV	5.522G	104.46	Inf	-Inf	5.42	3	Vertical	53	1.50	99.04	32.90	6.70	34.18
PK	5.327G	60.57	68.20	-7.63	5.33	3	Vertical	53	1.50	55.24	32.95	6.54	34.16
PK	5.459G	65.57	74.00	-8.43	5.36	3	Vertical	53	1.50	60.21	32.90	6.64	34.18
PK	5.469G	67.82	68.20	-0.38	5.37	3	Vertical	53	1.50	62.45	32.90	6.65	34.18
PK	5.507G	117.39	Inf	-Inf	5.41	3	Vertical	53	1.50	111.98	32.90	6.69	34.18
PK	5.734G	60.91	68.20	-7.29	6.40	3	Vertical	53	1.50	54.51	33.74	6.86	34.20

5.47-5.725GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

5530MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.453G	51.77	54.00	-2.23	5.37	3	Horizontal	89	2.88	46.40	32.90	6.64	34.17
AV	5.544G	104.16	Inf	-Inf	5.44	3	Horizontal	89	2.88	98.72	32.90	6.72	34.18
PK	5.336G	60.57	68.20	-7.63	5.32	3	Horizontal	89	2.88	55.25	32.93	6.55	34.16
PK	5.456G	67.79	74.00	-6.21	5.37	3	Horizontal	89	2.88	62.42	32.90	6.64	34.17
PK	5.467G	65.36	68.20	-2.84	5.37	3	Horizontal	89	2.88	59.99	32.90	6.65	34.18
PK	5.544G	117.19	Inf	-Inf	5.44	3	Horizontal	89	2.88	111.75	32.90	6.72	34.18
PK	5.738G	60.51	68.20	-7.69	6.41	3	Horizontal	89	2.88	54.10	33.75	6.86	34.20



5.47-5.725GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0361G	37.48	54.00	-16.52	16.07	3	Vertical	113	1.14	21.41	38.96	11.26	34.15
PK	11.0446G	52.00	74.00	-22.00	16.08	3	Vertical	113	1.14	35.92	38.96	11.27	34.15

5.47-5.725GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0451G	37.45	54.00	-16.55	16.07	3	Horizontal	329	1.02	21.38	38.95	11.27	34.15
PK	11.0403G	51.98	74.00	-22.02	16.07	3	Horizontal	329	1.02	35.91	38.96	11.26	34.15

5.47-5.725GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.454G	48.36	54.00	-5.64	5.37	3	Vertical	75	1.50	42.99	32.90	6.64	34.17
AV	5.572G	99.76	Inf	-Inf	5.49	3	Vertical	75	1.50	94.27	32.94	6.74	34.19
PK	5.455G	62.40	74.00	-11.60	5.37	3	Vertical	75	1.50	57.03	32.90	6.64	34.17
PK	5.469G	61.49	68.20	-6.71	5.37	3	Vertical	75	1.50	56.12	32.90	6.65	34.18
PK	5.647G	114.01	Inf	-Inf	5.61	3	Vertical	75	1.50	108.40	33.00	6.80	34.19
PK	5.733G	65.81	68.20	-2.39	6.39	3	Vertical	75	1.50	59.42	33.73	6.86	34.20

5.47-5.725GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	48.53	54.00	-5.47	5.36	3	Horizontal	102	2.68	43.17	32.90	6.64	34.18
AV	5.638G	103.28	Inf	-Inf	5.60	3	Horizontal	102	2.68	97.68	33.00	6.79	34.19
PK	5.455G	65.31	74.00	-8.69	5.37	3	Horizontal	102	2.68	59.94	32.90	6.64	34.17
PK	5.47G	66.94	68.20	-1.26	5.37	3	Horizontal	102	2.68	61.57	32.90	6.65	34.18
PK	5.64G	116.15	Inf	-Inf	5.61	3	Horizontal	102	2.68	110.54	33.00	6.80	34.19
PK	5.736G	68.16	68.20	-0.04	6.40	3	Horizontal	102	2.68	61.76	33.74	6.86	34.20

5.47-5.725GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.2415G	37.44	54.00	-16.56	16.27	3	Vertical	188	1.01	21.17	39.04	11.34	34.11
PK	11.244G	51.80	74.00	-22.20	16.27	3	Vertical	188	1.01	35.53	39.04	11.34	34.11

5.47-5.725GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.196G	37.43	54.00	-16.57	16.20	3	Horizontal	354	1.17	21.23	39.00	11.32	34.12
PK	11.2296G	51.25	74.00	-22.75	16.25	3	Horizontal	354	1.17	35.00	39.03	11.33	34.11

5.47-5.725GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5690MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.455G	50.03	54.00	-3.97	5.37	3	Vertical	69	1.54	44.66	32.90	6.64	34.17
AV	5.658G	107.92	Inf	-Inf	5.72	3	Vertical	69	1.54	102.20	33.10	6.81	34.19
PK	5.468G	64.12	68.20	-4.08	5.37	3	Vertical	69	1.54	58.75	32.90	6.65	34.18
PK	5.66G	119.94	Inf	-Inf	5.74	3	Vertical	69	1.54	114.20	33.12	6.81	34.19
PK	5.855G	67.61	68.20	-0.59	6.86	3	Vertical	69	1.54	60.75	34.12	6.95	34.21

5.47-5.725GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5690MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	5.851G	67.94	68.20	-0.26	6.83	3	Horizontal	91	2.88	61.11	34.10	6.94	34.21
PK	5.464G	62.63	68.20	-5.57	5.37	3	Horizontal	91	2.88	57.26	32.90	6.65	34.18
AV	5.449G	48.33	54.00	-5.67	5.36	3	Horizontal	91	2.88	42.97	32.90	6.63	34.17
PK	5.7G	118.86	Inf	-Inf	6.23	3	Horizontal	91	2.88	112.63	33.60	6.83	34.20
AV	5.701G	106.39	Inf	-Inf	6.24	3	Horizontal	91	2.88	100.15	33.60	6.84	34.20

5.47-5.725GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5690MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3997G	38.04	54.00	-15.96	16.52	3	Vertical	69	2.74	21.52	39.20	11.40	34.08
PK	11.3995G	51.88	74.00	-22.12	16.52	3	Vertical	69	2.74	35.36	39.20	11.40	34.08

5.47-5.725GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5690MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3967G	38.17	54.00	-15.83	16.52	3	Horizontal	275	2.32	21.65	39.20	11.40	34.08
PK	11.3761G	51.37	74.00	-22.63	16.49	3	Horizontal	275	2.32	34.88	39.18	11.39	34.08

5.725-5.85GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.768G	110.54	Inf	-Inf	6.59	3	Vertical	77	1.78	103.95	33.91	6.88	34.20
PK	5.65G	66.49	68.20	-1.71	5.61	3	Vertical	77	1.78	60.88	33.00	6.80	34.19
PK	5.765G	119.24	Inf	-Inf	6.57	3	Vertical	77	1.78	112.67	33.89	6.88	34.20
PK	5.963G	59.29	68.20	-8.91	6.99	3	Vertical	77	1.78	52.30	34.17	7.04	34.22

5.725-5.85GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.771G	106.93	Inf	-Inf	6.61	3	Horizontal	141	1.50	100.32	33.93	6.88	34.20
PK	5.643G	67.96	68.20	-0.24	5.61	3	Horizontal	141	1.50	62.35	33.00	6.80	34.19
PK	5.763G	116.86	Inf	-Inf	6.56	3	Horizontal	141	1.50	110.30	33.88	6.88	34.20
PK	5.936G	59.18	68.20	-9.02	7.04	3	Horizontal	141	1.50	52.14	34.23	7.02	34.21

5.725-5.85GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54976G	38.67	54.00	-15.33	16.26	3	Vertical	69	1.50	22.41	38.90	11.45	34.09
PK	11.49096G	52.20	74.00	-21.80	16.48	3	Vertical	69	1.50	35.72	39.11	11.43	34.06

5.725-5.85GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.52408G	38.28	54.00	-15.72	16.37	3	Horizontal	2	1.94	21.91	39.00	11.44	34.07
PK	11.50776G	52.34	74.00	-21.66	16.45	3	Horizontal	2	1.94	35.89	39.07	11.44	34.06

5.25-5.35GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	48.97	54.00	-5.03	5.37	3	Vertical	42	1.49	43.60	33.10	6.41	34.14
AV	5.274G	97.46	Inf	-Inf	5.35	3	Vertical	42	1.49	92.11	33.00	6.50	34.15
AV	5.3844G	50.64	54.00	-3.36	5.31	3	Vertical	42	1.49	45.33	32.90	6.58	34.17
AV	5.46G	48.50	54.00	-5.50	5.36	3	Vertical	42	1.49	43.14	32.90	6.64	34.18
PK	5.148G	71.05	74.00	-2.95	5.37	3	Vertical	42	1.49	65.68	33.10	6.41	34.14
PK	5.2332G	113.43	Inf	-Inf	5.35	3	Vertical	42	1.49	108.08	33.03	6.47	34.15
PK	5.3796G	73.69	74.00	-0.31	5.31	3	Vertical	42	1.49	68.38	32.90	6.58	34.17
PK	5.46G	65.70	74.00	-8.30	5.36	3	Vertical	42	1.49	60.34	32.90	6.64	34.18

5.25-5.35GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

5250MHz Straddle 5.25-5.35GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.26	54.00	-4.74	5.37	3	Horizontal	86	1.24	43.89	33.10	6.41	34.14
AV	5.19G	101.19	Inf	-Inf	5.40	3	Horizontal	86	1.24	95.79	33.10	6.44	34.14
AV	5.4072G	48.43	54.00	-5.57	5.33	3	Horizontal	86	1.24	43.10	32.90	6.60	34.17
AV	5.46G	46.69	54.00	-7.31	5.36	3	Horizontal	86	1.24	41.33	32.90	6.64	34.18
PK	5.148G	69.22	74.00	-4.78	5.37	3	Horizontal	86	1.24	63.85	33.10	6.41	34.14
PK	5.1888G	114.05	Inf	-Inf	5.40	3	Horizontal	86	1.24	108.65	33.10	6.44	34.14
PK	5.3676G	71.19	74.00	-2.81	5.31	3	Horizontal	86	1.24	65.88	32.90	6.57	34.16
PK	5.4732G	62.27	68.20	-5.93	5.38	3	Horizontal	86	1.24	56.89	32.90	6.66	34.18



5.25-5.35GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5032G	50.17	68.20	-18.03	15.46	3	Vertical	126	2.93	34.71	38.90	11.07	34.51

5.25-5.35GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4968G	49.54	68.20	-18.66	15.45	3	Horizontal	101	2.56	34.09	38.90	11.06	34.51

5.47-5.725GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3996G	49.52	54.00	-4.48	5.32	3	Vertical	61	2.13	44.20	32.90	6.59	34.17
AV	5.5544G	97.07	Inf	-Inf	5.46	3	Vertical	61	2.13	91.61	32.91	6.73	34.18
PK	5.348G	59.91	68.20	-8.29	5.29	3	Vertical	61	2.13	54.62	32.90	6.55	34.16
PK	5.4464G	67.60	74.00	-6.40	5.36	3	Vertical	61	2.13	62.24	32.90	6.63	34.17
PK	5.4644G	67.59	68.20	-0.61	5.37	3	Vertical	61	2.13	62.22	32.90	6.65	34.18
PK	5.5568G	114.60	Inf	-Inf	5.46	3	Vertical	61	2.13	109.14	32.91	6.73	34.18
PK	5.7428G	64.78	68.20	-3.42	6.43	3	Vertical	61	2.13	58.35	33.77	6.86	34.20

5.47-5.725GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	47.26	54.00	-6.74	5.36	3	Horizontal	129	1.50	41.90	32.90	6.64	34.18
AV	5.5436G	98.14	Inf	-Inf	5.44	3	Horizontal	129	1.50	92.70	32.90	6.72	34.18
PK	5.342G	59.32	68.20	-8.88	5.31	3	Horizontal	129	1.50	54.01	32.92	6.55	34.16
PK	5.4596G	64.01	74.00	-9.99	5.36	3	Horizontal	129	1.50	58.65	32.90	6.64	34.18
PK	5.4632G	64.52	68.20	-3.68	5.37	3	Horizontal	129	1.50	59.15	32.90	6.65	34.18
PK	5.5412G	111.55	Inf	-Inf	5.44	3	Horizontal	129	1.50	106.11	32.90	6.72	34.18
PK	5.7428G	61.05	68.20	-7.15	6.43	3	Horizontal	129	1.50	54.62	33.77	6.86	34.20

5.47-5.725GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15792G	37.41	54.00	-16.59	16.14	3	Vertical	312	2.70	21.27	38.96	11.31	34.13
PK	11.14608G	51.95	74.00	-22.05	16.12	3	Vertical	312	2.70	35.83	38.95	11.30	34.13

5.47-5.725GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.13008G	37.36	54.00	-16.64	16.10	3	Horizontal	189	2.97	21.26	38.93	11.30	34.13
PK	11.10544G	51.14	74.00	-22.86	16.06	3	Horizontal	189	2.97	35.08	38.91	11.29	34.14



**Summary**


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.87398G	44.31	54.00	-9.69	Horizontal



Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	4.87396G	35.83	54.00	-18.17	3	Vertical	130	1.63	-
Mode 1	Pass	AV	10.40436G	40.54	68.20	-27.66	3	Vertical	353	1.50	-
Mode 1	Pass	AV	13.00072G	41.94	68.20	-26.26	3	Vertical	212	1.50	-
Mode 1	Pass	PK	4.87444G	48.39	74.00	-25.61	3	Vertical	130	1.63	-
Mode 1	Pass	PK	10.4078G	53.51	68.20	-14.69	3	Vertical	316	1.50	-
Mode 1	Pass	PK	13.01772G	56.16	68.20	-12.04	3	Vertical	252	1.70	-
Mode 1	Pass	AV	4.87398G	44.31	54.00	-9.69	3	Horizontal	215	1.50	-
Mode 1	Pass	AV	10.40996G	40.51	68.20	-27.69	3	Horizontal	326	1.50	-
Mode 1	Pass	AV	13.00012G	42.15	68.20	-26.05	3	Horizontal	253	1.34	-
Mode 1	Pass	PK	4.874G	49.55	74.00	-24.45	3	Horizontal	215	1.50	-
Mode 1	Pass	PK	10.4012G	53.15	68.20	-15.05	3	Horizontal	326	1.50	-
Mode 1	Pass	PK	13.00938G	55.26	68.20	-12.94	3	Horizontal	253	1.34	-

Radiated Emissions above 1GHz\_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87396G	35.83	54.00	-18.17	5.31	3	Vertical	130	1.63	30.52	32.70	6.90	34.29
AV	10.40436G	40.54	68.20	-27.66	14.47	3	Vertical	353	1.50	26.07	39.00	10.35	34.88
AV	13.00072G	41.94	68.20	-26.26	17.73	3	Vertical	212	1.50	24.21	39.80	11.40	33.47
PK	4.87444G	48.39	74.00	-25.61	5.31	3	Vertical	130	1.63	43.08	32.70	6.90	34.29
PK	10.4078G	53.51	68.20	-14.69	14.47	3	Vertical	316	1.50	39.04	39.00	10.35	34.88
PK	13.01772G	56.16	68.20	-12.04	17.74	3	Vertical	252	1.70	38.42	39.78	11.41	33.45

Radiated Emissions above 1GHz\_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87398G	44.31	54.00	-9.69	5.31	3	Horizontal	215	1.50	39.00	32.70	6.90	34.29
AV	10.40996G	40.51	68.20	-27.69	14.47	3	Horizontal	326	1.50	26.04	39.00	10.35	34.88
AV	13.00012G	42.15	68.20	-26.05	17.73	3	Horizontal	253	1.34	24.42	39.80	11.40	33.47
PK	4.874G	49.55	74.00	-24.45	5.31	3	Horizontal	215	1.50	44.24	32.70	6.90	34.29
PK	10.4012G	53.15	68.20	-15.05	14.46	3	Horizontal	326	1.50	38.69	39.00	10.35	34.89
PK	13.00938G	55.26	68.20	-12.94	17.73	3	Horizontal	253	1.34	37.53	39.79	11.40	33.46