



Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Ant. Pol.	Horizontal		
Test Mode:	TX 802.11n(HT40) Mode 5755 MHz (U-NII-3)		
Remark:			



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB/m	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector
1		5650.000	48.72	13.69	62.41	68.30	-5.89	peak
2		5650.000	37.02	13.69	50.71	54.00	-3.29	AVG
3		5725.000	62.17	13.89	76.06	122.30	-46.24	peak
4		5767.000	102.63	14.01	116.64	122.30	-5.66	peak
5		5850.000	47.78	14.23	62.01	122.30	-60.29	peak
6		5925.000	47.76	14.42	62.18	68.30	-6.12	peak
7	*	5925.000	36.40	14.42	50.82	54.00	-3.18	AVG

Emission Level= Read Level+ Correct Factor


Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Ant. Pol.	Vertical		
Test Mode:	TX 802.11n(HT40) Mode 5755 MHz (U-NII-3)		
Remark:			



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB/m	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector
1		5650.000	47.45	13.69	61.14	68.30	-7.16	peak
2		5650.000	36.74	13.69	50.43	54.00	-3.57	AVG
3		5725.000	59.31	13.89	73.20	122.30	-49.10	peak
4		5752.400	103.16	13.96	117.12	122.30	-5.18	peak
5		5850.000	48.39	14.23	62.62	122.30	-59.68	peak
6		5925.000	47.50	14.42	61.92	68.30	-6.38	peak
7	*	5925.000	36.85	14.42	51.27	54.00	-2.73	AVG

Emission Level= Read Level+ Correct Factor


Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Ant. Pol.	Horizontal		
Test Mode:	TX 802.11n(HT40) Mode 5795 MHz (U-NII-3)		
Remark:			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector
1		5650.000	46.97	13.69	60.66	68.30	-7.64	peak
2		5650.000	36.07	13.69	49.76	54.00	-4.24	AVG
3		5725.000	48.66	13.89	62.55	122.30	-59.75	peak
4		5810.000	103.08	14.12	117.20	122.30	-5.10	peak
5		5850.000	55.87	14.23	70.10	122.30	-52.20	peak
6		5925.000	48.36	14.42	62.78	68.30	-5.52	peak
7	*	5925.000	37.11	14.42	51.53	54.00	-2.47	AVG

Emission Level= Read Level+ Correct Factor


Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Ant. Pol.	Vertical		
Test Mode:	TX 802.11n(HT40) Mode 5795 MHz (U-NII-3)		
Remark:			



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB/m	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector
1		5650.000	48.65	13.69	62.34	68.30	-5.96	peak
2		5650.000	36.77	13.69	50.46	54.00	-3.54	AVG
3		5725.000	49.21	13.89	63.10	122.30	-59.20	peak
4		5782.000	101.81	14.05	115.86	122.30	-6.44	peak
5		5850.000	48.75	14.23	62.98	122.30	-59.32	peak
6		5925.000	47.82	14.42	62.24	68.30	-6.06	peak
7	*	5925.000	36.91	14.42	51.33	54.00	-2.67	AVG

Emission Level= Read Level+ Correct Factor


Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Ant. Pol.	Horizontal		
Test Mode:	TX 802.11ac(VHT40) Mode 5755 MHz (U-NII-3)		
Remark:			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	
1		5650.000	48.06	13.69	61.75	68.30	-6.55	peak
2		5650.000	37.22	13.69	50.91	54.00	-3.09	AVG
3		5725.000	60.33	13.89	74.22	122.30	-48.08	peak
4		5752.400	101.56	13.96	115.52	122.30	-6.78	peak
5		5850.000	47.73	14.23	61.96	122.30	-60.34	peak
6		5925.000	47.03	14.42	61.45	68.30	-6.85	peak
7	*	5925.000	36.66	14.42	51.08	54.00	-2.92	AVG

Emission Level= Read Level+ Correct Factor


Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Ant. Pol.	Vertical		
Test Mode:	TX 802.11ac(VHT40) Mode 5755 MHz (U-NII-3)		
Remark:			



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB/m	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector
1		5650.000	47.45	13.69	61.14	68.30	-7.16	peak
2		5650.000	36.74	13.69	50.43	54.00	-3.57	AVG
3		5725.000	59.31	13.89	73.20	122.30	-49.10	peak
4		5752.400	103.16	13.96	117.12	122.30	-5.18	peak
5		5850.000	48.39	14.23	62.62	122.30	-59.68	peak
6		5925.000	47.50	14.42	61.92	68.30	-6.38	peak
7	*	5925.000	36.85	14.42	51.27	54.00	-2.73	AVG

Emission Level= Read Level+ Correct Factor


Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Ant. Pol.	Horizontal		
Test Mode:	TX 802.11ac(VHT40) Mode 5795 MHz (U-NII-3)		
Remark:			



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB/m	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector
1		5650.000	47.05	13.69	60.74	68.30	-7.56	peak
2	*	5650.000	36.44	13.69	50.13	54.00	-3.87	AVG
3		5725.000	48.81	13.89	62.70	122.30	-59.60	peak
4		5792.400	101.61	14.08	115.69	122.30	-6.61	peak
5		5850.000	53.42	14.23	67.65	122.30	-54.65	peak
6		5925.000	47.02	14.42	61.44	68.30	-6.86	peak
7		5925.000	35.57	14.42	49.99	54.00	-4.01	AVG

Emission Level= Read Level+ Correct Factor


Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Ant. Pol.	Vertical		
Test Mode:	TX 802.11ac(VHT40) Mode 5795 MHz (U-NII-3)		
Remark:			



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB/m	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector
1		5650.000	47.40	13.69	61.09	68.30	-7.21	peak
2		5650.000	36.62	13.69	50.31	54.00	-3.69	AVG
3		5725.000	49.10	13.89	62.99	122.30	-59.31	peak
4		5809.200	103.79	14.12	117.91	122.30	-4.39	peak
5		5850.000	50.84	14.23	65.07	122.30	-57.23	peak
6		5925.000	49.04	14.42	63.46	68.30	-4.84	peak
7	*	5925.000	36.81	14.42	51.23	54.00	-2.77	AVG

Emission Level= Read Level+ Correct Factor


Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Ant. Pol.	Horizontal		
Test Mode:	TX 802.11ac(VHT80) Mode 5775 MHz (U-NII-3)		
Remark:			



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB/m	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector
1		5650.000	47.66	13.69	61.35	68.30	-6.95	peak
2		5650.000	36.40	13.69	50.09	54.00	-3.91	AVG
3		5725.000	57.57	13.89	71.46	122.30	-50.84	peak
4		5784.600	96.62	14.05	110.67	122.30	-11.63	peak
5		5850.000	53.68	14.23	67.91	122.30	-54.39	peak
6		5925.000	47.92	14.42	62.34	68.30	-5.96	peak
7	*	5925.000	36.55	14.42	50.97	54.00	-3.03	AVG

Emission Level= Read Level+ Correct Factor

Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Ant. Pol.	Vertical		
Test Mode:	TX 802.11ac(VHT80) Mode 5775 MHz (U-NII-3)		
Remark:			



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB/m	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector
1		5650.000	49.06	13.69	62.75	68.30	-5.55	peak
2	*	5650.000	37.37	13.69	51.06	54.00	-2.94	AVG
3		5725.000	57.62	13.89	71.51	122.30	-50.79	peak
4		5784.000	96.43	14.05	110.48	122.30	-11.82	peak
5		5850.000	55.19	14.23	69.42	122.30	-52.88	peak
6		5925.000	47.16	14.42	61.58	68.30	-6.72	peak
7		5925.000	36.12	14.42	50.54	54.00	-3.46	AVG


Emission Level= Read Level+ Correct Factor

Attachment D--Bandwidth Test Data

Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Test Mode:	TX 802.11a Mode (U-NII-1) Antenna A		
Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Bandwidth (MHz)
36	5180	19.42	16.481
40	5200	19.61	16.415
48	5240	19.66	16.511


802.11a Mode

Antenna A---5180 MHz




802.11a Mode

Antenna A--5200 MHz




802.11a Mode

Antenna A--5240 MHz




Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Test Mode:	TX 802.11a Mode (U-NII-1) Antenna B		
Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Bandwidth (MHz)
36	5180	19.97	16.466
40	5200	19.70	16.492
48	5240	19.81	16.515

802.11a Mode
Antenna B---5180 MHz



802.11a Mode

Antenna B--5200 MHz




802.11a Mode

Antenna B--5240 MHz




Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Test Mode:	TX 802.11n(HT20) Mode (U-NII-1) Antenna A		
Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Bandwidth (MHz)
36	5180	20.35	17.592
40	5200	20.23	17.547
48	5240	20.75	17.599
802.11n(HT20) Mode			
Antenna A---5180 MHz			

802.11n(HT20) Mode Antenna A--5200 MHz




802.11n(HT20) Mode Antenna A--5240 MHz



Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Test Mode:	TX 802.11n(HT20) Mode (U-NII-1) Antenna B		
Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Bandwidth (MHz)
36	5180	20.52	17.612
40	5200	20.62	17.592
48	5240	20.58	17.678

802.11n(HT20) Mode
Antenna B---5180 MHz




Keysight Spectrum Analyzer - Occupied BW
Center Freq 5.18000000 GHz
Center Freq: 5.18000000 GHz
Trig: Free Run
Avg|Hold: 10/10
Radio Std: None
Radio Device: BTS
#IFGain: Low
#Atten: 30 dB


10 dB/div Ref 20.00 dBm
Log
Center 5.18 GHz Span 40 MHz
#Res BW 200 kHz #VBW 620 kHz Sweep 1.333 ms

Occupied Bandwidth	Total Power	16.5 dBm
17.612 MHz		
Transmit Freq Error	13.224 kHz	% of OBW Power 99.00 %
x dB Bandwidth	20.52 MHz	x dB -26.00 dB

802.11n(HT20) Mode
Antenna B--5200 MHz




802.11n(HT20) Mode
Antenna B--5240 MHz



Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Test Mode:	TX 802.11ac(VHT20) Mode (U-NII-1) Antenna A		
Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Bandwidth (MHz)
36	5180	20.22	17.575
40	5200	19.91	17.588
48	5240	20.59	17.618


802.11ac(VHT20) Mode

Antenna A---5180 MHz




802.11ac(VHT20) Mode

Antenna A--5200 MHz




802.11ac(VHT20) Mode

Antenna A--5240 MHz




Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Test Mode:	TX 802.11ac(VHT20) Mode (U-NII-1) Antenna B		
Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Bandwidth (MHz)
36	5180	20.95	17.638
40	5200	20.58	17.621
48	5240	20.50	17.592

802.11ac(VHT20) Mode
Antenna B---5180 MHz



802.11ac(VHT20) Mode

Antenna B--5200 MHz



802.11ac(VHT20) Mode


Antenna B--5240 MHz




Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Test Mode:	TX 802.11n(HT40) Mode (U-NII-1) Antenna A		
Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Bandwidth (MHz)
38	5190	41.16	36.200
46	5230	41.51	36.180

802.11N(HT40) Mode

Antenna A---5190 MHz




Antenna A---5230 MHz




Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Test Mode:	TX 802.11n(HT40) Mode (U-NII-1) Antenna B		
Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Bandwidth (MHz)
38	5190	42.55	36.190
46	5230	41.33	36.258



**802.11N(HT40) Mode
Antenna B---5190 MHz**



Antenna B---5230 MHz




Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Test Mode:	TX 802.11ac(VHT40) Mode (U-NII-1) Antenna A		
Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Bandwidth (MHz)
38	5190	41.45	36.167
46	5230	41.91	36.182


802.11ac(VHT40) Mode
Antenna A---5190 MHz

Antenna A---5230 MHz


Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Test Mode:	TX 802.11ac(VHT40) Mode (U-NII-1) Antenna B		
Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Bandwidth (MHz)
38	5190	42.53	36.190
46	5230	41.66	36.168

**802.11ac(VHT40) Mode
Antenna B---5190 MHz**




Antenna B---5230 MHz




Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Test Mode:	TX 802.11ac(VHT80) Mode (U-NII-1) Antenna A		
Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Bandwidth (MHz)
42	5210	81.04	75.439


802.11ac(VHT80) Mode

Antenna A---5210 MHz






Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Test Mode:	TX 802.11a Mode (U-NII-2A) Antenna A		
Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Bandwidth (MHz)
52	5260	19.29	16.445
60	5300	19.60	16.468
64	5320	19.75	16.401

802.11a Mode
Antenna A---5260 MHz



802.11a Mode

Antenna A--5300 MHz



802.11a Mode


Antenna A--5320 MHz



Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Test Mode:	TX 802.11a Mode (U-NII-2A) Antenna B		
Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Bandwidth (MHz)
52	5260	20.15	16.498
60	5300	19.97	16.447
64	5320	19.19	16.441


802.11a Mode

Antenna B---5260 MHz




802.11a Mode

Antenna B---5300 MHz




802.11a Mode


Antenna B---5320 MHz




Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Test Mode:	TX 802.11n(HT20) Mode (U-NII-2A) Antenna A		
Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Bandwidth (MHz)
52	5260	19.84	17.534
60	5300	21.00	17.642
64	5320	20.36	17.576

802.11n(HT20) Mode
Antenna A---5260 MHz



802.11n(HT20) Mode
Antenna A---5300 MHz




802.11n(HT20) Mode
Antenna A---5320 MHz




Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Test Mode:	TX 802.11n(HT20) Mode (U-NII-2A) Antenna B		
Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Bandwidth (MHz)
52	5260	20.28	17.634
60	5300	20.80	17.576
64	5320	20.51	17.591

802.11n(HT20) Mode
Antenna B---5260 MHz


802.11n(HT20) Mode Antenna B---5300 MHz




802.11n(HT20) Mode Antenna B---5320 MHz



Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Test Mode:	TX 802.11ac(VHT20) Mode (U-NII-2A) Antenna A		
Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Bandwidth (MHz)
52	5260	20.17	17.605
60	5300	21.03	17.660
64	5320	20.40	17.566


802.11ac(VHT20) Mode

Antenna A---5260 MHz




802.11ac(VHT20) Mode

Antenna A--5300 MHz



802.11ac(VHT20) Mode


Antenna A--5320 MHz



Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Test Mode:	TX 802.11ac(VHT20) Mode (U-NII-2A) Antenna B		
Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Bandwidth (MHz)
52	5260	20.59	17.593
60	5300	20.70	17.640
64	5320	20.53	17.640


802.11ac(VHT20) Mode

Antenna B---5260 MHz




802.11ac(VHT20) Mode

Antenna B---5300 MHz





802.11ac(VHT20) Mode

Antenna B---5320 MHz




Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Test Mode:	TX 802.11N(HT40) Mode (U-NII-2A) Antenna A		
Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Bandwidth (MHz)
54	5270	41.52	36.164
62	5310	41.51	36.219


802.11N(HT40) Mode
Antenna A---5270 MHz

Antenna A---5310 MHz


Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Test Mode:	TX 802.11n(HT40) Mode (U-NII-2A) Antenna B		
Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Bandwidth (MHz)
54	5270	43.17	36.152
62	5310	41.79	36.243

**802.11N(HT40) Mode
Antenna B---5270 MHz**




Antenna B---5310 MHz




Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Test Mode:	TX 802.11ac(VHT40) Mode (U-NII-2A) Antenna A		
Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Bandwidth (MHz)
54	5270	41.89	36.186
62	5310	41.13	36.250



**802.11ac(VHT40) Mode
Antenna A---5270 MHz**




Antenna A---5310 MHz




Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Test Mode:	TX 802.11ac(VHT40) Mode (U-NII-2A) Antenna B		
Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Bandwidth (MHz)
54	5270	42.29	36.239
62	5310	40.25	36.149


802.11ac(VHT40) Mode
Antenna B---5270 MHz

Antenna B---5310 MHz




Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Test Mode:	TX 802.11ac(VHT80) Mode (U-NII-2A) Antenna B		
Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Bandwidth (MHz)
58	5290	81.87	75.613


802.11ac(VHT80) Mode
Antenna B---5290 MHz


Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Test Mode:	TX 802.11a Mode (U-NII-2C) Antenna A		
Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Bandwidth (MHz)
100	5500	19.60	16.448
120	5600	19.54	16.493
144	5720	19.49	16.485

802.11a Mode
Antenna A---5500 MHz



802.11a Mode

Antenna A--5600 MHz



802.11a Mode


Antenna A--5720 MHz



Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Test Mode:	TX 802.11a Mode (U-NII-2C) Antenna B		
Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Bandwidth (MHz)
100	5500	19.97	16.452
120	5600	19.96	16.410
144	5720	19.26	16.408
802.11a Mode			
Antenna B---5500 MHz			
Occupied Bandwidth		Total Power	8.69 dBm
16.452 MHz			
Transmit Freq Error	26.441 kHz	% of OBW Power	99.00 %
x dB Bandwidth	19.97 MHz	x dB	-26.00 dB


802.11a Mode

Antenna B---5600 MHz





802.11a Mode

Antenna B---5720 MHz




Temperature:	25 °C	Relative Humidity:	55%	
Test Voltage:	AC 120V/60Hz			
Test Mode:	TX 802.11a Mode (U-NII-2C) Antenna A			
Channel	Frequency (MHz)	26dB Bandwidth (MHz)	6dB Bandwidth (MHz)	99% Bandwidth (MHz)
144	5720	15.15	----	13.279
		----	3.271	3.7397

802.11a Mode
Antenna A---5720 MHz Straddle 5.47-5.725GHz

Antenna A---5720 MHz Straddle 5.725-5.85GHz



Temperature:	25 °C	Relative Humidity:	55%	
Test Voltage:	AC 120V/60Hz			
Test Mode:	TX 802.11a Mode (U-NII-2C) Antenna B			
Channel	Frequency (MHz)	26dB Bandwidth (MHz)	6dB Bandwidth (MHz)	99% Bandwidth (MHz)
144	5720	15.02	----	13.254
		----	3.286	3.7083

802.11a Mode

Antenna B---5720 MHz Straddle 5.47-5.725GHz




Antenna B---5720 MHz Straddle 5.725-5.85GHz




Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Test Mode:	TX 802.11n(HT20) Mode (U-NII-2C) Antenna A		
Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Bandwidth (MHz)
100	5500	20.00	17.556
120	5600	20.38	17.578
144	5720	20.46	17.594

Antenna A---802.11n(HT20) Mode


5500 MHz



802.11n(HT20) Mode
Antenna A--5600 MHz




802.11n(HT20) Mode
Antenna A--5720 MHz




Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Test Mode:	TX 802.11n(HT20) Mode (U-NII-2C) Antenna B		
Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Bandwidth (MHz)
100	5500	20.40	17.597
120	5600	20.60	17.630
144	5720	20.13	17.603
Antenna B---802.11n(HT20) Mode			
5500 MHz			
Occupied Bandwidth		Total Power	9.83 dBm
17.597 MHz			
Transmit Freq Error	23.466 kHz	% of OBW Power	99.00 %
x dB Bandwidth	20.40 MHz	x dB	-26.00 dB



802.11n(HT20) Mode
Antenna B---5600 MHz





802.11n(HT20) Mode
Antenna B---5720 MHz



Temperature:	25 °C	Relative Humidity:	55%	
Test Voltage:	AC 120V/60Hz			
Test Mode:	TX 802.11n(HT20) Mode (U-NII-2C) Antenna A			
Channel	Frequency (MHz)	26dB Bandwidth (MHz)	6dB Bandwidth (MHz)	99% Bandwidth (MHz)
144	5720	15.67	----	13.853
		----	3.894	4.1224

802.11n(HT20) Mode
Antenna A---5720 MHz Straddle 5.47-5.725GHz

Antenna A---5720 MHz Straddle 5.725-5.85GHz



Temperature:	25 °C	Relative Humidity:	55%	
Test Voltage:	AC 120V/60Hz			
Test Mode:	TX 802.11n(HT20) Mode (U-NII-2C) Antenna B			
Channel	Frequency (MHz)	26dB Bandwidth (MHz)	6dB Bandwidth (MHz)	99% Bandwidth (MHz)
144	5720	15.61	----	13.844
		----	3.894	4.1052

802.11n(HT20) Mode
Antenna B---5720 MHz Straddle 5.47-5.725GHz

Antenna B---5720 MHz Straddle 5.725-5.85GHz


Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Test Mode:	TX 802.11ac(VHT20) Mode (U-NII-2C) Antenna A		
Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Bandwidth (MHz)
100	5500	20.17	17.577
120	5600	20.48	17.608
144	5720	20.26	17.522


802.11ac(VHT20) Mode

Antenna A---5500 MHz



802.11ac(VHT20) Mode

Antenna A--5600 MHz



802.11ac(VHT20) Mode

Antenna A--5720 MHz

